WEEKLY RETURNS

OF

IRTHS, DEATHS, AND CAUSES OF DEATH IN LONDON

IN THE YEAR

1858.

ROYAL COLLEGE OF SURGEONS OF ENGLAND

PUBLISHED BY THE AUTHORITY OF THE REGISTRAR GENERAL OF BIRTHS, DEATHS, AND MARRIAGES IN ENGLAND.

LONDON:
PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE.

1859.

General Register Office, Somerset House,
12th February 1859.

Births and Deaths in London in 1858.

The London Bills of Mortality date from an early period. They were commenced about the year 1592; were discontinued when the Plague ceased; and were resumed on 29th December 1603. Since then they form an uninterrupted series. The Bills of the London parish clerks, though imperfect, were of unquestionable utility; and the new Tables of Mortality carry out the ideas of the age of Elizabeth, by recording daily the causes of all the deaths of the people of the metropolis.

The parishes first included within the London Bills did not contain a greater population than some of the provincial towns of the present day: the population of those parishes indeed only contained 261,233 inhabitants in the year 1801, and 338,489 in the year 1851. London has grown like a mighty tree, by extension rather than by the internal aggregation of constituent parts; and while foreign cities, girded round by walls, have grown denser, and have risen vertically, London has extended its boundaries freely all around, and covers now 78,029 acres = 31,576 *hectars*, = 121 square miles = a square of 11 miles to the side. The population in this area amounted in the year 1801 to 958,863, and in the year 1851 to 2,362,236.

It is worthy of remark, that the population of London has increased with great steadiness; thus in the five decennial periods the rate of increase was 18 per cent. from the year 1801 to 1811; and 21, 20, 17, and 21 per cent. in each of the next four periods of ten years. We see evident reasons for believing that London has not stopped in its onward course; for its houses are continually invading the surrounding fields; so the growth of population, going on nearly at the same rate as in the years 1841–1851, the inhabitants must now amount to about 2,720,607, of whom 1,274,432 are males, 1,446,175 are females.

The population of London increased at a faster rate (1·8 per cent. per annum) than the population of the United Kingdom; for it is the capital of the British Empire, which in its commerce and in all circumstances affecting the population of its metropolis acquired immense development in the half century. The London of 1858 is equal to three Londons of 1801.

The extent of the population of London gives weight to the returns extending over short intervals of time, and enables the scientific inquirer to investigate the effects of atmospheric and of other conditions on the mortality.

The registered births in London amounted to 88,620, the deaths amounted to 63,882, in the 52 weeks of 1858; and the increase of people in this way was 24,738. By the calculation, the increase from all causes was 52,690, or nearly 1000 a week, in the interval from the middle of the year 1857 to the middle of the year 1858. The registration of births, not being compulsory, is not complete in London; and a portion of the increase of 52,690 is thus accounted for. But, in round numbers, it may be stated that London increases at the rate of about 1000 people weekly, of whom about 500 are immigrants in excess of the native emigrants who bid adieu to the banks of the Thames.

45,220 boys and 43,400 girls were born in the year.

32,563 males and 31,319 females died in the year.

The mortality was at the annual rate of 2·356 per cent., or 23 and less than 24 in 1000. This rate exceeds the rates (22) of the two years 1856–7, and the rates of 1850–1–2, namely, 21, 23, 22; but it is below the rates 26 and 30 of 1848–9, as well as the rates 24, 29, and 24 of 1853–4–5. The average rate of the 17 years 1842–58 was 24·52, and the rate of the year 1858 was 23·56 in 1000. If we go back to the seven years 1838–44, before the two last epidemics of cholera, the annual rate of mortality in London was then 25·22 in 1000.

London is divided into five groups of districts; and the mortality to 1000 living was 21·77 in the West districts, 22·48 in the North districts, 23·16 in the Central Districts, 24·26 in the South districts, and 25·30 in the East districts. In interpreting these facts it must be borne in mind that the calculated population of

particular districts cannot be viewed with the same confidence as the calculated population of London; and that the population is often differently constituted in respect to age and occupation. The reduction in the mortality is greatest in the South Districts.

10,004 persons died in the public institutions of London, 5535 in the workhouses, 57 in the prisons, and 4412 in hospitals and lunatic asylums. Of the latter number 317 belong to the Greenwich and the Chelsea Hospitals, 211 to the Military and Naval Hospitals. About one in *six* of the inhabitants of the metropolis dies in the public institutions; nearly one in *eleven* dies in the workhouses. The death of so many persons in the large workhouses demands inquiry. The deaths by different causes in the 15 years, 1844–1858, are displayed in the Table, pp. ix.–xi. Of the 63,882 deaths in 1858, the causes were specified in 63,027 instances. The fatal diseases were nearly all certified by the medical attendants, by the medical officers of institutions, or by the coroners.

16,704 persons died by diseases of the zymotic class. These maladies exhibit great fluctuations, but they are not the less on that account under human control. Thus 247 persons, children chiefly, died of small-pox in the year 1858, 154 in 1857, 1024 in 1855, and 1617 in 1848. The deaths by small-pox fluctuate from year to year; the cause of the fluctuation we do not yet know, but we know well that if all the people were vaccinated there would be no deaths from small-pox at all, or very few. The deaths from cholera were 130 in 1858, 10,708 in 1854, and 14,125 in 1849. The cause of the difference is obscure; but it has been demonstrated that a large part of the mortality of cholera in London was due to the night-soil in the air, in the cesspools, in the sewers, in the wells, and in the waters of the Thames; and it is probable that if the air and water of London are purified by the Boards of Works the mortality of London will never be again so high as it was in 1849. Indeed when the sanitary defences of the metropolis are complete, and the medical health officers are in full activity, epidemics may assail, but they will, it is hoped, never destroy large numbers of the people. Of typhus 1902 persons died in 1858; and since 1844 the annual deaths have fluctuated from 3614 to 1333. The fever under this head is properly distinguished now by skilful practitioners as typhus, typhoid fever, and relapsing fever. These *descriptions* rather than names may be advantageously replaced by real names, such as *typhus*, *typhia*, and *typhinia*. It has been shown that typhoid fever or *typhia* is propagated and sometimes generated by cesspool poison, *typhus* by crowding in dirty apartments, and *typhinia* by famine. Dr. Murchison proposes to call typhia on this account *pythogenic* fever. Diarrhœa, fatal to 2093 persons, and dysentery to 181, have kindred causes. Measles (2383) and whooping cough (2700) caused an unusual number of deaths; but the mortality from these diseases declined during the year. It was otherwise with scarlatina and diphtheria, which in four successive periods of 13 weeks destroyed 473, 588, 1243, and 1814 lives, amounting to 4118 in the aggregate. The deaths from carbuncle were 61; fewer than in 1856, but ten times as many as the deaths from the disease in the earlier years. This troublesome plague of boils has been prevalent for some time. Syphilis is more fatal, or it is more accurately distinguished than it was formerly; 263 deaths were directly referred to it, and 42 to stricture of the urethra, in the year. Alcoholism killed 123 unhappy people by delirium tremens, 98 in other ways; it was also undoubtedly the cause of many fatal diseases. Of cancer 1142 persons died; of mortification 170. Of the class of diseases in which tubercles are generally deposited 10,127 persons died; namely, 437 by scrofula, 823 by tabes mesenterica, and 7369 by phthisis (consumption). Of 1498 deaths by hydrocephalus or water on the brain, a certain number were inflammations of the membranes and tissues of that great organ.

Of the 6571 deaths by diseases of the nervous system, 1423 were by apoplexy, 1184 by paralysis, 2119 by convulsions.

Heart disease often exists without being fatal; yet 2435 deaths are recorded by pericarditis and other heart maladies; and 86 persons died of aneurisms of the large vessels.

Bronchitis (6388) and pneumonia (4150) were unusually fatal; exclusive of phthisis, 11,908 persons died of diseases of the respiratory organs. The deaths were thus distributed through the four quarters: 4440, 2226, 1167, 4075. They vary in the inverse direction of the mean temperature, which was 38°, 54°, 61°,

and 44°. The unusual degree of cold in November was the main cause of the increase in the last quarter. It will be observed that the mortality of consumption was nearly the same in three quarters; but that it was below the average in summer.

The 2573 deaths from diseases of the digestive organs were very equally distributed over the seasons; so were the 831 deaths by diseases of the urinary organs, except nephria (Bright's disease), which, like phthisis, is least fatal in the summer, but is nearly equally fatal in the other quarters.

Of ovarian dropsy, and of uterine and other diseases of the order, 205 persons died; of joint diseases, 182. Of skin diseases, 262 persons died, including 48 by ulcer. This gives no idea of the amount of disease and of disability among the labouring population of London by ulcer of the legs alone, which is, singularly enough, not treated to any extent in the hospitals.* 165 women died of metria; 265 of other diseases incidental to childbearing; making 430 mothers dying to 88,620 children born alive; or, on an average, *one* mother died to 206 children born alive. The deaths from this cause will, we may hope, be greatly reduced in future years.

2591 deaths were referred to atrophy and debility; 2413 to old age, without apparent disease.

1916 violent deaths happened in the year; 2 were public executions, 53 were homicides, 238 were suicides, and 1622 were returned as deaths by accident or negligence. The homicides were most numerous in summer. The suicides were least numerous in the first three months of the year; of the suicides, 9 were by gunshot wounds, 60 by other wounds, 36 by drowning, 76 by hanging, 44 by poison, and 13 in other ways.

Of the accidental deaths, 755 were by fractures, contusions, and wounds inflicted in various ways; 309 were by burns and scalds; 235 were by drowning, and 230 by suffocation in bed and otherwise. One violent death was not classed.

The violent deaths increased in London from 1528 in 1848 to 1916 in 1858, and it is desirable that every means should be adopted likely to lessen these calamities.

If the population of London at each respective period of age had experienced a mortality at the same rate as the population of 63 comparatively healthy districts of England, the deaths in London in 1858 would have been about 45,988; they actually amounted to 63,882, and consequently 17,894 unnatural deaths may be referred to causes which the Metropolitan Boards of Works have to investigate, and endeavour to remove or greatly mitigate. It is an important mission which the country expects them to fulfil.

As a preliminary condition of the improvements which may be expected to flow from the cultivation of sanitary science, three things are indispensable; pure air for the people to breathe, pure water, and a healthy soil to live on.

Thus the cesspools of London, and collections of putrifying dirt, must be suppressed; the sewer air must be carried off or purified, so as not to poison people in the houses or streets; the method of burning coals must be adopted so as to consume the smoke, which is offensive to the senses and injurious to the lungs. Churches, chapels, theatres, and other public buildings, as well as crowded dwellings, where people drink each others breath and draw in disease, must be purified. The pumps having shallow wells saturated with impurities should, as Dr. Thomson, Dr. Lankester, and other health officers have proposed, be suppressed, and the water supply by the companies should be still further improved. The streets should be cleansed *every day;* for it is evident that the cleansing arrangements of the Boards should keep pace with the increase of traffic and population.

To all this work the representative Metropolitan Boards will, we may hope, anxiously address themselves, as on their shoulders rests the responsibility of improving the health of the greatest city in the world, the metropolis of the British Empire.

When this and other work is done, much will remain to be accomplished. Sanitary science is yet in its infancy; it can be greatly advanced by bringing into the field the great medical profession of the kingdom, armed with all its science

---

* Persons suffering from this disease can with care and skill be effectually relieved, and it is satisfactory to find that a dispensary has recently been founded for the relief of the working classes by Mr. Westlake.

and art, and working under the most advantageous circumstances. There are more than two thousand medical men in London and its vicinity, but they are employed chiefly in treating disease. They are often paid only in proportion to the quantity of medicines that their patients take. The art of preventing disease is not cultivated; it is not taught in any of our medical schools; it is not formally the subject of examination in our universities. The father of a family does not go to the doctor and say to him plainly: "How can I preserve my health? "How can I make my children well and vigorous? How can I develop all "their faculties in harmony to the fullest extent? Constantly advise us, and lead "us in the way of a healthy life; preserve us, and I will pay twice as much as I "now pay for the plucking of us out of the fire of disease, and the treatment "of our sores." Instead of this, the common course is never to consult or to pay the medical man until the evil is nearly done; until consumption has set in, diphtheria is developed in the throat, small-pox is furrowing the skin, fever is racking the brain, and then there is a midnight rush to the great blue and red lights burning in the streets; or in some cases even to the nostrums of quackery. How vainly, the returns show. The utility of curative medicine is evident to every rational mind; the utility of preventive medicine is still more clear. Witness the health of the ships' crews in Anson's and then in Cook's voyages; witness the health of the British army in the Crimea, which Miss Nightingale has shown experienced an annual rate of mortality ranging from 1174 to 7 in 1,000 of the force, according as the principles of preventive medicine were disregarded or observed. Imagine the two thousand members of the most enlightened profession in the country employed in instructing the public how to preserve their health. How many thousands of lives would then be saved every year in London! The population would also be happier and better.

A beginning of a movement has been made in the right direction under Sir Benjamin Hall's Act. Medical Health Officers are appointed in all the London districts, and many of them are working courageously in the midst of unhealthy places, and against ignorant opposition, with success. Their reports are replete with interesting facts, and contain many words in season of sanitary truth, well calculated to influence and direct the Boards. They have deserved the public approbation; for they have done quietly a great deal of good work, and it is probable have saved many lives, and *prevented* much sickness.

LONDON.—Births and Deaths in the Fifteen Years 1844 to 1858.

YEARS.	1844	1845	1846	1847 (53 weeks)	1848	1849	1850	1851	1852	1853 (53 weeks)	1854	1855	1856	1857 (53 weeks)	1858
BIRTHS . . .	64329	65884	69882	68331	71265	72662	74317	77871	80484	83878	84684	84944	86833	91048	88620
DEATHS* . . .	50423	48332	49089	60442	57628	68432	48579	55354	54213	61202	73697	61506	56786	60150	63882
Excess of Births over Deaths .	13906	17552	20793	7889	13637	4230	25738	22517	26271	22676	10987	23438	30047	30898	24738
Births . Males .	32949	33625	35318	34736	36339	37168	37804	39887	41038	42987	42927	43352	44159	46770	4522[illegible]
Births . Females .	31380	32259	34564	33595	34926	35494	36513	37984	39446	40891	41757	41592	42674	44278	4340[illegible]
Deaths . Males .	25729	24496	24941	30347	29329	34032	24449	28096	27853	31514	37178	31203	28894	30399	3256[illegible]
Deaths . Females .	24694	23836	24148	30095	28299	34400	24130	27258	26360	29688	36519	30303	27892	29751	3131[illegible]
Deaths in Five Groups of Districts:—															
West . . .	7586	7336	7202	8541	8279	9388	7232	8326	8295	8937	11495	9380	8952	9279	976[illegible]
North . . .	9317	8648	9229	11449	10627	11053	9488	10860	10670	11819	12895	12547	11610	12464	1329[illegible]
Central . . .	9272	9158	8779	10943	9798	10846	8256	9474	9324	10081	10759	9764	8815	9440	939[illegible]
East . . .	10954	10640	10635	13442	13139	14847	10337	11810	11449	13687	15445	13254	12269	13584	1412[illegible]
South . . .	13294	12550	13244	16067	15785	22298	13266	14884	14475	16678	23103	16561	15140	15383	1730[illegible]

* The deaths in this Table are compiled from the Weekly Returns, which embrace 364 days, and in three years 371 days; and for this reason the figures differ from the totals of deaths in 37 Districts (on the next page), which are derived from the returns for complete years from 1st January to 31st December.

DEATHS in the LONDON DISTRICTS Registered in each Year during 10 Years, 1849–1858,* with the Mean Temperature for the same Periods.

DISTRICTS.	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858
Mean Temperature - - -	49°·9	49°·3	49°·4	50°·6	47°·7	49°·1	46°·9	49°·1	51°·1	49°·2
LONDON - - -	68,756	48,950	55,488	54,638	60,069	73,697	* 61,942	57,274	59,103	63,882
1 KENSINGTON - - - - -	2462	1973	2380	2620	2749	3360	3060	3122	3052	3406
2 CHELSEA - - - - - -	1628	1255	1406	1334	1369	2019	1478	1359	1436	1491
3 ST. GEORGE HANOVER SQUARE -	1615	1349	1481	1449	1505	2027	1736	1606	1640	1832
4 WESTMINSTER - - - - -	2194	1513	1751	1631	1823	2277	1831	1643	1636	1758
5 ST. MARTIN-IN-THE-FIELDS -	710	565	607	579	625	624	593	615	634	598
6 ST. JAMES WESTMINSTER - -	815	640	711	713	738	1199	782	685	705	676
7 MARYLEBONE - - - - -	3693	3353	3726	3628	3807	4058	3858	3518	3854	3908
8 HAMPSTEAD - - - - -	194	186	201	216	237	228	240	265	272	266
9 PANCRAS - - - - - -	4114	3447	3851	3686	3947	4430	4366	3905	4055	4712
10 ISLINGTON - - - - - -	1891	1609	2082	2086	2395	2800	2680	2677	2586	2776
11 HACKNEY - - - - - -	1230	925	1074	1117	1207	1417	1508	1371	1470	1634
12 ST. GILES - - - - - -	1622	1204	1487	1401	1562	1619	1540	1352	1423	1344
13 STRAND - - - - - -	1184	894	1018	955	1086	1138	1143	994	1025	954
14 HOLBORN - - - - - -	1275	1038	1155	1195	1206	1303	1188	1197	1103	1186
15 CLERKENWELL - - - - -	1420	1251	1388	1393	1430	1539	1463	1336	1365	1478
16 ST. LUKE - - - - - -	1369	1097	1168	1304	1265	1491	1284	1137	1284	1352
17 EAST LONDON - - - - -	1173	860	1066	1033	1112	1214	1056	874	908	992
18 WEST LONDON - - - - -	1618	1044	1147	1199	1258	1411	1252	1262	1249	1219
19 LONDON CITY - - - - -	1239	914	1031	925	948	1039	883	820	863	873
20 SHOREDITCH - - - - -	3529	2222	2628	2507	2852	3142	2998	2719	2955	3182
21 BETHNAL GREEN - - - -	2946	1672	1826	1941	2237	2427	2159	1932	2257	2442
22 WHITECHAPEL - - - - -	2778	2061	2377	2286	2444	2878	2453	2260	2304	2444
23 ST. GEORGE-IN-THE EAST -	1282	1122	1200	1183	1482	1653	1257	1286	1207	1327
24*a* STEPNEY - - - - - - } 24*b* MILE END OLD TOWN - - }	2987	2213	2691	2494	3022	3516	2884	2714	2917	{ 1468 / 1523
25 POPLAR - - - - - -	1396	1161	1121	1176	1351	1815	1576	1495	1676	1735
26 ST. SAVIOUR - - - - -	1649	923	1127	1084	1112	1662	1138	890	924	1074
27 ST. OLAVE - - - - - -	1381	982	1034	910	1192	1531	1142	1062	1081	1148
28 BERMONDSEY - - - - -	2000	983	1194	1156	1300	2318	1209	1192	1125	1307
29 ST. GEORGE SOUTHWARK - -	2132	1169	1354	1300	1479	1945	1331	1231	1222	1382
30 NEWINGTON - - - - -	2479	1486	1482	1431	1648	2346	1564	1308	1758	1764
31 LAMBETH - - - - - -	4665	2773	3145	3089	3237	4390	3331	2905	3017	3499
32 WANDSWORTH - - - - -	1526	963	1016	1114	1148	1733	1144	1144	1097	1264
33 CAMBERWELL - - - - -	1731	1066	1203	1125	1367	1980	1360	1209	1241	1442
34 ROTHERHITHE - - - - -	828	313	384	403	464	825	478	471	446	551
35 GREENWICH - - - - - -	3320	2171	2403	2344	2764	3499	3116	2844	2513	2926
36 LEWISHAM - - - - - -	681	553	573	631	701	844	861	874	803	949

* Each of the years 1849-57, with the exception of the leap years 1852 and 1856, embraces 365 days, and therefore the totals differ slightly from those that are obtained from the Weekly Returns. It must be also observed that in this Table 1858 comprises 52 weeks, and the total of that year is alone obtained from the Weekly Returns.

LONDON.—ANNUAL MORTALITY, 1842–1858, in FIVE GROUPS of DISTRICTS.

———	LONDON.	WEST DISTRICTS.	NORTH DISTRICTS.	CENTRAL DISTRICTS.	EAST DISTRICTS.	SOUTH DISTRICTS.
Area in Square Miles .	121·8	16·9	21·1	2·9	9·7	71·2
Annual Increase of Population per Cent., 1841–51	1·97	2·49	2·67	·48	1·99	2·08
Population, 1851 . .	2,362,236	376,427	490,396	393,256	485,522	616,635
YEARS.	ANNUAL MORTALITY PER CENT.*					
1842 . . .	2·381	2·209	2·289	2·363	2·493	2·476
1843 . . .	2·518	2·317	2·374	2·534	2·706	2·595
1844 (*a*) . . .	2·512	2·387	2·390	2·442	2·653	2·617
1845 . . .	2·379	2·277	2·181	2·409	2·546	2·432
1846 . . .	2·379	2·198	2·281	2 300	2·503	2·519
1847 † (*b*) . .	2·710	2·450	2·537	2·789	2·935	2·771
1848 . . .	2·583	2·361	2·338	2·533	2·867	2·718
1849 . . .	3·008	2·613	2·368	2·791	3·176	3·762
1850 . . .	2·094	1·964	1·980	2·114	2·168	2·192
1851 . . .	2·340	2·206	2·208	2·415	2·429	2·410
1852 . . .	2·247	2·144	2·113	2·365	2·309	2·296
1853 † . . .	2·441	2·212	2·236	2·497	2·655	2·542
1854 . . .	2·938	2·829	2·422	2·703	2·994	3·516
1855 . . .	2·406	2·252	2·295	2·441	2·519	2·469
1856 . . .	2·178	2·097	2·069	2·193	2·286	2·211
1857 † . . .	2·220	2·081	2·122	2·293	2·435	2·160
1858 . . .	2·356	2·177	2·248	2·316	2·530	2·426
Mean of 17 Years . .	2·452	2·281	2·262	2·441	2·600	2·595
Living to One Death annually . . .	41	44	44	41	38	39

* The Annual Mortality in this Table is deduced from the Population of 1841 and 1851 corrected for increase at each year, and the deaths registered in London in each of the several years, correction being made for the difference between 364 and 365·25636 days.

† The Summaries of the Weekly Tables for the Years 1847, 1853, and 1857 contain the deaths in 53 weeks; in this calculation a correction has been made for the difference between 365·25636 and 371 days.

(*a*) The deaths in the districts of Wandsworth and Clapham first appeared in the Metropolitan Returns in 1844.

(*b*) The deaths in the districts of Lewisham and Hampstead first appeared in the Metropolitan Returns in 1847.

Deaths in London, from All Causes, Registered in the Years 1844–1858.

Class.	Causes of Death	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1858. Quarter ending Apr. 3	July 3	Oct. 2	Jan. 1 1859
	Mean Temperature	48°·6	47°·6	51°·3	49°·1	50°·2	49°·9	49°·3	49°·4	50°·6	47°·7	49°·1	46°·9	49°·1	51°·1	49°·2				
		364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	364 Days	364 Days.	371 Days.	364 Days.	364 Days	364 Days.	371 Days.	364 Days.	91 Days	91 Days	91 Days	91 Days
	ALL CAUSES	50423	48332	49089	60442	57628	68432	48579	55354	54213	61202	73697	61506	56786	60150	63882	17308	14541	14345	17688
	SPECIFIED CAUSES	49434	47470	48317	59417	56606	67208	47336	54270	53140	59816	72162	60075	55575	58990	63027	17042	14376	14160	17449
	(Classes.)																			
I.	Zymotic Diseases	11655	10042	10232	14728	18869	29096	10654	13453	12990	14518	27758	14565	13862	14107	16704	3382	3604	5032	4686
II.	Constitutional ,,	12030	11531	11609	11949	11208	10956	10446	11834	11795	12690	12406	12640	11784	12366	12309	3251	3187	2785	3086
III.	Local ,,	18374	18617	19103	23984	19477	19928	19174	21129	20324	23662	22916	23711	21532	23370	25053	7992	5377	4153	7531
IV.	Developmental ,,	6074	5951	5722	7078	5524	5820	5543	6200	6261	6969	7292	7289	6558	7130	7045	1965	1715	1690	1675
V.	Violent Deaths	1301	1329	1651	1678	1528	1408	1519	1654	1770	1977	1790	1870	1839	2017	1916	452	493	500	471
	(Orders.)																			
I.	1. Miasmatic Diseases	11094	9432	9510	13969	18011	28277	9864	12585	12090	13497	26659	13518	12819	13021	15554	3114	3358	4688	4394
	2. Enthetic ,,	118	140	171	178	179	137	169	176	195	231	261	227	256	296	305	75	77	65	88
	3. Dietic ,,	184	224	302	374	470	504	475	529	549	625	658	673	642	672	670	155	140	217	158
	4. Parasitic ,,	259	246	249	207	209	178	146	163	156	165	180	147	145	118	175	38	29	62	46
II.	1. Diathetic ,,	2545	2305	1830	2001	1941	1974	1907	2011	1980	2181	2194	2184	2053	2149	2182	580	537	491	574
	2. Tubercular ,,	9485	9226	9779	9948	9267	8982	8539	9823	9815	10509	10212	10456	9731	10217	10127	2671	2650	2294	2512
III.	1. Diseases of Nervous System	6255	5919	6032	6448	5925	6079	5810	5938	5878	6526	6575	6361	5956	6094	6571	1817	1572	1461	1721
	2. ,, of Organs of Circulation	1594	1719	1783	2123	1697	1931	1965	2173	2156	2349	2279	2394	2313	2371	2521	723	554	544	700
	3. ,, of Respiratory Organs	7421	7612	7249	11144	8066	8252	7822	9312	8435	10831	10061	11114	9457	10890	11908	4440	2226	1167	4075
	4. ,, of Digestive Organs	2277	2438	2917	2937	2676	2522	2404	2548	2630	2650	2643	2534	2432	2626	2573	631	632	668	642
	5. ,, of Urinary Organs	319	425	490	582	558	548	568	556	602	678	681	621	736	736	831	216	217	179	219
	6. ,, of Organs of Generation	156	166	204	224	188	206	212	205	196	186	208	198	165	201	205	54	60	40	51
	7. ,, of Organs of Locomotion	202	200	226	283	146	183	183	190	199	205	190	196	177	175	182	42	56	44	40
	8. ,, of Integumentary System	150	138	202	243	221	207	210	207	228	237	279	293	296	277	262	69	60	50	83
IV.	1. Dev. Dis. of Children	1831	1829	1831	2019	1816	1979	1993	2313	2333	2473	2661	2505	2338	2527	1771	467	464	405	435
	2. ,, of Adults	354	419	463	526	262	260	255	239	277	262	268	278	253	235	270	63	62	74	71
	3. ,, of Old People	3237	2959	2241	3132	2168	2239	2149	2334	2315	2429	2290	2468	2130	2360	2413	804	598	466	545
	4. Diseases of Nutrition	652	744	1187	1401	1278	1342	1146	1314	1336	1805	2073	2038	1837	2008	2591	631	591	745	624
V.	1. Accident or Negligence *	In 1844–57 the Violent Deaths are not classed according to Orders, but they are placed indiscriminately in the next line following.														1622	401	413	412	396
	3. Homicide															53	10	10	21	12
	4. Suicide															238	39	69	67	63
	5. Execution															2	1	1	..	..
	Violent Deaths not classed	1301	1329	1651	1678	1528	1408	1519	1654	1770	1977	1790	1870	1839	2017	1	1	..	..	..
	Sudden Deaths, cause unascertained	592	532	422	674	590	714	676	516	431	497	651	652	530	508	476	138	113	86	139
	Causes not specified	397	330	350	351	432	510	567	568	642	889	884	779	681	652	379	128	52	99	100

* Order 2., comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, REGISTERED in the YEARS 1844–1858—*continued.*

Class.	CAUSES OF DEATH.	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1858. Quarter ending Apr. 3	July 3	Oct. 2	Jan. 1 1859
	MEAN TEMPERATURE	48°·6	47°·6	51°·3	49°·1	50°·2	49°·9	49°·3	49°·4	50°·6	47°·7	49°·1	46°·9	49°·1	51°·1	49°·2				
		364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	91 Days	91 Days	91 Days	91 Days
I.	ORDER 1.																			
	1. Small-pox	1804	909	257	955	1617	518	498	1066	1166	217	676	1024	522	154	247	41	34	54	118
	2. Measles	1182	2318	747	1778	1143	1153	977	1322	600	1007	1399	864	1445	1400	2383	714	679	466	524
	3. Scarlatina	3029	1085	928	1433	4756	2145	1178	1269	2549	2069	3439	2602	1795	1587	4118	473	588	1243	1814
	4. Quinsy	107	54	54	87	87	82	71	74	56	56	71	97	74	87	103	33	19	18	33
	5. Croup	411	352	277	295	291	324	307	315	343	374	488	535	537	457	557	159	130	115	153
	6. Whooping-cough	1292	1816	2035	1600	1628	2345	1572	2161	1565	2652	2471	2415	2078	2551	2700	757	870	514	559
	7. Typhus (and Infantile fever)	1722	1333	1851	3232	3614	2515	1967	2404	2209	2701	2715	2375	2674	2203	1902	425	406	495	576
	8. Erysipelas	320	308	347	525	579	459	374	347	339	324	448	402	388	299	339	94	69	78	98
	9. Metria	(See IV.; 2; 2.)				321	258	199	180	188	140	172	199	170	136	165	35	32	37	61
	10. Carbuncle	5	9	3	15	20	15	19	19	50	70	91	53	78	69	61	14	13	16	18
	11. Influenza	134	73	115	1253	659	127	109	354	117	112	103	168	52	136	99	50	16	4	29
	12. Dysentery	125	99	156	307	334	370	182	170	152	162	175	142	165	177	181	39	33	73	36
	13. Diarrhœa	705	841	2152	1976	1913	3463	1884	2271	2164	2310	3235	2061	2251	3145	2093	152	316	1391	234
	14. Cholera	65	43	228	117	652	14125	127	213	162	881	10708	146	145	215	130	2	33	90	5
	15. Ague	28	17	19	33	33	28	18	19	18	24	24	22	29	22	43	13	14	7	9
	16. Remittent Fever	33	32	71	96	96	80	87	122	91	104	122	104	88	98	94	19	26	23	26
	17. Rheumatism	132	143	270	267	268	270	295	279	321	294	322	309	328	285	339	94	80	64	101
	ORDER 2.																			
	1. Syphilis	56	82	118	128	122	100	122	129	140	165	191	168	209	225	263	66	62	60	75
	2. Stricture of Urethra	59	56	52	50	56	37	46	47	55	65	63	57	47	69	42	9	15	5	13
	3. Hydrophobia	3	2	1	..	1	..	1	..	..	1	7	2	..	2	..	..	..	..	..
	4. Glanders	Deaths in 1844–57 classed in this Table with *Erysipelas.*														..	..	..	..	..
	ORDER 3.																			
	1. Privation	26	19	31	62	39	46	23	28	23	34	32	35	28	29	33	18	1	4	10
	2. Want of Breast Milk	(See IV.; 4; 1.)				171	176	180	252	267	302	325	358	366	363	372	71	78	137	86
	3. Purpura and Scurvy	21	25	28	80	62	54	43	52	56	55	54	51	50	40	44	9	10	11	14
	4. Alcoholism { *a* Del. Tremens	95	113	153	156	141	164	155	130	123	146	164	157	132	129	123	27	33	43	20
	4. Alcoholism { *b* Intemperance	42	67	90	76	57	64	74	67	80	88	83	72	66	111	98	30	18	22	28
	ORDER 4.																			
	1. Thrush	259	246	249	207	209	178	146	163	156	165	180	147	145	118	168	36	27	60	45
	2. Worms, &c.	Deaths in 1844–57 classed in this Table with *Dis. of Stomach.*														7	2	2	2	1
II.	ORDER 1.																			
	1. Gout	53	48	52	61	42	55	59	57	60	52	66	59	60	59	70	21	16	20	13
	2. Dropsy	1667	1343	755	958	809	865	779	818	811	844	893	829	728	720	777	202	198	153	224
	3. Cancer	624	727	847	788	875	870	889	910	936	1083	1021	1055	1074	1152	1142	298	269	281	294
	4. Noma	..	13	17	24	24	13	17	29	15	16	25	25	20	34	23	7	6	5	5
	5. Mortification	201	174	159	170	191	171	163	197	158	186	189	216	171	184	170	52	48	32	38
	ORDER 2.																			
	1. Scrofula	161	178	307	278	367	354	305	381	447	443	446	464	380	382	437	128	105	114	90
	2. Tabes Mesenterica	462	594	861	990	856	841	752	812	838	965	1099	916	804	882	823	192	190	239	202
	3. Phthisis	7099	6731	6890	7010	6556	6317	6137	7027	6935	7502	7107	7545	7196	7424	7369	1944	1909	1602	1914
	4. Hydrocephalus	1763	1723	1721	1670	1488	1470	1345	1603	1595	1599	1560	1531	1351	1529	1498	407	446	339	306
III.	ORDER 1.																			
	1. Cephalitis	637	594	613	614	518	550	525	537	528	573	635	603	510	539	575	152	159	134	130
	2. Apoplexy	1143	1133	1278	1310	1238	1250	1326	1250	1162	1339	1323	1382	1306	1340	1423	412	303	339	369
	3. Paralysis	895	886	1007	1130	1057	1109	1153	1063	1021	1212	1276	1180	1133	1064	1184	330	279	253	322
	4. Insanity	73	69	93	112	94	89	94	112	114	132	115	133	78	97	87	31	11	20	25
	5. Chorea	13	9	3	5	6	2	13	10	9	10	12	12	5	3	7	2	1	2	2
	6. Epilepsy	220	257	314	374	298	342	286	325	370	413	377	399	373	395	409	129	106	80	94
	7. Convulsions	2736	2395	2086	2258	2076	2062	1762	2024	2029	2183	2144	1937	1872	1907	2119	567	501	475	576
	8. *Brain Disease, &c.*	538	576	638	645	638	675	651	617	645	664	693	715	679	749	767	194	212	158	203
	ORDER 2.																			
	1. Pericarditis	116	96	83	110	121	121	122	138	116	94	130	122	115	103	122	32	22	24	44
	2. Aneurism	41	62	55	71	70	85	89	80	69	104	87	84	90	71	86	24	26	13	23
	3. *Heart Disease, &c.*	1437	1561	1645	1942	1506	1725	1754	1955	1971	2151	2062	2188	2108	2197	2313	667	506	507	633
	ORDER 3.																			
	1. Laryngitis	50	79	121	208	187	192	189	198	202	239	329	283	283	308	317	112	87	41	77
	2. Bronchitis	1172	1686	2431	4343	3030	3243	3282	3992	3744	5223	4549	5512	4482	5716	6388	2557	1085	506	2240
	3. Pleurisy	96	127	146	245	176	151	131	189	154	169	156	202	145	123	138	37	36	26	39
	4. Pneumonia	4064	3896	3151	4290	3499	3593	3108	3684	3271	3938	3976	3992	3621	3887	4150	1385	850	482	1433
	5. Asthma	1186	1100	802	1350	663	658	726	816	627	833	661	728	585	608	586	265	85	45	191
	6. *Lung Disease, &c.*	853	724	598	708	511	415	386	433	437	429	390	397	341	248	329	84	83	67	95
	ORDER 4.																			
	1. Gastritis	60	61	100	100	95	87	98	103	79	76	82	102	86	87	85	21	24	24	16
	2. Enteritis	758	646	548	533	467	407	372	363	394	329	324	297	262	290	272	53	60	80	79
	3. Peritonitis	114	157	213	270	263	216	217	217	213	192	203	257	202	201	225	46	58	62	59
	4. Ascites	89	86	105	106	117	106	111	132	126	155	147	172	164	153	117	28	31	26	32
	5. Ulceration of Intestines	68	130	155	129	132	117	95	115	139	140	144	122	122	136	126	25	37	33	31
	6. Hernia	104	96	146	179	144	130	128	138	137	148	149	166	137	159	141	48	30	37	26
	7. Ileus	135	114	144	157	125	122	133	142	144	161	162	150	151	149	147	36	47	32	32
	8. Intussusception	24	35	44	59	46	60	44	39	47	46	47	50	55	63	43	12	8	11	12

DEATHS in LONDON, from ALL CAUSES, REGISTERED in the YEARS 1844–58—*continued.*

Class.	CAUSES OF DEATH.	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1858. Quarter ending Apr. 3	July 3	Oct. 2	Jan. 1 1859
	MEAN TEMPERATURE	48°·6	47°·6	51°·3	49°·1	50°·2	49°·9	49°·3	49°·4	50°·6	47°·7	49°·1	46°·9	49°·1	51°·1	49°2·				
		364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	91 Days	91 Days	91 Days	91 Days
	9. Stricture of Intestines –	20	29	38	32	28	33	47	42	44	37	49	36	44	38	42	8	5	16	13
	10. Fistula – – – –	11	16	25	13	18	17	19	24	15	30	26	19	19	26	27	11	2	4	10
	11. *Stomach Disease, &c.* –	278	297	377	364	341	301	249	288	293	299	278	292	255	296	342	103	82	76	81
	12. *Pancreas Disease, &c.* –	2	2	4	2	4	1	1	5	1	3	7	..	5	2	4	1	1	1	1
	13. Hepatitis – – –	82	133	218	213	199	174	195	190	207	215	213	181	177	152	171	38	43	48	42
	14. Jaundice – – –	129	117	143	138	138	162	141	166	186	156	182	181	169	197	179	45	39	54	41
	15. *Liver Disease, &c.* –	399	510	641	639	547	578	542	571	589	651	615	496	569	660	638	153	163	160	162
	16. *Spleen Disease, &c.* –	4	9	16	3	12	11	12	13	16	12	15	13	15	17	14	3	2	4	5
	ORDER 5.																			
	1. Nephritis – – –	22	25	28	24	21	22	28	32	29	35	42	27	42	23	37	9	8	12	8
	2. Ischuria – – –	2	..	7	13	8	10	10	14	11	10	10	11	7	12	7	5	1	..	1
	3. Nephria – – –	(See III.; 5; 7.)				152	121	136	136	148	184	195	200	237	250	267	71	72	49	75
	4. Diabetes – – –	23	44	24	33	45	40	45	41	48	54	62	38	50	55	46	12	11	10	13
	5. Stone – – – –	27	38	31	42	30	30	31	26	33	38	33	34	41	30	29	6	9	8	6
	6. Cystitis – – –	15	17	24	34	35	40	31	26	35	36	37	37	30	38	48	12	11	9	16
	7. *Kidney Disease, &c.* –	230	301	376	436	267	285	287	281	298	321	302	274	329	328	397	101	105	91	100
	ORDER 6.																			
	1. Ovarian Dropsy – –	25	28	51	47	44	50	60	46	46	46	58	49	38	51	45	14	14	5	12
	2. *Uterus Disease, &c.* –	131	138	153	177	144	156	152	159	150	140	150	149	127	150	160	40	46	35	39
	ORDER 7.																			
	1. Arthritis – – –	3	10	8	13	4	6	8	12	19	15	11	15	10	11	11	4	2	2	3
	2. *Joint Disease, &c.* –	199	190	218	270	142	177	175	178	180	190	179	181	167	164	171	38	54	42	37
	ORDER 8.																			
	1. Phlegmon – – –	108	74	97	113	121	113	115	114	130	149	159	177	180	157	150	33	39	28	50
	2. Ulcer – – – –	27	29	52	81	56	57	53	47	50	55	69	74	66	61	48	14	7	12	15
	3. *Skin Disease, &c.* – –	15	35	53	49	44	37	42	46	48	33	51	42	50	59	64	22	14	10	18
IV.	ORDER 1.																			
	1. Premature Birth – –	1018	979	1155	1257	1139	1256	1318	1555	1572	1611	1729	1631	1573	1630	873	219	217	224	213
	2. Cyanosis – – –	These *Malformations* in 1844–57 are not distinguished, but are included in the next line following.														80	17	18	18	27
	3. Spina Bifida – – –															48	15	9	8	16
	4. Other Malformations –	87	130	192	195	215	171	176	160	197	189	200	200	191	183	82	21	24	17	20
	5. Teething – – –	726	720	484	567	462	552	499	598	564	673	732	674	574	714	688	195	196	138	159
	ORDER 2.																			
	1. Paramenia – – –	4	17	17	17	12	16	11	8	15	10	5	6	7	8	5	1	1	2	1
	2. Childbirth (*see* Metria)	350	402	446	509	250	244	244	231	262	252	263	272	246	227	265	62	61	72	70
	ORDER 3.																			
	1. Old Age – – –	3237	2959	2241	3132	2168	2239	2149	2334	2315	2429	2290	2468	2130	2360	2413	804	598	466	545
	ORDER 4.																			
	1. Atrophy and Debility –	652	744	1187	1401	1278	1342	1146	1314	1336	1805	2073	2038	1837	2008	2591	631	591	745	624
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																			
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	*	*	*	713	163	188	195	167
	2. Wounds – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	42	5	13	13	11
	3. Burns and Scalds –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	309	107	62	42	98
	4. Poison – – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	48	9	11	13	15
	5. Drowning – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	235	40	68	90	37
	6. Suffocation – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	230	60	65	45	60
	7. Otherwise – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	45	17	6	14	8
	ORDER 3. (HOMICIDE.)																			
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1844–57 the Violent Deaths are not distinguished according to ORDERS, &c., but are placed indiscriminately in the next line following.														53	10	10	21	12
	ORDER 4. (SUICIDE.)																			
	1. Wounds { Gunshot –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	9	4	3	2	..
	1. Wounds { Cut, Stab –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	60	18	14	8	20
	2. Poison – – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	44	6	7	16	15
	3. Drowning – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	36	2	5	13	16
	4. Hanging – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	76	9	37	20	10
	5. Otherwise – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	13	..	3	8	2
	ORDER 5. (EXECUTION.)																			
	1. Hanging – – –	*	*	*	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..
	Violent Deaths (not classed)	1301	1329	1651	1678	1528	1408	1519	1654	1770	1977	1790	1870	1839	2017	1	1	..	..	..
	Sudden Deaths (cause unascertained) – – –	592	532	422	674	590	714	676	516	431	497	651	652	530	508	476	138	113	86	139
	Causes not specified or ill-defined – – – –	397	330	350	351	432	510	567	568	642	889	884	779	681	652	379	128	52	99	100

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess" with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra," is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS, registered in each SUB-DISTRICT during the 52 Weeks ending Saturday, 1st January 1859.

No.	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	247	2383	4118	2700	2093	1902
1-6	WEST DISTRICTS - -	376427	19	308	482	399	295	274
7-11	NORTH DISTRICTS -	490396	84	462	939	570	417	378
12-19	CENTRAL DISTRICTS -	393256	46	390	503	376	288	286
20-25	EAST DISTRICTS - -	485522	61	578	1000	630	527	508
26-36	SOUTH DISTRICTS -	616635	37	645	1194	725	566	456
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W*H	17252	-	26	35	19	25	17
2	St. John Paddington H -	29053	-	19	41	36	8	20
3	Kensington Town *W*L -	29183	-	23	49	42	24	25
4	Brompton HH - -	14870	2	3	12	21	6	13
5	St. Peter Hammersmith -	4467	-	1	1	-	4	1
6	St. Paul Hammersmith -	13293	-	8	14	17	22	10
7	Fulham *W*LLLL - -	11886	-	4	9	16	14	9
2; 1	Chelsea South H - -	19050	6	29	18	11	21	7
2	Chelsea North-west *Ww*	17669	-	26	15	21	25	15
3	Chelsea North-east L -	19819	-	12	10	23	19	18
3; 1	Hanover-square - -	20216	1	9	18	12	6	8
2	May Fair *W* - - -	12980	-	4	8	3	1	6
3	Belgrave H - - -	40034	2	43	53	62	25	49
4; 1	St. John Westmr. HHHP	34295	4	49	61	59	43	22
2	St. Margaret West. *W*HP	31314	3	30	94	21	25	28
5; 1	Charing Cross *W*H -	12587	1	6	7	1	4	10
2	Long Acre - - -	12053	-	3	9	14	10	10
6; 1	Berwick-street - -	10798	-	3	12	8	6	1
2	St. James's-square - -	11469	-	1	8	3	3	2
3	Golden-square *W* - -	14139	-	9	8	10	4	3
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	2	29	43	19	14	23
2	Cavendish-square - -	14687	1	15	17	3	5	7
3	Rectory Marylebone *W* -	27633	2	21	37	44	23	21
4	St. Mary Marylebone H -	22814	-	11	24	20	15	8
5	Christchurch Marylebone	33895	-	39	83	43	38	22
6	St. John Marylebone -	29826	1	14	39	13	42	13
8; 1	Hampstead *W* - -	11986	1	14	15	15	8	7
9; 1	Regent's Park Pancras -	31918	5	25	59	29	19	22
2	Tottenham-court *w*H -	28433	3	27	80	34	25	23
3	Gray's-inn-lane H -	26523	7	20	57	33	17	19
4	Somers-town - - -	35641	1	48	114	33	27	11
5	Camden-town *W* - -	21115	3	55	44	32	23	21
6	Kentish-town - - -	23326	3	15	55	30	20	26
10; 1	Islington West *W*HHHPP*	47881	50	48	88	68	38	61
2	Islington East *W* - -	47448	5	46	92	90	54	39
11; 1	Stoke Newington L -	4840	-	5	7	1	4	5
2	Stamford-hill - - -	5549	-	-	6	5	2	3
3	West Hackney L - -	18732	-	14	28	29	20	18
4	Hackney H*Ww* - -	20850	-	6	29	21	18	21
5	South Hackney L - -	8458	-	10	22	8	5	8
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	2	13	25	17	6	7
2	St. Giles South *W*H -	19951	-	7	25	19	18	10
3	St. Giles North - -	17456	5	3	29	16	10	14
13; 1	St. Anne Soho - - -	17335	-	7	14	11	11	6
2	St. Mary-le-Strand - -	11615	1	1	9	2	2	6
3	St. Clement Danes H -	15467	-	3	14	7	7	22
14; 1	St. George-the-Martyr H	18813	4	19	64	11	19	10
2	St. Andrew East., Holb. *W*	13971	1	26	17	7	16	7
3	Saffron-hill - - -	13837	-	9	10	15	8	4
15; 1	St. James Clerkenwell *W*P	21529	1	24	21	24	20	8
2	Amwell Clerkenwell P -	15720	1	17	8	10	14	7
3	Pentonville - - -	11904	1	16	13	16	10	2
4	Goswell-street - - -	15625	2	11	21	11	12	16
16; 1	Old-street H - - -	10617	1	16	7	19	11	8
2	City-road HL - -	16840	3	17	32	20	19	19
3	Whitecross-street - -	13657	3	30	18	27	21	13
4	Finsbury - - - -	12941	10	15	21	16	11	12
17; 1	St. Botolph, East London	23824	-	35	23	23	13	15
2	Cripplegate P - -	20582	1	37	25	34	8	18
18; 1	West London North *W*HP	12946	8	53	66	22	24	51
2	West London South P -	15887	-	7	17	11	11	12
19; 1	London City South-west -	9204	2	5	6	4	5	3
2	London City North-west -	11847	-	1	4	11	3	2
3	London City South -	11461	-	1	6	4	3	3
4	London City South-east -	10594	-	7	1	3	3	4
5	London City North-east -	12826	-	10	7	16	3	7
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	20	21	23	15	15
2	St. Leonard Shoreditch L	19449	5	18	38	21	26	17
3	Hoxton New Town *w* -	23505	8	27	55	22	26	34
4	Hoxton Old Town - -	17431	3	13	43	26	40	18
5	Haggerstone West *W* -	20276	3	24	51	27	19	43
6	Haggerstone East - -	11351	1	15	12	19	20	13
21; 1	Hackney Road - -	23910	9	27	30	30	25	24
2	Green, Bethnal Green *W*HL	23555	1	19	72	22	26	25
3	Church, Bethnal Green -	21787	3	22	52	26	25	29
4	Town, Bethnal Green -	20941	7	23	34	36	28	29
22; 1	Artillery Whitechapel -	6769	-	4	11	3	5	7
2	Spitalfields - - -	15336	1	23	23	15	15	18
3	Mile End New Town *W* -	14543	1	5	25	31	36	38
4	Whitechapel North -	12530	-	7	17	19	22	21
5	Whitechapel Church H -	7818	1	7	6	7	7	11
6	Goodman's Fields - -	12069	-	16	10	26	12	4
7	Aldgate H - - -	10694	1	17	2	16	14	4
23; 1	St. Mary, St. Geo. East -	18067	-	31	28	25	16	15
2	St. Paul, St. Geo. East -	20319	1	24	20	36	5	3
3	St. John, St. Geo. East *W*	9990	-	36	25	18	10	7
24*a*; 1	Shadwell *W* - - -	16179	-	22	31	14	12	4
2	Ratcliff *W* - - -	15212	-	14	33	17	9	11
3	Limehouse *W* - -	22782	-	35	79	54	14	21
24*b*; 1	Mile End Old Town, West -	29582	-	21	44	28	18	26
2	Mile End Old T., East *Ww*H	27020	1	22	58	33	28	25
25; 1	Bow *w*LH - - -	18778	7	33	88	16	28	19
2	Poplar *W* - - -	28384	8	53	92	20	26	27
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	17	24	16	23	9
2	St. Saviour Southwark HH	19709	-	31	37	23	20	18
27; 1	St. Olave Southwark HH	8015	-	16	13	3	11	15
2	St. John Horsleydown *W*	11360	-	13	19	13	7	8
28; 1	St. James Bermondsey -	18899	2	46	46	43	14	17
2	St. Mary Magdalen *W* -	13934	1	26	27	27	17	11
3	Leather Market - -	15295	4	43	28	24	19	8
29; 1	Kent Road - - -	18126	3	27	54	22	19	13
2	Borough Road *W*P -	15862	1	23	15	29	36	7
3	London Road LP - -	17836	1	21	25	18	16	13
30; 1	Trinity Newington P -	20922	-	14	55	39	20	2
2	St. Peter Walworth *W* -	29861	3	25	86	45	26	17
3	St. Mary Newington -	14033	1	1	25	10	7	7
31; 1	Waterloo Road 1st - -	14088	-	15	20	12	10	6
2	Waterloo Road 2nd H -	18348	-	11	17	40	19	9
3	Lambeth Church 1st -	18409	1	24	31	28	31	14
4	Lambeth Church 2nd *W*	26784	-	32	47	64	34	24
5	Kennington 1st - -	24261	2	17	61	19	18	14
6	Kennington 2nd - -	18848	-	1	57	8	13	6
7	Brixton L - - -	14610	-	7	35	12	5	8
8	Norwood *W* - - -	3977	1	19	2	3	3	6
32; 1	Clapham L - - -	16290	1	16	27	14	16	11
2	Battersea *W* - - -	10560	-	8	54	8	21	9
3	Wandsworth PL - -	9611	-	-	8	4	2	7
4	Putney - - - -	5280	-	3	9	4	2	2
5	Streatham - - -	9023	-	2	8	2	1	4
33; 1	Dulwich - - - -	1632	-	-	2	1	-	-
2	Camberwell *W*LL -	17742	-	6	34	9	7	9
3	Peckham - - -	19444	6	14	40	15	7	13
4	St. George Camberwell -	15849	1	8	61	26	12	7
34; 1	Rotherhithe *W* - -	17805	1	38	38	24	8	17
35; 1	St. Paul Deptford - -	24899	2	21	45	16	30	23
2	St. Nicholas Deptford -	7071	-	5	5	3	6	8
3	Greenwich West H -	18800	2	37	46	22	23	34
4	Greenwich East *W*H -	16228	-	3	13	8	9	24
5	Woolwich Dockyard HP	17140	-	16	11	16	17	15
6	Woolwich Arsenal HHP	15227	1	15	21	24	7	13
36; 1	Plumstead - - -	13191	1	18	19	12	11	16
2	Eltham - - - -	2568	-	-	3	1	3	1
3	Lee - - - -	8478	1	-	5	8	6	5
4	Lewisham Village *W* -	6097	1	1	13	10	6	3
5	Sydenham - - -	4501	-	5	8	-	4	3

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Han. Sq. in 2; 2. Chelsea North-west sub-district.
The Strand - - 9; 2. Tottenham-court sub-district.
East London - - 11; 4. Hackney sub-district.
St. Luke, Middlesex - 20; 3. Hoxton New Town sub-district.
London City - { 24*b*; 2. Mile End Old Town Eastern sub-district. 25; 1. Bow sub-district.

* Islington West contains the Small-pox and Fever Hospitals.

LONDON. — DEATHS in 117 PUBLIC INSTITUTIONS, registered in the 52 Weeks ending Saturday 1st January 1859.

—	DEATHS. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS	10004	5725	4279
45 WORKHOUSES	5535	2717	2818
14 PRISONS	57	47	10
4 MILITARY AND NAVAL ASYLUMS	317	317	–
15 GENERAL HOSPITALS	3094	1968	1126
7 HOSPITALS FOR SPECIAL DISEASES	272	171	101
4 LYING-IN HOSPITALS – Women	11	–	11
4 LYING-IN HOSPITALS – Children	32	17	15
7 MILITARY AND NAVAL HOSPITALS	211	211	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS	53	40	13
19 LUNATIC ASYLUMS	422	237	185

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
WORKHOUSES.				
	No.			
Paddington	1; 1. St. Mary Paddington	50	23	27
Kensington	1; 3. Kensington Town	73	42	31
Fulham	1; 7. Fulham	75	40	35
Chelsea	2; 2. Chelsea North-west	115	50	65
St. George Hanover Square	2; 2. *Chelsea North-west*	38	10	28
St. George Hanover Square	3; 2. May Fair	65	46	19
Westminster	4; 2. St. Margaret Westminster	155	77	78
St. Martin-in-the-Fields	5; 1. Charing Cross	62	30	32
St. James Westminster	6; 3. Golden Square	131	73	58
Marylebone	7; 3. Rectory, Marylebone	420	178	242
Hampstead	8; 1. Hampstead	22	16	6
Strand	9; 2. *Tottenham Court*	140	66	74
Pancras	9; 5. Camden Town	431	212	219
Islington	10; 1. Islington West	114	54	60
Islington (*for children*)	10; 2. Islington East	5	3	2
Hackney	11; 4. Hackney	87	43	44
East London	11; 4. *Hackney*	116	63	53
St. Giles	12; 2. St. Giles South	208	96	112
Holborn	14; 2. St. Andrew Eastern	132	74	58
Clerkenwell	15; 1. St. James Clerkenwell	137	65	72
West London	18; 1. West London North	104	50	54
Shoreditch	20; 5. Haggerstone West	282	155	127
St. Luke	20; 3. *Hoxton New Town*	168	74	94
Bethnal Green	21; 2. The Green	215	120	95
Whitechapel	22; 3. Mile End New Town	183	116	67
Whitechapel	22; 4. Whitechapel North	87	13	74
St. George-in-the-East	23; 3. St. John	176	77	99
Stepney	24*a*; 1. Shadwell	82	7	75
Stepney	24*a*; 2. Ratcliff	61	56	5
Stepney	24*a*; 3. Limehouse	12	7	5
Mile End Old Town	24*b*; 2. Eastern	67	31	36
London City	24*b*; 2. *Mile End Old Town Eastern*	29	1	28
London City	25; 1. *Bow*	124	69	55
Poplar	25; 2. Poplar	95	53	42
St. Saviour	26; 1. Christchurch	100	50	50
St. Olave	27; 2. St. John Horsleydn.	83	44	39
Bermondsey	28; 2. St. Mary Magdalen	99	57	42
St. George Southwark	29; 2. Borough Road	123	63	60
Newington	30; 2. St. Peter Walworth	128	62	66
Lambeth	31; 4. Lambeth Church 2d	297	133	164
Lambeth (*for children*)	31; 8. Norwood	25	11	14
Wandsworth	32; 2. Battersea	78	43	35
Camberwell	33; 2. Camberwell	70	38	32
Rotherhithe	34; 1. Rotherhithe	34	24	10
Greenwich	35; 4. East Greenwich	203	79	124
Lewisham	36; 4. Lewisham Village	34	23	11
PRISONS.*				
Westminster House of Correction, Tothill-fields.	4; 2. St. Margaret Westminster	8	2	6
Millbank Prison	4; 1. St. John Westmr.	4	4	–
Pentonville Prison	10; 1. Islington West	2	2	–
City Prison, Holloway	10; 1. Islington West	7	5	2
Middlesex House of Detention.	15; 1. St. James Clerkenwell	2	2	–
Middlesex House of Correction, Coldbath-fields.	15; 2. Amwell Clerkenwell	22	22	–
Whitecross Street Prison	17; 2. Cripplegate	–	–	–
Newgate	18; 1. West London North	2	2	–
Bridewell	18; 2. West London South	–	–	–
Queen's Bench Prison	29; 2. Borough Road	–	–	–
House of Occupations	29; 3. London Road	1	1	–
Surrey County Gaol, Horsemonger-lane.	30; 1. Trinity Newington	6	5	1
Surrey House of Correction	32; 3. Wandsworth	3	2	1
Convict Hulks / Hospital Ship, Unité	35; 5 & 6. Woolwich Dockyard; & Arsenal	–	–	–

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
HOSPITALS, &c.				
Military and Naval Asylums. †	No.			
Royal Hospital Greenwich, *In-Pensioners.*	35; 4. East Greenwich	230	230	–
Naval School, Royal Hospital, Greenwich, *Boys.*	35; 4. East Greenwich	2	2	–
Royal Hospital Chelsea, *In-Pensioners.*	2; 1. Chelsea South	76	76	–
Royal Military Asylum, Chelsea, *Boys.*	2; 1. Chelsea South	9	9	–
General Hospitals.				
St. Mary's	1; 2. St. John Paddington	194	111	83
St. George's	3; 3. Belgrave	301	194	107
Westminster	4; 2. St. Margaret Westminster	121	81	40
Charing Cross	5; 1. Charing Cross	95	62	33
Middlesex	7; 1. All Souls Marylebone	189	114	75
University College	9; 2. Tottenham Court	150	105	45
Royal Free Hospital	9; 3. Gray's-inn Lane	89	49	40
Great Northern	10; 1. Islington West	7	5	2
King's College	13; 3. St. Clement Danes	169	109	60
Hospital for Sick Children	14; 1. St. George the Martyr Holborn	62	28	34
St. Bartholomew's	18; 1. West London, North	575	349	226
London	22; 5. Whitechapel Church	321	234	87
Poplar	25; 1. Bow	25	25	–
Guy's	26; 2. St. Saviour	26	10	16
Guy's	27; 1. St. Olave	405	269	136
St. Thomas's	26; 2. St. Saviour	110	9	101
St. Thomas's	27; 1. St. Olave	255	214	41
Hospitals for Special Diseases.				
Cancer	1; 4. Brompton	13	5	8
Small-pox	10; 1. Islington West	39	31	8
London Fever	10; 1. Islington West	105	59	46
St. Mark's	16; 1. Old Street	4	4	–
Lock	1; 1. St. Mary Paddington	3	1	2
Consumption	1; 4. Brompton	94	63	31
City of London, for Diseases of Chest.	21; 2. The Green, Bethnal Green	14	8	6
Lying-in Hospitals.				
Queen Charlotte's	7; 4. St. Mary Marylebone, Women	4	–	4
Queen Charlotte's	7; 4. St. Mary Marylebone, Children	11	7	4
British	12; 2. St. Giles South, Women	–	–	–
British	12; 2. St. Giles South, Children	1	1	–
City of London	16; 2. City Road, Women	2	–	2
City of London	16; 2. City Road, Children	11	4	7
Hospital, York Road	31; 2. Waterloo, 2d Part, Women	5	–	5
Hospital, York Road	31; 2. Waterloo, 2d Part, Children	9	5	4
Military and Naval Hospitals.				
Grenadier Guards Hospital.	4; 1. St. John Westminster	21	21	–
Coldstream Guards Hospital.	4; 1. St. John Westminster	3	3	–
Scots Fusileer Guards Hospital.	4; 1. St. John Westminster	9	9	–
Tower	22; 7. Aldgate	4	4	–
Royal Marine Infirmary	35; 5. Woolwich Dockyard	10	10	–
Royal Artillery Hospital	35; 6. Woolwich Arsenal	57	57	–
Dreadnought Ship for Seamen.	35; 3. Greenwich West	107	107	–
Hospitals and Asylums for Foreigners.				
German Hospital	11; 4. Hackney	51	39	12
Portuguese Jews Hospital	24*b*; 2. Mile End Old Town Eastern	2	1	1
Lunatic Asylums.				
Kensington House	1; 3. Kensington Town	4	3	1
Normand House	1; 7. Fulham	1	–	1
Munster House	1; 7. Fulham	4	4	–
Otto House	1; 7. Fulham	1	–	1
Sussex and Brandenburgh House.	1; 7. Fulham	6	5	1
Blacklands House	2; 3. Chelsea North-east	4	4	–
Northumberland House	11; 1. Stoke Newington	5	4	1
Whitmore House	11; 3. West Hackney	1	1	–
Pembroke House	11; 5. South Hackney	6	6	–
St. Luke	16; 2. City Road	13	5	8
Hoxton House ‡	20; 2. St. Leonard	47	23	24
Bethnal House ‡	21; 2. Bethnal Green	59	30	29
Grove Hall ‡	25; 1. Bow	42	23	19
Bethlehem	29; 3. London Road	15	10	5
Effra Hall	31; 7. Brixton	–	–	–
Retreat	32; 1. Clapham	–	–	–
Surrey County ‡	32; 3. Wandsworth	98	59	39
Peckham House ‡	33; 2. Camberwell	62	33	29
Camberwell House ‡	33; 2. Camberwell	54	27	27

* The deaths of infant children of prisoners are not included.
† The deaths of *out-pensioners* of Greenwich and Chelsea Hospitals are not included.
‡ Asylums in which paupers are received.

Deaths in Public Institutions.

	1852.	1853.	1854.	1855.	1856.	1857.	1858.
Total Deaths in Public Institutions .	8479	10116	12046	11310	10381	10079	10004
Workhouses	4890	5955	6812	6552	5797	5714	5535
Prisons	105	106	155	71	81	71	57
Military and Naval Asylums . . .	332	342	312	299	304	285	317
General Hospitals	2247	2675	3415	2956	2859	3008	3094
Hospitals for Special Diseases . . .	299	281	326	441	612	332	272
Lying-in Hospitals . . Women . .	7	13	20	27	14	11	11
Lying-in Hospitals . . Children . .	26	22	43	40	31	23	32
Military and Naval Hospitals . . .	183	263	441	404	282	180	211
Hospitals and Asylums for Foreigners .	31	59	57	64	61	63	53
Lunatic Asylums	359	400	465	456	340	392	422

Deaths in London; and Meteorology.

YEARS.	Total Number of Deaths.	Mean Temperature of Air.	Dryness of Atmosphere.*	Fall of Rain in Inches.	Mean Weekly Amount of Horizontal Movement of the Air.
		°	°		Miles.
1840	46281	47·7	—	18·3	—
1841	45284	48·7	5·0	33·3	—
1842	45272	49·6	4·6	22·6	—
1843	48574	49·4	3·7	24·5	—
1844	50423	48·6	4·9	25·0	800
1845	48332	47·6	4·4	22·3	900
1846	49089	51·3	5·1	25·3	860
1847	60442	49·5	5·4	17·6	870
1848	57628	50·2	5·6	30·1	1018
1849	68432	49·9	6·7	23·7	735
1850	48579	49·3	6·4	19·6	761
1851	55354	49·4	6·6	20·2	684
1852	54213	50·6	7·3	34·4	724
1853	61202	47·8	6·0	29·6	596
1854	73697	49·1	5·7	17·3	687
1855	61506	46·9	5·3	21·1	638
1856	56786	49·1	5·7	21·9	713
1857	60150	51·1	5·4	21·4	568
1858	63882	49·3	6·6	17·0	609

* The column headed "Dryness of Atmosphere" is the difference between the dew point temperature and air temperature. The dew point temperature, for any week, may be obtained by subtracting the number in the column headed "dryness" from the mean temperature in the same period.

Note.—This Table does not include the deaths in Wandsworth and Clapham for the years 1840-3; nor the deaths in Hampstead and Lewisham for 1840-6.

Deaths in London; and Meteorology.

Weekly Average of 1858.

1858.	Births.			Deaths.			Mean Temperature of Air.	Average daily Range of Temperature.	Dryness of Atmosphere.*	Fall of Rain in Inches.	Amount of Horizontal Movement of the Air in each Week.
	Total.	Males.	Females.	Total.	Males.	Females.					
First Quarter	1826	941	884	1331	666	666	38°·0	13°·7	5°·1	0·26	699
Second Quarter	1662	848	814	1119	585	534	54·7	22·0	8·8	0·39	473
Third Quarter	1597	811	786	1103	560	543	61·0	21·4	8·8	0·41	672
Fourth Quarter	1732	878	855	1361	694	667	43·6	12·1	3·5	0·24	590

Births, Deaths, &c. in each of the 52 Weeks of 1858.

											Miles.
1	1700	890	810	1327	655	672	34°·5	10°·6	2°·8	0°·09	865
2	1763	902	861	1289	637	652	39·8	13·8	3·2	0·06	795
3	1798	941	857	1344	661	683	37·5	9·1	6·3	0·00	1085
4	1750	880	870	1363	653	710	37·5	13·9	4·4	0·22	810
5	1842	910	932	1314	646	668	37·8	11·4	4·0	0·77	935
6	1836	943	893	1195	597	598	34·3	8·3	3·1	0·08	355
7	1963	1021	942	1275	623	652	34·0	12·7	4·1	0·97	470
8	1810	942	868	1288	606	682	33·1	12·9	5·6	0·00	565
9	1644	869	775	1353	694	659	31·5	11·1	6·0	0·45	910
10	2007	1043	964	1487	771	716	34·7	15·3	4·7	0·25	865
11	1960	1026	934	1431	770	661	48·0	14·8	7·7	0·10	495
12	1924	1000	924	1268	647	621	46·6	25·4	8·8	0·00	140
13	1735	872	863	1374	694	680	44·6	19·1	6·0	0·42	800
14	1642	852	790	1221	644	577	40·3	12·3	4·6	1·05	875
15	1965	1009	956	1207	631	576	46·7	20·1	8·7	0·22	320
16	1810	894	916	1144	575	569	52·8	29·2	10·0	0·00	285
17	1717	851	866	1125	618	507	47·1	17·0	5·6	0·84	505
18	1688	868	820	1056	550	506	45·6	22·2	7·3	0·21	355
19	1550	798	752	1057	528	529	49·6	21·2	7·5	0·51	670
20	1625	846	779	1082	579	503	54·9	19·3	9·3	0·27	1125
21	1692	904	788	1106	576	530	53·9	20·2	7·6	0·73	635
22	1545	765	780	1087	533	554	66·2	24·7	10·7	1·16	195
23	1626	854	772	963	481	482	63·8	24·5	8·1	0·01	130
24	1481	729	752	1160	618	542	67·7	27·1	10·1	0·01	205
25	1662	823	839	1092	581	511	64·5	27·2	11·5	0·06	280
26	1603	828	775	1241	690	551	58·6	21·5	13·5	0·00	570
27	1470	721	749	1191	589	602	55·9	20·4	7·2	1·37	540
28	1584	788	796	1173	593	580	66·4	22·2	9·4	0·61	440
29	1655	804	851	1132	554	578	62·9	22·8	9·4	0·37	630
30	1657	877	780	1161	610	551	59·6	24·5	10·7	0·59	470
31	1553	795	758	1200	617	583	62·4	27·2	12·4	0·04	135†
32	1496	787	709	1147	571	576	65·4	27·2	9·2	0·89	—
33	1558	812	746	1112	569	543	63·3	18·9	9·7	0·64	—
34	1696	852	844	1108	540	568	59·2	21·0	10·4	0·00	—
35	1531	806	725	1039	530	509	59·4	19·5	8·4	0·19	1270
36	1537	777	760	1060	521	539	59·4	17·5	6·7	0·30	775
37	1641	829	812	1046	555	491	63·4	25·3	7·8	0·13	365
38	1657	839	818	955	508	447	58·6	16·0	6·0	0·20	740
39	1726	861	865	1021	529	492	57·6	16·3	6·5	0·06	815
40	1521	810	711	993	497	496	52·1	19·7	6·9	0·47	1040
41	1767	912	855	1149	592	557	53·1	17·1	3·7	0·13	780
42	1695	849	846	1113	591	522	51·1	13·0	1·8	0·32	440
43	1780	909	871	1133	600	533	47·2	12·5	3·9	0·24	530
44	1806	890	916	1217	609	608	43·3	15·0	4·1	0·03	345
45	1814	910	904	1349	693	656	39·0	15·6	3·6	0·00	280
46	1633	865	768	1487	771	716	35·5	9·3	5·0	0·00	630
47	1761	840	921	1802	893	909	37·4	12·3	2·3	0·22	305
48	1763	898	865	1738	862	876	46·3	9·7	2·8	0·39	930
49	1805	955	850	1531	792	739	36·5	6·8	2·4	0·00	105
50	1770	890	880	1442	744	698	38·9	7·8	2·7	0·30	435
51	1412	703	709	1240	615	625	44·5	10·2	3·6	0·79	1290
52	1994	981	1013	1494	760	734	41·4	8·0	3·0	0·22	565

* The column headed "Dryness of Atmosphere" is the difference between the dew point temperature and air temperature. The dew point temperature, for any week, may be obtained by subtracting the number in the column headed "dryness" from the mean temperature in the same period.

† Sum of 3 days.

METEOROLOGICAL TABLE FOR LONDON, 1858.

(Deduced from Observations, at Greenwich, of the Astronomer Royal, and compiled from Quarterly Tables, furnished to the Registrar General by James Glaisher, Esq., F.R.S.)

Winter . . Jan., Feb., March. Spring . . April, May, June. Summer . . July, Aug., Sept. Autumn . . Oct., Nov., Dec.	Temperature of Air. Mean.	Temperature of Air. Diff. from Average of 87 Years.	Temperature of Air. Diff. from Average of 17 Years.	Temperature of Evaporation. Mean.	Temperature of Evaporation. Diff. from Average of 17 Years.	Temperature of Dew Point. Mean.	Temperature of Dew Point. Diff. from Average of 17 Years.	Temperature of Air—Daily Range. Mean.	Temperature of Air—Daily Range. Diff. from Average of 17 Years.	Elastic Force of Vapour. Mean.	Elastic Force of Vapour. Diff. from Average of 17 Years.	Weight of Vapour in a Cubic Foot of Air. Mean.	Weight of Vapour in a Cubic Foot of Air. Diff. from Average of 17 Years.	Degree of Humidity. Mean (Satn =100.)	Degree of Humidity. Diff. from Average of 17 Years.	Reading of Barometer. Mean.	Reading of Barometer. Diff. from Average of 17 Years.	Weight of a Cubic Foot of Air. Mean.	Weight of a Cubic Foot of Air. Diff. from Average of 17 Years.	Rain. Amount.	Rain. Diff. from Average of 40 Years.	Daily Horizontal Movement of the Air in Miles.	Reading of Thermometer on Grass. Number of Nights it was At or below 30°.	Reading of Thermometer on Grass. Number of Nights it was Between 30° and 40°.	Reading of Thermometer on Grass. Number of Nights it was Above 40°.	Reading of Thermometer on Grass. Lowest Reading at Night.	Reading of Thermometer on Grass. Highest Reading at Night.
1858.	°	°	°	°	°	°	°	°	°	in.	in.	gr.	gr.	°	°	in.		gr.	gr.	in.	in.					°	°
YEAR .	49·2	+0·9	+0·1	46·0	−0·6	42·6	−1·2	17·3	+1·7	·285	−·004	3·3	−0·1	79	−3	29·834	+·059	543	+2	17·2	−6·6	86	123	102	140	10·2	59·3
Winter Quarter .	37·8	−0·5	−1·6	35·8	−2·0	32·9	−2·5	13·7	+2·0	·188	−·020	2·2	−0·3	83	−3	29·926	+·158	558	+6	3·3	−0·4	96	68	17	5	10·2	45·2
Spring do. .	54·3	+2·2	+1·6	49·7	+0·7	45·3	0·0	22·0	+2·4	·311	+·005	3·5	−0·0	73	−4	29·801	+·035	537	−1	5·4	+0·2	68	28	19	44	18·0	55·0
Summer do. .	61·0	+1·6	+1·0	56·3	−0·1	52·2	−0·9	21·3	+1·8	·391	+·018	4·4	−0·1	73	−5	29·824	+·014	530	0	5·4	−1·9	—	0	20	72	32·2	59·3
Autumn do. .	43·8	+0·2	−0·8	42·0	−1·1	39·9	−1·3	12·3	+0·5	·250	−·017	2·9	−0·1	87	−1	29·785	+·027	548	+2	3·1	−4·5	94	27	46	19	13·0	48·2

In this Table, + and − respectively signify that the numbers in the *preceding* column are *above* or *below* the average to the extent of the quantities to which these signs are prefixed.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, January 9. [No. 1.

General Register Office, Somerset House,
January 11th, 1858.

HEALTH OF LONDON DURING THE WEEK.

The total number of deaths in London in the week that ended on Saturday (January 9th) was 1327. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1230, and if this is raised by a tenth part, as a correction for increased population, it will become 1353. Hence it appears that the number returned last week is not much less than that which the average rate of mortality for the first week of the year would have produced.

Bronchitis was fatal last week: the deaths from it rose to 181, the corrected average being 142. Nine deaths were referred to influenza. Measles is on the increase, and carried off 60 children. Of 8 nonagenarians included in the return, one was 90 years of age, one 91, one 93, two 94, one 95, one 97, one 98. Besides these, a silk-weaver died in the Bethnal-green Workhouse, who is reported to have reached the age of 101 years.

In the improved nosological arrangement all the Causes of Death are distributed in Five Classes. Of the Class of Zymotic diseases 263 persons died; of the Constitutional diseases (including consumption) 243 persons died; of Local diseases, including inflammations, 618 persons died; of Developmental diseases, including the diseases peculiar to the young, the puerperal and critical periods of life, and the aged, 156 persons died; and of Violent deaths 20 cases were registered. The last class, namely, the violent deaths, is subdivided so as now to show separately the deaths (1.) by accident or negligence 17; (2.) by homicide 1; (3.) by suicide 2; (4.) by public execution *none*. The deaths in battle form a fifth order, which is fortunately not required in the London Tables.

Dr. R. D. Thomson has analysed the waters which were supplied by eight London companies during the months of November and December. Such analyses supply the best tests of the quality of the water with which the people of London are supplied. It will be observed that the waters are much less impure than they were formerly; but that there are still great differences, and still room for further improvement. Four grains of organic matter were once detected in a gallon of the water of one company.

Analyses of Waters supplied in November and December 1857 by the London Water Companies; showing the number of *grains* of extraneous Matter in every Gallon of Water.

COMPANIES.	November.		December.	
	Total Impurity.	Organic Impurity.	Total Impurity.	Organic Impurity.
	grs.	grs.	grs.	grs.
Lambeth	21·56	1·48	20·84	·56
Chelsea	23·52	—	19·96	·68
West Middlesex	21·28	1·76	20·32	1·04
Southwark	22·56	1·56	20·72	1·24
New River	—	—	21·24	1·52
Plumstead	20·08	2·12	19·68	2·48
Grand Junction	21·92	—	22·64	2·48
Kent	30·16	4·40	26·36	2·65

Last week the births of 890 boys and 810 girls, in all 1700 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1529.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 30·148 in. The mean daily reading rose above 30 in. on Tuesday the 22d ult., and continued above it till the 9th inst., a period of eighteen days. The *highest* reading last week was 30·39 in. on Sunday (the 3d). The mean temperature of the week was 34·5°, which is 1·5° below the average of the same week in 43 years. The variation of temperature was great; for on Wednesday the mean temperature was 25·4°, which is 10·6° *below* the average, and on that day the lowest temperature was 20·9°; and on Friday the mean rose to 44·6°, which is 9·1° *above* the average. The *highest* temperature occurred on Saturday, and was 51·9°; and on that day the *lowest* was 41·5°. On Tuesday the range of temperature was so small as 3·8°; on Friday it was 17·3°. The difference between the mean dew point temperature and mean air temperature was 2·8°. The mean degree of humidity was 89. The mean temperature of the water of the Thames was 41·3°. On the last three days the wind was mostly in the south-west, having been previously in the north-east. The rain measured was 0·09 in., which fell chiefly on Friday. Friday and Saturday were unseasonably warm.

Births Registered last Week, and in the First Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1376	1312	1542	1592	1542	1439	1373	1787	1662	1663	1528·8	1700
Males . .	701	726	816	829	808	724	679	908	853	846	789·0	890
Females . .	675	586	726	763	734	715	694	879	809	817	739·8	810

Deaths Registered last Week, and in the First Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	1364	1131	1133	1369	1111	965	1444	1404	1247	1135	1230·3	1327*
Males . .	683	565	578	693	593	487	704	671	630	577	618·1	655
Females .	681	566	555	676	518	478	740	733	617	558	612·2	672

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.
Births	1785	1582	1785	1682	1737	1750	1600	1812	1803	1830	1499	1933	1700
Deaths	1003	988	1047	1166	1161	1382	1373	1428	1240	1234	1013	1431	1327
Deaths (except from Violence) . . .	973	971	1026	1150	1150	1349	1340	1395	1209	1197	987	1317	1307
Deaths (except from Violence) at 60 years and upwards . .	178	155	179	253	255	326	339	356	268	267	231	277	305
Small-pox	4	2	..	5	3	1	..	2	1	3	1	..	3
Measles	21	21	11	23	20	35	38	33	36	45	41	45	60
Scarlatina	49	52	53	52	56	50	43	44	55	48	30	25	36
Hooping-cough . .	27	27	35	40	45	53	58	58	47	48	37	57	49
Typhus	54	54	56	54	54	41	39	47	38	39	30	42	31
Diarrhœa	39	42	31	27	19	24	15	16	20	13	12	12	9
Mean Temperature .	55°·2	51°·5	51°·6	53°·8	45°·1	44°·2	41°·6	46°·1	45°·0	45°·6	47°·1	39°·1	34°·5

* An average of 6 deaths is added for the Sub-district of Holywell (Shoreditch); the true number is 7.

DEATHS in LONDON, from ALL CAUSES, Registered in the FIRST Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 8 1848	Jan. 6 1849	Jan. 5 1850	Jan. 4 1851	Jan. 10 1852	Jan. 8 1853	Jan. 7 1854	Jan. 6 1855	Jan. 5 1856	Jan. 10 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 9, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
													Mean Temp.					
	Mean Temperature . .	40°·3	30°·7	35°·4	47°·1	40°·0	45°·3	30°·2	45°·5	42°·2	36°·8	39°·4	34°·5					
	ALL CAUSES . . .	1364	1131	1133	1369	1111	965	1444	1404	1247	1135	1230·3	1327†	630	157	225	239	70
	SPECIFIED CAUSES .	1344	1121	1099	1321	1102	948	1423	1392	1224	1089	1206·3	1300	623	155	219	233	70
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	440	375	192	263	251	223	307	357	245	244	289·7	263	211	15	20	16	1
II.	CONSTITUTIONAL „ .	218	204	233	241	201	192	245	254	211	178	217·7	243	88	72	65	17	1
III.	LOCAL „ .	521	411	491	575	518	396	667	593	531	511	521·4	618	247	60	129	156	26
IV.	DEVELOPMENTAL „ .	140	113	136	130	117	114	180	172	164	137	140·3	156	69	4	1	41	41
V.	VIOLENT DEATHS . .	25	18	47	112	15	23	24	16	73	19	37·2	20	8	4	4	3	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	418	363	181	243	233	211	289	332	227	222	271·9	237	195	12	13	16	1
	2. ENTHETIC „ . .	3	1	3	6	3	5	3	8	2	7	4·1	9	6	2	1	..	..
	3. DIETIC „ . .	13	9	4	13	13	6	13	13	14	13	11·1	15	8	1	6	..	..
	4. PARASITIC „ . .	6	2	4	1	2	1	2	4	2	2	2·6	2	2	..	..	..	..
II.	1. DIATHETIC „ . .	23	39	47	40	38	41	54	52	52	29	41·5	42	7	4	20	11	..
	2. TUBERCULAR „ . .	195	165	186	201	163	151	191	202	159	149	176·2	201	81	68	45	6	1
III.	1. DISEASES OF NERVOUS SYSTEM . .	137	102	145	118	125	111	169	130	133	110	128·0	133	59	11	24	33	6
	2. „ OF ORGANS OF CIRCULATION .	23	39	42	63	45	43	57	50	58	55	47·5	62	7	15	16	23	1
	3. „ OF RESPIRATORY ORGANS . .	288	203	232	321	249	174	356	319	253	270	266·5	343	166	22	54	85	16
	4. „ OF DIGESTIVE ORGANS . . .	53	45	48	56	66	45	56	58	46	54	52·7	50	7	10	21	10	2
	5. „ OF URINARY ORGANS . . .	7	7	14	10	17	10	10	12	20	8	11·5	15	2	1	8	3	1
	6. „ OF ORGANS OF GENERATION .	3	3	3	2	7	3	5	7	4	5	4·2	7	..	1	4	2	..
	7. „ OF ORGANS OF LOCOMOTION .	7	9	3	1	6	6	4	5	8	4	5·3	3	2	..	1	..	..
	8. „ OF INTEGUMENTARY SYSTEM .	3	3	4	4	3	4	10	12	9	5	5·7	5	4	..	1	..	..
IV.	1. DISEASES OF CHILDREN .	31	39	47	49	42	41	71	61	60	36	47·7	30	30	..	..	..	..
	2. „ OF ADULTS . .	6	4	3	6	5	3	5	5	6	5	4·8	3	..	3	..	..	..
	3. „ OF OLD PEOPLE .	67	47	69	59	53	47	66	53	63	57	58·1	71	..	..	..	30	41
	4. „ OF NUTRITION .	36	23	17	16	17	23	38	53	35	39	29·7	52	39	1	1	11	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											17	8	3	2	3	1
	3. HOMICIDE *												1	..	1	..	..	..
	4. SUICIDE												2	..	..	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	25	18	47	112	15	23	24	16	73	19	37·2	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	14	6	22	32	2	7	3	4	17	4	11·1	17	5	2	4	6	..
	CAUSES NOT SPECIFIED . .	6	4	12	16	7	10	18	8	6	42	12·9	10†	2	..	2	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.
† An average of 6 is added for Holywell,

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 8 1848	Jan. 6 1849	Jan. 5 1850	Jan. 4 1851	Jan. 10 1852	Jan. 8 1853	Jan. 7 1854	Jan. 6 1855	Jan. 5 1856	Jan. 10 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 9, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·3	30°·7	35°·4	47°·1	40°·0	45°·3	30°·2	45°·5	42°·2	36°·8	39°·4	Mean Temp. 34°·5					
I.	ORDER 1.																	
	1. Small-pox	29	29	8	28	32	2	7	36	11	4	18·6	3	3	..	..	..	..
	2. Measles	48	15	33	29	23	11	43	28	31	30	29·1	60	60	..	..	..	..
	3. Scarlatina	57	81	31	14	26	66	40	85	35	36	47·1	36	32	3	1	..	..
	4. Quinsy	6	4	3	4	1	1	2	3	1	2	2·7	6	4	..	..	2	..
	5. Croup	7	8	4	9	8	7	10	15	10	11	8·9	15	15	..	..	..	..
	6. Whooping-cough	29	59	23	58	42	35	86	64	49	55	50·0	49	49	..	..	..	..
	7. Typhus (and Infantile fever)	87	56	36	48	47	44	44	50	47	50	50·9	31	21	4	5	1	..
	8. Erysipelas	19	12	12	14	15	7	9	5	14	12	11·9	6	1	..	3	2	..
	9. Metria	5	9	3	3	4	4	6	5	3	1	4·3	1	..	1	..	..	..
	10. Carbuncle	1	..	..	..	4	2	1	..	2	1	1·1	..	..	..	..	..	..
	11. Influenza	102	5	5	5	3	4	1	6	..	..	13·1	9	1	2	1	4	1
	12. Dysentery	4	2	6	1	1	2	3	2	2	1	2·4	3	..	1	1	1	..
	13. Diarrhœa	17	15	8	19	18	18	22	25	9	10	16·1	9	3	1	1	4	..
	14. Cholera	1	61	1	1	2	..	2	..	..	..	6·8	..	..	..	..	..	..
	15. Ague	1	..	..	..	..	..	..	..	..	..	·1	1	1	..	..	..	..
	16. Remittent fever	1	2	..	3	..	2	3	1	1	1	1·4	2	2	..	..	..	..
	17. Rheumatism	4	5	8	7	7	6	10	7	12	8	7·4	6	3	..	1	2	..
	ORDER 2.																	
	1. Syphilis	3	1	2	4	2	2	3	6	1	6	3·0	9	6	2	1	..	..
	2. Stricture of Urethra	..	..	1	2	1	3	..	2	1	1	1·1	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	6	1	1	1	.	.	3	1	2	1	1·6	2	1	..	1	..	..
	2. Want of Breast-milk	4	.	1	9	4	1	6	6	4	7	4·2	6	6	..	..	..	..
	3. Purpura and Scurvy	1	1	1	..	..	..	1	..	2	..	·6	1	1	..	..	..	..
	4. Alcoholism (Del. Tremens, &c.)	2	7	1	3	9	5	3	6	6	5	4·7	6	..	1	5	..	..
II.	ORDER 4.																	
	1. Thrush	6	2	4	1	2	1	2	4	2	2	2·6	1	1	..	..	..	..
	2. Worms, &c.	In 1848–57 classed in this Table with *Disease of Stomach.*											1	1	..	..	..	..
	ORDER 1.																	
	1. Gout	..	1	..	2	1	..	..	2	4	2	1·2	..	..	..	..	..	..
	2. Dropsy	5	16	20	18	18	19	23	20	15	8	16·2	17	6	1	5	5	..
	3. Cancer	14	14	20	15	18	18	27	23	26	14	18·9	22	1	3	14	4	..
	4. Noma	..	..	1	1	..	..	..	..	..	1	·3	..	..	..	..	..	..
	5. Mortification	4	8	6	4	1	4	4	7	7	4	4·9	3	..	..	1	2	..
	ORDER 2.																	
	1. Scrofula	5	8	6	9	9	8	3	11	6	2	6·7	11	8	1	1	1	..
	2. Tabes Mesenterica	15	15	11	12	10	14	16	19	12	7	13·1	14	14	..	..	..	..
	3. Phthisis	150	119	129	147	108	104	149	140	115	120	128·1	146	29	67	44	5	1
	4. Hydrocephalus	25	23	40	33	36	25	23	32	26	20	28·3	30	30	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	13	9	8	6	8	5	15	16	8	7	9·5	11	10	1	..	..	..
	2. Apoplexy	22	19	37	23	19	32	32	26	24	19	25·3	31	4	..	10	13	4
	3. Paralysis	32	25	46	35	30	20	38	27	30	28	31·1	20	..	2	6	11	1
	4. Insanity	3	..	4	3	1	2	..	3	2	3	2·1	4	..	1	1	2	..
	5. Chorea	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	3	6	5	7	6	4	7	5	12	8	6·3	15	6	6	3	..	..
	7. Convulsions	55	35	31	35	43	40	54	37	40	27	39·7	35	35	..	..	..	..
	8. *Brain Disease, &c.*	9	8	14	9	17	8	23	16	17	18	13·9	17	4	1	4	7	1
	ORDER 2.																	
	1. Pericarditis	..	2	..	5	2	..	6	3	3	3	2·4	3	2	1	..	..	..
	2. Aneurism	1	2	2	3	1	2	2	..	2	1	1·6	5	..	1	2	2	..
	3. *Heart Disease, &c.*	22	35	40	55	42	41	49	47	53	51	43·5	54	5	13	14	21	1
	ORDER 3.																	
	1. Laryngitis	4	5	3	11	3	4	12	13	3	8	6·6	13	8	2	1	1	1
	2. Bronchitis	106	86	103	152	121	93	193	152	141	140	128·7	181	68	9	36	56	12
	3. Pleurisy	10	3	3	7	7	5	3	9	2	3	5·2	6	3	2	1	..	..
	4. Pneumonia	125	84	95	101	86	52	104	109	74	87	91·7	109	86	8	9	6	..
	5. Asthma	26	16	19	37	25	11	36	22	22	26	24·0	30	..	..	7	20	3
	6. *Lung Disease, &c.*	17	9	9	13	7	9	8	14	11	6	10·3	4	1	1	..	2	..
	ORDER 4.																	
	1. Gastritis	1	..	4	1	3	2	2	2	1	2	1·8	2	..	..	2	..	..
	2. Enteritis	12	9	7	8	13	4	6	10	4	3	7·6	3	2	..	..	1	..
	3. Peritonitis	2	4	8	2	5	..	5	8	3	8	4·5	3	1	..	2	..	..
	4. Ascites	1	..	2	3	4	..	1	6	2	2	2·1	1	..	..	1	..	..
	5. Ulceration of Intestines	2	2	2	2	3	2	4	3	4	4	2·8	3	..	1	2	..	..
	6. Hernia	3	3	..	3	4	5	5	5	4	5	3·7	5	1	1	2	1	..
	7. Ileus	3	2	3	2	2	4	6	2	9	3	3·6	4	1	1	1	1	..
	8. Intussusception	..	1	..	..	..	1	2	1	1	4	1·0	..	..	..	..	..	..
	9. Stricture of Intestines	..	..	1	1	2	..	2	2	..	1	·9	3	..	1	2	..	..
	10. Fistula	1	..	..	1	1	1	1	..	2	..	·7	1	..	1	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the First Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 8 1848	Jan. 6 1849	Jan. 5 1850	Jan. 4 1851	Jan. 10 1852	Jan. 8 1853	Jan. 7 1854	Jan. 6 1855	Jan. 5 1856	Jan. 10 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the week ending Saturday, Jan. 9, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·3	30°·7	35°·4	47°·1	40°·0	45°·3	30°·2	45°·5	42°·2	36°·8	39°·4	34°·5					
	11. *Stomach Disease, &c.*	10	9	6	5	5	6	4	4	4	5	5·8	8	1	2	1	3	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	4	5	2	6	3	2	4	4	3	1	3·4	3	..	..	3	..	..
	14. Jaundice	3	2	4	3	4	4	2	3	1	2	2·8	2	..	..	..	2	..
	15. *Liver Disease, &c.*	11	8	9	19	16	14	12	8	7	13	11·7	12	1	3	5	2	1
	16 *Spleen Disease, &c.*	..	..	..	..	1	..	..	..	1	1	·3	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	1	..	..	2	..	2	..	·5	1	..	1	..	..	..
	2. Ischuria	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2	..	..
	3. Nephria	1	3	1	4	2	4	..	5	1	3	2·4	4	..	..	3	1	..
	4. Diabetes	1	1	..	2	..	..	3	1	3	..	1·1	..	..	..	..	..	..
	5. Stone	..	..	2	..	..	1	1	1	4	..	·9	..	..	..	..	..	..
	6. Cystitis	1	..	1	..	3	..	..	2	..	..	·7	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	4	3	10	3	12	5	4	3	10	5	5·9	8	2	..	3	2	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	2	2	..	2	..	1	2	..	4	1·3	1	..	..	1	..	..
	2. *Uterus Disease, &c.*	3	1	1	2	5	3	4	5	4	1	2·9	6	..	1	3	2	..
	ORDER 7.																	
	1. Arthritis	1	..	1	..	..	1	..	..	1	..	·4	..	..	..	..	..	..
	2. *Joint Disease, &c.*	6	9	2	1	6	5	4	5	7	4	4·9	3	2	..	1	..	..
	ORDER 8.																	
	1. Phlegmon	..	1	3	1	2	2	6	8	3	4	3·0	3	2	..	1	..	..
	2. Ulcer	1	..	1	2	1	..	2	3	4	..	1·4	..	..	..	..	..	..
	3. *Skin Disease, &c.*	2	2	..	1	..	2	2	1	2	1	1·3	2	2	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	16	24	31	34	27	27	52	38	36	29	31·4	16	16	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848–57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	3	4	4	1	8	3	5	1	3	..	3·2	..	..	..	..	..	..
	5. Teething	12	11	12	14	7	11	14	22	21	7	13·1	12	12	..	..	..	..
	ORDER 2.																	
	1. Paramenia	1	..	1	..	1	..	..	..	..	1	·4	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	5	4	2	6	4	3	5	5	6	4	4·4	3	..	3	..	..	..
	ORDER 3.																	
	1. Old Age	67	47	69	59	53	47	66	53	63	57	58·1	71	..	..	..	30	41
	ORDER 4.																	
	1. Atrophy and Debility	36	23	17	16	17	23	38	53	35	39	29·7	52	39	1	1	11	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	6	1	1	2	1	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	6	4	1	..	1	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	4	3	..	..	1	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3.† (HOMICIDE.)																	
	1. Murder and Manslaughter	*In this part of the Table which comprises Deaths in 1848–57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	..	1	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut	*	*	*	*	*	*	*	*	*	*	*	2	..	..	2	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	25	18	47	112	15	23	24	16	73	19	37·2	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	14	6	22	32	2	7	3	4	17	4	11·1	17	5	2	4	6	..
	Causes not specified or ill-defined	6	4	12	16	7	10	18	8	6	42	12·9	10†	2	..	2	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 1; 2.

† An average of 6 is added for Holywell.

DEATHS Registered in the FIRST WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Jan. 8 1848	Jan. 6 1849	Jan. 5 1850	Jan. 4 1851	Jan. 10 1852	Jan. 8 1853	Jan. 7 1854	Jan. 6 1855	Jan. 5 1856	Jan. 10 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Jan. 9 1858.
Mean Temperature . . .			40·3°	30·7°	35·4°	47·1°	40·0°	45·3°	30·2°	45·5°	42·2°	36·8°	39·4°	34·5°
LONDON	78029	2362236	1364	1131	1138	1369	1111	965	1444	1404	1247	1135	1230·3	1327
1–6. WEST DISTRICTS .	10786	376427	167	157	143	204	183	140	220	221	206	170	181·1	198
7–11. NORTH DISTRICTS .	13533	490396	257	210	220	244	221	188	260	276	275	228	237·9	278
12–19. CENTRAL DISTRICTS	1938	393256	213	203	198	223	185	164	271	208	182	190	203·7	193
20–25. EAST DISTRICTS .	6230	485522	334	207	235	305	201	208	307	327	252	269	264·5	315
26–36. SOUTH DISTRICTS .	45542	616635	393	354	337	393	321	265	386	372	332	278	343·1	343
1. Kensington*	7374	120004	49	41	39	53	59	39	74	68	70	64	55·6	54
2. Chelsea	865	56538	31	31	30	33	27	23	28	28	42	21	29·4	37
3. St. George Hanover-sq.	1161	73230	24	27	25	34	40	28	34	37	26	30	30·5	36
4. Westminster*. . . .	917	65609	40	35	24	47	34	22	50	50	41	28	37·1	46
5. St. Martin-in-the-Fields	305	24640	9	9	13	18	8	9	16	15	13	15	12·5	19
6. St. James Westminster .	164	36406	14	14	12	19	15	19	18	23	14	12	16·0	6
7. Marylebone	1509	157696	91	70	70	61	82	57	91	80	87	76	76·5	92
8. Hampstead	2252	11986	4	1	6	4	3	2	3	5	6	2	3·6	7
9. Pancras	2716	166956	98	92	92	95	81	63	88	88	91	82	87·0	84
10. Islington	3127	95329	39	26	34	54	37	39	48	64	56	38	43·5	55
11. Hackney*	3929	58429	25	21	18	30	18	27	30	39	35	30	27·3	40
12. St. Giles*	245	54214	38	26	27	23	26	26	45	30	29	37	30·7	27
13. Strand*	174	44460	21	22	28	22	19	24	31	21	24	20	23·2	17
14. Holborn*	196	46621	21	20	16	26	22	25	26	33	31	21	24·1	23
15. Clerkenwell	380	64778	26	29	21	45	36	15	38	34	22	32	29·8	27
16. St. Luke	220	54055	40	22	23	32	24	26	39	27	22	26	28·1	29
17. East London* . . .	153	44406	26	25	28	27	19	11	44	26	14	18	23·8	18
18. West London* . . .	136	28790	24	34	26	19	21	26	32	22	26	21	25·1	37
19. London City*. . . .	434	55932	17	25	29	29	18	11	16	15	14	15	18·9	15
20. Shoreditch	646	109257	79	38	36	56	57	40	77	79	48	52	56·2	65
21. Bethnal Green . . .	760	90193	54	40	44	54	25	36	35	60	24	50	42·2	53
22. Whitechapel*. . . .	406	79759	59	43	50	77	40	35	43	55	60	55	51·7	36
23. St. George-in-the-East .	243	48376	36	18	21	28	15	18	45	39	34	25	27·9	39
24*a*. Stepney*	576	54173	68	46	52	68	39	53	67	61	51	54	55·9	26
24*b*. Mile-end Old Town .	681	56602												45
25. Poplar*	2918	47162	38	22	32	22	25	26	40	33	35	33	30·6	51
26. St. Saviour Southwark*	250	35731	29	25	22	25	23	15	25	22	12	22	22·0	22
27. St. Olave Southwark* .	169	19375	20	18	19	18	23	11	28	27	20	14	19·8	23
28. Bermondsey	688	48128	20	18	25	32	32	24	34	36	22	30	27·3	18
29. St. George Southwark .	282	51824	35	30	23	25	25	20	28	29	17	17	24·9	23
30. Newington	624	64816	51	35	36	40	28	31	30	29	40	31	35·1	25
31. Lambeth	4015	139325	92	62	67	83	74	55	76	96	46	67	71·8	64
32. Wandsworth*. . . .	11695	50764	29	76	19	29	24	21	30	15	20	20	28·3	30
33. Camberwell	4342	54667	29	23	33	24	20	27	41	33	27	17	27·4	32
34. Rotherhithe	886	17805	9	3	8	8	8	6	18	10	8	9	8·7	14
35. Greenwich*	5367	99365	72	52	67	97	54	39	59	61	97	38	63·6	64
36. Lewisham*	17224	34835	7	12	18	12	10	16	17	14	23	13	14·2	28

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington and Fulham Union; Westminster (No. 4.) and St. Giles (No. 12), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending January 2. Total.	Males.	Females.	In the Week ending January 9. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	214	144	100	237	133	104
46 WORKHOUSES	131	66	65	153	74	79
14 PRISONS . . . . . †	4	4	–	1	–	1
4 MILITARY AND NAVAL ASYLUMS . . . . ‡	5	5	–	4	4	–
13 GENERAL HOSPITALS	82	58	24	53	37	16
7 HOSPITALS FOR SPECIAL DISEASES	6	3	3	7	2	5
4 LYING-IN HOSPITALS . . . . Women .	1	–	1	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	2	1	1	–	–	–
7 MILITARY AND NAVAL HOSPITALS	–	–	–	6	6	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	2	1	1	2	1	1
20 LUNATIC ASYLUMS	11	6	5	11	9	2

† The infant children of female prisoners are not included.

‡ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from MEASLES, SCARLATINA, HOOPING-COUGH, DIARRHŒA, CHOLERA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 9th January 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Measles.	Scarlatina.	Hooping-cough.	Diarrhœa.	Cholera.	Typhus.
	LONDON - -	2362236	60	36	49	9	–	31
1–6	WEST DISTRICTS - -	376427	2	12	8	2	-	3
7–11	NORTH DISTRICTS - -	490396	7	4	9	1	-	9
12–19	CENTRAL DISTRICTS -	393256	14	4	11	-	-	4
20–25	EAST DISTRICTS - -	485522	26	9	10	3	-	8
26–36	SOUTH DISTRICTS - -	616635	11	7	11	3	-	7
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W*H	17252	1	-	-	-	-	-
2	St. John Paddington H -	29053	-	-	2	-	-	-
3	Kensington Town *W*L -	29183	-	1	-	-	-	-
4	Brompton HH - -	14870	-	-	-	-	-	-
5	St. Peter Hammersmith -	4467	-	-	-	-	-	-
6	St. Paul Hammersmith -	13293	-	-	-	-	-	-
7	Fulham *W*LLLL - -	11886	-	-	-	-	-	-
2; 1	Chelsea South H - -	19050	-	-	1	1	-	-
2	Chelsea North-west *Ww*	17669	-	2	-	-	-	-
3	Chelsea North-east L -	19819	-	2	-	-	-	-
3; 1	Hanover Square - -	20216	-	2	-	-	-	-
2	May Fair *W* - - -	12980	-	-	-	-	-	-
3	Belgrave H - - -	40034	-	1	-	-	-	1
4; 1	St. John Westmr. HHHP	34295	1	1	3	1	-	-
2	St. Margaret West. *W*HP	31314	-	3	-	-	-	1
5; 1	Charing Cross *W*H -	12587	-	-	-	-	-	1
2	Long Acre - - -	12053	-	-	2	-	-	-
6; 1	Berwick Street - -	10798	-	-	-	-	-	-
2	St. James's Square -	11469	-	-	-	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	-	-	-	-	-
2	Cavendish-square - -	14687	-	-	-	-	-	-
3	Rectory Marylebone *W* -	27633	-	1	-	1	-	-
4	St. Mary Marylebone H	22814	2	-	-	-	-	-
5	Christchurch Marylebone	33895	-	-	1	-	-	-
6	St. John Marylebone -	29826	-	-	-	-	-	-
8; 1	Hampstead *W* - -	11986	-	1	-	-	-	-
9; 1	Regent's Park Pancras -	31918	-	-	3	-	-	-
2	Tottenham-court *w*H -	28433	-	1	-	-	-	-
3	Gray's Inn Lane H -	26523	-	-	-	-	-	-
4	Somers Town - - -	35641	1	-	-	-	-	1
5	Camden Town *W* - -	21115	-	-	1	-	-	-
6	Kentish Town - -	23326	-	-	1	-	-	-
10; 1	Islington West† *W*HHHPP	47881	1	-	1	-	-	2
2	Islington East - -	47448	2	1	-	-	-	2
11; 1	Stoke Newington L -	4840	1	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	2
3	West Hackney L - -	18732	-	-	1	-	-	-
4	Hackney *W*H*w* - -	20850	-	-	1	-	-	1
5	South Hackney L - -	8458	-	-	-	-	-	1
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	-	-	-	-	-
2	St. Giles South *W*H -	19951	-	-	-	-	-	-
3	St. Giles North - -	17456	-	1	1	-	-	-
13; 1	St. Anne Soho - -	17335	-	-	1	-	-	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15510	-	-	-	-	-	-
14; 1	St. George-the-Martyr H.	18813	1	2	-	-	-	-
2	St. Andrew, East. Holb. *W*	13971	3	-	-	-	-	1
3	Saffron Hill - - -	13887	1	-	-	-	-	-
15; 1	St. James Clerkenwell *W*P	21529	2	-	1	-	-	-
2	Amwell Clerkenwell P -	15720	-	-	3	-	-	-
3	Pentonville - - -	11904	-	-	1	-	-	-
4	Goswell-street - - -	15625	-	-	1	-	-	-
16; 1	Old-street H - - -	10617	-	-	1	-	-	1
2	City-road HL - -	16840	-	-	-	-	-	1
3	Whitecross-street - -	13657	2	-	-	-	-	-
4	Finsbury - - - -	12941	-	-	-	-	-	-
17; 1	St. Botolph East London	23824	-	-	1	-	-	-
2	Cripplegate P - -	20582	1	-	-	-	-	-
18; 1	West London North *W*HP	12946	2	1	1	-	-	-
2	West London South P -	15844	-	-	-	-	-	1
19; 1	London City South-west -	9204	-	-	-	-	-	-
2	London City North-west -	11847	1	-	-	-	-	-
3	London City South - -	11461	-	-	-	-	-	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	1	-	-	-	-	-

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Measles.	Scarlatina.	Hooping-cough.	Diarrhœa.	Cholera.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	-	-	-	-
2	St. Leonard Shoreditch L	19449	-	-	-	-	-	-
3	Hoxton New Town *w* -	23505	-	1	-	-	-	1
4	Hoxton Old Town - -	17431	-	-	-	-	-	-
5	Haggerstone West *W* -	20276	-	-	-	-	-	1
6	Haggerstone East - -	11351	1	-	-	1	-	-
21; 1	Hackney-road - - -	23910	1	-	-	-	-	1
2	Green, Bethnal Green *W*HL	23555	-	-	-	2	-	1
3	Church, Bethnal Green -	21787	-	-	1	-	-	-
4	Town, Bethnal Green -	20941	1	2	1	-	-	-
22; 1	Artillery Whitechapel -	6769	-	-	-	-	-	-
2	Spitalfields - - -	15336	-	-	-	-	-	-
3	Mile End New Town *W*	14543	-	-	-	-	-	-
4	Whitechapel North *W* -	12530	-	-	-	-	-	1
5	Whitechapel Church H -	7818	-	-	1	-	-	-
6	Goodman's Fields - -	12069	1	-	-	-	-	-
7	Aldgate H - - -	10694	2	-	-	-	-	-
23; 1	St. Mary St. Geo. East -	18067	2	1	1	-	-	-
2	St. Paul St. Geo. East -	20319	2	-	2	-	-	-
3	St. John St. Geo. East *W*	9990	3	-	-	-	-	1
24*a*; 1	Shadwell *W* - - -	16179	2	-	-	-	-	-
2	Ratcliff *W* - - -	15212	-	-	-	-	-	-
3	Limehouse *W* - -	22782	-	-	1	-	-	2
24*b*; 1	Mile End Old Town, Westn.	29582	5	-	-	-	-	-
2	Mile End Old T., East. *Ww*H	27020	1	2	1	-	-	-
25; 1	Bow *w*L - - -	18778	1	1	1	-	-	-
2	Poplar *W*H - - -	28384	4	2	1	-	-	-
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	1	-	-	-	-	-
2	St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1	St. Olave Southwark HH	8015	-	-	1	-	-	-
2	St. John Horsleydown *W*	11360	-	-	1	-	-	-
28; 1	St. James Bermondsey -	18899	1	-	-	-	-	1
2	St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3	Leather Market - -	15295	-	-	-	-	-	-
29; 1	Kent-road - - -	18126	-	-	-	-	-	-
2	Borough-road *W*P -	15862	-	-	1	1	-	-
3	London-road LP - -	17836	-	-	-	-	-	-
30; 1	Trinity Newington P -	20922	-	-	-	1	-	-
2	St. Peter Walworth *W* -	29861	1	-	1	-	-	-
3	St. Mary Newington -	14033	-	-	-	-	-	-
31; 1	Waterloo-road 1st - -	14088	1	1	-	-	-	-
2	Waterloo-road 2nd H -	18348	-	1	1	-	-	-
3	Lambeth Church 1st -	18409	-	-	-	-	-	-
4	Lambeth Church 2nd *W*	26784	1	1	-	1	-	1
5	Kennington 1st - -	24261	-	-	-	-	-	-
6	Kennington 2nd - -	18848	-	-	-	-	-	-
7	Brixton L - - -	14610	-	-	-	-	-	-
8	Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1	Clapham L - - -	16290	-	-	-	-	-	1
2	Battersea *W*L - -	10560	-	-	1	-	-	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	-	-	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	-	1	-	-	1
3	Peckham - - - -	19444	-	2	-	-	-	-
4	St. George Camberwell -	15849	-	-	-	-	-	-
34; 1	Rotherhithe *W* - -	17805	4	-	1	-	-	-
35; 1	St. Paul Deptford - -	24899	-	1	-	-	-	-
2	St. Nicholas Deptford -	7071	-	-	-	-	-	1
3	Greenwich West H -	18800	-	-	-	-	-	-
4	Greenwich East *W*H -	16228	-	-	2	-	-	1
5	Woolwich Dockyard HP	17140	-	-	-	-	-	-
6	Woolwich Arsenal HPH	15227	-	-	-	-	-	-
36; 1	Plumstead - - -	13191	2	-	-	-	-	-
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	1	1	-	-	-
4	Lewisham Village *Ww* -	6097	-	-	-	-	-	-
5	Sydenham - - -	4501	-	-	-	-	-	1

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,

W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.
St. George Southwark, for Children - ,, Lewisham Village sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 9TH JANUARY 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
JANUARY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
SUNDAY .	3	..	30·380	42·2	32·0	10·2	35·5	32·3	41·0	26·5	44·3	43·1	3·2	4·8	2·1	— 0·9	87	S.W.	S.E.	0·0	0·0	0·0	65	0·00
MONDAY .	4	..	30·325	36·6	27·1	9·5	30·8	27·4	42·2	21·6	43·5	43·0	3·4	4·9	0·5	— 5·5	88	S.E.	N.E.	0·0	0·0	0·0	80	0·00
TUESDAY .	5	In Equator.	30·177	29·0	25·2	3·8	27·6	25·5	30·3	15·0	42·5	41·9	2·1	3·1	0·5	— 8·5	89	N.E.	N.E.	1·5	0·0	0·0	85	0·00
WEDNESDAY	6	..	30·068	29·8	20·9	8·9	25·4	22·0	30·0	13·0	40·3	39·7	3·4	5·9	2·3	—10·6	88	Calm	S.	0·0	0·0	0·0	80	0·00
THURSDAY .	7	Last Quarter.	30·090	38·0	23·8	14·2	31·2	27·4	38·2	15·0	40·3	39·7	3·8	7·0	2·1	— 4·6	82	S.	S. & S.W.	1·0	0·0	0·0	105	0·00
FRIDAY . .	8	..	30·018	50·4	33·1	17·3	44·6	43·5	50·4	23·0	39·1	38·6	1·1	2·9	1·1	+ 9·1	97	S.W.	S.W.	2·0	0·0	0·2	225	0·08
SATURDAY .	9	..	29·978	51·9	41·5	10·4	46·0	43·7	52·0	44·0	42·1	40·5	2·3	3·6	0·0	+10·6	91	S.W.	W.	3·5	0·0	0·8	225	0·01
MEANS . .		..	30·148	39·7	29·1	10·6	34·5	31·7	40·6	22·6	41·7	40·9	2·8	4·6	1·2	— 1·5	89	S.W.		..	..	..	Sum 865	Sum 0·09
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
JANUARY.			
SUNDAY . .	3	Strong positive throughout the day.	Cloudy till the earlier part of the afternoon, clear afterwards. A fine and seasonable day.
MONDAY. .	4	Moderate positive till evening, strong positive afterwards.	A few clouds at noon, otherwise clear throughout the day. A fine day.
TUESDAY .	5	Moderate positive throughout the day.	Cloudy throughout the day. Fine snow fell during the morning, and occasionally during the evening. Fine, but very cold day.
WEDNESDAY	6	No electricity until evening, weak positive afterwards.	Partially clear during the morning and latter portion of the evening, cloudy at other times of the day. At Lewisham the minimum temperature was 19°.
THURSDAY .	7	Strong positive throughout the day.	Partially cloudy during the morning, clear during the remainder of the day. A fine day.
FRIDAY . .	8	No electricity was shown.	Cloudy throughout the day. Rain fell during the morning. A bad but very warm day.
SATURDAY .	9	Positive, with variable tension.	Cloudy till evening, cloudless for the most part afterwards. Thin fog prevailed at night. A close and very warm day.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 30·31 in. at the beginning of the week to 30·39 in. by noon on the 3d; decreased to 30·05 in. on the 6th at noon; increased to 30·13 in. by 9h. A.M. on the 7th; decreased to 29·92 in. by 3h. P.M. on the 9th; and increased to 30·12 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, January 16, 1858. [No. 2.

General Register Office, Somerset House,
January 18th, 1858.

HEALTH OF LONDON DURING THE WEEK.

In the second week of the year the total number of deaths registered in London was 1289, of which 637 were deaths of males, 652 those of females. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1232; but as the deaths included in the present return occurred in an increased population, the average, to admit of comparison, should be raised in proportion to the increase, in which case it will become 1355. The returns for last week are, therefore, so far satisfactory as to show that the deaths were less by 66 than the number which the average rate of mortality in the second week of January would have produced.

The 1289 deaths are classed under five general heads: 261, of which number 210 are the deaths of young persons, are referred to zymotic diseases; 259 to constitutional diseases; 605 to local diseases; 142 to developmental diseases; 13 are the results of burns, drowning, wounds or other injury. Nine deaths are not assigned to any of the above classes, because the fatal disease or injury is not described,—a defect in the returns which is not unavoidable in some cases, but will necessarily arise in others, where a coroner's jury, who have been summoned to investigate the cause of death, have not been able to ascertain it.

In the miasmatic order of diseases measles has taken the most prominent place: since the middle of December it has increased in the following weekly numbers 41, 45, 60, and 65. Of the 65 deaths of last week 5 occurred in the West districts, 10 in the Central, 13 in the South, 17 in the North, and 20 in the East districts. Five children died of measles in the sub-district of Camden Town, and the same number in that of Rotherhithe. Whooping-cough was fatal in 41 cases; scarlatina in 39, among which latter are one or two cases in which diphtheria is mentioned as the cause of death,—a common complaint at the present time in London, and also in the country, in some parts of which it appears to be known as "the throat disease." Last week bronchitis carried off 197 persons, pneumonia 101, laryngeal affections, spasm of the glottis, &c., 11. The mortality from pneumonia is less than its usual amount; but the degree in which bronchitis is prevalent and fatal appears from the fact that the average number of deaths from it raised for increase of population is 150, while the actual number is close on 200. Seven nonagenarians (of whom six were women) died last week: the three oldest were aged respectively 94, 95, and 96 years.

Last week the births of 902 boys and 861 girls, in all 1763 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1571.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 30·209 in. The mean daily reading rose above 30 in. on the 22d ult., and continued above it on the twenty-five days following, with the exception of one day, the 9th inst. The *greatest* barometric pressure of last week occurred on Tuesday, and was 30·46 in. The mean temperature of last week was 39·8°, which is 4·2° above the average of the same week in 43 years (as determined by Mr. Glaisher). On Sunday (the 10th) the mean temperature was 46·4°, which

is 10·7° above the average of the same day. It fell to 35·3° on Thursday, which is rather below the average. The *highest* temperature in the week was 50·9° on Sunday; the *lowest* was 29·4° on Tuesday. The mean daily range was 13·8°. The difference between the mean dew point temperature and air temperature was 3·2°. The mean degree of humidity was 89. The mean temperature of the water of the Thames was 39·8°, the same as that of the air. The wind blew with great regularity from the south-west. The rain-fall measured was only 0·06 in.

WHITECHAPEL; *Spitalfields.*—On 8th January, a female, aged 47 years, "sudden in a fit during premature labour."

NEWINGTON; *St. Mary.*—At 11 Churchyard-row, on 12th January, a house proprietor, aged 74 years, "epistaxis (6 weeks), debility (7 days)."

LEWISHAM; *Plumstead.*—At Blackheath-park, on 11th January, the son of a railway officer, aged one year, "sudden retrocession of psoriasis, hæmencephalus, hemiplegia (right) (17 days), convulsions (centric) (3 hours)."

BIRTHS Registered LAST WEEK, and in the SECOND Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1436	1421	1369	1580	1489	1596	1768	1706	1563	1784	1571·2	1763
Males . .	754	707	688	792	762	755	893	881	798	966	799·6	902
Females .	682	714	681	788	727	841	875	825	765	818	771·6	861

DEATHS Registered LAST WEEK, and in the SECOND Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1457	1448	1065	1023	1096	1001	1492	1466	1100	1171	1231·9	1289*
Males . .	755	697	503	492	540	492	758	743	542	582	610·4	637
Females .	702	751	562	531	556	509	734	723	558	589	621·5	652

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.
BIRTHS	1582	1785	1682	1737	1750	1600	1812	1803	1830	1499	1933	1700	1763
DEATHS	988	1047	1166	1161	1382	1373	1428	1240	1234	1013	1431	1327	1289
DEATHS (except from Violence) . . .	971	1026	1150	1150	1349	1340	1395	1209	1197	987	1317	1307	1276
Deaths (except from Violence) at 60 years and upwards . .	155	179	253	255	326	339	356	268	267	231	277	305	311
Small-pox	2	..	5	3	1	..	2	1	3	1	..	3	2
Measles	21	11	23	20	35	38	33	36	45	41	45	60	65
Scarlatina	52	53	52	56	50	43	44	55	48	30	25	36	39
Whooping-cough . .	27	35	40	45	53	58	58	47	48	37	57	49	41
Typhus	54	56	54	54	41	39	47	38	39	30	42	31	34
Diarrhœa	42	31	27	19	24	15	16	20	13	12	12	9	17
Mean Temperature .	51°·5	51°·6	53°·8	45°·1	44°·2	41°·6	46°·1	45°·0	45°·6	47°·1	39°·1	34°·5	39°·8

* The DEATHS in the South-east sub-district of the City of London are not inserted above. An average of 2, derived from the returns of six previous weeks, is inserted instead of the true number, which is ascertained to be 4.

DEATHS in LONDON, from ALL CAUSES, Registered in the SECOND WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 15 1848	Jan. 13 1849	Jan. 12 1850	Jan. 11 1851	Jan. 17 1852	Jan. 15 1853	Jan. 14 1854	Jan. 13 1855	Jan. 12 1856	Jan. 17 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 16, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	36°·0	39°·3	30°·3	42°·2	46°·3	45°·0	37°·5	39°·3	36°·4	36°·5	38°·9	Mean Temp. 39°·8					
	ALL CAUSES	1457	1448	1065	1023	1096	1001	1492	1466	1100	1171	1231·9	1289†	574	166	233	250	64
	SPECIFIED CAUSES	1440	1435	1045	1007	1083	970	1476	1436	1091	1131	1211·4	1280	571	165	230	250	64
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	399	426	197	186	222	232	306	321	245	234	276·8	261	210	22	15	10	4
II.	CONSTITUTIONAL „	250	261	218	200	230	216	276	261	196	229	233·7	259	76	85	76	19	3
III.	LOCAL „	635	593	489	498	457	389	688	650	469	510	537·8	605	215	53	133	180	24
IV.	DEVELOPMENTAL „	129	134	121	109	151	124	186	185	144	133	141·6	142	66	1	4	38	33
V.	VIOLENT DEATHS	27	21	20	14	23	9	20	19	37	25	21·5	13	4	4	2	3	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	383	410	187	175	203	211	286	304	227	212	259·8	244	198	21	12	10	3
	2. ENTHETIC „	4	4	3	2	4	6	3	1	4	10	4·1	3	2	1	..	..	..
	3. DIETIC „	7	9	5	6	14	14	14	16	11	9	10·5	12	8	..	3	..	1
	4. PARASITIC „	5	3	2	3	1	1	3	..	3	3	2·4	2	2	..	..	..	..
II.	1. DIATHETIC „	36	51	37	31	43	39	39	54	39	37	40·6	51	5	8	23	12	3
	2. TUBERCULAR „	214	210	181	169	187	177	237	207	157	192	193·1	208	71	77	53	7	..
III.	1. DISEASES OF NERVOUS SYSTEM	146	148	113	117	114	113	168	133	123	107	128·2	142	62	12	25	39	4
	2. „ OF ORGANS OF CIRCULATION	50	42	52	44	60	37	71	64	44	42	50·6	49	5	7	19	17	1
	3. „ OF RESPIRATORY ORGANS	346	325	255	275	218	153	365	373	238	280	282·8	340	130	23	64	107	16
	4. „ OF DIGESTIVE ORGANS	57	50	46	41	45	60	52	55	41	45	49·2	45	13	6	17	8	1
	5. „ OF URINARY ORGANS	12	11	11	10	10	6	14	13	12	21	12·0	18	..	5	8	4	1
	6. „ OF ORGANS OF GENERATION	7	7	3	2	3	4	3	2	4	7	4·2	..	..	..	..	..	..
	7. „ OF ORGANS OF LOCOMOTION	8	2	3	4	5	7	5	5	1	2	4·2	2	..	..	..	2	..
	8. „ OF INTEGUMENTARY SYSTEM	9	8	6	5	2	9	10	5	6	6	6·6	9	5	..	..	3	1
IV.	1. DISEASES OF CHILDREN	37	35	31	48	62	52	60	62	57	41	48·5	30	30	..	..	..	..
	2. „ OF ADULTS	5	5	6	5	8	6	6	5	4	5	5·5	2	..	1	1	..	..
	3. „ OF OLD PEOPLE	68	70	69	43	60	41	80	71	53	48	60·3	64	..	..	..	31	33
	4. „ OF NUTRITION	19	24	15	13	21	25	40	47	30	39	27·3	46	36	..	3	7	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											10	3	2	2	3	..
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												3	1	2	..	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	27	21	20	14	23	9	20	19	37	25	21·5	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	9	3	8	9	2	4	7	3	4	8	5·7	6	3	1	2	..	..
	CAUSES NOT SPECIFIED	8	10	12	7	11	27	9	27	5	32	14·8	3†	..	..	1	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 2 is added for the South-east sub-district ofthe City of London.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 15 1848	Jan. 13 1849	Jan. 12 1850	Jan. 11 1851	Jan. 17 1852	Jan. 15 1853	Jan. 14 1854	Jan. 13 1855	Jan. 12 1856	Jan. 17 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 16, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	36°·0	39°·3	30°·3	42°·2	46°·3	45°·0	37°·5	39°·3	36°·4	36°·5	38°·9	Mean Temp. 39°·8					
I.	ORDER 1.																	
	1. Small-pox	33	21	11	16	23	6	12	19	21	6	16·8	2	2	..	..	..	..
	2. Measles	45	9	36	21	10	20	36	25	20	33	25·5	65	65	..	..	..	..
	3. Scarlatina	40	63	11	16	29	63	45	63	32	37	39·9	39	35	3	1	..	..
	4. Quinsy	3	3	2	1	..	1	..	2	1	..	1·3	3	3	..	..	..	..
	5. Croup	9	3	2	1	6	5	8	17	13	7	7·1	12	12	..	..	..	..
	6. Whooping-cough	34	68	28	43	35	39	73	65	41	55	48·1	41	41	..	..	..	..
	7. Typhus (and Infantile fever)	59	83	34	37	47	52	51	47	48	34	49·2	34	14	12	6	2	..
	8. Erysipelas	19	10	16	2	8	4	5	5	14	10	9·3	8	6	..	..	1	1
	9. Metria	8	11	6	2	8	1	2	6	8	2	5·4	5	..	5	..	..	..
	10. Carbuncle	..	..	..	..	1	1	3	1	2	..	·8	1	1	..	..	..	..
	11. Influenza	102	5	6	9	2	3	5	18	1	4	15·5	4	..	..	1	2	1
	12. Dysentery	..	6	5	1	1	..	3	3	6	1	2·6	5	1	1	1	2	..
	13. Diarrhœa	27	26	19	15	22	13	27	20	11	15	19·5	17	16	..	..	1	..
	14. Cholera	..	94	..	..	1	..	2	..	..	..	9·7	..	..	..	..	..	..
	15. Ague	..	1	..	1	1	..	1	1	..	1	·6	1	..	..	..	1	..
	16. Remittent Fever	2	2	3	2	2	1	2	4	1	2	2·1	1	1	..	..	..	..
	17. Rheumatism	2	5	8	8	7	2	11	8	8	5	6·4	6	1	..	3	1	1
	ORDER 2.																	
	1. Syphilis	3	..	1	..	4	6	2	1	3	8	2·8	3	2	1	..	..	..
	2. Stricture of Urethra	1	4	2	2	..	..	1	..	1	2	1·3	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	2	..	..	..	..	..	1	..	2	..	·5	..	..	..	..	..	..
	2. Want of Breast-milk	1	4	1	3	5	5	5	5	5	8	4·2	8	8	..	..	..	..
	3. Purpura and Scurvy	1	2	2	1	4	2	1	2	1	..	1·6	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	2	1	2	3	6	3	4	3	1	2·6	3	..	..	2	..	1
	4. Alcoholism { *b* Intemperance	2	1	1	..	2	1	4	5	..	..	1·6	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	5	3	2	3	1	1	3	..	3	3	2·4	2	2	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	1	1	..	1	1	3	4	2	..	1·3	3	..	..	1	2	..
	2. Dropsy	12	19	16	15	21	14	17	23	12	10	15·9	19	2	3	8	5	1
	3. Cancer	20	25	15	15	18	21	14	16	20	22	18·6	23	..	5	13	5	..
	4. Noma	1	...	1	..	1	..	..	2	..	..	·5	3	2	..	1	..	..
	5. Mortification	3	6	4	1	2	3	5	9	5	5	4·3	3	1	..	..	..	2
	ORDER 2.																	
	1. Scrofula	6	5	6	7	11	8	8	11	7	7	7·6	15	9	2	3	1	..
	2. Tabes Mesenterica	21	12	15	18	16	7	29	20	11	11	16·0	15	14	1	..	..	..
	3. Phthisis	154	159	140	123	123	125	161	150	118	152	140·5	151	21	74	50	6	..
	4. Hydrocephalus	33	34	20	21	37	37	39	26	21	22	29·0	27	27	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	12	7	9	16	9	11	14	13	10	7	10·8	10	4	2	2	2	..
	2. Apoplexy	27	30	37	14	20	23	41	25	23	21	26·1	26	3	1	8	12	2
	3. Paralysis	27	30	28	17	28	17	37	26	27	26	26·3	30	1	3	6	18	2
	4. Insanity	4	4	2	5	4	1	3	4	2	2	3·1	4	..	2	..	2	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	6. Epilepsy	8	10	5	6	5	8	7	6	4	5	6·4	6	1	1	2	2	..
	7. Convulsions	54	42	26	47	30	37	49	48	43	33	40·9	44	44	..	..	..	..
	8. *Brain Disease, &c.*	14	25	6	12	18	16	17	11	14	13	14·6	22	9	3	7	3	..
	ORDER 2.																	
	1. Pericarditis	4	1	1	3	5	3	7	4	1	1	3·0	2	1	..	..	1	..
	2. Aneurism	1	2	..	..	1	2	2	3	2	..	1·3	1	..	1	..	..	..
	3. *Heart Disease, &c.*	45	39	51	41	54	32	62	57	41	41	46·3	46	4	6	19	16	1
	ORDER 3.																	
	1. Laryngitis	4	2	4	4	3	3	13	11	9	11	6·4	11	9	2	..	..	..
	2. Bronchitis	125	154	120	136	109	67	184	178	126	170	136·9	197	45	10	47	80	15
	3. Pleurisy	5	4	3	5	2	2	4	6	3	1	3·5	4	1	1	..	2	..
	4. Pneumonia	158	125	83	96	70	58	114	139	78	77	99·8	101	73	7	9	12	..
	5. Asthma	34	26	35	27	21	16	40	30	14	15	25·8	20	..	2	7	10	1
	6. *Lung Disease, &c.*	20	14	10	7	13	7	10	9	8	6	10·4	7	2	1	1	3	..
	ORDER 4.																	
	1. Gastritis	6	3	..	..	..	1	1	..	1	1	1·3	3	1	..	2	..	..
	2. Enteritis	9	9	12	7	3	7	2	4	4	4	6·1	5	2	1	1	1	..
	3. Peritonitis	5	4	2	6	6	3	3	11	2	3	4·5	5	1	2	2	..	..
	4. Ascites	2	1	4	3	4	4	2	5	2	3	3·0	1	..	1	..	..	..
	5. Ulceration of Intestines	4	..	1	2	2	1	4	1	..	1	1·6	1	1	..	..	..	..
	6. Hernia	3	2	2	2	3	3	3	3	3	2	2·6	2	..	..	1	1	..
	7. Ileus	3	4	1	1	3	6	8	3	3	4	3·6	3	2	..	1	..	..
	8. Intussusception	..	..	1	..	..	1	3	..	2	2	·9	1	..	..	..	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the SECOND Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 15 1848	Jan. 13 1849	Jan. 12 1850	Jan. 11 1851	Jan. 17 1852	Jan. 15 1853	Jan. 14 1854	Jan. 13 1855	Jan. 12 1856	Jan. 17 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 16, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	36°·0	39°·3	30°·3	42°·2	46°·3	45°·0	37°·5	39°·3	36°·4	36°·5	38°·9	39°·8					
	9. Stricture of Intestines	..	1	1	1	1	1	..	..	2	2	·9	..	..	..	..	..	..
	10. Fistula	3	..	..	1	..	2	..	..	1	3	1·0	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	1	6	6	5	5	9	8	9	7	4	6·0	10	4	..	4	2	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	8	3	5	2	6	4	4	3	4	2	4·1	3	..	..	2	1	..
	14. Jaundice	1	3	..	1	2	2	2	7	1	3	2·2	5	2	..	..	2	1
	15. *Liver Disease, &c.*	11	14	11	10	10	16	12	9	9	11	11·3	6	..	2	4	..	..
	16. *Spleen Disease, &c.*	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	1	..	..	1	..	..	..	3	1	·6	..	..	..	..	..	..
	2. Ischuria	..	..	..	..	..	..	1	1	1	..	·3	..	..	..	..	..	..
	3. Nephria	3	1	3	4	1	3	3	2	3	8	3·1	5	..	1	2	2	..
	4. Diabetes	1	1	3	1	..	..	1	3	1	3	1·4	3	..	..	3	..	..
	5. Stone	..	..	1	..	..	1	2	1	1	2	·8	..	..	..	..	..	..
	6. Cystitis	1	..	1	..	1	..	1	..	..	..	·4	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	7	8	3	5	7	2	6	6	3	7	5·4	10	..	4	3	2	1
	ORDER 6.																	
	1. Ovarian Dropsy	2	4	1	..	..	..	..	1	2	2	1·2	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	5	3	2	2	3	4	3	1	2	5	3·0	..	..	..	..	..	..
	ORDER 7.																	
	1. Arthritis	..	..	1	..	2	..	1	..	..	..	·4	..	..	..	..	..	..
	2. *Joint Disease, &c.*	8	2	2	4	3	7	4	5	1	2	3·8	2	..	..	..	2	..
	ORDER 8.																	
	1. Phlegmon	3	5	1	2	..	5	6	5	5	5	3·7	..	..	..	..	..	..
	2. Ulcer	6	1	1	2	1	2	3	..	1	1	1·8	4	..	..	..	3	1
	3. *Skin Disease, &c.*	..	2	4	1	1	2	1	..	..	..	1·1	5	5	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	27	18	23	30	42	39	38	37	33	25	31·2	9	9	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											3	3	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	2	7	3	4	2	3	6	7	4	1	3·9	..	..	..	..	..	..
	5. Teething	8	10	5	14	18	10	16	18	20	15	13·4	17	17	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	1	..	..	..	1	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	5	5	6	5	8	5	6	5	4	4	5·3	2	..	1	1	..	..
	ORDER 3.																	
	1. Old Age	68	70	69	43	60	41	80	71	53	48	60·3	64	..	..	..	31	33
	ORDER 4.																	
	1. Atrophy and Debility	19	24	15	13	21	25	40	47	30	39	27·3	46	36	..	3	7	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	4	..	..	2	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	3	..	..	1	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	..	2	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	1. Wounds: Cut, stab	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	27	21	20	14	23	9	20	19	37	25	21·5	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	9	3	8	9	2	4	7	3	4	8	5·7	6	3	1	2	..	.
	Causes not specified or ill-defined	8	10	12	7	11	27	9	27	5	32	14·8	3†	..	..	1	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 2 is added for London City, South-east.

DEATHS Registered in the SECOND WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Jan. 15 1848	Jan. 13 1849	Jan. 12 1850	Jan. 11 1851	Jan. 17 1852	Jan. 15 1853	Jan. 14 1854	Jan. 13 1855	Jan. 12 1856	Jan. 17 1857	Averages of Temperature and of Deaths in 16 Weeks.	Week ending Saturday, Jan. 16 1858.
Mean Temperature . . .			36·0°	39·3°	30·3°	42·2°	46·3°	45·0°	37·5°	39·3°	36·4°	36·5°	38·9°	39·8°
LONDON	78029	2362236	1457	1448	1065	1023	1096	1001	1492	1466	1100	1171	1231·9	1289
1-6. WEST DISTRICTS .	10786	376427	201	209	157	166	163	143	207	207	190	165	180·8	206
7-11. NORTH DISTRICTS .	13533	490396	244	251	181	195	226	192	300	298	224	263	237·4	276
12-19. CENTRAL DISTRICTS	1938	393256	256	221	185	170	165	169	266	255	160	179	202·6	194
20-25. EAST DISTRICTS .	6230	485522	360	302	249	223	249	202	352	315	250	265	276·7	267
26-36. SOUTH DISTRICTS .	45542	616635	396	465	293	269	293	295	367	391	276	299	334·4	346
1. Kensington*	7374	120004	55	51	32	44	52	58	67	63	52	61	53·5	64
2. Chelsea	865	56538	24	35	40	21	28	17	42	26	17	26	27·6	26
3. St. George Hanover-sq.	1161	73230	46	42	32	31	26	25	25	46	27	28	32·8	43
4. Westminster* . . .	917	65609	41	47	30	39	28	24	40	33	36	26	34·4	41
5. St. Martin-in-the-Fields	305	24640	12	16	9	19	18	5	10	19	42	13	16·3	9
6. St. James Westminster .	164	36406	23	18	14	12	11	14	23	20	16	11	16·2	23
7. Marylebone	1509	157696	72	105	61	76	83	51	92	85	61	85	77·1	71
8. Hampstead	2252	11986	2	3	3	5	2	6	6	4	3	6	4·0	7
9. Pancras	2716	166956	101	78	70	67	82	70	106	98	72	70	81·4	92
10. Islington	3127	95329	33	35	16	30	32	42	62	65	59	64	43·8	55
11. Hackney*	3929	58429	36	30	31	17	27	23	34	46	29	38	31·1	51
12. St. Giles*	245	54214	35	30	25	28	16	32	36	54	27	25	30·8	26
13. Strand*	174	44460	27	27	20	18	15	21	25	24	14	24	21·5	21
14. Holborn*	196	46621	41	27	23	17	28	19	43	34	25	20	27·7	13
15. Clerkenwell	380	64778	40	31	26	22	30	23	36	26	28	28	29·0	38
16. St. Luke	220	54055	25	27	27	23	24	16	36	37	20	22	25·7	35
17. East London* . . .	153	44406	35	29	18	23	18	21	26	31	19	25	24·5	13
18. West London* . . .	136	28790	22	29	22	23	16	19	36	27	14	23	23·1	25
19. London City* . . .	434	55932	31	21	24	16	18	18	28	22	13	12	20·3	23†
20. Shoreditch	646	109257	72	60	59	43	40	52	81	60	59	48	57·4	60
21. Bethnal Green . . .	760	90193	64	41	26	33	44	32	75	60	60	42	47·7	45
22. Whitechapel* . . .	406	79759	67	58	54	49	39	42	57	49	56	59	53·0	40
23. St. George in the East .	243	48376	39	42	27	24	30	23	25	31	13	18	27·2	30
24*a*. Stepney*	576	54173	86	75	56	51	61	40	79	77	33	62	62·0	27
24*b*. Mile-end Old Town .	681	56602												23
25. Poplar*	2918	47162	32	26	27	23	35	13	35	38	29	36	29·4	42
26. St. Saviour Southwark*	250	35731	15	28	22	18	23	23	28	24	16	23	22·0	18
27. St. Olave Southwark* .	169	19375	33	33	17	23	23	25	36	19	20	25	25·4	18
28. Bermondsey	688	48128	27	31	16	18	26	21	22	32	18	24	23·5	19
29. St. George Southwark .	282	51824	44	44	24	38	38	22	32	33	25	18	31·8	29
30. Newington	624	64816	53	26	33	31	23	27	36	48	27	39	34·3	31
31. Lambeth	4015	139325	88	80	62	42	55	65	72	82	49	65	66·0	76
32. Wandsworth* . . .	11695	50764	31	110	25	22	16	30	28	28	23	14	32·7	29
33. Camberwell	4342	54667	34	26	23	35	19	18	36	34	25	21	27·1	30
34. Rotherhithe	886	17805	9	8	4	6	6	11	6	11	9	5	7·5	11
35. Greenwich*	5367	99365	48	61	63	31	54	39	52	60	50	50	50·8	65
36. Lewisham*	17224	34835	14	18	4	5	10	14	19	20	14	15	13·3	20

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848–57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† An average of 2 is inserted for the South-east sub-district.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending January 9. Total.	Males.	Females.	In the Week ending January 16. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	237	133	104	209	116	93
46 WORKHOUSES	153	74	79	118	57	61
14 PRISONS . . . . . ‡	1	–	1	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	4	4	–	7	7	–
13 GENERAL HOSPITALS	53	37	16	66	43	23
7 HOSPITALS FOR SPECIAL DISEASES	7	2	5	4	3	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	6	6	–	–	–	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	2	1	1	3	2	1
20 LUNATIC ASYLUMS	11	9	2	11	4	7

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

ONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 16th January 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	2	65	39	41	17	34
o.*							
1–6 WEST DISTRICTS - -	376427	-	5	9	6	3	10
–11 NORTH DISTRICTS - -	490396	-	17	16	5	3	4
–19 CENTRAL DISTRICTS -	393256	-	10	5	3	2	3
–25 EAST DISTRICTS - -	485522	1	20	4	15	5	8
–36 SOUTH DISTRICTS - -	616635	1	13	5	12	4	9
WEST DISTRICTS.							
; 1 St. Mary Paddington *W* H	17252	-	-	1	-	1	1
2 St. John Paddington H -	29053	-	-	-	-	-	2
3 Kensington Town *W* L -	29183	-	-	-	1	-	1
4 Brompton HH - -	14870	-	-	-	1	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	2
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	1
; 1 Chelsea South H - -	19050	-	-	-	1	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3 Chelsea North-east L -	19819	-	-	-	-	1	-
; 1 Hanover-square - -	20216	-	1	2	1	-	-
2 May Fair *W* - - -	12980	-	2	-	-	-	-
3 Belgrave H - - -	40034	-	-	2	-	-	2
; 1 St. John Westmr. HHHP	34295	-	2	1	1	1	-
2 St. Margaret West. *W* HP	31314	-	-	2	1	-	1
; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	1	-	-	-
; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
1 All Souls Marylebone H -	28841	-	-	-	-	-	1
2 Cavendish-square - -	14687	-	1	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	1	-	-	-
4 St. Mary Marylebone H -	22814	-	-	2	1	-	-
5 Christchurch Marylebone	33895	-	3	-	-	-	-
6 St. John Marylebone -	29826	-	-	-	-	1	-
1 Hampstead *W* - -	11986	-	-	1	1	-	-
1 Regent's Park Pancras -	31918	-	-	-	-	-	-
2 Tottenham-court *w*H -	28433	-	-	4	-	-	-
3 Gray's-inn-lane H -	26523	-	-	-	-	1	-
4 Somers-town - - -	35641	-	2	3	-	-	-
5 Camden-town *W* - -	21115	-	5	-	1	-	-
6 Kentish-town - - -	23326	-	-	-	1	-	-
1 Islington West† *W* HHHPP	47881	-	4	1	-	-	-
2 Islington East - - -	47448	-	1	1	-	-	2
1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	1	-	-	-
3 West Hackney L - -	18732	-	-	2	1	1	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	1
5 South Hackney L - -	8458	-	1	-	-	-	-
CENTRAL DISTRICTS.							
1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	1
1 St. Anne Soho - - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	-
1 St. George-the-Martyr H.	18813	-	-	-	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	1	-	-	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
1 St. James Clerkenwell *W* P	21529	-	-	-	2	1	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - -	15625	-	-	-	1	-	-
1 Old-street H - - -	10617	-	3	-	-	-	1
2 City-road HL - -	16840	-	3	-	-	-	1
3 Whitecross-street - -	13657	-	1	-	-	1	-
4 Finsbury - - - -	12941	-	1	1	-	-	-
1 St. Botolph East London	23824	-	-	-	-	-	-
2 Cripplegate P - -	20582	-	-	-	-	-	-
1 West London North *W* HP	12946	-	1	2	-	-	-
2 West London South P -	15844	-	-	-	-	-	-
1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	1	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	‡	-	-	-	-	-
5 London City North-east -	12826	-	1	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	1	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	1	-	-
3 Hoxton New Town *w* -	23505	-	-	-	-	-	-
4 Hoxton Old Town - -	17431	-	-	-	3	-	-
5 Haggerstone West *W* -	20276	-	-	2	1	-	-
6 Haggerstone East - -	11351	-	1	-	1	-	1
21; 1 Hackney Road - -	23910	1	-	-	-	-	1
2 Green, Bethnal Green *W* HL	23555	-	1	-	-	-	1
3 Church, Bethnal Green -	21787	-	3	-	1	-	-
4 Town, Bethnal Green -	20941	-	3	-	-	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	1	1	1
3 Mile End New Town *W* -	14543	-	-	-	-	-	-
4 Whitechapel North *W* -	12530	-	-	-	-	-	1
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	1	-	-
7 Aldgate H - - -	10694	-	-	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	1	1	1
2 St. Paul St. Geo. East -	20319	-	3	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	2	-	1	-	1
24*a*; 1 Shadwell *W* - - -	16179	-	1	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	-
3 Limehouse *W* - -	22782	-	1	-	-	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	1	-	-	-	1
4 Mile End Old T., East. *Ww* H	27020	-	1	-	-	1	-
25; 1 Bow *w*L - - - -	18778	-	1	1	-	1	-
2 Poplar *W* H - - -	28384	-	1	1	4	1	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	1
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	1	-	-	1
2 St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3 Leather Market - -	15295	-	-	-	-	-	-
29; 1 Kent Road - - -	18126	-	-	-	-	-	1
2 Borough Road *W* P -	15862	-	-	-	2	-	-
3 London Road LP - -	17836	-	-	1	-	-	1
30; 1 Trinity Newington P -	20922	-	-	-	-	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	1	-	-
3 St. Mary Newington -	14033	-	-	-	1	1	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	-	-
2 Waterloo Road 2nd H -	18348	-	1	-	-	-	-
3 Lambeth Church 1st -	18409	-	-	-	1	2	-
4 Lambeth Church 2nd *W*	26784	-	-	1	1	-	-
5 Kennington 1st - -	24261	-	-	-	-	-	-
6 Kennington 2nd - -	18848	-	-	-	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	1	-	-	-	-
2 Battersea *W* L - -	10560	-	-	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	1	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	1	1	-	-
3 Peckham - - - -	19444	-	-	-	-	-	-
4 St. George Camberwell -	15849	-	-	-	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	5	-	-	-	1
35; 1 St. Paul Deptford - -	24899	-	2	-	-	-	1
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	1	-	-	1	1	1
4 Greenwich East *W* H -	16228	-	1	-	1	-	2
5 Woolwich Dockyard HP	17140	-	-	-	1	-	-
6 Woolwich Arsenal HPH	15227	-	2	-	-	-	-
36; 1 Plumstead - - -	13191	-	1	-	1	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *Ww* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	1	-	-	-

OTE.—The letters placed against the names of the sub-districts ote public institutions situated therein, namely,

W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.
St. George Southwark, for Children - ,, Lewisham Village sub-district.

The numbers on the left of the semicolons refer to the Districts in the preceding page.
Islington West contains the Small-pox and Fever Hospitals.
Return received too late for insertion above. Two deaths from measles.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 16th January 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
January.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	10	Apogee	30·093	50·9	37·7	13·2	46·4	43·1	53·0	29·0	38·8	38·3	3·3	5·5	0·0	+10·7	89	S.W.	S.W.	3·3	0·0	0·5	240	0·00
Monday . .	11	..	30·101	49·2	34·9	14·3	41·9	38·4	51·0	33·9	40·3	39·7	3·5	9·1	0·0	+ 6·3	89	S.W.	N.W.	2·5	0·0	0·3	80	0·06
Tuesday .	12	..	30·376	46·0	29·4	16·6	38·0	32·5	50·7	—	40·3	39·7	5·5	7·9	3·8	+ 2·4	81	S.W.	S.W.	0·0	0·0	0·0	175	0·00
Wednesday	13	Greatest Dec. S.	30·159	46·3	32·3	14·0	39·7	35·9	44·7	—	40·3	39·7	3·8	6·8	1·8	+ 4·1	87	S.W.	N.W. & Calm.	0·0	0·0	0·0	25	0·00
Thursday.	14	..	30·233	43·2	30·4	12·8	35·3	34·3	43·5	21·6	40·3	39·7	1·0	3·0	0·0	— 0·3	96	S.W.	S.W.	0·0	0·0	0·0	80	0·00
Friday . .	15	New	30·216	42·0	31·5	10·5	36·5	35·0	42·0	25·2	40·3	39·7	1·5	2·2	0·0	+ 1·0	95	S.W.	W.S.W.	0·0	0·0	0·0	130	0·00
Saturday.	16	..	30·287	49·0	33·8	15·2	40·6	37·1	50·0	30·0	40·3	38·8	3·5	5·5	1·8	+ 5·1	88	S.W.	N.	0·0	0·0	0·0	65	0·00
Means . .		..	30·209	46·7	32·9	13·8	39·8	36·6	47·8	27·9	40·1	39·4	3·2	5·7	1·1	+ 4·2	89	S.W.		..	..	..	Sum 795	Sum 0·06
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
January.			
Sunday . .	10	Strong positive throughout the day.	Partially clear during the morning, cloudy at other times of the day. Thin rain fell occasionally at night.
Monday . .	11	Positive, with weak tension.	Generally cloudy till near noon, clear during the remainder of the day. Rain fell early in the morning.
Tuesday . .	12	Positive, with moderate tension during the morning. Strong positive at other times of the day.	Clear for the most part till evening, partially cloudy afterwards.
Wednesday	13	Strong positive throughout the day. At night volleys of sparks and galvanic currents were shown.	Partially cloudy till evening, cloudless afterwards. Fog prevailed at night.
Thursday .	14	Strong positive throughout the day. Volleys of sparks and galvanic currents were frequent.	Clear during the morning, partially cloudy during the afternoon, clear at night.
Friday . .	15	Strong positive throughout the day.	Overcast till evening, partially cloudy afterwards. Thin fog at night.
Saturday .	16	Very strong positive during the morning, and also at night; sparks and galvanic currents were shown. Weak positive at other times.	Clear early in the morning, cloudy at other times. Thin rain fell for a short time about noon. Haze was very prevalent.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer was nearly stationary at 30·12 in. till 3h. P.M. on the 10th; it then decreased to 29·95 in. by 9h. A.M. on the 11th; increased to 30·46 in. by 9h. A.M. on the 12th; decreased to 30·14 in. by 3h. P.M. on the 13th; increased to 30·25 in. by 9h. A.M. on the 14th; continued at about this reading, with very small variation, till noon on the 16th, when it was 30·23 in., and increased quickly after 3h. P.M. to 30·45 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, January 23. [No. 3.

General Register Office, Somerset House,
January 25th, 1858.

HEALTH OF LONDON DURING THE WEEK.

The total number of deaths in London in the week that ended on Saturday (January 23d) was 1344. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1207, but as the deaths of last week occurred in an increased population, the average to admit of comparison must be raised proportionally to the increase, in which case it will become 1328. From these statements it appears that the number of deaths in the present return slightly exceeds the estimated amount. Measles is now more fatal than any other disease in the miasmatic order; it was fatal last week in 66 cases. Whooping-cough occupies the next place, having carried off 54 children; 35 persons died from typhus, and 33 from scarlatina; three children died of the last-named disease at a house in Thomas-street, Kennington.

Diseases of the respiratory organs proved fatal in 361 cases, of these 213 were attributed to bronchitis and 115 to pneumonia. Only 7 fatal cases were returned under the designation of influenza. The death of a woman is recorded as the result of insufficient nourishment, and a patient died at St. Thomas' Hospital from carbuncle. A widow attained the age of 90.

The causes of death in the improved nosological arrangement are divided into five classes. Last week 273 persons died of the zymotic class of diseases. Of the constitutional diseases (including consumption 163), 266 persons died. Local diseases (including inflammations) were fatal in 624 cases. Of developmental diseases, including those peculiar to parturition, the young and the aged, 131 persons died; and of violent deaths 19 cases were recorded.

Last week the births of 941 boys and 857 girls, in all 1798 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1563.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 30·231 in. The mean daily barometrical reading was above 30 in. on every day last week except Wednesday, when it was 29·753 in. The mean temperature of the week was 37·5°, which is 0·7° above the average of the same week in 43 years (as determined by Mr. Glaisher). On Wednesday the excess of mean temperature above the average was as much as 7·3°. The *highest* temperature in the week was 50·0° on Wednesday; the *lowest* was 30·5° on Friday. The mean daily range of the week was 9·1°. On Thursday the range was only 4·8°. The mean dew point temperature was 31·2°, and the difference between this and the mean air temperature was 6·3°. The mean temperature of the water of the Thames was 38·4°. The mean degree of the humidity of the air was 78, complete saturation being represented by 100. A little snow fell on Thursday. The wind was variable throughout the week. No rain fell.

St. Giles; *St. George Bloomsbury.*—At 6 Thorney-street, on 19th January, an engine smith, aged 51 years, "worn out by suffering occasioned by metallic poison."

Shoreditch; *Holywell.*—At 18 Swan-yard, on 24th December, the wife of a commercial traveller, aged 65 years, "found dying and died. Death accelerated by want and privation." *Inquest.*

St. Olave; *St. Olave.*—At St. Thomas's Hospital, on 18th January, a monthly nurse, aged 63 years, "carbuncle on nape of neck."

Births Registered last Week, and in the Third Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1303	1528	1383	1599	1598	1577	1700	1514	1644	1789	1563·5	1798
Males . .	659	783	683	815	788	790	845	779	817	904	786·3	941
Females . .	644	745	700	784	810	787	855	735	827	885	777·2	857

Deaths Registered last Week, and in the Third Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	1401	1345	1156	1037	1061	994	1195	1549	1121	1216	1207·5	1344*
Males . .	703	640	546	507	528	494	612	763	578	595	596·6	661
Females .	698	705	610	530	533	500	583	786	543	621	610·9	683

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.
Births	1785	1682	1737	1750	1600	1812	1803	1830	1499	1933	1700	1763	1798
Deaths	1047	1166	1161	1382	1373	1428	1240	1234	1013	1431	1327	1289	1344
Deaths (except from Violence) . . .	1026	1150	1150	1349	1340	1395	1209	1197	987	1317	1307	1276	1325
Deaths (except from Violence) at 60 years and upwards . .	179	253	255	326	339	356	268	267	231	277	305	311	333
Small-pox	..	5	3	1	..	2	1	3	1	..	3	2	2
Measles	11	23	20	35	38	33	36	45	41	45	60	65	66
Scarlatina	53	52	56	50	43	44	55	48	30	25	36	39	33
Whooping-cough . .	35	40	45	53	58	58	47	48	37	57	49	41	54
Typhus	56	54	54	41	39	47	38	39	30	42	31	34	35
Diarrhœa	31	27	19	24	15	16	20	13	12	12	9	17	9
Mean Temperature .	51°·6	53°·8	45°·1	44°·2	41°·6	46°·1	45°·0	45°·6	47°·1	39°·1	34°·5	39°·8	37°·5

* The deaths in the sub-districts of Charing Cross and St. Mary Magdalen (Bermondsey) are not inserted above, Averages amounting to 16, viz., 8 for each sub-district, are added instead. The true number for Charing Cross sub-district is ascertained to be 3.

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRD Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 22 1848	Jan. 20 1849	Jan. 19 1850	Jan. 18 1851	Jan. 24 1852	Jan. 22 1853	Jan. 21 1854	Jan. 20 1855	Jan. 19 1856	Jan. 24 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 23, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	32°·5	46°·6	31°·1	45°·0	41°·8	41°·9	42°·2	28°·9	38°·7	38°·1	38°·7	37°·5					
	ALL CAUSES . . .	1401	1345	1156	1037	1061	994	1195	1549	1121	1216	1207·5	1344†	590	176	226	266	70
	SPECIFIED CAUSES .	1391	1314	1140	994	1048	963	1170	1533	1110	1187	1185·0	1313	586	175	222	260	70
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	391	412	200	210	245	211	271	376	273	256	284·5	273	219	26	12	14	2
II.	CONSTITUTIONAL „ .	230	198	246	200	207	242	221	289	210	211	225·4	266	89	76	76	18	7
III.	LOCAL „ .	596	555	520	464	433	390	499	678	469	542	514·6	624	220	67	125	180	32
IV.	DEVELOPMENTAL „ .	153	133	149	103	136	110	167	181	146	156	143·4	131	50	2	5	47	27
V.	VIOLENT DEATHS . .	21	16	25	17	27	10	12	9	12	22	17·1	19	8	4	4	1	2
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	371	389	196	193	219	195	257	359	261	233	267·3	261	209	26	11	13	2
	2. ENTHETIC „ . .	2	5	..	5	1	3	3	6	4	8	3·7	6	6	..	..	..	..
	3. DIETIC „ . .	12	13	3	8	19	10	10	10	5	12	10·2	4	2	..	1	1	..
	4. PARASITIC „ . .	6	5	1	4	6	3	1	1	3	3	3·3	2	2	..	..	..	..
II.	1. DIATHETIC „ . .	31	43	39	28	36	44	41	49	33	43	38·7	44	5	6	19	7	7
	2. TUBERCULAR „ . .	199	155	207	172	171	198	180	240	177	168	186·7	222	84	70	57	11	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	133	129	128	135	123	113	132	153	134	130	131·0	120	50	12	20	31	7
	2. „ OF ORGANS OF CIRCULATION .	34	55	51	43	37	36	38	53	48	60	45·5	58	2	10	17	22	7
	3. „ OF RESPIRATORY ORGANS . .	343	300	263	202	198	171	250	386	227	281	262·1	361	149	31	63	105	13
	4. „ OF DIGESTIVE ORGANS . . .	59	49	51	56	44	48	47	61	39	38	49·2	59	15	11	17	13	3
	5. „ OF URINARY ORGANS . . .	19	15	9	17	16	9	17	12	13	19	14·6	18	1	1	6	8	2
	6. „ OF ORGANS OF GENERATION .	2	4	7	3	5	6	5	2	2	3	3·9	3	..	..	2	1	..
	7. „ OF ORGANS OF LOCOMOTION .	3	2	3	4	5	3	4	4	3	5	3·6	4	2	2	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM .	3	1	8	4	5	4	6	7	3	6	4·7	1	1	..	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	37	41	49	38	46	40	62	58	43	53	46·7	25	25	..	..	..	..
	2. „ OF ADULTS . .	7	10	6	4	2	4	5	4	7	3	5·2	2	..	2	..	..	..
	3. „ OF OLD PEOPLE	78	59	73	46	56	40	64	78	53	63	61·0	61	..	..	..	34	27
	4. „ OF NUTRITION.	31	23	21	15	32	26	36	41	43	37	30·5	43	25	..	5	13	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											19	8	4	4	1	2
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												..	..	..	..	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	21	16	25	17	27	10	12	9	12	22	17·1	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	5	13	7	4	8	5	1	11	6	7	6·7	12	2	1	3	6	..
	CAUSES NOT SPECIFIED . .	5	18	9	39	5	26	24	5	5	22	15·8	19†	2	..	1	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.
† Averages, amounting to 16, are added for the sub-districts of Charing Cross and St. Mary, Bermondsey.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 22 1848	Jan. 20 1849	Jan. 19 1850	Jan. 18 1851	Jan. 24 1852	Jan. 22 1853	Jan. 21 1854	Jan. 20 1855	Jan. 19 1856	Jan. 24 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 23, 1858. ALL AGES.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	32·5°	46·6°	31·1°	45·0°	41·8°	41·9°	42·2°	28·9°	38·7°	38·1°	38·7°	Mean Temp. 37·5°					
I.	ORDER 1.																	
	1. Small-pox	24	30	7	21	39	9	12	24	22	7	19·5	2	1	1	..	..	..
	2. Measles	46	8	37	16	5	10	32	31	25	26	23·6	66	65	1	..	..	..
	3. Scarlatina	45	87	17	19	37	38	25	80	35	31	41·4	33	33	..	..	..	..
	4. Quinsy	2	3	..	1	3	1	2	4	..	2	1·8	4	2	2	..	..	..
	5. Croup	9	6	10	7	5	7	10	20	16	9	9·9	20	20	..	..	..	..
	6. Whooping-cough	34	58	43	44	49	49	72	69	60	67	54·5	54	54	..	..	..	..
	7. Typhus (and Infantile fever)	63	68	33	36	42	49	44	50	62	53	50·0	35	18	10	6	1	..
	8. Erysipelas	13	13	8	9	6	5	7	17	8	7	9·3	13	3	3	2	4	1
	9. Metria	7	15	5	7	4	4	5	7	5	2	6·1	2	..	2	..	..	..
	10. Carbuncle	..	..	..	1	1	1	1	1	1	3	·9	1	..	..	..	1	..
	11. Influenza	89	5	7	6	3	2	2	22	3	2	14·1	7	..	1	1	4	1
	12. Dysentery	8	4	6	1	..	1	6	1	1	..	2·8	3	2	..	..	1	..
	13. Diarrhœa	21	24	10	15	18	12	27	23	17	14	18·1	9	6	1	1	1	..
	14. Cholera	2	62	..	1	1	..	1	3	..	2	7·2	..	..	..	..	..	..
	15. Ague	3	..	1	..	..	..	1	1	..	..	·6	..	..	..	..	..	..
	16. Remittent fever	1	..	3	4	2	1	5	2	..	4	2·2	1	..	1	..	..	..
	17. Rheumatism	4	6	9	5	4	6	5	4	6	4	5·3	11	5	4	1	1	..
	ORDER 2.																	
	1. Syphilis	1	5	..	4	1	3	1	6	2	7	3·0	6	6	..	..	..	..
	2. Stricture of Urethra	1	..	..	1	..	..	2	..	2	1	·7	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	1	..	..	..	..	1	..	..	..	·3	1	..	..	..	1	..
	2. Want of Breast-milk	3	2	..	3	11	5	6	5	1	4	4·0	2	2	..	..	..	..
	3. Purpura and Scurvy	3	2	..	..	1	1	..	3	1	2	1·3	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	5	7	1	2	4	2	3	1	3	1	2·9	1	..	..	1	..	..
	4. Alcoholism { *b* Intemperance	..	1	2	3	3	2	..	1	..	5	1·7	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	6	5	1	4	6	3	1	1	3	3	3·3	2	2	..	..	..	..
	2. Worms, &c.	In 1848-57 classed in this Table with *Disease of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	..	1	..	..	1	1	..	1	..	·4	1	..	..	1	..	..
	2. Dropsy	15	23	17	11	14	21	16	18	12	15	16·2	11	2	2	2	4	1
	3. Cancer	12	16	18	13	18	16	18	22	16	22	17·1	24	..	4	16	3	1
	4. Noma	..	..	..	1	..	1	..	..	..	3	·5	3	3	..	..	..	..
	5. Mortification	4	4	3	3	4	5	6	9	4	3	4·5	5	..	..	..	..	5
	ORDER 2.																	
	1. Scrofula	7	4	6	5	8	7	6	10	8	4	6·5	13	9	2	2	..	..
	2. Tabes Mesenterica	12	24	15	18	17	23	13	17	14	11	16·4	20	20	..	..	..	..
	3. Phthisis	152	112	157	121	112	134	130	177	132	135	136·2	163	29	68	55	11	..
	4. Hydrocephalus	28	15	29	28	34	34	31	36	23	18	27·6	26	26	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	5	14	5	7	18	5	17	13	10	12	10·6	14	8	3	2	1	..
	2. Apoplexy	29	22	23	16	25	25	39	29	26	27	26·1	31	3	1	8	15	4
	3. Paralysis	26	25	31	21	25	12	24	28	34	32	25·8	25	..	3	9	12	1
	4. Insanity	..	3	4	3	1	3	3	6	1	3	2·7	1	..	..	..	1	..
	5. Chorea	..	..	1	1	..	1	..	..	..	..	·3	..	..	..	..	..	..
	6. Epilepsy	6	6	2	9	1	9	4	11	9	6	6·3	7	2	4	..	..	1
	7. Convulsions	53	46	45	60	40	36	33	51	41	37	44·2	35	35	..	..	..	..
	8. *Brain Disease, &c.*	14	13	17	18	13	22	12	15	13	13	15·0	7	2	1	1	2	1
	ORDER 2.																	
	1. Pericarditis	4	3	..	4	2	3	2	1	3	2	2·4	..	..	..	..	..	..
	2. Aneurism	..	1	2	1	1	1	1	2	2	1	1·2	3	..	..	..	3	..
	3. *Heart Disease, &c.*	30	51	49	38	34	32	35	50	43	57	41·9	55	2	10	17	19	7
	ORDER 3.																	
	1. Laryngitis	5	3	7	2	6	4	5	4	4	7	4·7	5	4	1	..	..	..
	2. Bronchitis	138	137	131	91	102	82	133	217	114	164	130·9	213	54	15	46	85	13
	3. Pleurisy	4	5	5	4	3	5	..	4	2	..	3·2	1	..	..	1	..	..
	4. Pneumonia	137	111	85	69	59	58	75	125	75	84	87·8	115	88	13	8	6	..
	5. Asthma	44	34	27	21	22	17	31	24	21	19	26·0	19	1	..	6	12	..
	6. *Lung Disease, &c.*	15	10	8	15	6	5	6	12	11	7	9·5	8	2	2	2	2	..
	ORDER 4.																	
	1. Gastritis	2	3	4	1	3	..	1	7	1	1	2·3	3	2	1	..	..	..
	2. Enteritis	7	8	6	11	4	8	3	7	7	..	6·1	6	2	2	..	2	..
	3. Peritonitis	7	7	4	8	3	2	3	8	3	3	4·8	5	2	1	1	..	1
	4. Ascites	3	1	4	3	..	5	4	1	..	4	2·5	3	..	1	2	..	..
	5. Ulceration of Intestines	4	3	1	1	4	5	2	3	3	4	3·0	4	2	2	..	..	..
	6. Hernia	..	4	1	2	2	7	3	3	2	3	2·7	2	..	..	2	..	..
	7. Ileus	4	1	3	2	4	3	4	3	4	2	3·0	..	..	..	..	..	..
	8. Intussusception	3	1	2	1	..	1	1	1	..	..	1·0	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRD Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 22 1848	Jan. 20 1849	Jan. 19 1850	Jan. 18 1851	Jan. 24 1852	Jan. 22 1853	Jan. 21 1854	Jan. 20 1855	Jan. 19 1856	Jan. 24 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the week ending Saturday, Jan. 23, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	32·5°	46·6°	31·1°	45·0°	41·8°	41·9°	42·2°	28·9°	38·7°	38·1°	38·7°	37·5°					
	9. Stricture of Intestines	1	..	..	1	1	..	..	..	1	1	·5	1	..	1	..	..	..
	10. Fistula	..	..	1	1	..	..	..	1	..	1	·4	1	..	..	..	1	..
	11. *Stomach Disease, &c.*	11	9	8	3	7	5	4	6	1	4	5·8	8	2	1	1	4	..
	12. *Pancreas Disease, &c.*	..	..	..	1	..	..	..	..	1	..	·2	..	..	..	..	..	..
	13. Hepatitis	1	3	4	5	3	2	3	5	2	2	3·0	3	1	..	1	1	..
	14. Jaundice	3	1	2	5	2	3	2	4	2	1	2·5	6	3	1	1	1	..
	15. *Liver Disease, &c.*	13	8	11	10	10	7	17	12	12	12	11·2	17	1	1	9	4	2
	16 *Spleen Disease, &c.*	..	..	..	1	1	..	..	..	..	..	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	1	2	..	..	1	1	1	..	..	..	·6	..	..	..	..	..	..
	2. Ischuria	..	..	..	1	..	..	1	..	..	..	·2	..	..	..	..	..	..
	3. Nephria	2	1	2	4	3	2	6	3	5	5	3·3	8	..	..	2	5	1
	4. Diabetes	3	1	..	1	..	..	2	1	..	2	1·0	2	..	..	1	..	1
	5. Stone	2	..	..	1	..	..	..	1	..	..	·4	1	..	..	1	..	..
	6. Cystitis	..	1	..	1	1	..	..	1	..	2	·6	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	11	10	7	9	11	6	7	6	8	10	8·5	7	1	1	2	3	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	3	..	1	1	..	1	..	2	·8	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	2	4	4	3	4	5	5	1	2	1	3·1	3	..	..	2	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. *Joint Disease, &c.*	3	2	3	4	5	3	4	4	3	5	3·6	4	2	2	..	..	..
	ORDER 8.																	
	1. Phlegmon	3	..	3	2	2	2	3	6	2	4	2·7	..	..	..	..	..	..
	2. Ulcer	..	1	1	2	..	1	2	1	..	1	·9	..	..	..	..	..	..
	3. *Skin Disease, &c.*	..	..	4	..	3	1	1	..	1	1	1·1	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	27	24	36	27	23	29	41	36	29	36	30·8	17	17	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												2	2	..	..	..	..
	4. Other Malformations	4	1	5	1	6	4	2	7	6	3	3·9	..	..	..	..	..	..
	5. Teething	6	16	8	10	17	7	19	15	8	14	12·0	5	5	..	..	..	..
	ORDER 2.																	
	1. Paramenia	1	..	1	..	..	..	..	..	..	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	6	10	5	4	2	4	5	4	7	3	5·0	2	..	2	..	..	..
	ORDER 3.																	
	1. Old Age	78	59	73	46	56	40	64	78	53	63	61·0	61	..	..	..	34	27
	ORDER 4.																	
	1. Atrophy and Debility	31	23	21	15	32	26	36	41	43	37	30·5	43	25	..	5	13	..
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	11	4	3	1	1	2
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	2	1	..	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	..	1	2	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	*In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	21	16	25	17	27	10	12	9	12	22	17·1	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	5	13	7	4	8	5	1	11	6	7	6·7	12	2	1	3	6	..
	Causes not specified or ill-defined	5	18	9	39	5	26	24	5	5	22	15·8	19†	2	..	1	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† Averages, amounting to 16, are added for the sub-districts of Charing Cross and St. Mary Magdalen, Bermondsey.

DEATHS Registered in the THIRD WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Jan. 22 1848	Jan. 20 1849	Jan. 19 1850	Jan. 18 1851	Jan. 24 1852	Jan. 22 1853	Jan. 21 1854	Jan. 20 1855	Jan. 19 1856	Jan. 24 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Jan. 23 1858.
Mean Temperature . . .			32·5°	46·6°	31·1°	45·0°	41·8°	41·9°	42·2°	28·9°	8·7°	38·1°	38·7°	37·5°
LONDON	78029	2362236	1401	1345	1156	1037	1061	994	1195	1549	1121	1216	1207·5	1344
1–6. WEST DISTRICTS .	10786	376427	169	190	183	134	162	156	174	234	179	208	178·9	182
7–11. NORTH DISTRICTS .	13533	490396	252	255	228	218	185	191	230	353	221	230	236·3	269
12–19. CENTRAL DISTRICTS	1938	393256	274	198	217	187	176	172	205	239	186	192	204·6	205
20–25. EAST DISTRICTS .	6230	485522	320	272	208	198	230	209	266	314	239	279	253·5	310
26–36. SOUTH DISTRICTS .	45542	616635	386	430	320	300	308	266	320	409	296	307	334·2	378
1. Kensington*	7374	120004	36	57	40	46	47	40	47	74	67	65	51·9	60
2. Chelsea	865	56538	30	46	35	25	25	23	24	42	32	22	30·4	18
3. St. George Hanover-sq.	1161	73230	32	34	45	19	29	33	42	35	25	35	32·9	39
4. Westminster*	917	65609	40	26	36	31	31	32	37	38	31	57	35·9	37
5. St. Martin-in-the-Fields	305	24640	12	8	9	1	8	14	10	21	11	14	10·8	13†
6. St. James Westminster .	164	36406	19	19	18	12	22	14	14	24	13	15	17·0	15
7. Marylebone	1509	157696	88	81	87	69	56	62	77	106	51	69	74·6	76
8. Hampstead	2252	11986	7	2	3	5	6	4	5	5	3	3	4·3	5
9. Pancras	2716	166956	91	85	86	73	63	63	67	115	77	72	79·2	90
10. Islington	3127	95329	42	67	27	45	43	42	49	89	62	56	52·2	63
11. Hackney*	3929	58429	24	20	25	26	17	20	32	38	28	30	26·0	35
12. St. Giles*	245	54214	47	23	30	23	28	29	33	42	16	39	31·0	20
13. Strand*	174	44460	33	24	20	21	17	23	17	25	20	21	22·1	27
14. Holborn*	196	46621	27	27	31	23	24	24	39	28	27	27	27·7	26
15. Clerkenwell	380	64778	44	36	39	33	23	27	31	36	27	29	32·5	26
16. St. Luke	220	54055	29	25	32	17	14	19	24	31	38	23	25·2	23
17. East London* . . .	153	44406	32	22	16	19	22	16	22	26	18	20	21·3	28
18. West London* . . .	136	28790	39	25	28	22	27	14	19	20	26	18	23·8	34
19. London City*	434	55932	23	16	21	29	21	20	20	31	14	15	21·0	21
20. Shoreditch	646	109257	69	71	45	49	45	35	66	82	64	62	58·8	56
21. Bethnal Green . . .	760	90193	53	44	31	26	38	30	42	48	30	35	37·7	53
22. Whitechapel*	406	79759	61	64	49	41	56	41	44	47	37	55	49·5	48
23. St. George-in-the-East .	243	48376	44	22	20	12	18	35	34	19	28	30	26·2	43
24*a*. Stepney*	576	54173	68	52	44	55	54	48	48	79	55	67	57·0	28
24*b*. Mile-end Old Town .	681	56602												38
25. Poplar*	2918	47162	25	19	19	15	19	20	32	39	25	30	24·3	44
26. St. Saviour Southwark*	250	35731	33	36	15	25	26	12	19	24	12	23	22·5	13
27. St. Olave Southwark* .	169	19375	23	20	28	16	19	24	19	16	13	21	19·9	32
28. Bermondsey	688	48128	40	32	22	27	28	21	32	28	22	24	27·6	25†
29. St. George Southwark .	282	51824	41	35	38	29	34	23	42	32	28	19	32·1	32
30. Newington	624	64816	39	39	49	28	31	38	26	41	22	37	35·0	22
31. Lambeth	4015	139325	82	70	66	75	64	58	62	91	64	64	69·6	65
32. Wandsworth*	11695	50764	32	64	26	19	21	18	26	27	23	21	27·7	29
33. Camberwell	4342	54667	32	29	16	25	13	12	32	46	20	30	25·5	31
34. Rotherhithe	886	17805	8	10	5	7	20	2	9	11	8	8	8·8	19
35. Greenwich*	5367	99365	43	77	43	39	44	43	45	74	63	43	51·4	83
36. Lewisham*	17224	34835	13	18	12	10	8	15	8	19	21	17	14·1	27

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† Averages, amounting to 16, are inserted for the sub-districts of Charing Cross and St. Mary Magdalen, Bermondsey.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending January 16. Total.	Males.	Females.	In the Week ending January 23. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	209	116	93	221	135	86
46 WORKHOUSES	118	57	61	113	57	56
14 PRISONS . . . . . .†	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . .‡	7	7	–	11	11	–
13 GENERAL HOSPITALS	66	43	23	65	44	21
7 HOSPITALS FOR SPECIAL DISEASES	4	3	1	9	5	4
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	1	–	1
7 MILITARY AND NAVAL HOSPITALS	–	–	–	9	9	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	3	2	1	2	2	–
20 LUNATIC ASYLUMS	11	4	7	11	7	4

† The infant children of female prisoners are not included.

‡ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 23d January 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	2	66	33	54	9	35
1-6	WEST DISTRICTS - -	376427	-	9	4	10	2	3
7-11	NORTH DISTRICTS - -	490396	2	7	7	12	-	6
12-19	CENTRAL DISTRICTS -	393256	-	10	4	5	2	5
20-25	EAST DISTRICTS - -	485522	-	28	9	21	4	12
26-36	SOUTH DISTRICTS - -	616635	-	12	9	6	1	9
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	1	-	1	-	1
2	St. John Paddington H -	29053	-	-	1	-	-	-
3	Kensington Town *W* L -	29183	-	1	-	1	1	-
4	Brompton HH - -	14870	-	-	1	-	-	-
5	St. Peter Hammersmith -	4467	-	-	-	-	-	-
6	St. Paul Hammersmith -	13293	-	-	-	-	1	1
7	Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1	Chelsea South H - -	19050	-	-	-	-	-	-
2	Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3	Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1	Hanover Square - -	20216	-	-	-	-	-	-
2	May Fair *W* - - -	12980	-	-	1	-	-	-
3	Belgrave H - - -	40034	-	1	-	4	-	1
4; 1	St. John Westmr. HHHP	34295	-	3	-	2	-	-
2	St. Margaret West. *W* HP	31314	-	2	1	1	-	-
5; 1	Charing Cross *W* H -	12587	-	-	-	-	-	-
2	Long Acre - - -	12053	-	-	-	1	-	-
6; 1	Berwick Street - -	10798	-	-	-	-	-	-
2	St. James's Square -	11469	-	1	-	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	-	-	-	-	1
2	Cavendish-square - -	14687	-	1	-	-	-	-
3	Rectory Marylebone *W* -	27633	-	2	3	-	-	-
4	St. Mary Marylebone H	22814	-	1	-	-	-	1
5	Christchurch Marylebone	33895	-	-	-	-	-	1
6	St. John Marylebone -	29826	-	-	-	-	-	-
8; 1	Hampstead *W* - -	11986	-	-	-	-	-	1
9; 1	Regent's Park Pancras -	31918	-	-	-	1	-	-
2	Tottenham-court *w*H -	28433	-	1	-	-	-	-
3	Gray's Inn Lane H -	26523	-	-	-	-	-	-
4	Somers Town - - -	35641	-	-	1	-	-	-
5	Camden Town *W* - -	21115	-	-	-	3	-	-
6	Kentish Town - -	23326	-	-	1	2	-	-
10; 1	Islington West† *W*HHHPP	47881	2	1	1	4	-	1
2	Islington East - -	47448	-	1	-	2	-	1
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	-	1	-	-	-
4	Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5	South Hackney L - -	8458	-	-	-	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	-	1	-	-	-
2	St. Giles South *W* H -	19951	-	-	1	-	-	-
3	St. Giles North - -	17456	-	-	-	-	-	1
13; 1	St. Anne Soho - -	17335	-	-	1	-	-	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15510	-	-	-	-	1	-
14; 1	St. George-the-Martyr H.	18813	-	-	1	-	-	-
2	St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	-
3	Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1	St. James Clerkenwell *W*P	21529	-	1	-	1	-	-
2	Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3	Pentonville - - -	11904	-	-	-	1	-	-
4	Goswell-street - - -	15625	-	1	-	1	-	-
16; 1	Old-street H - - -	10617	-	-	-	-	-	-
2	City-road HL - -	16840	-	-	-	-	-	1
3	Whitecross-street - -	13657	-	-	-	1	-	-
4	Finsbury - - -	12941	-	-	-	-	-	-
17; 1	St. Botolph East London	23824	-	5	-	-	-	-
2	Cripplegate P - -	20582	-	-	-	-	-	-
18; 1	West London North *W*HP	12946	-	3	-	-	1	2
2	West London South P -	15844	-	-	-	-	-	-
19; 1	London City South-west -	9204	-	-	-	-	-	-
2	London City North-west -	11847	-	-	-	1	-	-
3	London City South - -	11461	-	-	-	-	-	1
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	-	-	-	-

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	-	-	-	-
2	St. Leonard Shoreditch L	19449	-	-	1	1	-	1
3	Hoxton New Town *w* -	23505	-	-	1	-	-	1
4	Hoxton Old Town - -	17431	-	1	-	-	2	-
5	Haggerstone West *W* -	20276	-	-	1	1	-	-
6	Haggerstone East - -	11351	-	1	-	1	-	-
21; 1	Hackney-road - - -	23910	-	2	2	-	-	-
2	Green, Bethnal Green *W* HL	23555	-	-	-	2	-	-
3	Church, Bethnal Green -	21787	-	2	-	1	-	-
4	Town, Bethnal Green -	20941	-	-	-	1	-	-
22; 1	Artillery Whitechapel -	6769	-	-	-	-	-	1
2	Spitalfields - - -	15336	-	-	-	-	-	-
3	Mile End New Town *W*	14543	-	-	-	-	-	-
4	Whitechapel North *W* -	12530	-	-	-	-	1	3
5	Whitechapel Church H -	7818	-	-	-	1	-	1
6	Goodman's Fields - -	12069	-	-	-	1	-	-
7	Aldgate H - - -	10694	-	-	-	-	-	-
23; 1	St. Mary St. Geo. East -	18067	-	2	2	2	-	-
2	St. Paul St. Geo. East -	20319	-	4	-	3	-	-
3	St. John St. Geo. East *W*	9990	-	1	-	-	-	-
24*a*; 1	Shadwell *W* - - -	16179	-	1	1	1	-	-
2	Ratcliff *W* - - -	15212	-	-	-	1	-	1
3	Limehouse *W* - -	22782	-	2	-	2	-	-
24*b*; 1	Mile End Old Town, Westn.	29582	-	3	1	2	-	1
2	Mile End Old T., East. *Ww*H	27020	-	1	-	-	-	1
25; 1	Bow *w*L - - -	18778	-	1	-	-	1	2
2	Poplar *W*H - - -	28384	-	7	-	1	-	-
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	-	-	-	-
2	St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1	St. Olave Southwark HH	8015	-	-	-	-	-	-
2	St. John Horsleydown *W*	11360	-	-	1	-	-	-
28; 1	St. James Bermondsey -	18899	-	1	-	-	-	-
2	St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3	Leather Market - -	15295	-	1	2	-	-	-
29; 1	Kent-road - - -	18126	-	-	1	1	-	-
2	Borough-road *W*P -	15862	-	-	-	-	-	-
3	London-road LP - -	17836	-	-	-	1	-	-
30; 1	Trinity Newington P -	20922	-	-	-	-	-	-
2	St. Peter Walworth *W* -	29861	-	-	-	-	-	-
3	St. Mary Newington -	14033	-	-	-	-	-	2
31; 1	Waterloo-road 1st - -	14088	-	-	-	-	-	-
2	Waterloo-road 2nd H -	18348	-	1	-	-	-	-
3	Lambeth Church 1st -	18409	-	1	-	-	-	-
4	Lambeth Church 2nd *W*	26784	-	-	1	-	-	1
5	Kennington 1st - -	24261	-	-	-	-	-	1
6	Kennington 2nd - -	18848	-	-	4	-	-	1
7	Brixton L - - -	14610	-	-	-	-	-	-
8	Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1	Clapham L - - -	16290	-	-	-	1	-	-
2	Battersea *W*L - -	10560	-	-	-	-	-	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	-	-	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	1	-	-	-	-
3	Peckham - - - -	19444	-	-	-	-	-	-
4	St. George Camberwell -	15849	-	-	-	-	-	-
34; 1	Rotherhithe *W* - -	17805	-	5	-	-	-	1
35; 1	St. Paul Deptford - -	24899	-	-	-	-	-	-
2	St. Nicholas Deptford -	7071	-	-	-	-	-	-
3	Greenwich West H -	18800	-	1	-	2	1	-
4	Greenwich East *W*H -	16228	-	-	-	-	-	1
5	Woolwich Dockyard HP	17140	-	-	-	1	-	-
6	Woolwich Arsenal HPH	15227	-	-	-	-	-	1
36; 1	Plumstead - - -	13191	-	1	-	-	-	1
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	-	-	-	-	-
4	Lewisham Village *Ww* -	6097	-	-	-	-	-	-
5	Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,

W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.
St. George Southwark, for Children - ,, Lewisham Village sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 23d January 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.	Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Great-est.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
		in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
January.																							
Sunday . 17	..	30·530	38·0	33·0	5·0	34·6	26·9	38·2	27·0	39·3	38·8	7·7	8·2	2·6	— 1·3	74	N.	W.S.W.	0·0	0·0	0·0	85	0·00
Monday . 18	..	30·306	45·5	31·6	13·9	38·3	36·3	49·2	22·7	39·3	38·8	2·0	4·8	1·2	+ 2·0	92	S.W.	S.W.	0·0	0·0	0·0	120	0·00
Tuesday . 19	..	30·154	47·0	36·3	10·7	41·6	37·9	48·5	30·2	39·1	37·3	3·7	7·4	1·2	+ 5·1	89	S.W.	W.S.W.	3·5	0·0	0·3	245	0·00
Wednesday 20	In Equator.	29·753	50·0	38·3	11·7	44·1	34·7	55·2	35·2	38·8	38·3	9·4	14·9	5·5	+ 7·3	60	S.W.	N.W.	5·0	0·3	1·8	320	0·00
Thursday . 21	First Quarter.	30·092	38·0	33·2	4·8	35·3	25·2	47·4	—	39·1	38·3	10·1	12·7	4·2	— 1·8	65	N.W.	N.N.E.	4·5	0·0	1·3	205	0·00
Friday . . 22	..	30·340	39·2	30·5	8·7	34·5	27·0	48·0	21·7	37·8	37·6	7·5	10·7	3·9	— 2·8	75	N.N.E.	N.&NW.	0·0	0·0	0·0	70	0·00
Saturday . 23	..	30·440	40·2	30·7	9·5	34·2	30·1	41·3	19·6	38·3	37·8	4·1	8·4	1·5	— 3·3	86	W.	Calm	0·0	0·0	0·0	40	0·00
Means . .	..	30·231	42·5	33·4	9·1	37·5	31·2	46·8	6 nights 26·1	38·8	38·1	6·3	9·6	3·4	+ 0·7	78	Variable.		..	..	..	Sum 1085	Sum 0·00
No. of Columns	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.	Electricity.	Sky and Atmosphere.
January.		
Sunday . . 17	Positive, with variable tension.	Cloudy till the afternoon; generally cloudless afterwards. Fog was very prevalent.
Monday. . 18	Positive, with strong tension.	Partially cloudy till noon; generally clear afterwards.
Tuesday . 19	Positive, with strong tension.	Generally cloudy during the morning; clear at other times of the day.
Wednesday 20	Positive, with weak tension.	Overcast during the morning; clear at other times of the day.
Thursday . 21	Insulating lamp was not burning.	Cloudy near noon, and a little snow fell; clear at other times of the day.
Friday . . 22	Positive, with weak tension.	Generally cloudy till noon; clear during the afternoon, and occasionally cloudy at night.
Saturday . 23	Positive, with weak tension.	Partially cloudy till evening, cloudless afterwards. Thin fog prevailed at night.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 30·45 in. to 30·56 in. by 10h. A.M.; decreased to 29·73 in. by noon on the 20th; and increased to 30·47 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, January 30. [No. 4.

General Register Office, Somerset House,
February 1st, 1858.

HEALTH OF LONDON DURING THE WEEK.

In the week that ended on Saturday (January 30th) the total number of deaths registered in London was 1363, showing a small increase on the rather high mortality of the previous week. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1171; but as the deaths in the present return occurred in an increased population, they should be compared with the average raised in proportion to the increase, when the comparison will show that the number of persons who died last week exceeded by 75 the number who would have died if only the average rate of mortality had prevailed.

Of the 1363 deaths, 248 are referred to the zymotic class of diseases; 260 to the constitutional; 650 to the local; 164 to the developmental; 19 to violence. The remaining 22 are sudden and other deaths, the causes of which are not stated, or not defined sufficiently for classification. The 19 violent deaths include one by suicide.

The deaths referred to the miasmatic order of diseases number 222, while the corrected average is 269. This reduction of mortality indicates a satisfactory state of health amongst children, who are the chief sufferers by the diseases of which this order is composed. Only 5 cases of diarrhœa were fatal, and the mortality of small-pox continues low, not more than 2 fatal cases being returned last week. Whooping-cough, which carried off 54 children, was more fatal than any other miasmatic disease; three children died of it within a week in a family in Euston-road; measles was fatal in 50 cases, scarlatina in 42.

On the other hand, the deaths due to diseases of the organs of respiration numbered 380, whilst the corrected average of corresponding weeks does not exceed 284. The excess is caused by bronchitis, which is fatal much beyond its usual amount: 227 deaths are the results of this complaint, 104 of pneumonia, 32 of asthma; only 4 are returned under the specific designation of influenza. The two oldest persons whose deaths are recorded were women aged respectively 91 and 92 years.

Last week the births of 880 boys and 870 girls, in all 1750 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1611.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 30·104 in. The mean temperature of the week was 37·5°, which is near the average of the same week in 43 years. On Saturday (the 30th) the temperature rose to 51°, which was the highest in the week. On Monday (the 25th) the temperature fell to 21·4°, having ranged 21° in the 24 hours. The mean daily range was 13·9°. The difference between the mean dew point temperature and air temperature was 4·4°. The mean degree of humidity was 82. The mean temperature of the water of the Thames was 38°, slightly exceeding that of the air. The wind was variable, but chiefly from the south and south-west. The rain-fall measured was 0·22 in., which occurred on Saturday.

CHELSEA; *South.*—At 5 Turks-row, on 6th December, found dead, a male pauper, aged 37 years, "exhaustion caused by destitution and diseased lungs." *Post mort.* (*Inquest.*)

WESTMINSTER; *St. Margaret.*—At 3 Parker-street, on 23d January, the daughter of a messenger, aged one year, "diphtheria with low fever (13 days)."

MARYLEBONE; *The Rectory.*—At the Workhouse, on 24th January, a female servant, aged 49 years, "phthisis and destitution." From 47 Henry-street, Portland Town.

ISLINGTON; *East.*—At 7 St. Peter-street, on 23d January, the son of a licensed victualler, aged 5 years, "croup (6 days), diphtheria (24 hours)." Three children of this family have died in a few days.

ST. OLAVE; *St. John Horsleydown.*—At 7 Morris-court, on 24th January, the daughter of a labourer, aged 3 years, "diphtheria (3 weeks)."

In the same sub-district, at 61 Fair-street, on 26th January, the wife of a bricklayer's labourer, aged 50 years, "scorbutus (3 months)."

GREENWICH; *St. Paul's Deptford.*—At Broadway, on 26th January, the wife of a traveller in the grocery trade, aged 30 years, "diphtheria and diarrhœa after parturition (4 weeks)."

BIRTHS Registered LAST WEEK, and in the FOURTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1346	1576	1494	1523	1616	1712	1662	1652	1763	1762	1610·6	1750
Males . .	674	814	766	764	822	902	817	830	897	879	816·5	880
Females .	672	762	728	759	794	810	845	822	866	883	794·1	870

DEATHS Registered LAST WEEK, and in the FOURTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1457	1208	1034	956	1002	1011	1178	1630	1029	1209	1171·4	1363*
Males . .	739	573	508	451	501	511	572	791	500	571	571·7	653
Females .	718	635	526	505	501	500	606	839	529	638	599·7	710

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.
BIRTHS	1682	1737	1750	1600	1812	1803	1830	1499	1933	1700	1763	1798	1750
DEATHS	1166	1161	1382	1373	1428	1240	1234	1013	1431	1327	1289	1344	1363
DEATHS (except from Violence) . . .	1150	1150	1349	1340	1395	1209	1197	987	1317	1307	1276	1325	1344
Deaths (except from Violence) at 60 years and upwards . .	253	255	326	339	356	268	267	231	277	305	311	333	336
Small-pox	5	3	1	..	2	1	3	1	..	3	2	2	2
Measles	23	20	35	38	33	36	45	41	45	60	65	66	50
Scarlatina	52	56	50	43	44	55	48	30	25	36	39	33	42
Whooping-cough . .	40	45	53	58	58	47	48	37	57	49	41	54	54
Typhus	54	54	41	39	47	38	39	30	42	31	34	35	34
Diarrhœa	27	19	24	15	16	20	13	12	12	9	17	9	5
Mean Temperature .	53°·8	45°·1	44°·2	41°·6	46°·1	45°·0	45°·6	47°·1	39°·1	34°·5	39°·8	37°·5	37°·5

* The DEATHS in the sub-district of Lewisham Village are not inserted above; but in lieu thereof an average of 3, derived from the returns of six previous weeks. The true number is 5.

DEATHS in LONDON, from ALL CAUSES, Registered in the FOURTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 29 1848	Jan. 27 1849	Jan. 26 1850	Jan. 25 1851	Jan. 31 1852	Jan. 29 1853	Jan. 28 1854	Jan. 27 1855	Jan. 26 1856	Jan. 31 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 30, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	29°·1	45°·8	35°·5	40°·1	42°·1	37°·7	42°·2	29°·3	44°·5	31°·2	37°·8	Mean Temp. 37°·5					
	ALL CAUSES	1457	1208	1034	956	1002	1011	1178	1630	1029	1209	1171·4	1363†	593	183	245	282	57
	SPECIFIED CAUSES	1436	1183	1001	941	984	1000	1143	1606	1018	1180	1149·2	1341	585	181	240	278	57
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	362	349	173	224	227	217	248	369	240	202	261·1	248	201	20	14	11	2
II.	CONSTITUTIONAL "	260	220	212	189	223	224	226	290	190	251	228·5	260	82	91	59	27	1
III.	LOCAL "	619	493	476	412	393	417	477	737	447	571	504·2	650	217	58	155	192	28
IV.	DEVELOPMENTAL "	154	104	125	92	128	126	153	181	125	142	133·0	164	79	10	4	45	26
V.	VIOLENT DEATHS	41	17	15	24	13	16	39	29	16	14	22·4	19	6	2	8	3	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	344	336	156	210	218	199	231	347	217	188	244·6	222	185	19	7	9	2
	2. ENTHETIC "	3	1	3	4	4	3	4	7	9	4	4·2	5	3	..	1	1	..
	3. DIETIC "	15	9	11	7	5	14	12	11	12	10	10·6	16	8	1	6	1	..
	4. PARASITIC "	..	3	3	3	..	1	1	4	2	..	1·7	5	5	..	..	..	..
II.	1. DIATHETIC "	39	45	37	41	34	35	46	58	37	57	42·9	45	5	8	16	15	1
	2. TUBERCULAR "	221	175	175	148	189	189	180	232	153	194	185·6	215	77	83	43	12	..
III.	1. DISEASES OF NERVOUS SYSTEM	140	148	118	110	103	102	107	178	118	156	128·0	129	54	12	22	35	6
	2. " OF ORGANS OF CIRCULATION	46	22	32	40	35	42	49	58	42	48	41·4	63	4	8	23	25	3
	3. " OF RESPIRATORY ORGANS	353	245	252	192	176	199	242	427	209	288	258·3	380	144	27	82	113	14
	4. " OF DIGESTIVE ORGANS	52	49	54	40	56	50	53	41	42	54	49·1	51	7	6	19	16	3
	5. " OF URINARY ORGANS	18	13	9	16	11	14	15	16	26	13	15·1	16	2	2	7	3	2
	6. " OF ORGANS OF GENERATION	5	5	2	6	4	1	2	4	3	1	3·3	5	1	2	2	..	..
	7. " OF ORGANS OF LOCOMOTION	2	2	3	2	3	3	3	3	2	1	2·4	3	2	1	..	..	..
	8. " OF INTEGUMENTARY SYSTEM	3	9	6	6	5	6	6	10	5	10	6·6	3	3	..	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	51	31	46	34	45	47	51	47	39	36	42·7	33	33	..	..	..	..
	2. " OF ADULTS	9	8	6	4	6	5	4	4	7	6	5·9	8	..	7	1	..	..
	3. " OF OLD PEOPLE	72	45	51	35	46	50	61	81	48	61	55·0	61	..	..	..	35	26
	4. " OF NUTRITION	22	20	22	19	31	24	37	49	31	39	29·4	62	46	3	3	10	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											18	6	1	8	3	..
	3. HOMICIDE*												..	..	..	..	..	..
	4. SUICIDE												1	..	1	..	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	41	17	15	24	13	16	39	29	16	14	22·4	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	15	8	12	10	3	5	6	14	7	8	8·8	12	5	..	3	4	..
	CAUSES NOT SPECIFIED	6	17	21	5	15	6	29	10	4	21	13·4	10†	3	2	2	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 3 is inserted for Lewisham Village.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 29 1848	Jan. 27 1849	Jan. 26 1850	Jan. 25 1851	Jan. 31 1852	Jan. 29 1853	Jan. 28 1854	Jan. 27 1855	Jan. 26 1856	Jan. 31 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 30, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	29°·1	45°·8	35°·5	40°·1	42°·1	37°·7	42°·2	29°·3	44°·5	31°·2	37°·8	Mean Temp. 37°·5					
I.	ORDER 1.																	
	1. Small-pox	34	16	8	32	43	4	6	27	8	8	18·6	2	2	..	..	..	..
	2. Measles	43	18	28	19	11	12	19	43	17	23	23·3	50	50	..	..	..	..
	3. Scarlatina	38	76	16	17	27	43	35	75	43	29	39·9	42	39	3	..	..	..
	4. Quinsy	1	3	1	..	..	1	1	2	1	1	1·1	3	3	..	..	..	..
	5. Croup	6	9	11	8	8	6	4	14	10	6	8·2	14	14	..	..	..	..
	6. Whooping-cough	33	55	27	46	46	40	55	73	56	57	48·8	54	54	..	..	..	..
	7. Typhus (and Infantile fever)	65	57	27	42	37	51	52	45	45	29	45·0	34	16	12	2	4	..
	8. Erysipelas	20	17	6	6	9	5	9	8	10	5	9·5	5	1	..	2	2	..
	9. Metria	9	6	6	5	9	1	4	2	..	1	4·3	3	..	3	..	..	..
	10. Carbuncle	..	..	1	..	2	3	1	2	1	1	1·1	..	..	..	..	..	..
	11. Influenza	56	2	2	5	3	1	2	23	3	3	10·0	4	2	..	1	1	..
	12. Dysentery	5	5	3	1	..	2	3	4	5	3	3·1	1	1	..	..	..	..
	13. Diarrhœa	22	17	14	20	13	21	30	19	12	10	17·8	5	1	..	1	1	2
	14. Cholera	..	45	..	..	2	..	..	1	..	1	4·9	..	..	..	..	..	..
	15. Ague	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	16. Remittent Fever	3	2	..	3	3	1	3	4	1	2	2·2	..	..	..	..	..	..
	17. Rheumatism	9	8	6	6	5	8	7	5	5	9	6·8	5	2	1	1	1	..
	ORDER 2.																	
	1. Syphilis	1	..	3	4	3	3	4	2	8	3	3·1	3	3	..	..	..	..
	2. Stricture of Urethra	1	1	..	..	1	..	..	5	1	1	1·0	2	..	..	1	1	..
	3. Hydrophobia	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	2	1	..	..	..	..	1	1	1	·7	2	..	1	1	..	..
	2. Want of Breast-milk	6	3	5	3	3	7	7	6	7	8	5·5	8	8	..	..	..	..
	3. Purpura and Scurvy	2	1	1	..	..	2	..	2	1	..	·9	1	..	..	1	..	..
	4. Alcoholism { *a* Del. Tremens	3	2	2	2	2	4	3	2	2	..	2·2	3	..	..	2	1	..
	4. Alcoholism { *b* Intemperance	3	1	2	2	..	1	2	..	1	1	1·3	2	..	..	2	..	..
	ORDER 4.																	
	1. Thrush	..	3	3	3	..	1	1	4	2	..	1·7	4	4	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											1	1	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	..	4	2	1	..	1	2	..	2	1·3	2	..	..	..	2	..
	2. Dropsy	12	23	16	17	15	18	16	19	17	23	17·6	14	2	4	2	5	1
	3. Cancer	22	19	12	21	15	15	25	31	17	25	20·2	26	..	4	14	8	..
	4. Noma	..	..	1	..	..	..	..	2	..	2	·5	..	..	..	..	..	..
	5. Mortification	4	3	4	1	3	2	4	4	3	5	3·3	3	3	..	..	..	..
	ORDER 2.																	
	1. Scrofula	6	..	8	4	15	8	8	16	2	5	7·2	5	5	..	..	..	..
	2. Tabes Mesenterica	18	15	13	8	17	13	16	16	11	12	13·9	12	12	..	..	..	..
	3. Phthisis	169	125	128	113	131	138	131	174	113	146	136·8	166	29	82	43	12	..
	4. Hydrocephalus	28	35	26	23	26	30	25	26	27	31	27·7	32	31	1	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	11	11	6	13	11	16	6	21	13	14	12·2	11	6	2	1	1	1
	2. Apoplexy	19	17	26	21	18	23	19	35	27	35	24·0	24	4	1	9	9	1
	3. Paralysis	25	40	34	18	25	16	27	34	27	34	28·0	28	..	..	8	16	4
	4. Insanity	7	5	2	..	1	1	1	4	..	1	2·2	1	..	..	1	..	..
	5. Chorea	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	10	6	3	9	7	10	7	25	11	6	9·4	11	1	7	..	3	..
	7. Convulsions	56	50	38	35	33	29	38	41	30	50	40·0	42	40	..	1	1	..
	8. *Brain Disease, &c.*	12	19	9	14	7	7	9	18	10	16	12·1	12	3	2	2	5	..
	ORDER 2.																	
	1. Pericarditis	4	1	2	4	2	2	1	3	1	1	2·1	3	2	1	..	..	..
	2. Aneurism	2	2	..	1	2	1	1	1	1	3	1·4	4	..	1	1	2	..
	3. *Heart Disease, &c.*	40	19	30	35	31	39	47	54	40	44	37·9	56	2	6	22	23	3
	ORDER 3.																	
	1. Laryngitis	3	9	4	8	5	5	9	8	4	6	6·1	4	4	..	..	..	..
	2. Bronchitis	143	104	121	75	101	91	112	239	112	166	126·4	227	58	13	49	94	13
	3. Pleurisy	3	4	5	3	1	7	..	8	4	6	4·1	1	..	..	..	1	..
	4. Pneumonia	156	95	78	79	45	71	84	127	69	84	88·8	104	80	4	14	6	..
	5. Asthma	26	26	38	21	14	18	29	39	16	23	25·0	32	..	6	16	9	1
	6. *Lung Disease, &c.*	22	7	6	6	10	7	8	6	4	3	7·9	12	2	4	3	3	..
	ORDER 4.																	
	1. Gastritis	2	..	3	1	2	5	1	1	3	1	1·9	1	..	..	..	1	..
	2. Enteritis	13	12	6	7	10	6	6	8	2	3	7·3	2	1	1	..	..	..
	3. Peritonitis	4	4	4	3	3	..	5	2	1	6	3·2	5	3	1	..	..	1
	4. Ascites	2	4	1	3	3	4	4	4	3	4	3·2	5	..	..	4	1	..
	5. Ulceration of Intestines	2	2	4	2	1	4	5	2	4	..	2·6	3	2	..	..	1	..
	6. Hernia	3	3	2	6	..	2	4	4	2	5	3·1	2	..	..	1	1	..
	7. Ileus	2	3	2	1	2	4	3	3	3	7	3·0	..	..	..	..	..	..
	8. Intussusception	..	1	..	..	2	..	1	..	..	3	·7	1	..	..	..	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and 'abscess"

n the FOURTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Jan. 29 1848	Jan. 27 1849	Jan. 26 1850	Jan. 25 1851	Jan. 31 1852	Jan. 29 1853	Jan. 28 1854	Jan. 27 1855	Jan. 26 1856	Jan. 31 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 30, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	29°·1	45°·8	35°·5	40°·1	42°·1	37°·7	42°·2	29°·3	44°·5	31°·2	37°·8	Mean Temp. 37°·5					
	9. Stricture of Intestines	2	1	..	1	1	..	1	..	1	..	·7	..	..	..	..	..	..
	10. Fistula	1	..	..	..	1	..	..	1	..	..	·3	1	..	1	..	..	..
	11. *Stomach Disease, &c.*	10	6	11	6	10	6	8	4	3	8	7·2	6	1	1	2	1	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	13. Hepatitis	2	3	2	1	4	3	2	1	7	2	2·7	2	..	..	2	..	..
	14. Jaundice	1	2	2	4	4	4	2	4	5	4	3·2	3	..	1	..	1	1
	15. *Liver Disease, &c.*	8	8	17	5	13	12	11	7	6	11	9·8	20	..	1	10	9	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	1	2	2	1	..	..	..	..	·6	..	..	..	..	..	..
	2. Ischuria	..	..	..	1	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	10	5	1	6	2	5	6	6	9	6	5·6	7	2	1	3	1	..
	4. Diabetes	2	2	..	..	2	1	..	2	..	..	·9	1	..	..	1	..	..
	5. Stone	..	1	..	1	..	1	1	2	2	..	·8	1	..	..	1	..	..
	6. Cystitis	..	..	..	3	1	..	..	1	..	1	·6	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	6	5	7	3	4	6	8	5	15	6	6·5	7	..	1	2	2	2
	ORDER 6.																	
	1. Ovarian Dropsy	2	1	..	1	2	1	1	1	..	1	1·0	2	..	1	1	..	..
	2. *Uterus Disease, &c.*	3	4	2	5	2	..	1	3	3	..	2·3	3	1	1	1	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	1	..	1	..	..	..	·2	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	2	3	2	2	3	2	3	2	1	2·2	3	2	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	2	5	3	2	2	3	3	6	2	6	3·4	2	2	..	..	..	..
	2. Ulcer	..	3	2	3	1	..	3	3	2	3	2·0	..	..	..	..	..	..
	3. *Skin Disease, &c.*	1	1	1	1	2	3	..	1	1	1	1·2	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	32	16	31	21	24	33	30	30	27	21	26·5	12	12	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											3	3	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	8	4	6	1	5	3	2	3	4	2	3·8	2	2	..	..	..	..
	5. Teething	11	11	9	12	16	11	19	14	8	13	12·4	15	15	..	..	..	..
	ORDER 2.																	
	1. Paramenia	1	2	1	..	..	..	..	..	..	..	·4	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	8	6	5	4	6	5	4	4	7	6	5·5	8	..	7	1	..	..
	ORDER 3.																	
	1. Old Age	72	45	51	35	46	50	61	81	48	61	55·0	61	..	..	..	35	26
	ORDER 4.																	
	1. Atrophy and Debility	22	20	22	19	31	24	37	49	31	39	29·4	62	46	3	3	10	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	11	2	..	6	3	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	4	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	41	17	15	24	13	16	39	29	16	14	22·4	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	15	8	12	10	3	5	6	14	7	8	8·8	12	5	..	3	4	..
	Causes not specified or ill-defined	6	17	21	5	15	6	29	10	4	21	13·4	10†	3	2	2	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 3 is inserted for Lewisham Village.

DEATHS Registered in the FOURTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Jan. 29 1848	Jan. 27 1849	Jan. 26 1850	Jan. 25 1851	Jan. 31 1852	Jan. 29 1853	Jan. 28 1854	Jan. 27 1855	Jan. 26 1856	Jan. 31 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Jan. 30 1858.
Mean Temperature . . .			29·1°	45·8°	35·5°	40·1°	42·1°	37·7°	42·2°	29·3°	44·5°	31·2°	37·8°	37·5°
LONDON	78029	2362236	1457	1208	1034	956	1002	1011	1178	1630	1029	1209	1171·4	1363
1-6. WEST DISTRICTS .	10786	376427	222	179	176	123	140	149	205	252	149	186	178·1	175
7-11. NORTH DISTRICTS .	13533	490396	247	222	166	199	221	209	242	328	219	230	228·3	282
12-19. CENTRAL DISTRICTS	1938	393256	256	212	183	167	167	190	188	265	156	173	195·7	225
20-25. EAST DISTRICTS .	6230	485522	348	245	208	232	199	219	247	335	237	290	256·0	316
26-36. SOUTH DISTRICTS .	45542	616635	384	350	301	235	275	244	296	450	268	330	313·3	365
1. Kensington*	7374	120004	64	49	41	35	37	51	59	66	52	70	52·4	50
2. Chelsea	865	56538	42	30	32	21	24	24	31	43	17	29	29·3	36
3. St. George Hanover-sq.	1161	73230	20	34	20	25	28	27	54	41	34	29	31·2	31
4. Westminster* . . .	917	65609	44	41	45	18	30	22	38	47	23	29	33·7	33
5. St. Martin-in-the-Fields	305	24640	26	9	15	18	8	16	7	19	5	14	13·7	11
6. St. James Westminster .	164	36406	26	16	23	6	13	9	16	36	18	15	17·8	14
7. Marylebone	1509	157696	76	68	54	69	61	73	68	103	61	83	71·6	90
8. Hampstead	2252	11986	6	3	5	4	4	6	1	3	6	5	4·3	3
9. Pancras	2716	166956	116	80	56	77	75	72	90	118	71	65	82·0	92
10. Islington	3127	95329	37	49	32	30	51	41	52	51	56	50	44·9	66
11. Hackney*	3929	58429	12	22	19	19	30	17	31	53	25	27	25·5	31
12. St. Giles*	245	54214	29	26	25	24	32	37	32	48	23	26	30·2	40
13. Strand*	174	44460	26	21	19	15	14	26	28	34	19	23	22·5	25
14. Holborn*	196	46621	40	44	23	19	27	23	20	32	23	21	27·2	24
15. Clerkenwell	380	64778	35	31	28	34	20	19	20	35	21	28	27·1	31
16. St. Luke	220	54055	33	18	22	24	18	25	22	36	14	21	23·3	34
17. East London* . . .	153	44406	28	20	20	15	17	18	24	30	19	18	20·9	19
18. West London* . . .	136	28790	46	29	24	23	19	25	23	28	17	21	25·5	31
19. London City* . . .	434	55932	19	23	22	13	20	17	19	22	20	15	19·0	21
20. Shoreditch	646	109257	93	59	42	45	38	38	50	73	52	56	54·6	57
21. Bethnal Green . . .	760	90193	54	60	33	42	44	40	43	77	45	33	47·1	43
22. Whitechapel* . . .	406	79759	74	38	42	44	37	46	42	54	45	55	47·7	63
23. St. George in the East .	243	48376	36	23	25	27	19	23	28	33	24	35	27·3	42
24*a*. Stepney*	576	54173	62	47	40	50	44	47	55	65	41	61	51·2	28
24*b*. Mile-end Old Town .	681	56602												42
25. Poplar*	2918	47162	29	18	26	24	17	25	29	33	30	50	28·1	41
26. St. Saviour Southwark*	250	35731	33	23	20	20	14	20	23	24	11	26	21·4	24
27. St. Olave Southwark* .	169	19375	28	20	18	10	22	22	48	24	14	15	22·1	27
28. Bermondsey	688	48128	24	26	21	21	25	18	14	44	16	26	23·5	20
29. St. George Southwark .	282	51824	44	40	18	17	22	23	26	37	20	32	27·9	22
30. Newington	624	64816	32	31	39	24	24	26	30	39	25	30	30·0	43
31. Lambeth	4015	139325	82	68	59	49	54	54	50	101	48	75	64·0	81
32. Wandsworth* . . .	11695	50764	24	45	24	17	31	19	22	36	22	17	25·7	29
33. Camberwell	4342	54667	35	23	32	18	22	18	26	33	30	31	26·8	23
34. Rotherhithe	886	17805	12	19	5	5	3	5	7	9	6	9	8·0	16
35. Greenwich*	5367	99365	56	42	55	44	46	32	38	81	60	46	50·0	57
36. Lewisham*	17224	34835	14	13	10	10	12	7	12	22	16	23	13·9	23†

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† An average of 3 is inserted for Lewisham Village.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending January 23. Total.	Males.	Females.	In the Week ending January 30. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	221	135	86	231	122	109
46 WORKHOUSES	113	57	56	148	73	75
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	11	11	–	11	11	–
13 GENERAL HOSPITALS	65	44	21	59	33	26
7 HOSPITALS FOR SPECIAL DISEASES	9	5	4	3	2	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	1	–	1
4 LYING-IN HOSPITALS . . . . Children .	1	–	1	2	1	1
7 MILITARY AND NAVAL HOSPITALS	9	9	–	–	–	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	2	2	–	–	–	–
20 LUNATIC ASYLUMS	11	7	4	7	2	5

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

NDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 30th January 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	2	50	42	54	5	34
.*							
1-6 WEST DISTRICTS - -	376427	-	9	8	4	1	5
-11 NORTH DISTRICTS - -	490396	1	9	4	17	2	7
-19 CENTRAL DISTRICTS -	393256	1	6	6	11	-	7
-25 EAST DISTRICTS - -	485522	-	15	9	15	2	7
-36 SOUTH DISTRICTS - -	616635	-	11	15	7	-	8
WEST DISTRICTS.							
1 St. Mary Paddington *W* H	17252	-	3	-	-	-	1
2 St. John Paddington H -	29053	-	-	-	1	-	-
3 Kensington Town *W* L -	29183	-	-	-	-	1	-
4 Brompton HH - -	14870	-	-	-	-	-	1
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	1	-	-	-
3 Chelsea North-east L -	19819	-	-	1	1	-	1
1 Hanover-square - -	20216	-	1	2	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	2	-	-	-	-
1 St. John Westmr. HHHP	34295	-	1	1	1	-	1
2 St. Margaret West. *W* HP	31314	-	1	3	1	-	-
1 Charing Cross *W* H -	12587	-	-	-	-	-	1
2 Long Acre - - -	12053	-	-	-	-	-	-
1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	1	-	-	-	-
NORTH DISTRICTS.							
1 All Souls Marylebone H -	28841	-	-	-	2	1	-
2 Cavendish-square - -	14687	-	2	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	4	-	-
4 St. Mary Marylebone H -	22814	-	-	-	1	-	-
5 Christchurch Marylebone	33895	-	-	-	1	-	1
6 St. John Marylebone -	29826	-	-	-	1	-	-
1 Hampstead *W* - -	11986	-	-	-	-	-	-
1 Regent's Park Pancras -	31918	-	-	-	2	-	-
2 Tottenham-court *w*H -	28423	1	-	-	3	-	1
3 Gray's-inn-lane H -	26523	-	1	-	1	-	3
4 Somers-town - - -	35641	-	1	-	-	-	-
5 Camden-town *W* - -	21115	-	2	2	-	-	-
6 Kentish-town - - -	23326	-	1	-	-	-	1
1 Islington West† *W* HHHPP	47881	-	2	-	1	-	1
2 Islington East - - -	47448	-	-	2	1	-	-
1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	-	1	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
1 St. George Bloomsbury -	16807	-	-	1	1	-	1
2 St. Giles South *W* H -	19951	-	-	1	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
1 St. Anne Soho - - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	-
1 St. George-the-Martyr H.	18813	-	-	-	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	3	1	-	-	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
1 St. James Clerkenwell *W* P	21529	-	-	-	1	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	1	-	-	1	-	-
4 Goswell-street - -	15625	-	-	1	1	-	-
1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	-	1	1	-	-
3 Whitecross-street - -	13657	-	-	1	5	-	-
4 Finsbury - - - -	12941	-	1	-	-	-	1
1 St. Botolph East London	23824	-	-	-	-	-	-
2 Cripplegate P - -	20582	-	-	-	-	-	1
1 West London North *W* HP	12946	-	1	-	-	-	4
2 West London South P -	15844	-	-	-	-	-	-
1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	1	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	1	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	1	1	-	-	-
3 Hoxton New Town *w* -	23505	-	1	3	1	-	-
4 Hoxton Old Town - -	17431	-	-	-	-	-	1
5 Haggerstone West *W* -	20276	-	-	-	-	1	-
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney Road - -	23910	-	-	1	2	-	-
2 Green, Bethnal Green *W* HL	23555	-	1	-	-	-	1
3 Church, Bethnal Green -	21787	-	-	-	-	-	1
4 Town, Bethnal Green -	20941	-	1	1	-	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	-	-	-
3 Mile End New Town *W* -	14543	-	-	1	1	-	1
4 Whitechapel North *W* -	12530	-	-	-	-	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	1	-	2	-	-
7 Aldgate H - - -	10694	-	-	-	-	1	-
23; 1 St. Mary St. Geo. East -	18067	-	1	-	3	-	1
2 St. Paul St. Geo. East -	20319	-	2	1	2	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	1	-	1	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	-
3 Limehouse *W* - -	22782	-	1	1	-	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	-	1	-	1
4 Mile End Old T., East. *Ww* H	27020	-	-	-	-	-	1
25; 1 Bow *w*L - - - -	18778	-	1	-	1	-	-
2 Poplar *W* H - - -	28384	-	4	-	1	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	1	-	-	-
2 St. Saviour Southwark HH	19709	-	-	1	-	-	1
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	1	-	-	-
28; 1 St. James Bermondsey -	18899	-	1	-	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3 Leather Market - -	15295	-	-	1	-	-	1
29; 1 Kent Road - - -	18126	-	-	1	-	-	-
2 Borough Road *W* P -	15862	-	-	-	-	-	-
3 London Road LP - -	17836	-	-	-	-	-	-
30; 1 Trinity Newington P -	20922	-	-	-	1	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	1	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	-	-
2 Waterloo Road 2nd H -	18348	-	1	-	-	-	1
3 Lambeth Church 1st -	18409	-	-	1	1	-	-
4 Lambeth Church 2nd *W*	26784	-	-	1	1	-	1
5 Kennington 1st - -	24261	-	-	-	-	-	2
6 Kennington 2nd - -	18848	-	-	-	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	1
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	-	-
2 Battersea *W* L - -	10560	-	-	-	-	-	1
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	2	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	-	1	-	-
4 St. George Camberwell -	15849	-	-	-	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	5	2	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	1	-	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	2	1	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	2	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	2	-	-	-	-
36; 1 Plumstead - - -	13191	-	-	-	1	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *Ww* -	6097	‡	-	-	-	-	-
5 Sydenham - - -	4501	-	-	1	-	-	-

OTE.—The letters placed against the names of the sub-districts ote public institutions situated therein, namely,

W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - } ,, Mile End Old Town Lower sub-dis. and Bow sub-district.
St. George Southwark, for Children - } ,, Lewisham Village sub-district.

The numbers on the left of the semicolons refer to the Districts in the preceding page.
Islington West contains the Small-pox and Fever Hospitals.
The Return not received in time for insertion above. It includes a death from Typhus.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 30TH JANUARY 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
JANUARY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
SUNDAY . .	24	..	30·445	41·8	25·3	16·5	32·0	28·8	51·2	15·2	38·8	38·3	3·2	7·8	2·0	— 5·8	83	W.N.W.	W.N.W.	0·0	0·0	0·0	15	0·00
MONDAY . .	25	..	30·260	42·2	21·4	20·8	32·9	28·0	48·4	10·2	38·3	37·8	4·9	10·1	0·0	— 5·1	79	W.& S.W.	S.	0·0	0·0	0·0	65	0·00
TUESDAY .	26	..	29·990	33·0	26·7	6·3	29·6	22·1	41·6	16·7	38·3	37·8	7·5	9·9	3·7	— 8·7	72	S.S.E.	S.S.E.	0·0	0·0	0·0	105	0·00
WEDNESDAY	27	..	29·997	44·4	29·5	14·9	36·2	30·3	56·5	21·7	38·3	37·8	5·9	9·5	4·1	— 2·1	80	S.S.E.	S.	0·0	0·0	0·0	55	0·00
THURSDAY.	28	..	30·113	50·0	28·0	22·0	38·7	32·6	62·5	19·0	38·8	36·5	6·1	13·9	1·4	+ 0·6	75	S.	S.W.	0·0	0·0	0·0	105	0·00
FRIDAY . .	29	..	30·126	50·0	40·0	10·0	44·7	42·0	55·4	26·0	36·1	35·9	2·7	6·1	1·8	+ 6·8	89	S.W.	S.W.	2·0	0·0	0·1	235	0·00
SATURDAY.	30	..	29·794	51·0	43·9	7·1	48·3	47·8	51·0	41·0	38·3	36·0	0·5	3·2	0·0	+10·7	97	S.W.	W.	3·0	0·0	0·3	230	0·22
MEANS . .		..	30·104	44·6	30·7	13·9	37·5	33·1	52·4	21·4	38·1	37·2	4·4	8·6	1·9	— 0·5	82	Variable.		..	..	..	Sum 810	Sum 0·22
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
JANUARY.			
SUNDAY . .	24	Strong positive. At night sparks and galvanic currents were shown.	Clear during the morning, partially clear during the afternoon, cloudy at night. Fog and hoar frost at night.
MONDAY . .	25	Positive, with weak tension.	Partially cloudy during the morning, clear during the afternoon and earlier part of the evening; cloudy at night. Thick fog prevailed early in the morning.
TUESDAY . .	26	Positive, with weak tension; at times no electricity was shown.	Partially cloudy during the afternoon; clear at other times of the day.
WEDNESDAY	27	Positive, with weak tension.	Clear throughout the day.
THURSDAY .	28	Positive, with weak tension.	Clear throughout the day.
FRIDAY . .	29	Positive, with weak tension; at times no electricity was shown.	Cloudy generally throughout the day. Rain fell occasionally during the morning.
SATURDAY .	30	No electricity was shown at any examination.	Cloudy throughout the day. Rain fell until noon.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer was 30·47 in. at the beginning of the week; decreased very slowly on the 24th to 30·40 in. by 9h. P.M.; decreased more quickly during the night, and till the 26th at 9h. P.M., when it was 29·93 in.: increased to 30·16 in. by 9h. A.M. on the 29th; and decreased to 29·71 in. by the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

SURGEON OF ENGLAND

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, February 6. [No. 5.

General Register Office, Somerset House,
February 8th, 1858.

HEALTH OF LONDON DURING THE WEEK.

The total number of deaths in London, which in the previous week was 1363, was in the week that ended last Saturday (February 6th) 1314. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1211, but as the deaths of last week occurred in an increased population, these should be compared with the average, when the latter has been raised in proportion to the increase, in which case the comparison will show that the mortality of last week approximated very closely to that which former experience leads to expect in the first week of February.

Of the 1314 deaths in the present return, 1303 are referred each to the fatal disease or injury, with sufficient distinctness to admit of arrangement under the several heads in the nosological list. The special diseases and orders of disease are classified under five general heads; viz. the zymotic class, which was fatal last week in 241 cases, the corrected average of corresponding weeks (in 1848–57) being 299; the constitutional, which was fatal in 248 cases, whilst the average was 263; the local, to which 622 deaths are placed, the average being 557; the developmental fatal in 160 cases, the average 155; and violence, which caused 32 deaths, the average being 27. Measles, in the first class, carried off 57 children and whooping-cough 51; with these exceptions the deaths referred to zymotic complaints are comparatively few; small-pox and diarrhœa, for example, number only 3 and 8 respectively; cholera none; typhus (with continued fever) 32, its average being 58. Hence the comparatively favourable result, as shown above, under the head of zymotic diseases. In the "local" class of diseases the case is reversed. Bronchitis, which belongs to this class, carried off last week 228 persons, whilst under the average mortality of the disease, at this period, the number would have been 145; and it is due to the prevalence of this disease that the mortality from all causes is maintained so near the average amount. It should be observed that both phthisis and pneumonia were rather less fatal than usual. Nine nonagenarians died last week, all of whom were women except two: one was 91 years of age, one 92, 4 were 95, one 96, one 97, and one 98.

The disease "diphtheria" is recorded in two instances. And it will be seen, unfortunately, in the notes, that three lives were lost from want of the necessaries of life.

Last week the births of 910 boys and 932 girls, in all 1842 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1598.

The composition of the water as supplied by the metropolitan water companies was found, by Dr. Robert Dundas Thomson of St. Thomas's Hospital, to be during the month of January as follows:—

QUANTITY OF EXTRANEOUS MATLER IN EVERY GALLON OF WATER.

COMPANIES.	Total Impurity.	Organic Impurity.
	grs.	grs.
Chelsea - - -	21·56	1·08
West Middlesex - -	20·88	2·05
Grand Junction - - -	20·72	1·60
Lambeth - - -	19·84	2·40
Southwark - - - -	21·28	·92
East London - - -	23·04	1·76
Kent Company - - -	28·48	4·56
Plumstead - - -	20·16	2·28

There are slight differences, it will be observed, in the constitution of the waters from month to month as might be anticipated. Plumstead water from the chalk is most steady in its organic matter, which appears to differ from that of the other waters in being incapable of germination.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·738 in. The *highest* reading was 29·94 in. on Saturday. The mean temperature of the week was 37·8°, which is very near the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily range of temperature was 11·4°. The *highest* temperature occurred on Friday, and was 52·8°; the *lowest* on Tuesday, which was 26·3°. The difference between the mean dew point temperature and air temperature was 4°. The mean temperature of the water of the Thames was 38·6°, nearly a degree higher than that of the air. The mean humidity of the air was 89. On Tuesday and three following days the wind was mostly in the south-west. The amount of rain with melted snow was 0·77 in. in the week. On Tuesday snow began to fall at 11 o'clock A.M., and continued till 5 P.M. On that as well as the preceding day the mean temperature was considerably below the average.

HACKNEY; *West.*—At Robinson's-row, Kingsland, on 2d February, the daughter of a labourer in the docks, aged 4 months, "diphtheria (11 days)."

ST. GEORGE-IN-THE-EAST; *St. Paul.*—At 14 John-street, on 30th January, the son of a paper stainer, aged 2 years and a half, "diphtheria (48 hours)."

WESTMINSTER; *St. Margaret.*—At the Workhouse, on 3d February, the daughter of a person not known, aged 4 months, "extensive emaciation, apparently from starvation."

BETHNAL GREEN; *Town.*—At 12 Clitherow-place, on 29th January, a shoemaker, aged 63 years, "exhaustion from insufficient food, cold, and neglect." (*Inquest.*)

POPLAR; *Bow.*—At City of London Union Workhouse, Bromley, on 2d February, a compositor, aged 45 years, "want and exposure to cold."

STEPNEY; *Ratcliff.*—At 1 Garden-place, on 3d February, the son of a ballast getter, aged 3 years, "cancer of the lung (2 months). One testicle was extirpated for cancer 9 months ago, and he recovered well; the disease returned 6 months later in one lung." *Post mort.*

LAMBETH; *Brixton.*—At Belgrave-cottage, Millbrook-road, on 30th January, the daughter of a mineral tooth maker, aged 5 years, "spasm of the glottis, excited by sudden fright, and proving fatal instantaneously."

GREENWICH; *West.*—At "Dreadnought" Hospital Ship, on 30th January, a bargeman, aged 32 years, "ulcer on leg; tetanus."

BIRTHS Registered LAST WEEK, and in the FIFTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1367	1443	1488	1537	1666	1559	1655	1648	1726	1891	1598·0	1842
Males . .	689	733	770	773	860	827	857	845	880	976	821·0	910
Females . .	678	710	718	764	806	732	798	803	846	915	777·0	932

DEATHS Registered LAST WEEK, and in the FIFTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	1478	1137	1094	1041	1016	1220	1204	1604	949	1368	1211·1	1314*
Males . .	714	580	528	537	497	649	619	803	476	682	608·5	646
Females .	764	557	566	504	519	571	585	801	473	686	602·6	668

* The deaths in the sub-district of St. George Bloomsbury are not inserted above; but an average of 4, derived from the returns of six previous weeks, is substituted for the true number, which is 7.

DEATHS in LONDON, from ALL CAUSES, Registered in the FIFTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 5 1848	Feb. 3 1849	Feb. 2 1850	Feb. 1 1851	Feb. 7 1852	Feb. 5 1853	Feb. 4 1854	Feb. 3 1855	Feb. 2 1856	Feb. 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 6, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·8	40°·6	41°·8	41°·1	47°·0	36°·5	42°·0	29°·3	33°·5	32°·3	38°·5	Mean Temp. 37°·8					
	ALL CAUSES	1478	1137	1094	1041	1016	1220	1204	1604	949	1368	1211·1	1314†	588	149	232	275	66
	SPECIFIED CAUSES	1468	1089	1064	1015	985	1208	1168	1531	935	1355	1181·8	1303	585	148	231	273	66
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	379	355	182	243	217	250	290	339	241	222	271·8	241	202	9	15	11	4
II.	CONSTITUTIONAL „	257	199	223	234	238	246	238	257	199	296	238·7	248	79	79	62	24	4
III.	LOCAL „	658	406	505	415	397	512	478	677	369	642	505·9	622	212	54	146	191	19
IV.	DEVELOPMENTAL „	154	111	135	110	110	171	148	196	117	157	140·9	160	76	..	2	44	38
V.	VIOLENT DEATHS	20	18	19	13	23	29	14	62	9	38	24·5	32	16	6	6	3	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	359	345	168	226	201	236	263	321	223	200	254·2	223	189	7	13	10	4
	2. ENTHETIC „	3	1	6	5	4	5	7	5	8	5	4·9	2	1	1	..	..	..
	3. DIETIC „	14	5	8	7	8	7	17	10	7	16	9·9	11	7	1	2	1	..
	4. PARASITIC „	3	4	..	5	4	2	3	3	3	1	2·8	5	5	..	..	..	..
II.	1. DIATHETIC „	38	30	44	35	32	38	46	62	32	59	41·6	55	10	7	20	14	4
	2. TUBERCULAR „	219	169	179	199	206	208	192	195	167	237	197·1	193	69	72	42	10	..
III.	1. DISEASES OF NERVOUS SYSTEM	154	110	137	114	117	134	126	140	90	143	126·5	139	62	14	23	37	3
	2. „ OF ORGANS OF CIRCULATION	50	41	45	42	46	43	53	49	38	66	47·3	53	3	7	22	19	2
	3. „ OF RESPIRATORY ORGANS	362	203	247	206	171	250	214	419	183	359	261·4	353	127	23	81	110	12
	4. „ OF DIGESTIVE ORGANS	64	32	45	39	42	56	53	43	41	47	46·2	48	13	3	16	15	1
	5. „ OF URINARY ORGANS	11	9	18	7	11	13	21	9	9	17	12·5	16	..	4	3	9	..
	6. „ OF ORGANS OF GENERATION	5	5	2	2	3	4	2	2	..	4	2·9	4	..	2	..	1	1
	7. „ OF ORGANS OF LOCOMOTION	5	4	7	1	2	5	4	5	5	2	4·0	2	1	..	1	..	..
	8. „ OF INTEGUMENTARY SYSTEM	7	2	4	4	5	7	5	10	3	4	5·1	7	6	1	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	45	35	37	35	48	61	61	73	39	47	48·1	36	36	..	..	..	..
	2. „ OF ADULTS	5	4	7	4	5	4	10	4	7	3	5·3	1	..	..	1	..	..
	3. „ OF OLD PEOPLE	77	52	68	49	42	77	46	73	44	64	59·2	75	..	..	..	37	38
	4. „ OF NUTRITION.	27	20	23	22	15	29	31	46	27	43	28·3	48	40	..	1	7	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											30	16	6	4	3	1
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												2	..	..	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	20	18	19	13	23	29	14	62	9	38	24·5	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	6	20	18	9	13	7	13	11	2	6	10·5	7	3	1	1	2	..
	CAUSES NOT SPECIFIED	4	28	12	17	18	5	23	62	12	7	18·8	4†	..	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 4 is inserted for St. George Bloomsbury.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 5 1848	Feb. 3 1849	Feb. 2 1850	Feb. 1 1851	Feb. 7 1852	Feb. 5 1853	Feb. 4 1854	Feb. 3 1855	Feb. 2 1856	Feb. 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 6, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·8	40°·6	41°·8	41°·1	47°·0	36°·5	42°·0	29°·3	33°·5	32°·3	38°·5	Mean Temp. 37°·8					
I.	ORDER 1.																	
	1. Small-pox	28	23	5	20	30	11	7	35	15	3	17·7	3	3	..	..	..	..
	2. Measles	33	17	22	30	10	3	19	26	14	38	21·2	57	57	..	..	..	..
	3. Scarlatina	57	62	13	16	32	40	32	64	33	25	37·4	31	31	..	..	..	..
	4. Quinsy	1	1	3	..	1	4	2	3	3	1	1·9	2	2	..	..	..	..
	5. Croup	7	5	4	9	10	11	17	15	12	7	9·7	7	7	..	..	..	..
	6. Whooping-cough	33	73	33	51	38	64	78	66	44	61	54·1	51	51	..	..	..	..
	7. Typhus (and Infantile fever)	87	55	36	50	44	61	42	43	69	38	52·5	32	20	3	5	4	..
	8. Erysipelas	14	13	10	3	7	5	13	15	3	9	9·2	9	5	1	1	1	1
	9. Metria	13	10	7	5	5	2	4	4	4	2	5·6	2	..	2	..	..	..
	10. Carbuncle	1	..	..	1	1	..	1	3	1	3	1·1	3	..	..	2	1	..
	11. Influenza	59	7	3	6	..	3	1	7	1	1	8·8	3	..	..	1	1	1
	12. Dysentery	2	6	3	4	1	3	..	7	2	..	2·8	3	2	..	1	..	..
	13. Diarrhœa	19	28	21	25	13	13	31	20	16	8	19·4	8	5	..	1	1	1
	14. Cholera	..	37	2	..	1	2	1	1	2	..	4·6	..	..	..	..	..	..
	15. Ague	1	1	..	1	1	..	..	..	..	..	·4	..	..	..	..	..	..
	16. Remittent fever	1	2	3	..	2	5	5	4	1	2	2·5	4	4	..	..	..	..
	17. Rheumatism	3	5	3	5	5	9	10	8	3	2	5·3	8	2	1	2	2	1
	ORDER 2.																	
	1. Syphilis	3	..	4	3	1	3	6	5	7	4	3·6	2	1	1	..	..	..
	2. Stricture of Urethra	..	1	2	2	3	2	1	..	1	1	1·3	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	..	2	..	1	..	1	..	1	2	·8	3	1	..	1	1	..
	2. Want of Breast-milk	4	2	4	2	4	4	11	10	4	7	5·2	6	6	..	..	..	..
	3. Purpura and Scurvy	3	2	1	1	1	2	2	..	..	1	1·3	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	..	1	4	..	1	1	..	1	4	1·4	1	..	..	1	..	..
	4. Alcoholism { *b* Intemperance	4	1	..	..	2	..	2	..	1	2	1·2	1	..	1	..	..	..
	ORDER 4.																	
	1. Thrush	3	4	..	5	4	2	3	3	3	1	2·8	5	5	..	..	..	..
	2. Worms, &c.	In 1848–57 classed in this Table with *Disease of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	1	1	2	..	1	2	..	1	..	·8	..	..	..	..	..	..
	2. Dropsy	22	10	23	14	11	14	14	33	9	33	18·3	22	6	1	6	8	1
	3. Cancer	14	15	17	17	18	21	25	21	15	24	18·7	29	4	6	12	5	2
	4. Noma	..	..	..	1	..	..	1	..	..	..	·2	..	..	..	..	..	..
	5. Mortification	2	4	3	1	3	2	4	8	7	2	3·6	4	..	..	2	1	1
	ORDER 2.																	
	1. Scrofula	10	7	2	6	13	10	12	7	2	10	7·9	5	3	..	1	1	..
	2. Tabes Mesenterica	22	18	7	8	16	18	14	14	10	12	13·9	15	13	2	..	..	..
	3. Phthisis	155	116	137	153	147	151	139	137	131	184	145·0	141	23	70	39	9	..
	4. Hydrocephalus	32	28	33	32	30	29	27	37	24	31	30·3	32	30	..	2	..	..
III.	ORDER 1.																	
	1. Cephalitis	13	10	16	13	11	12	8	12	6	10	11·1	11	8	2	..	1	..
	2. Apoplexy	25	22	31	29	28	26	15	23	20	29	24·8	33	4	2	5	21	1
	3. Paralysis	29	16	34	12	21	29	33	27	13	42	25·6	23	..	5	7	9	2
	4. Insanity	3	2	1	1	1	1	2	3	..	3	1·7	6	..	1	3	2	..
	5. Chorea	..	..	..	..	1	..	1	..	..	..	·2	..	..	..	..	..	..
	6. Epilepsy	6	7	7	9	6	5	11	14	2	10	7·7	13	3	3	4	3	..
	7. Convulsions	61	41	30	35	40	51	34	46	40	32	41·0	41	41	..	..	..	..
	8. *Brain Disease, &c.*	17	12	18	15	9	10	22	15	9	17	14·4	12	6	1	4	1	..
	ORDER 2.																	
	1. Pericarditis	5	1	5	1	3	1	4	3	3	5	3·1	3	2	..	1	..	..
	2. Aneurism	2	2	1	4	..	1	1	2	3	..	1·6	1	..	..	1	..	..
	3. *Heart Disease, &c.*	43	38	39	37	43	41	48	44	32	61	42·6	49	1	7	20	19	2
	ORDER 3.																	
	1. Laryngitis	4	3	4	4	5	7	7	9	8	7	5·8	10	10	..	..	..	..
	2. Bronchitis	157	78	126	92	90	110	121	226	93	224	131·7	228	56	12	57	94	9
	3. Pleurisy	5	1	3	2	1	1	3	6	..	2	2·4	2	..	1	1	..	..
	4. Pneumonia	137	91	75	76	53	95	63	139	56	96	88·1	82	59	7	10	3	3
	5. Asthma	43	22	33	21	11	23	9	30	19	26	23·7	28	1	2	12	13	..
	6. *Lung Disease, &c.*	16	8	6	11	11	14	11	9	7	4	9·7	3	1	1	1	..	..
	ORDER 4.																	
	1. Gastritis	2	..	1	..	1	3	..	1	1	..	·9	1	..	..	..	1	..
	2. Enteritis	10	3	8	3	2	10	7	5	4	4	5·6	2	1	..	..	1	..
	3. Peritonitis	9	1	6	5	4	5	5	2	2	4	4·3	3	2	..	..	1	..
	4. Ascites	4	1	3	1	..	..	1	2	3	3	1·8	..	..	..	..	..	..
	5. Ulceration of Intestines	1	1	..	1	1	3	2	4	1	5	1·9	1	..	..	1	..	..
	6. Hernia	5	4	7	4	6	3	1	4	4	4	4·2	8	1	1	3	2	1
	7. Ileus	5	1	..	2	5	2	3	6	2	2	2·8	3	..	..	1	2	..
	8. Intussusception	..	..	1	..	..	1	4	2	1	1	1·0	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

the FIFTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 5 1848	Feb. 3 1849	Feb. 2 1850	Feb. 1 1851	Feb. 7 1852	Feb. 5 1853	Feb. 4 1854	Feb. 3 1855	Feb. 2 1856	Feb. 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the week ending Saturday, Feb. 6, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·8	40°·6	41°·8	41°·1	47°·0	36°·5	42°·0	29°·3	33°·5	32°·3	38°·5	37°·8					
	9. Stricture of Intestines	..	..	2	..	2	1	..	1	2	1	·9	1	..	..	1	..	..
	10. Fistula	..	..	..	..	..	..	2	1	..	..	·3	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	9	4	6	2	9	7	5	4	2	6	5·4	7	4	..	..	3	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	13. Hepatitis	8	4	1	6	1	4	6	2	3	..	3·5	2	..	..	1	1	..
	14. Jaundice	3	2	2	4	1	2	3	2	1	6	2·6	3	2	..	1	..	..
	15. *Liver Disease, &c.*	8	11	8	11	9	15	14	7	13	10	10·6	16	3	2	7	4	..
	16 *Spleen Disease, &c.*	..	..	..	..	1	..	..	..	1	1	·3	1	..	..	1	..	..
	ORDER 5.																	
	1. Nephritis	..	..	1	1	..	2	3	1	..	..	·8	..	..	..	..	..	..
	2. Ischuria	..	..	1	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	3	2	2	4	5	2	6	..	2	7	3·3	5	..	1	2	2	..
	4. Diabetes	..	..	..	..	1	1	1	..	1	..	·4	..	..	..	..	..	..
	5. Stone	1	2	1	..	..	..	..	..	1	2	·7	..	..	..	..	..	..
	6. Cystitis	..	..	3	..	2	..	2	2	..	..	·9	1	..	..	..	1	..
	7. *Kidney Disease, &c.*	7	5	10	2	3	8	9	6	5	8	6·3	10	..	3	1	6	..
	ORDER 6.																	
	1. Ovarian Dropsy	1	1	2	..	..	1	1	..	..	..	·6	1	..	1	..	..	..
	2. *Uterus Disease, &c.*	4	4	..	2	3	3	1	2	..	4	2·3	3	..	1	..	1	1
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	1	..	1	1	..	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	5	4	7	1	2	4	4	4	4	2	3·7	2	1	..	1	..	..
	ORDER 8.																	
	1. Phlegmon	4	..	2	3	2	2	3	6	3	4	2·9	4	4	..	..	..	..
	2. Ulcer	1	1	..	..	3	4	1	2	..	..	1·2	2	1	1	..	..	..
	3. *Skin Disease, &c.*	2	1	2	1	..	1	1	2	..	..	1·0	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	34	20	20	24	33	44	40	47	26	25	31·3	21	21	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	4	5	1	4	5	..	3	4	4	5	3·5	3	3	..	..	..	..
	5. Teething	7	10	16	7	10	17	18	22	9	17	13·3	11	11	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	5	4	7	4	5	4	10	4	7	3	5·3	1	..	..	1	..	..
	ORDER 3.																	
	1. Old Age	77	52	68	49	42	77	46	73	44	64	59·2	75	..	..	..	37	38
	ORDER 4.																	
	1. Atrophy and Debility	27	20	23	22	15	29	31	46	27	43	28·3	48	40	..	1	7	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	15	3	4	4	3	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	10	9	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	20	18	19	13	23	29	14	62	9	38	24·5	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	6	20	18	9	13	7	13	11	2	6	10·5	7	3	1	1	2	..
	Causes not specified or ill-defined	4	28	12	17	18	5	23	62	12	7	18·8	4†	..	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 4 is inserted for St. George Bloomsbury.

DEATHS Registered in the FIFTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Feb. 5 1848	Feb. 3 1849	Feb. 2 1850	Feb. 1 1851	Feb. 7 1852	Feb. 5 1853	Feb. 4 1854	Feb. 3 1855	Feb. 2 1856	Feb. 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Feb. 6 1858.
Mean Temperature . . .			40·8°	40·6°	41·8°	41·1°	47·0°	36·5°	42·0°	29·3°	33·5°	32·3°	38·5°	37·8°
LONDON	78029	2362236	1478	1137	1094	1041	1016	1220	1204	1604	949	1368	1211·1	1314
1–6. WEST DISTRICTS .	10786	376427	192	213	149	149	133	193	187	254	141	191	180·2	193
7–11. NORTH DISTRICTS .	13533	490396	251	192	198	188	196	244	234	344	199	294	234·0	303
12–19. CENTRAL DISTRICTS	1938	393256	286	189	191	172	171	195	201	260	146	219	203·0	178
20–25. EAST DISTRICTS .	6230	485522	323	215	255	214	232	296	280	339	210	322	268·6	307
26–36. SOUTH DISTRICTS .	45542	616635	426	328	301	318	284	292	302	407	253	342	325·3	333
1. Kensington*	7374	120004	41	54	34	48	45	63	53	85	40	54	51·7	56
2. Chelsea	865	56538	38	46	34	21	20	24	28	26	21	28	28·6	28
3. St. George Hanover-sq.	1161	73230	21	22	30	26	24	27	33	52	29	38	30·2	43
4. Westminster*. . . .	917	65609	49	57	26	36	23	37	51	58	30	37	40·4	37
5. St. Martin-in-the-Fields	305	24640	13	11	14	10	12	15	10	14	14	17	13·0	21
6. St. James Westminster .	164	36406	30	23	11	8	9	27	12	19	7	17	16·3	8
7. Marylebone	1509	157696	85	72	70	67	51	101	84	106	51	115	80·2	115
8. Hampstead	2252	11986	5	1	3	2	6	6	4	6	4	5	4·2	5
9. Pancras	2716	166956	102	56	70	63	64	70	76	114	65	95	77·5	93
10. Islington	3127	95329	34	33	35	36	46	50	47	80	52	45	45·8	57
11. Hackney*	3929	58429	25	30	20	20	29	17	23	38	27	34	26·3	33
12. St. Giles*	245	54214	49	24	22	17	31	42	19	39	17	44	30·4	25†
13. Strand*	174	44460	35	28	14	18	24	25	14	29	18	29	23·4	18
14. Holborn*	196	46621	34	29	30	27	22	24	39	32	27	25	28·9	26
15. Clerkenwell	380	64778	34	26	33	28	23	27	37	42	19	28	29·7	32
16. St. Luke	220	54055	42	29	27	23	20	26	36	28	22	27	28·0	26
17. East London* . . .	153	44406	39	13	15	27	13	15	22	32	8	20	20·4	15
18. West London* . . .	136	28790	30	17	31	16	15	22	24	34	24	30	24·3	18
19. London City*. . . .	434	55932	23	23	19	16	23	14	10	24	11	16	17·9	18
20. Shoreditch	646	109257	92	53	56	54	55	60	70	65	40	68	61·3	64
21. Bethnal Green . . .	760	90193	30	35	68	22	26	70	36	54	31	57	42·9	58
22. Whitechapel*. . . .	406	79759	82	41	36	42	48	31	36	75	63	56	51·0	45
23. St. George-in-the-East .	243	48376	31	10	15	16	24	37	51	35	18	34	27·1	45
24*a*. Stepney *	576	54173	62	54	45	63	43	74	47	66	43	68	56·5	31
24*b*. Mile-end Old Town .	681	56602												27
25. Poplar*	2918	47162	26	22	35	17	36	24	40	44	15	39	29·8	37
26. St. Saviour Southwark*	250	35731	34	20	22	25	26	17	26	20	16	21	22·7	13
27. St. Olave Southwark* .	169	19375	22	24	19	22	18	18	17	27	20	22	20·9	26
28. Bermondsey	688	48128	25	31	26	26	28	34	25	39	24	22	28·0	28
29. St. George Southwark .	282	51824	66	21	25	32	29	25	31	28	23	30	31·0	21
30. Newington	624	64816	44	36	33	27	29	25	33	28	19	33	30·7	36
31. Lambeth	4015	139325	100	61	58	69	54	61	47	81	48	67	64·6	48
32. Wandsworth*. . . .	11695	50764	19	35	22	21	15	22	25	36	17	21	23·3	28
33. Camberwell	4342	54667	29	24	27	20	26	26	26	46	18	33	27·5	29
34. Rotherhithe	886	17805	8	8	8	5	10	7	10	6	5	10	7·7	17
35. Greenwich*	5367	99365	61	58	52	59	38	44	50	73	49	64	54·8	62
36. Lewisham*	17224	34835	18	10	9	12	11	13	12	23	14	19	14·1	25

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† An average of 4 is inserted for St. George Bloomsbury, instead of 7 the true number.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending January 30. Total.	Males.	Females.	In the Week ending February 6. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	231	122	109	249	130	119
46 WORKHOUSES	148	73	75	151	70	81
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . §	11	11	–	3	3	–
13 GENERAL HOSPITALS	59	33	26	67	42	25
7 HOSPITALS FOR SPECIAL DISEASES	3	2	1	4	–	4
4 LYING-IN HOSPITALS . . . . Women .	1	–	1	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	2	1	1	1	–	1
7 MILITARY AND NAVAL HOSPITALS	–	–	–	6	6	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	1	1	–
20 LUNATIC ASYLUMS	7	2	5	16	8	8

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

NDON.—Deaths from Small-pox, Measles, Scarlatina, Whooping-cough, Diarrhœa, and Typhus registered in each Sub-district during the Week ending Saturday, 6th February 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	57	31	51	8	32
*1-6 West Districts - -	376427	-	8	5	4	1	2
7-11 North Districts - -	490396	3	14	5	18	2	5
12-19 Central Districts -	393256	-	6	8	7	-	7
20-25 East Districts - -	485522	-	24	5	11	1	8
26-36 South Districts - -	616635	-	5	8	11	4	10
West Districts.							
1 St. Mary Paddington *W* H	17252	-	2	1	-	-	-
2 St. John Paddington H -	29053	-	-	-	-	-	-
3 Kensington Town *W* L -	29183	-	1	-	1	-	-
4 Brompton HH - -	14870	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3 Chelsea North-east L -	19819	-	-	-	-	1	-
1 Hanover Square - -	20216	-	1	-	-	-	-
2 May Fair *W* - - -	12980	-	1	-	-	-	-
3 Belgrave H - - -	40034	-	-	-	-	-	1
1 St. John Westmr. HHHP	34295	-	1	3	-	-	-
2 St. Margaret West. *W* HP	31314	-	2	-	1	-	1
1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	1	2	-	-
1 Berwick Street - -	10798	-	-	-	-	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	-	-	-
North Districts.							
1 All Souls Marylebone H -	28841	-	-	-	-	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	1	-	2	-	-
4 St. Mary Marylebone H	22814	-	-	1	1	-	-
5 Christchurch Marylebone	33895	-	1	-	1	-	-
6 St. John Marylebone -	29826	-	-	-	-	-	-
1 Hampstead *W* - -	11986	-	-	-	3	-	-
1 Regent's Park Pancras -	31918	-	-	-	-	-	1
2 Tottenham-court *w*H -	28433	1	1	-	2	-	-
3 Gray's Inn Lane H -	26523	-	-	-	2	-	1
4 Somers Town - - -	35641	-	1	1	-	-	-
5 Camden Town *W* - -	21115	-	4	-	1	-	1
6 Kentish Town - -	23326	-	2	-	-	-	-
1 Islington West† *W* HHHPP	47881	2	2	-	1	-	1
2 Islington East - -	47448	-	2	2	4	1	-
1 Stoke Newington L -	4840	-	-	-	-	1	1
2 Stamford Hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	1	1	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5 South Hackney L - -	8458	-	-	-	-	-	-
Central Districts.							
1 St. George Bloomsbury -	16807	‡	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	1	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	1
1 St. Anne Soho - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	-
1 St. George-the-Martyr H.	18813	-	-	-	-	-	1
2 St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron Hill - - -	13837	-	1	-	-	-	-
1 St. James Clerkenwell *W* P	21529	-	-	-	-	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	1
3 Pentonville - - -	11904	-	-	-	1	-	-
4 Goswell-street - - -	15625	-	-	1	-	-	2
1 Old-street H - - -	10617	-	1	-	-	-	1
2 City-road HL - -	16840	-	-	2	1	-	-
3 Whitecross-street - -	13657	-	2	-	-	-	-
4 Finsbury - - - -	12941	-	-	2	1	-	-
1 St. Botolph East London	23824	-	-	-	1	-	-
2 Cripplegate P - -	20582	-	-	-	1	-	-
1 West London North *W* HP	12946	-	2	1	1	-	-
2 West London South P -	15844	-	-	-	-	-	-
1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	1	-	-
3 London City South - -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	1
5 London City North-east -	12826	-	-	1	-	-	-

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	East Districts.							
20;	1 Holywell Shoreditch -	17245	-	2	-	-	-	-
	2 St. Leonard Shoreditch L	19449	-	-	-	-	-	-
	3 Hoxton New Town *w* -	23505	-	-	1	-	-	1
	4 Hoxton Old Town - -	17431	-	1	-	-	-	1
	5 Haggerstone West *W* -	20276	-	-	-	1	-	-
	6 Haggerstone East - -	11351	-	-	-	1	-	-
21;	1 Hackney-road - - -	23910	-	3	1	1	1	-
	2 Green, Bethnal Green *W* HL	23555	-	-	-	1	-	1
	3 Church, Bethnal Green -	21787	-	1	-	-	-	1
	4 Town, Bethnal Green -	20941	-	1	-	1	-	-
22;	1 Artillery Whitechapel -	6769	-	-	-	-	-	-
	2 Spitalfields - - -	15336	-	-	-	-	-	1
	3 Mile End New Town *W*	14543	-	-	-	1	-	-
	4 Whitechapel North *W* -	12530	-	-	-	-	-	1
	5 Whitechapel Church H -	7818	-	-	-	-	-	-
	6 Goodman's Fields - -	12069	-	1	-	-	-	-
	7 Aldgate H - - -	10694	-	-	-	1	-	-
23;	1 St. Mary St. Geo. East -	18067	-	1	1	-	-	-
	2 St. Paul St. Geo. East -	20319	-	3	1	1	-	-
	3 St. John St. Geo. East *W*	9990	-	2	-	-	-	-
24*a*;	1 Shadwell *W* - - -	16179	-	2	-	1	-	-
	2 Ratcliff *W* - - -	15212	-	1	-	-	-	-
	3 Limehouse *W* - -	22782	-	-	-	-	-	1
24*b*;	1 Mile End Old Town, Westn.	29582	-	-	1	-	-	-
	2 Mile End Old T., East. *Ww* H	27020	-	-	-	1	-	1
25;	1 Bow *w* L - - -	18778	-	1	-	-	-	-
	2 Poplar *W* H - - -	28384	-	5	-	1	-	-
	South Districts.							
26;	1 Christchurch Southwark *W*	16022	-	-	-	-	-	-
	2 St. Saviour Southwark HH	19709	-	-	-	-	1	1
27;	1 St. Olave Southwark HH	8015	-	-	-	-	-	-
	2 St. John Horsleydown *W*	11360	-	-	1	1	-	-
28;	1 St. James Bermondsey -	18899	-	-	-	1	-	1
	2 St. Mary Magdalen *W* -	13934	-	-	2	-	-	-
	3 Leather Market - -	15295	-	-	2	-	-	-
29;	1 Kent-road - - -	18126	-	-	-	-	-	-
	2 Borough-road *W* P -	15862	-	-	-	1	-	-
	3 London-road LP - -	17836	-	-	-	-	-	-
30;	1 Trinity Newington P -	20922	-	-	-	-	-	-
	2 St. Peter Walworth *W* -	29861	-	-	-	-	-	-
	3 St. Mary Newington -	14033	-	-	-	-	-	1
31;	1 Waterloo-road 1st - -	14088	-	1	-	-	-	-
	2 Waterloo-road 2nd H -	18348	-	-	-	2	-	-
	3 Lambeth Church 1st -	18409	-	-	-	2	-	-
	4 Lambeth Church 2nd *W*	26784	-	-	-	1	-	1
	5 Kennington 1st - -	24261	-	-	-	-	-	-
	6 Kennington 2nd - -	18848	-	-	-	-	-	-
	7 Brixton L - - -	14610	-	-	-	-	-	-
	8 Norwood *W* - - -	3977	-	-	-	-	-	-
32;	1 Clapham L - - -	16290	-	-	-	-	-	-
	2 Battersea *W* L - -	10560	-	-	-	-	1	1
	3 Wandsworth PL - -	9611	-	-	-	-	-	-
	4 Putney - - - -	5280	-	-	-	-	-	-
	5 Streatham - - -	9023	-	-	-	-	-	-
33;	1 Dulwich - - -	1632	-	-	-	-	-	-
	2 Camberwell *W* LL - -	17742	-	-	-	-	-	1
	3 Peckham - - - -	19444	-	-	-	-	-	-
	4 St. George Camberwell -	15849	-	-	1	-	-	-
34;	1 Rotherhithe *W* - -	17805	-	4	1	1	-	-
35;	1 St. Paul Deptford - -	24899	-	-	-	-	1	-
	2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
	3 Greenwich West H -	18800	-	-	-	-	-	1
	4 Greenwich East *W* H -	16228	-	-	-	-	-	2
	5 Woolwich Dockyard HP	17140	-	-	-	-	1	-
	6 Woolwich Arsenal HPH	15227	-	-	1	2	-	-
36;	1 Plumstead - - -	13191	-	-	-	-	-	-
	2 Eltham - - - -	2568	-	-	-	-	-	-
	3 Lee - - - - -	8478	-	-	-	-	-	1
	4 Lewisham Village *Ww* -	6097	-	-	-	-	-	-
	5 Sydenham - - -	4501	-	-	-	-	-	-

Note.—The letters placed against the names of the sub-districts note public institutions situated therein, namely,

W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

Outlying Workhouses:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.
St. George Southwark, for Children - ,, Lewisham Village sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ Return not received in time for insertion above. It contains 2 deaths from *fever*.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 6th February 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
January.																								
Sunday .	31	..	29·818	45·0	34·3	10·7	37·8	33·3	53·5	40·0	37·8	37·4	4·5	5·8	3·0	+ 0·5	87	W.&N.E.	NE. & W.	0·0	0·0	0·0	110	0·00
February.																								
Monday .	1	In Equator.	29·742	37·8	29·5	8·3	32·0	21·1	43·0	22·5	38·3	37·8	10·9	14·6	9·2	— 5·2	64	W.&NW.	N.W.	3·3	0·0	0·2	160	0·00
																								Melted Snow.
Tuesday .	2	..	29·675	34·2	26·3	7·9	29·5	23·9	37·7	17·0	38·3	37·8	5·6	11·5	0·3	— 7·5	81	W. & SW.	S. & ESE.	0·0	0·0	0·0	30	0·30
Wednesday	3	..	29·650	47·0	30·5	16·5	37·9	37·8	46·0	28·0	38·1	37·7	0·1	2·9	0·0	+ 0·6	99	E.S.E.	S.W.	2·0	0·0	0·0	270	0·00
Thursday .	4	..	29·469	50·0	41·7	8·3	44·2	42·2	49·5	14·7	38·8	38·3	2·0	2·6	0·9	+ 6·5	96	S.W.	S.W.	3·0	0·0	0·3	160	0·47
Friday . .	5	Last Quart.	29·876	52·8	36·2	16·6	43·4	41·2	52·5	30·0	39·6	39·1	2·2	8·0	1·3	+ 5·0	92	S.W.	S.W.	0·0	0·0	0·0	135	0·00
Saturday .	6	..	29·934	47·2	35·9	11·3	40·1	37·2	58·2	32·0	40·8	40·2	2·9	6·5	0·0	+ 1·1	92	S.E.	S.E.	0·0	0·0	0·0	70	0·00
Means . .		..	29·738	44·9	33·5	11·4	37·8	33·8	48·6	26·3	38·8	38·3	4·0	7·4	2·1	+ 0·1	89	S.W.		..	..	..	Sum 935	Sum 0·77
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
January.			
Sunday . .	31	Positive, with variable tension.	Partially cloudy during the morning; clear for the most part afterwards.
February.			
Monday. .	1	Positive, with weak tension during the morning.	Clear till noon, occasionally cloudy during the afternoon; clear at night.
Tuesday .	2	Positive, with very strong tension; volleys of sparks and galvanic currents were frequent.	Cloudy throughout the day. Snow began to fall at 11h. A.M., and continued till 5h. P.M. Sleet also fell throughout the evening.
Wednesday	3	Positive, with strong tension.	Cloudy throughout the day. Rain fell during the evening. Snow disappeared.
Thursday .	4	Insulating lamp on pole was not burning.	Cloudy till the afternoon; clear for the most part afterwards. Rain fell until near 3h. P.M.
Friday . .	5	Positive, with weak tension.	Partially cloudy during the morning and afternoon; clear at night.
Saturday .	6	Positive, with moderate tension.	Generally clear till noon; partially cloudy during the afternoon; clear at night.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·71 in. at the beginning of the week to 29·84 in. by 1h. P.M. on January 31st; decreased to 29·39 in. by 9h. A.M. on the 4th; and increased to 29·94 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, February 13. [No. 6.

General Register Office, Somerset House,
February 15th, 1858.

In the two weeks of February the mortality of London has shown a slight tendency to decline. The deaths registered were in the last week of the previous month 1363, in the following week 1314, and in the week that ended last Saturday (February 13th) 1195. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1193; but as the deaths in the present return occurred in an increased population, they should be compared with the average, after the latter is raised in proportion to the increase, in which case it will be seen that the number of persons who died last week was less by 117 than would have died if the average rate of mortality had prevailed.

Of the 1195 deaths of last week, 575 (or nearly half) occurred under 20 years of age, 137 in the period 20–40 years, 185 at 40–60, 246 at 60–80, and only 40 at the age of 80 years and upwards. Of these 40, 5 were deaths of nonagenarians, of whom one, a pensioner in Greenwich Hospital, was 94 years old, and two had attained the age of 95.

Of 1172 deaths, 241 are referred in the returns to the zymotic class of diseases, 208 to the constitutional, 533 to the local, 145 to the developmental class, and 45 to *violence*. Of the 45 under the last head, 39 were accidental, one was by homicide, 4 by suicide, and one by public execution. A sailor on board a ship in the West India Dock was suffocated by sulphurous vapour from a stove. In the return made by the coroner's jury the suffocation is described as *accidental.*

The deaths from bronchitis, which in the previous week were 228, decreased last week to 193 (the corrected average being 147). From pneumonia (inflammation of the lungs), 104 persons died (the average 98); from phthisis or consumption 130 (the average being 152). Measles continues to be the most fatal complaint in the zymotic class; it carried off 57 children, the same number as in the previous week; four children died of it in the sub-district of St. John (St. George-in-the-East), and it appears to be most fatal in the East districts generally. Next to measles is whooping-cough, which was fatal to 53 children. Thirty-five persons died of typhus and common fever (3 in Plumstead), and 27 of scarlatina. "Diphtheria" is returned in four cases, in two of which measles was the primary disease. A man died from want of food; a child from erysipelas after vaccination.

Last week the births of 943 boys and 893 girls, in all 1836 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1675.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·954 in. The *highest* reading in the week was 30·09 in. on Friday. The mean temperature of the week was 34·3°, which is less by 4·5° than the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average on every day till Saturday, and on four days the extent of depression was about 7°. The *highest* point attained by the thermometer in the shade was 45·7°, on Sunday (the 7th); and the *lowest* was 28·5° on Monday and Thursday. The mean daily range of temperature was 8·3°; on Sunday the range was 12·4°; on Saturday it was only 5°. The mean dew point temperature was 31·2°, and the difference between this and the mean

air temperature was 3·1°. The mean temperature of the water of the Thames was 39·9°. The mean degree of humidity of the air was 88; on the last two days the humidity was 100, the number which represents complete saturation. In the former half of the week the wind was in the south-east; in the latter half it blew from the north-east. The rain-fall was 0·08 in.

LAMBETH; *Lambeth Church, 2nd Part.*—At 111 East-street, on 4th February, a broker, aged 66 years, "exhaustion, from want of proper and sufficient food. (*Inquest.*)

PANCRAS; *Tottenham Court.*—At University College Hospital, on 1st February, a boiler maker, aged 39 years, "excision of hæmorrhoids (10 days), pyæmia (9 days)." From Lambeth.

ST. MARTIN-IN-THE-FIELDS; *Charing-cross.*—At 41 Charing-cross, on 6th February, the daughter of an auctioneer, aged 14 years, "rubeola maligna (5 days), diphtheria (3 days)."

MARYLEBONE; *Cavendish-square.*—At 23 Harley-mews North, on 6th February, the daughter of a coachman, aged 3 years, "diphtheria (3 days)."

ISLINGTON; *West.*—At 25 King Edward-street, on 7th February, the daughter of a licensed victualler, aged 5 years, "rubeola; pneumonia; diphtheria, with exhaustion."

WHITECHAPEL; *Mile End New Town.*—At 4 Adelaide-place, Spitalfields, on 10th February, the son of a labourer at a colour factory, aged 2 years, "diphtheria (7 days)."

HACKNEY; *Hackney.*—At 3 Elizabeth Cottages, Albion-road, Dalston, on 10th February, the daughter of a laceman, aged 3 months, "erysipelas after vaccination (3 days), pneumonia (4 days)."

SHOREDITCH; *Haggerstone East.*—At 57 Margaret-street, on 3d February, an engine fitter, aged 50 years, "throat disease, chest disease."

POPLAR; *Poplar.*—At West India Export Dock, South Side, on 5th February, a mariner, aged about 30 years, "accidentally suffocated by sulphurous vapour from a stove in a round house on board ship." (*Inquest.*)

BIRTHS Registered LAST WEEK, and in the SIXTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1457	1673	1497	1604	1601	1653	1797	1832	1788	1851	1675·3	1836
Males . .	777	846	785	848	803	849	925	934	895	947	860·9	943
Females .	680	827	712	756	798	804	872	898	893	904	814·4	893

DEATHS Registered LAST WEEK, and in the SIXTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1324	1196	957	1109	970	1235	1178	1546	1151	1264	1193·0	1195*
Males . .	674	594	477	564	492	622	593	764	570	606	595·6	597
Females .	650	602	480	545	478	613	585	782	581	658	597·4	598

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.
BIRTHS	1750	1600	1812	1803	1830	1499	1933	1700	1763	1798	1750	1842	1836
DEATHS	1382	1373	1428	1240	1234	1013	1431	1327	1289	1344	1363	1314	1195
DEATHS (except from Violence) . . .	1349	1340	1395	1209	1197	987	1317	1307	1276	1325	1344	1282	1150
Deaths (except from Violence) at 60 years and upwards . .	326	339	356	268	267	231	277	305	311	333	336	337	279
Small-pox	1	..	2	1	3	1	..	3	2	2	2	3	4
Measles	35	38	33	36	45	41	45	60	65	66	50	57	57
Scarlatina	50	43	44	55	48	30	25	36	39	33	42	31	27
Whooping-cough . .	53	58	58	47	48	37	57	49	41	54	54	51	53
Typhus	41	39	47	38	39	30	42	31	34	35	34	32	35
Diarrhœa	24	15	16	20	13	12	12	9	17	9	5	8	8
Mean Temperature .	44°·2	41°·6	46°·1	45°·0	45°·6	47°·1	39°·1	34°·5	39°·8	37°·5	37°·5	37°·8	34°·3

* The Deaths in the sub-district of Camberwell are not inserted above; an average of 12, derived from the returns of six previous weeks, is substituted for the true number, which is 15.

DEATHS in LONDON, from ALL CAUSES, Registered in the SIXTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 12 1848	Feb. 10 1849	Feb. 9 1850	Feb. 8 1851	Feb. 14 1852	Feb. 12 1853	Feb. 11 1854	Feb. 10 1855	Feb. 9 1856	Feb. 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 13, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	45°·4	45°·0	44°·0	40°·5	38°·8	34°·8	42°·0	30°·9	44°·0	40°·9	40°·6	Mean Temp. 34°·3					
	ALL CAUSES	1324	1196	957	1109	970	1235	1178	1546	1151	1264	1193·0	1195†	575	137	185	246	40
	SPECIFIED CAUSES	1311	1178	939	1096	956	1212	1153	1519	1136	1254	1175·4	1172	568	136	183	245	40
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	338	363	170	219	205	225	269	339	243	227	259·8	241	200	16	10	12	3
II.	CONSTITUTIONAL "	244	204	210	220	210	246	242	259	218	271	232·4	208	58	65	58	25	2
III.	LOCAL "	576	481	400	489	409	581	483	710	518	583	523·0	533	217	42	104	160	10
IV.	DEVELOPMENTAL "	136	110	122	132	111	127	138	189	133	153	135·1	145	69	7	3	43	23
V.	VIOLENT DEATHS	17	20	37	36	21	33	21	22	24	20	25·1	45	24	6	8	5	2
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	315	348	155	210	190	208	254	320	228	215	244·3	231	196	15	8	9	3
	2. ENTHETIC "	5	1	1	1	3	6	7	5	7	6	4·2	5	2	..	2	1	..
	3. DIETIC "	16	10	11	7	9	10	6	10	6	6	9·1	3	..	1	..	2	..
	4. PARASITIC "	2	4	3	1	3	1	2	4	2	..	2·2	2	2	..	..	..	..
II.	1. DIATHETIC "	36	42	40	48	30	52	39	46	34	49	41·6	43	5	1	18	17	2
	2. TUBERCULAR "	208	162	170	172	180	194	203	213	184	222	190·8	165	53	64	40	8	..
III.	1. DISEASES OF NERVOUS SYSTEM	145	126	122	116	123	146	125	156	145	138	134·2	108	52	8	14	29	5
	2. " OF ORGANS OF CIRCULATION	32	40	31	50	44	46	60	57	48	65	47·3	41	6	8	14	12	1
	3. " OF RESPIRATORY ORGANS	315	234	175	253	185	312	223	424	253	307	268·1	323	149	13	59	99	3
	4. " OF DIGESTIVE ORGANS	57	56	55	51	42	46	41	49	45	45	48·7	34	8	8	5	13	..
	5. " OF URINARY ORGANS	9	13	11	6	8	17	13	15	13	16	12·1	14	..	3	8	3	..
	6. " OF ORGANS OF GENERATION	9	4	2	3	1	6	5	3	4	3	4·0	4	..	1	3	..	..
	7. " OF ORGANS OF LOCOMOTION	2	3	1	8	4	6	5	1	4	5	3·9	5	1	..	..	3	1
	8. " OF INTEGUMENTARY SYSTEM	7	5	3	2	2	2	11	5	6	4	4·7	4	1	1	1	1	..
IV.	1. DEV. DISEASES OF CHILDREN	39	30	35	46	46	41	61	71	51	50	47·0	36	36	..	..	..	..
	2. " OF ADULTS	6	7	4	5	3	10	3	5	4	3	5·0	7	..	7	..	..	..
	3. " OF OLD PEOPLE	71	47	56	56	43	59	35	88	50	57	56·2	60	..	..	..	39	21
	4. " OF NUTRITION	20	26	27	25	19	17	39	25	28	43	26·9	42	33	..	3	4	2
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											39	22	3	8	4	2
	3. HOMICIDE*												1	..	1	..	..	..
	4. SUICIDE												4	2	1	..	1	..
	5. EXECUTION												1	..	1	..	..	..
	VIOLENT DEATHS NOT CLASSED	17	20	37	36	21	33	21	22	24	20	25·1	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	11	15	8	5	7	7	11	20	5	1	9·0	4	2	..	1	1	..
	CAUSES NOT SPECIFIED	2	3	10	8	7	16	14	7	10	9	8·6	19†	5	1	1	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 12 is inserted for the sub-district of Camberwell.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 12 1848	Feb. 10 1849	Feb. 9 1850	Feb. 8 1851	Feb. 14 1852	Feb. 12 1853	Feb. 11 1854	Feb. 10 1855	Feb. 9 1856	Feb. 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 13, 1858. Deaths of Persons of the Ages: ALL AGES.	Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	45·4°	45·0°	44·0°	40·5°	38·8°	34·8°	42·0°	30·9°	44·0°	40·9°	40·6°		34·3°					
I.	ORDER 1.																		
	1. Small-pox	33	15	8	25	29	5	7	28	19	3	17·2	4		2	2	..	..	..
	2. Measles	34	13	18	27	9	21	23	21	18	20	20·4	57		57	..	..	..	..
	3. Scarlatina	53	55	11	15	30	48	28	54	31	30	35·5	27		26	..	1	..	..
	4. Quinsy	3	3	1	1	..	..	1	..	1	3	1·3	2		2	..	..	..	..
	5. Croup	8	4	2	8	3	4	11	8	12	9	6·9	18		18	..	..	..	..
	6. Whooping-cough	16	58	36	59	33	53	88	90	42	70	54·5	53		53	..	..	..	..
	7. Typhus (and Infantile fever)	63	71	27	35	35	34	55	43	66	42	47·1	35		22	7	1	3	2
	8. Erysipelas	11	11	10	7	7	6	8	13	8	5	8·6	6		4	1	..	1	..
	9. Metria	10	11	5	4	3	5	2	4	3	3	5·0	2		..	1	1	..	..
	10. Carbuncle	..	..	..	..	2	1	2	2	4	2	1·3	1		1	..	..	..	..
	11. Influenza	47	4	2	4	4	7	3	13	..	2	8·6	1		..	..	..	..	1
	12. Dysentery	5	5	4	2	3	2	2	3	2	1	2·9	1		..	1	..	..	..
	13. Diarrhœa	23	32	20	16	22	13	20	24	13	13	19·6	8		5	..	2	1	..
	14. Cholera	1	55	..	..	3	..	1	2	..	..	6·2	..		..	..	..	..	..
	15. Ague	1	..	..	..	2	..	..	..	..	1	·4	4		1	2	1	..	..
	16. Remittent Fever	2	4	1	2	..	3	1	5	1	5	2·4	1		1	..	..	..	..
	17. Rheumatism	5	7	10	5	5	6	2	10	8	6	6·4	11		4	1	2	4	..
	ORDER 2.																		
	1. Syphilis	3	1	1	..	3	5	7	1	7	3	3·1	2		2	..	..	..	..
	2. Stricture of Urethra	2	..	..	1	..	1	..	4	..	3	1·1	3		..	..	2	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..		..	..	..	..	..
	ORDER 3.																		
	1. Privation	1	..	1	..	3	1	..	1	..	1	·8	1		..	..	..	1	..
	2. Want of Breast-milk	8	1	5	5	4	5	3	7	4	2	4·4	..		..	..	..	..	..
	3. Purpura and Scurvy	..	..	..	..	..	1	1	..	..	2	·4	1		..	..	..	1	..
	4. Alcoholism { *a* Del. Tremens	7	6	3	1	1	1	1	2	..	..	2·2	1		..	1	..	..	..
	4. Alcoholism { *b* Intemperance	..	3	2	1	1	2	1	..	2	1	1·3	..		..	..	..	..	..
	ORDER 4.																		
	1. Thrush	2	4	3	1	3	1	2	4	2	..	2·2	2		2	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*.											..		..	..	..	..	..
II.	ORDER 1.																		
	1. Gout	2	..	2	..	..	2	..	2	..	1	·9	2		..	..	..	1	1
	2. Dropsy	18	22	13	16	17	21	9	18	15	17	16·6	11		4	1	4	2	..
	3. Cancer	12	14	17	27	11	23	22	21	16	26	18·9	26		1	..	14	11	..
	4. Noma	..	1	1	..	..	2	3	1	..	2	1·0	..		..	..	..	..	..
	5. Mortification	4	5	7	5	2	4	5	4	3	3	4·2	4		..	..	..	3	1
	ORDER 2.																		
	1. Scrofula	4	8	4	7	8	9	8	8	7	7	7·0	4		3	1	..	..	..
	2. Tabes Mesenterica	22	12	8	12	11	9	23	23	11	10	14·1	7		7	..	..	..	..
	3. Phthisis	147	113	135	113	122	142	150	158	137	172	138·9	130		19	63	40	8	..
	4. Hydrocephalus	35	29	23	40	39	34	22	24	29	33	30·8	24		24	..	..	..	..
III.	ORDER 1.																		
	1. Cephalitis	11	11	10	10	13	10	9	11	18	16	11·9	12		10	1	1	..	..
	2. Apoplexy	30	23	13	25	23	23	28	25	40	28	25·8	25		5	3	3	10	4
	3. Paralysis	25	29	31	19	21	33	20	38	28	21	26·5	22		..	1	8	12	1
	4. Insanity	2	1	..	1	3	1	2	12	3	1	2·6	..		..	..	..	..	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..
	6. Epilepsy	12	4	5	3	10	16	9	11	5	11	8·6	7		1	3	1	2	..
	7. Convulsions	54	48	49	35	41	50	43	45	39	44	44·8	34		34	..	..	..	..
	8. *Brain Disease, &c.*	11	10	14	23	12	13	14	14	12	17	14·0	8		2	..	1	5	..
	ORDER 2.																		
	1. Pericarditis	2	3	3	3	4	1	3	1	2	3	2·5	1		..	1	..	..	..
	2. Aneurism	1	2	1	2	1	4	1	2	1	3	1·8	1		..	..	1	..	..
	3. *Heart Disease, &c.*	29	35	27	45	39	41	56	54	45	59	43·0	39		6	7	13	12	1
	ORDER 3.																		
	1. Laryngitis	6	7	4	5	4	4	7	8	6	8	5·9	8		7	..	..	1	..
	2. Bronchitis	121	93	84	117	98	168	113	235	136	178	134·3	193		56	10	42	82	3
	3. Pleurisy	5	4	..	6	3	2	..	3	5	1	2·9	1		1	..	..	..	..
	4. Pneumonia	129	103	69	86	54	87	76	126	75	90	89·5	104		83	3	10	8	..
	5. Asthma	40	18	12	29	11	42	13	44	25	26	26·0	11		..	..	5	6	..
	6. *Lung Disease, &c.*	14	9	6	10	15	9	14	8	6	4	9·5	6		2	..	2	2	..
	ORDER 4.																		
	1. Gastritis	3	1	1	3	1	1	2	1	4	1	1·8	1		..	..	..	1	..
	2. Enteritis	14	10	6	7	4	7	6	4	1	1	6·0	2		2	..	..	..	..
	3. Peritonitis	5	5	5	2	4	4	1	7	6	4	4·3	1		..	1	..	..	..
	4. Ascites	1	2	4	1	3	1	5	4	6	6	3·3	2		1	..	1	..	..
	5. Ulceration of Intestines	3	2	1	3	3	2	6	1	..	1	2·2	..		..	..	..	..	..
	6. Hernia	3	3	4	4	1	1	4	2	4	3	2·9	2		..	1	..	1	..
	7. Ileus	3	2	6	4	..	1	3	6	4	2	3·1	1		..	..	..	1	..
	8. Intussusception	..	2	1	3	..	1	1	1	2	1	1·2	..		..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

the Sixth Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 12 1848	Feb. 10 1849	Feb. 9 1850	Feb. 8 1851	Feb. 14 1852	Feb. 12 1853	Feb. 11 1854	Feb. 10 1855	Feb. 9 1856	Feb. 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 13, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	45°·4	45°·0	44°·0	40°·5	38°·8	34°·8	42°·0	30°·9	44°·0	40°·9	40°·6	Mean Temp. 34°·3					
	9. Stricture of Intestines	1	..	3	2	..	..	..	2	..	1	·9	..	..	..	..	..	..
	10. Fistula	..	..	..	1	..	..	..	..	1	1	·3	1	..	..	1	..	..
	11. *Stomach Disease, &c.*	7	9	8	5	6	3	2	5	4	7	5·6	7	2	1	..	4	..
	12. *Pancreas Disease, &c.*	1	..	..	1	..	..	..	..	..	..	·2	..	..	..	..	..	..
	13. Hepatitis	4	5	6	6	2	7	2	4	1	4	4·1	2	..	1	1	..	..
	14. Jaundice	2	7	1	2	5	4	1	3	2	2	2·9	3	1	2	..	..	..
	15. *Liver Disease, &c.*	10	8	9	7	13	13	8	9	10	11	9·8	12	2	2	2	6	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	1	..	..	..	..	·1	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	1	2	..	..	..	..	..	3	..	·6	..	..	..	..	..	..
	2. Ischuria	..	..	1	..	..	..	..	..	1	..	·2	1	..	..	..	1	..
	3. Nephria	1	1	4	4	4	6	5	3	4	5	3·7	4	..	1	3	..	..
	4. Diabetes	2	1	1	..	..	3	..	1	..	3	1·1	..	..	..	..	..	..
	5. Stone	1	1	..	..	..	1	..	..	2	2	·7	..	..	..	..	..	..
	6. Cystitis	1	..	..	..	..	1	1	..	1	..	·4	1	..	..	1	..	..
	7. *Kidney Disease, &c.*	4	9	3	2	4	6	7	11	2	6	5·4	8	..	2	4	2	..
	ORDER 6.																	
	1. Ovarian Dropsy	1	2	1	1	..	3	1	1	..	..	1·0	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	8	2	1	2	1	3	4	2	4	3	3·0	4	..	1	3	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	1	1	..	..	..	1	·3	1	..	..	..	1	..
	2. *Joint Disease, &c.*	2	3	1	8	3	5	5	1	4	4	3·6	4	1	..	..	2	1
	ORDER 8.																	
	1. Phlegmon	4	3	3	1	1	2	5	2	4	1	2·6	..	..	..	..	..	..
	2. Ulcer	1	1	..	1	1	..	5	3	2	1	1·5	3	1	1	1	..	..
	3. *Skin Disease, &c.*	2	1	..	..	..	..	1	..	..	2	·6	1	..	..	..	1	..
IV.	ORDER 1.																	
	1. Premature Birth	18	17	22	30	32	27	39	53	35	27	30·0	12	12	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												2	2	..	..	..	..
	4. Other Malformations	8	3	3	5	5	4	4	5	2	4	4·3	1	1	..	..	..	..
	5. Teething	13	10	10	11	9	10	18	13	14	19	12·7	21	21	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	1	..	1	..	1	..	..	..	..	·3	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	6	6	4	4	3	9	3	5	4	3	4·7	7	..	7	..	..	..
	ORDER 3.																	
	1. Old Age	71	47	56	56	43	59	35	88	50	57	56·2	60	..	..	..	39	21
	ORDER 4.																	
	1. Atrophy and Debility	20	26	27	25	19	17	39	25	28	43	26·9	42	33	..	3	4	2
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	15	2	2	6	3	2
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	15	13	..	1	1	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	8	7	1	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	..	1	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	2	..	1	..	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	Violent Deaths (not classed)	17	20	37	36	21	33	21	22	24	20	25·1	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	11	15	8	5	7	7	11	20	5	1	9·0	4	2	..	1	1	..
	Causes not specified or ill-defined	2	3	10	8	7	16	14	7	10	9	8·6	19†	5	1	1	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 12 is inserted for the sub-district of Camberwell.

DEATHS Registered in the SIXTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Feb. 12 1848	Feb. 10 1849	Feb. 9 1850	Feb. 8 1851	Feb. 14 1852	Feb. 12 1853	Feb. 11 1854	Feb. 10 1855	Feb. 9 1856	Feb. 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Feb. 13 1858.
Mean Temperature . . .			° 45·4	° 45·0	° 44·0	° 40·5	° 38·8	° 34·8	° 42·0	° 30·9	° 44·0	° 40·9	° 40·6	° 34·3
LONDON	78029	2362236	1324	1196	957	1109	970	1235	1178	1546	1151	1264	1193·0	1195
1-6. WEST DISTRICTS .	10786	376427	180	181	137	155	120	209	200	249	167	200	179·8	210
7-11. NORTH DISTRICTS .	13533	490396	233	253	175	181	194	260	246	291	245	238	231·6	272
12-19. CENTRAL DISTRICTS	1938	393256	226	191	175	198	160	205	188	229	181	183	193·6	187
20-25. EAST DISTRICTS .	6230	485522	299	256	188	255	237	249	253	343	270	309	265·9	239
26-36. SOUTH DISTRICTS .	45542	616635	386	315	282	320	259	312	291	434	288	334	322·1	287
1. Kensington*	7374	120004	48	36	39	40	32	69	72	85	68	72	56·1	68
2. Chelsea	865	56538	37	29	28	28	20	22	37	47	24	31	30·3	30
3. St. George Hanover-sq.	1161	73230	23	40	22	30	25	46	31	42	26	27	31·2	32
4. Westminster*	917	65609	35	44	26	28	32	41	33	40	26	47	35·2	36
5. St. Martin-in-the-Fields	305	24640	19	15	11	13	3	13	14	15	12	9	12·4	11
6. St. James Westminster .	164	36406	18	17	11	16	8	18	13	20	11	14	14·6	33
7. Marylebone	1509	157696	68	75	65	52	71	91	76	108	80	57	74·3	74
8. Hampstead	2252	11986	3	4	6	3	3	3	8	5	6	6	4·5	4
9. Pancras	2716	166956	100	86	70	80	63	80	76	98	67	90	81·0	116
10. Islington	3127	95329	36	27	22	32	33	61	48	46	59	48	41·2	54
11. Hackney*	3929	58429	26	61	12	14	24	25	38	36	33	37	30·6	24
12. St. Giles*	245	54214	31	13	28	27	21	32	30	39	21	32	27·4	30
13. Strand*	174	44460	25	25	19	29	9	25	21	28	29	17	22·7	24
14. Holborn*	196	46621	29	23	22	24	27	16	29	31	16	24	24·1	21
15. Clerkenwell	380	64778	34	28	23	29	18	28	25	27	25	32	26·9	24
16. St. Luke	220	54055	36	24	20	24	23	30	29	26	30	26	26·8	24
17. East London* . . .	153	44406	24	14	15	23	23	19	15	21	13	20	18·7	12
18. West London* . . .	136	28790	21	17	28	17	16	26	13	30	32	15	21·5	42
19. London City* . . .	434	55932	26	47	20	25	23	29	26	27	15	17	25·5	10
20. Shoreditch	646	109257	79	69	36	57	54	58	58	83	64	57	61·5	53
21. Bethnal Green . . .	760	90193	50	47	27	46	45	42	30	57	39	58	44·1	30
22. Whitechapel* . . .	406	79759	64	47	37	42	55	37	45	67	40	56	49·0	44
23. St. George in the East .	243	48376	29	21	16	21	15	31	21	28	27	31	24·0	18
24*a*. Stepney*	576	54173	47	57	45	72	51	59	63	77	63	75	60·9	32
24*b*. Mile-end Old Town .	681	56602												33
25. Poplar*	2918	47162	30	15	27	17	17	22	36	31	37	32	26·4	29
26. St. Saviour Southwark*	250	35731	28	28	24	34	18	26	23	27	13	21	24·2	13
27. St. Olave Southwark* .	169	19375	15	20	39	27	18	15	25	34	31	15	23·9	18
28. Bermondsey	688	48128	33	23	27	16	21	32	19	33	17	23	24·4	25
29. St. George Southwark .	282	51824	25	23	20	40	26	25	34	32	21	27	27·3	21
30. Newington	624	64816	48	31	24	27	22	29	35	47	23	45	33·1	19
31. Lambeth	4015	139325	77	65	59	66	66	84	49	108	58	78	71·0	52
32. Wandsworth* . . .	11695	50764	35	31	19	20	12	25	27	41	27	27	26·4	14
33. Camberwell	4342	54667	30	25	19	25	22	22	25	28	25	34	25·5	25†
34. Rotherhithe	886	17805	12	8	2	10	6	5	9	7	6	7	7·2	14
35. Greenwich*	5367	99365	60	52	42	47	35	42	38	51	46	39	45·2	54
36. Lewisham*	17224	34835	23	9	7	8	13	7	7	26	21	18	13·9	32

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848–57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† An average of 12 is inserted for the sub-district of Camberwell, instead of 15 the true number.

LONDON.—DEATHS registered in 119 PUBLIC INSTITUTIONS.

	In the Week ending February 6. Total.	Males.	Females.	In the Week ending February 13. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	249	130	119	228	127	101
46 WORKHOUSES	151	70	81	129	68	61
14 PRISONS . . . . . ‡	–	–	–	1	1	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	3	3	–	7	7	–
15 GENERAL HOSPITALS	67	42	25	67	40	27
7 HOSPITALS FOR SPECIAL DISEASES	4	–	4	6	5	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	1	–	1
4 LYING-IN HOSPITALS . . . . Children .	1	–	1	1	1	–
7 MILITARY AND NAVAL HOSPITALS	6	6	–	1	1	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	–	–	–
20 LUNATIC ASYLUMS	16	8	8	15	4	11

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

NDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 13th February 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	4	57	27	53	8	35
6 WEST DISTRICTS - -	376427	-	12	4	6	-	2
1 NORTH DISTRICTS - -	490396	3	10	5	15	2	9
9 CENTRAL DISTRICTS -	393256	1	7	4	6	1	3
5 EAST DISTRICTS - -	485522	-	20	8	12	3	7
6 SOUTH DISTRICTS - -	616635	-	8	6	14	2	14
WEST DISTRICTS.							
1 St. Mary Paddington *W* H	17252	-	2	-	-	-	-
2 St. John Paddington H -	29053	-	1	-	-	-	-
3 Kensington Town *W* L -	29183	-	-	-	1	-	-
4 Brompton HH - -	14870	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	1	-	-
1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	1	-	-	-	-
3 Chelsea North-east L -	19819	-	-	-	-	-	1
1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	2	2	-	-	1
1 St. John Westmr. HHHP	34295	-	-	1	3	-	-
2 St. Margaret West. *W* HP	31314	-	-	-	-	-	-
1 Charing Cross *W* H -	12587	-	1	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	1	-	-	-
3 Golden-square *W* - -	14139	-	5	-	1	-	-
NORTH DISTRICTS.							
1 All Souls Marylebone H -	28841	-	1	-	-	-	2
2 Cavendish-square - -	14687	-	1	1	-	-	-
3 Rectory Marylebone *W* -	27633	-	1	-	-	-	1
4 St. Mary Marylebone H -	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	-	-	1	-	1
6 St. John Marylebone -	29826	-	-	-	-	-	-
1 Hampstead *W* - -	11986	-	-	-	-	-	-
1 Regent's Park Pancras -	31918	-	-	-	3	-	-
2 Tottenham-court *w*H -	28433	-	-	-	-	-	-
3 Gray's-inn-lane H -	26523	1	1	-	-	-	2
4 Somers-town - - -	35641	-	-	-	1	1	-
5 Camden-town *W* - -	21115	-	3	1	-	-	-
6 Kentish-town - - -	23326	-	-	1	1	-	2
1 Islington West† *W* HHHPP	47881	2	3	-	2	-	-
2 Islington East - - -	47448	-	-	1	6	1	1
1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	1	1	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	1	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	1
1 St. Anne Soho - - -	17335	-	-	2	1	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	1
3 St. Clement Danes H -	15510	-	-	-	-	-	-
1 St. George-the-Martyr H.	18813	-	1	-	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
1 St. James Clerkenwell *W* P	21529	-	-	-	-	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	3	-	-
4 Goswell-street - -	15625	-	-	-	-	-	-
1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	1	-	1	-	1
3 Whitecross-street - -	13657	-	2	-	-	-	-
4 Finsbury - - - -	12941	-	1	-	-	-	-
1 St. Botolph East London	23824	-	-	-	-	-	-
2 Cripplegate P - -	20582	-	-	-	-	-	-
1 West London North *W* HP	12946	1	1	1	1	1	-
2 West London South P -	15844	-	-	-	-	-	-
1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	1	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	1	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	1	1	1	-
3 Hoxton New Town *w* -	23505	-	-	1	-	-	-
4 Hoxton Old Town - -	17431	-	-	-	-	-	-
5 Haggerstone West *W* -	20276	-	1	-	2	-	-
6 Haggerstone East - -	11351	-	1	-	-	-	-
21; 1 Hackney Road - -	23910	-	2	-	1	-	2
2 Green, Bethnal Green *W* HL	23555	-	-	-	1	-	1
3 Church, Bethnal Green -	21787	-	-	1	-	1	-
4 Town, Bethnal Green -	20941	-	-	-	-	-	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	-	-	-
3 Mile End New Town *W* -	14543	-	-	1	1	-	1
4 Whitechapel North *W* -	12530	-	-	-	-	-	-
5 Whitechapel Church H -	7818	-	1	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	-	-	2	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	1	-	-
3 St. John St. Geo. East *W*	9990	-	4	-	1	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	2	1	1	-	-
2 Ratcliff *W* - - -	15212	-	2	1	-	-	-
3 Limehouse *W* - -	22782	-	-	-	-	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	1	1	-	-	1
4 Mile End Old T., East. *Ww* H	27020	-	1	-	1	-	1
25; 1 Bow *w*L - - - -	18778	-	1	-	-	1	-
2 Poplar *W* H - - -	28384	-	3	1	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	1	-	-	-
2 St. Saviour Southwark HH	19709	-	-	1	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	1
2 St. John Horsleydown *W*	11360	-	-	-	-	-	1
28; 1 St. James Bermondsey -	18899	-	-	1	1	-	1
2 St. Mary Magdalen *W* -	13934	-	-	-	1	-	-
3 Leather Market - -	15295	-	-	-	1	-	-
29; 1 Kent Road - - -	18126	-	1	-	-	-	-
2 Borough Road *W* P -	15862	-	-	-	1	1	-
3 London Road LP - -	17836	-	-	-	-	-	-
30; 1 Trinity Newington P -	20922	-	-	-	-	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	-	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	-	-
3 Lambeth Church 1st -	18409	-	-	-	1	-	-
4 Lambeth Church 2nd *W*	26784	-	-	1	-	-	1
5 Kennington 1st - -	24261	-	-	-	2	-	-
6 Kennington 2nd - -	18848	-	-	-	1	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	-	1
2 Battersea *W* L - -	10560	-	-	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	2	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	‡	-	-	-	-	-
3 Peckham - - - -	19444	-	-	-	-	-	1
4 St. George Camberwell -	15849	-	-	-	1	-	-
34; 1 Rotherhithe *W* - -	17805	-	3	-	1	-	1
35; 1 St. Paul Deptford - -	24899	-	2	-	1	-	-
2 St. Nicholas Deptford -	7071	-	-	-	1	-	-
3 Greenwich West H -	18800	-	-	-	-	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	1	3
5 Woolwich Dockyard HP	17140	-	1	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	1	-	-
36; 1 Plumstead - - -	13191	-	1	-	-	-	3
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	1
4 Lewisham Village *Ww* -	6097	-	-	-	1	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

OTE.—The letters placed against the names of the sub-districts ote public institutions situated therein, namely,

W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.
St. George Southwark, for Children - ,, Lewisham Village sub-district.

The numbers on the left of the semicolons refer to the Districts in the preceding page.
Islington West contains the Small-pox and Fever Hospitals.
Return not received in time for insertion above. It contains one death from whooping-cough.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 13th February 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-regis-tering Thermo-meter, read at 9h. p.m.	Lowest on grass, as shown by a self-regis-tering Thermo-meter, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Great-est.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Great-est.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
February.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	7	Apogee	29·860	45·7	33·3	12·4	35·4	31·6	57·8	20·0	42·3	40·6	3·8	8·6	3·3	— 3·8	87	S.E.	E.S.E.	0·0	0·0	0·0	45	0·00
Monday. .	8	..	29·934	39·5	28·5	11·0	31·7	24·5	56·0	—	41·3	40·6	7·2	12·5	4·1	— 7·5	73	E.S.E.	E.S.E.	0·0	0·0	0·0	95	0·00
Tuesday .	9	Greatest Dec. S.	29·969	38·0	31·5	6·5	32·0	25·8	45·8	21·0	40·3	39·7	6·2	8·6	4·1	— 7·0	78	S.E.	S.E.	0·0	0·0	0·0	100	0·00
Wednesday	10	..	29·963	39·0	30·5	8·5	31·8	28·9	52·0	23·0	40·8	39·7	2·9	5·0	0·4	— 6·9	88	E.S.E.	E.N.E.	0·0	0·0	0·0	60	0·00
Thursday.	11	..	29·896	35·8	28·5	7·3	31·2	29·6	36·0	28·0	39·8	38·3	1·6	7·8	1·9	— 7·3	93	N.E.	N.E.	0·0	0·0	0·0	10	0·00
Friday . .	12	..	30·062	43·8	36·0	7·8	37·4	37·3	45·0	29·0	39·3	37·8	0·1	1·8	0·0	— 0·9	100	N.E.	E.N.E.	0·0	0·0	0·0	25	0·01
Saturday.	13	New	29·995	43·8	38·8	5·0	40·4	40·3	45·8	38·0	39·8	37·8	0·1	0·4	0·0	+ 2·2	100	E.N.E.	E.N.E.	0·0	0·0	0·0	20	0·07
Means . .		..	29·954	40·8	32·5	8·3	34·3	31·2	48·3	26·5	40·5	39·2	3·1	6·4	2·0	— 4·5	88	S.E. & N.E.		..	..	..	Sum 355	Sum 0·08
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. February.		Electricity.	Sky and Atmosphere.
Sunday . .	7	Positive, with moderate tension.	The day was fine. The amount of cloud was small during the morning; at all other times of the day the sky was clear.
Monday . .	8	Positive, with moderate tension.	Cloudless throughout the day.
Tuesday . .	9	Positive, with variable tension; at times very active; sparks and galvanic currents were shown.	Partially cloudy till noon; clear afterwards.
Wednesday	10	Insulating lamp on pole was not burning.	Cloudy generally throughout the day.
Thursday .	11	Insulating lamp on pole was not burning.	Overcast throughout the day. Rain fell during the evening.
Friday . .	12	Positive, with strong tension at night.	Overcast throughout the day. Rain fell occasionally, but was small in amount.
Saturday .	13	Negative and very active. Volleys of sparks and galvanic currents were frequent.	Cloudy throughout the day. Thin rain fell frequently. Fog was prevalent during the morning.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·94 in. at the beginning of the week to 29·85 in. by noon on the 7th; increased to 30·02 in. by 9h. A.M. on the 10th; decreased to 29·86 in. by 9h. A.M. on the 11th; increased to 30·09 in. by 9h. P.M. on the 12th; and decreased to 29·92 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty, For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, February 20. [No. 7.

General Register Office, Somerset House,
February 22d, 1858.

The deaths registered in London, which in the previous week were 1195, rose in the week that ended last Saturday (February 20th) to 1275. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1164, but as the deaths of last week occurred in an increased population, they should be compared with the average, when the latter has been raised in proportion to the increase, a correction which will give 1280. The number of deaths actually returned agrees very closely with the number obtained by calculation.

By comparing the results of the last two weeks it will be seen that the deaths caused by zymotic diseases were successively 241 and 230, the corrected average for last week being 282; those caused by "constitutional" diseases rose from 208 to 257, the corrected average being 255; those from "local" diseases rose from 533 to 607, the average being 539; the deaths from "developmental" diseases were respectively 145 and 141, the average being 146; and "violent" deaths were 45 and 25 in the two weeks, the average being 33. Hence it appears that the mortality from zymotic diseases has been nearly stationary during the fortnight, and that the same remark holds with regard to those of the developmental class. The increase under two other heads arises from phthisis, which rose in the two weeks from 130 to 158; from convulsions, which rose from 34 to 43; from disease of the brain, which rose from 8 to 19; and from disease of the heart, which rose from 39 to 53. The continuance of cold weather does not appear to have raised the mortality of bronchial disease within the period referred to, for though the mean temperature of the last fortnight was only 34°, or about 4° below the average, bronchitis was fatal in the two weeks in 193 and 191 cases; pneumonia in 104 and 102. But the mortality of bronchitis is considerably greater than is usual at this time, for if the deaths did not exceed the average of corresponding weeks, they would not be more than 137. The three oldest persons returned were, two women 90 years of age, and a man 91.

The deaths from measles declined from 57 to 34. Whooping-cough has carried off rather more than 50 children in each of the last five weeks. Last week 39 deaths were referred to scarlatina, and chiefly included under this head is an unusual number of cases in which the disease is returned as "diphtheria." These last amount to 15, and are given in detail in the notes. Four persons, of whom one was a man, aged 46 years, died of measles between the 8th and 11th instant inclusive, in the St. Pancras Workhouse.

Last week the births of 1021 boys and 942 girls, in all 1963 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1593.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·872 in. On Wednesday and Thursday the mean reading was above 30 in. The highest reading in the week occurred on the former day, and was 30·04 in. The mean temperature of the week was 34°, which is 4·2° below

the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average throughout the week, and on the last three days the extent of depression was 7° or more. The *highest* point attained by the thermometer in the shade was 47° on Tuesday; the *lowest* was 24° on Friday. The mean daily range of temperature in the week was 12·7°; on Wednesday the range was 18·1°. The difference between the mean dew point temperature and air temperature was 4·1°. The mean temperature of the water of the Thames was 38·9°. The mean degree of humidity of the air was 84. The wind blew from a north-easterly point during the first half of the week, and thereafter from the south-east. The rain-fall measured was 0·97 in., nearly all of which occurred on Sunday.

KENSINGTON; *Town.*—At 24 Lonsdale-road, on 17th February, the daughter of a shoemaker, aged 4 years, "diphtheria (3 days)."

In the same sub-district, at Horbury-terrace, on 17th February, the daughter of a physician, aged 13 years, "diphtheria (5 days)."

KENSINGTON; *Brompton.*—At 1 Holmes-place, on 11th February, a stonemason, aged 69 years, "diphtheria (2 months), dropsy (6 weeks)."

WESTMINSTER; *St. Margaret.*—At 1 King's-row, on 13th February, the daughter of a hairdresser, aged 4 years, "diphtheria, laryngitis (3 days)."

MARYLEBONE; *The Rectory.*—At 6 Paradise-street, on 18th February, the daughter of a farrier, aged 5 years, "diphtheria."

PANCRAS; *Regent's Park.*—At 10 Upper Fitzroy-place, on 12th February, the daughter of a house painter, aged 9 months, "diphtheria (6 weeks)."

PANCRAS; *Tottenham Court-road.*—At University College Hospital, on 14th February, a glass painter, aged 17 years, "diphtheria (36 hours)." From Somers Town.

PANCRAS; *Somers Town.*—At 34 Phœnix-street, on 15th February, the daughter of a deputy turncock, aged 1 year, "diphtheria (a week)."

In the same sub-district, at 95 Chalton-street, on 15th February, the daughter of a tailor, aged 1 year, "diphtheria (10 days)."

ISLINGTON; *East.*—At Alwyne-road, on 15th February, a girl, aged 11 years, "diphtheria (5 days); tracheotomy was performed."

CLERKENWELL; *Amwell.*—At 19 Yardley-street, on 15th February, the daughter of an artist in water colours, aged 5 years, "diphtheria (8 days)."

SHOREDITCH; *Hoxton Old Town.*—At 25 Penn-street, on 10th February, the son of a hairdresser, aged 13 years, "diphtheria."

WHITECHAPEL; *Artillery.*—At 3 Raven-row, Spitalfields, on 16th February, the son of a fish salesman, aged 3 years, "diphtheria (2 weeks)."

LAMBETH; *Lambeth Church, 1st Part.*—At 2 Crozier-street, on 18th February, the daughter of a tailor, aged 11 months, "rubeola, diphtheria (5 days)."

WANDSWORTH; *Clapham.*—At 8 Ashley-terrace, Manor-street, on 10th February, the daughter of a banker's clerk, aged 4 years, "diphtheritic inflammation of fauces."

HACKNEY; *Hackney.*—At the Workhouse, on 9th February, a boy, unknown, aged 18 months, "fit from swallowing indigestible food, unsuited to his tender age." (*Inquest.*)

WHITECHAPEL; *Mile End New Town.*—At 5 Dunk-street, on 16th February, a labourer, aged 25 years, "acne (3 years), tetanus (4 days)."

MILE END OLD TOWN; *Eastern.*—At 7 Union-street, on 12th February, the son of a corn porter, aged 1 year, "dentition, tetanus (3 days)."

STEPNEY; *Shadwell.*—At 2 Back-road, on 8th February, a ship-keeper, aged 66 years, "tympanites (3 days)."

BIRTHS Registered LAST WEEK, and in the SEVENTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1272	1497	1476	1576	1589	1581	1539	1815	1703	1879	1592·7	1963
Males . .	680	779	724	821	765	850	775	903	849	975	812·1	1021
Females . .	592	718	752	755	824	731	764	912	854	904	780·6	942

DEATHS Registered LAST WEEK, and in the SEVENTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	1134	1225	938	1036	1072	1328	1154	1475	1036	1243	1164·1	1275
Males . .	590	640	483	515	544	619	575	741	527	612	584·6	623
Females .	544	585	455	521	528	709	579	734	509	631	579·5	652

DEATHS in LONDON, from ALL CAUSES, Registered in the SEVENTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 19 1848	Feb. 17 1849	Feb. 16 1850	Feb. 15 1851	Feb. 21 1852	Feb. 19 1853	Feb. 18 1854	Feb. 17 1855	Feb. 16 1856	Feb. 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 20, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	41°·7	40°·7	42°·8	39°·6	39°·8	29°·8	35°·1	25°·4	47°·0	42°·5	38°·4	Mean Temp. 34°·0					
	ALL CAUSES	1134	1225	938	1036	1072	1328	1154	1475	1036	1243	1164·1	1275	610	160	201	243	61
	SPECIFIED CAUSES	1094	1202	917	1018	1054	1312	1140	1451	1017	1210	1141·5	1260	601	158	200	241	60
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	322	349	156	222	206	241	263	304	250	251	256·4	230	196	13	10	9	2
II.	CONSTITUTIONAL ,,	210	213	202	211	259	272	239	256	227	232	232·1	257	77	86	71	20	3
III.	LOCAL ,,	427	493	423	434	441	589	471	666	407	553	490·4	607	249	48	111	170	29
IV.	DEVELOPMENTAL ,,	108	121	117	121	114	176	150	199	104	117	132·7	141	68	6	4	38	25
V.	VIOLENT DEATHS	27	26	19	30	34	34	17	26	29	57	29·9	25	11	5	4	4	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	305	337	147	208	197	224	248	292	238	231	242·7	204	174	11	8	9	2
	2. ENTHETIC ,,	8	4	2	5	2	3	2	6	4	10	4·6	11	10	1	..	..	..
	3. DIETIC ,,	9	5	6	8	7	11	10	4	8	9	7·7	10	7	1	2	..	..
	4. PARASITIC ,,	..	3	1	1	..	3	3	2	..	1	1·4	5	5	..	..	..	..
II.	1. DIATHETIC ,,	45	43	36	44	46	43	35	40	39	39	41·0	44	1	5	22	13	3
	2. TUBERCULAR ,,	165	170	166	167	213	229	204	216	188	193	191·1	213	76	81	49	7	..
III.	1. DISEASES OF NERVOUS SYSTEM	117	127	117	104	120	136	144	138	137	136	127·6	129	60	6	22	34	7
	2. ,, OF ORGANS OF CIRCULATION	28	50	37	47	54	44	35	62	23	58	43·8	56	5	12	14	23	2
	3. ,, OF RESPIRATORY ORGANS	213	236	199	220	203	331	217	395	188	288	249·0	327	164	16	49	82	16
	4. ,, OF DIGESTIVE ORGANS	46	53	50	33	37	46	58	46	40	46	45·5	61	13	6	16	23	3
	5. ,, OF URINARY ORGANS	11	13	11	19	14	19	7	14	9	14	13·1	19	1	4	7	6	1
	6. ,, OF ORGANS OF GENERATION	7	4	2	4	3	3	2	2	..	1	2·8	5	1	1	2	1	..
	7. ,, OF ORGANS OF LOCOMOTION	2	6	4	3	6	8	3	4	1	4	4·1	4	3	..	1	..	..
	8. ,, OF INTEGUMENTARY SYSTEM	3	4	3	4	4	2	5	5	9	6	4·5	6	2	3	..	1	..
IV.	1. DEV. DISEASES OF CHILDREN	38	46	40	52	36	53	63	67	36	48	47·9	38	38	..	..	..	..
	2. ,, OF ADULTS	4	7	8	5	4	2	8	8	5	5	5·6	7	..	6	1	..	..
	3. ,, OF OLD PEOPLE	42	50	42	38	55	93	42	83	33	46	52·4	57	..	..	..	32	25
	4. ,, OF NUTRITION.	24	18	27	26	19	28	37	41	30	18	26·8	39	30	..	3	6	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											21	11	4	2	3	1
	3. HOMICIDE *												1	..	..	..	1	..
	4. SUICIDE												3	..	1	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	27	26	19	30	34	34	17	26	29	57	29·9	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	6	10	15	9	11	6	10	15	6	6	9·4	7	3	2	1	1	..
	CAUSES NOT SPECIFIED	34	13	6	9	7	10	4	9	13	27	13·2	8	6	..	..	1	1

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 19 1848	Feb. 17 1849	Feb. 16 1850	Feb. 15 1851	Feb. 21 1852	Feb. 19 1853	Feb. 18 1854	Feb. 17 1855	Feb. 16 1856	Feb. 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 20, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	41°·7	40°·7	42°·8	39°·6	39°·8	29°·8	35°·1	25°·4	47°·0	42°·5	38°·4	Mean Temp. 34°·0					
I.	ORDER 1.																	
	1. Small-pox	34	17	6	26	25	2	8	33	21	4	17·6	4	4	..	..	..	..
	2. Measles	39	15	21	29	14	18	18	20	22	35	23·1	34	33	..	1	..	..
	3. Scarlatina	42	64	13	20	29	36	35	49	23	23	33·4	39	38	..	..	1	..
	4. Quinsy	3	3	2	1	2	1	..	3	..	1	1·6	1	1	..	..	..	..
	5. Croup	3	5	5	10	11	6	9	11	11	4	7·5	9	9	..	..	..	..
	6. Whooping-cough	23	75	31	43	36	66	83	77	62	74	57·0	53	53	..	..	..	..
	7. Typhus (and Infantile fever)	85	50	31	44	35	50	48	47	57	45	49·2	34	24	3	4	3	..
	8. Erysipelas	15	6	9	5	12	9	4	11	4	8	8·3	4	1	..	..	3	..
	9. Metria	5	7	3	2	4	4	3	1	5	6	4·0	4	..	4	..	..	..
	10. Carbuncle	2	..	..	..	1	..	3	1	5	..	1·2	1	..	1	..	..	..
	11. Influenza	27	7	1	3	1	4	1	10	3	2	5·9	1	..	..	..	1	..
	12. Dysentery	4	..	..	2	2	2	7	2	..	2	2·1	4	4	..	..	..	..
	13. Diarrhœa	17	27	18	17	19	15	24	20	16	18	19·1	11	5	2	1	1	2
	14. Cholera	..	49	..	..	..	..	..	..	1	1	5·1	1	1	..	..	..	..
	15. Ague	..	..	..	..	..	..	..	..	1	..	·1	2	..	1	1	..	..
	16. Remittent fever	1	1	2	2	2	3	2	1	1	2	1·7	1	1	..	..	..	..
	17. Rheumatism	5	11	5	4	4	8	3	6	6	6	5·8	1	..	..	1	..	..
	ORDER 2.																	
	1. Syphilis	4	3	1	5	2	2	1	4	3	5	3·0	10	10	..	..	..	..
	2. Stricture of Urethra	4	1	1	..	..	1	1	2	1	5	1·6	1	..	1	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	..	..	2	2	..	1	1	..	1	·8	..	..	..	..	..	..
	2. Want of Breast-milk	3	..	2	2	4	4	5	1	3	5	2·9	7	7	..	..	..	..
	3. Purpura and Scurvy	1	1	1	1	..	1	1	..	2	..	·8	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	3	4	2	2	..	4	..	..	3	1	1·9	3	..	1	2	..	..
	4. Alcoholism { *b* Intemperance	1	..	1	1	1	2	3	2	..	2	1·3	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	..	3	1	1	..	3	3	2	..	1	1·4	5	5	..	..	..	..
	2. Worms, &c.	In 1848-57 classed in this Table with *Disease of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	1	1	..	..	2	2	..	2	2	1·0	2	..	..	..	1	1
	2. Dropsy	17	18	17	20	23	15	14	15	12	9	16·0	10	1	2	4	2	1
	3. Cancer	19	19	14	19	16	22	15	21	23	22	19·0	28	..	2	18	8	..
	4. Noma	2	..	..	..	..	..	..	..	1	1	·4	..	..	..	..	..	..
	5. Mortification	7	5	4	5	7	4	4	4	1	5	4·6	4	..	1	..	2	1
	ORDER 2.																	
	1. Scrofula	6	5	2	7	7	7	10	6	5	5	6·0	7	5	1	..	1	..
	2. Tabes Mesenterica	17	16	15	12	17	14	22	16	17	10	15·6	16	16	..	..	..	..
	3. Phthisis	119	124	113	124	155	167	138	159	134	143	137·6	158	23	80	49	6	..
	4. Hydrocephalus	23	25	36	24	34	41	34	35	32	35	31·9	32	32	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	13	5	19	10	16	7	16	9	12	13	12·0	13	10	1	2	..	..
	2. Apoplexy	23	37	19	23	26	25	17	33	28	26	25·7	22	1	..	5	16	..
	3. Paralysis	30	24	25	15	20	27	36	26	26	16	24·5	18	1	1	5	5	6
	4. Insanity	..	..	..	3	1	1	5	1	3	1	1·5	5	1	..	..	3	1
	5. Chorea	..	1	1	1	..	..	..	..	1	..	·4	..	..	..	..	..	..
	6. Epilepsy	4	4	4	6	9	8	5	8	7	10	6·5	9	1	2	4	2	..
	7. Convulsions	33	39	39	38	35	58	49	44	45	51	43·1	43	42	..	..	1	..
	8. *Brain Disease, &c.*	14	17	10	8	13	10	16	17	15	19	13·9	19	4	2	6	7	..
	ORDER 2.																	
	1. Pericarditis	3	9	5	1	4	2	3	2	1	2	3·2	2	..	2	..	..	..
	2. Aneurism	1	1	2	..	2	1	..	1	..	2	1·0	1	..	..	1	..	..
	3. *Heart Disease, &c.*	24	40	30	46	48	41	32	59	22	54	39·6	53	5	10	13	23	2
	ORDER 3.																	
	1. Laryngitis	8	5	4	2	3	7	5	7	8	3	5·2	9	8	..	..	1	..
	2. Bronchitis	80	103	88	103	93	184	121	218	83	175	124·8	191	70	9	34	62	16
	3. Pleurisy	7	4	3	8	3	3	4	7	4	7	5·0	3	2	..	..	1	..
	4. Pneumonia	97	93	76	73	74	90	64	114	64	78	82·3	102	84	7	7	4	..
	5. Asthma	15	21	22	26	19	36	16	42	20	21	23·8	21	..	..	7	14	..
	6. *Lung Disease, &c.*	6	10	6	8	11	11	7	7	9	4	7·9	1	..	..	1	..	..
	ORDER 4.																	
	1. Gastritis	3	2	2	1	2	2	1	2	..	3	1·8	1	..	1	..	..	..
	2. Enteritis	6	6	6	5	7	6	4	4	1	6	5·1	4	..	1	..	2	1
	3. Peritonitis	8	7	7	3	5	2	7	4	2	3	4·8	3	1	..	2	..	..
	4. Ascites	4	2	3	3	1	2	2	2	4	3	2·6	4	..	..	1	3	..
	5. Ulceration of Intestines	5	2	3	3	2	..	2	3	..	3	2·3	3	..	..	1	2	..
	6. Hernia	1	4	3	1	2	2	7	5	6	4	3·5	3	1	..	1	1	..
	7. Ileus	1	..	1	1	..	3	1	4	4	2	1·7	5	..	..	2	2	1
	8. Intussusception	..	1	..	..	1	1	1	..	..	1	·5	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

the SEVENTH Week of each of the following Years—*continued.*

ass.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 19 1848	Feb. 17 1849	Feb. 16 1850	Feb. 15 1851	Feb. 21 1852	Feb. 19 1853	Feb. 18 1854	Feb. 17 1855	Feb 16 1856	Feb. 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the week ending Saturday, Feb. 20, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	41°·7	40°·7	42°·8	39°·6	39°·8	29°·8	35°·1	25°·4	47°·0	42°·5	38°·4	34°·0					
	9. Stricture of Intestines	1	2	1	..	1	..	2	..	2	1	1·0	1	..	..	..	1	..
	10. Fistula	..	..	..	1	1	1	1	..	1	..	·5	2	..	..	2	..	..
	11. *Stomach Disease, &c.*	5	2	4	6	2	8	7	4	2	2	4·2	14	5	1	1	7	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	6	6	4	4	4	4	6	4	2	3	4·3	6	3	..	2	1	..
	14. Jaundice	2	3	1	..	3	4	2	5	1	5	2·6	4	1	2	..	1	..
	15. *Liver Disease, &c.*	4	16	14	5	6	11	15	9	14	9	10·3	11	2	1	4	3	1
	16 *Spleen Disease, &c.*	..	..	1	..	..	..	..	..	1	1	·3	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	1	1	..	4	..	1	1	..	1	2	1·1	2	1	..	..	1	..
	2. Ischuria	..	..	..	1	1	1	..	1	..	1	·5	1	..	..	1	..	..
	3. Nephria	5	2	4	5	3	5	..	4	4	6	3·8	5	..	1	3	1	..
	4. Diabetes	..	..	2	1	..	3	..	1	1	..	·8	1	..	..	1	..	..
	5. Stone	..	..	1	..	1	..	..	1	3	1	·7	..	..	..	..	..	..
	6. Cystitis	1	2	1	2	1	1	..	..	..	..	·8	2	..	..	..	1	1
	7. *Kidney Disease, &c.*	4	8	3	6	8	8	6	7	..	4	5·4	8	..	3	2	3	..
	ORDER 6.																	
	1. Ovarian Dropsy	3	..	..	1	1	1	1	1	..	..	·8	2	..	1	..	1	..
	2. *Uterus Disease, &c.*	4	4	2	3	2	2	1	1	..	1	2·0	3	1	..	2	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	..	..	1	·1	1	1	..	..	..	..
	2. *Joint Disease, &c.*	2	6	4	3	6	8	3	4	1	3	4·0	3	2	..	1	..	..
	ORDER 8.																	
	1. Phlegmon	1	2	1	2	2	1	1	1	4	3	1·8	3	1	1	..	1	..
	2. Ulcer	1	2	1	2	2	1	4	1	2	..	1·6	1	..	1	..	..	..
	3. *Skin Disease, &c.*	1	..	1	..	..	..	..	3	3	3	1·1	2	1	1	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	23	28	27	27	23	25	38	45	23	25	28·4	22	22	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	6	5	3	2	1	8	5	4	4	3	4·1	..	..	..	..	..	..
	5. Teething	9	13	10	23	12	20	20	18	9	20	15·4	15	15	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	2	..	..	1	..	..	·3	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	4	7	8	5	2	2	8	7	5	5	5·3	7	..	6	1	..	..
	ORDER 3.																	
	1. Old Age	42	50	42	38	55	93	42	83	33	46	52·4	57	..	..	..	32	25
	ORDER 4.																	
	1. Atrophy and Debility	24	18	27	26	19	28	37	41	30	18	26·8	39	30	..	3	6	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	9	2	2	2	2	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	5	5	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	3	3	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	..	..	..	1	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	27	26	19	30	34	34	17	26	29	57	29·9	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	6	10	15	9	11	6	10	15	6	6	9·4	7	3	2	1	1	..
	Causes not specified or ill-defined	34	13	6	9	7	10	4	9	13	27	13·2	8	6	..	..	1	1

ith the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the rethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

Deaths Registered in the Seventh Week of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Feb. 19 1848	Feb. 17 1849	Feb. 16 1850	Feb. 15 1851	Feb. 21 1852	Feb. 19 1853	Feb. 18 1854	Feb. 17 1855	Feb. 16 1856	Feb. 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Feb. 20 1858.
Mean Temperature . . .			41·7°	40·7°	42·8°	39·6°	39·8°	29·8°	35·1°	25·4°	47·0°	42·5°	38·4°	34·0°
LONDON	78029	2362236	1134	1225	938	1036	1072	1328	1154	1475	1036	1243	1164·1	1275
1–6. West Districts .	10786	376427	167	163	133	165	155	207	167	238	154	188	173·7	207
7–11. North Districts .	13533	490396	200	222	183	210	211	272	234	312	239	275	235·8	283
12–19. Central Districts	1938	393256	229	193	153	175	187	222	164	257	166	217	196·3	188
20–25. East Districts .	6230	485522	246	299	205	209	233	275	281	303	213	267	253·1	283
26–36. South Districts .	45542	616635	292	348	264	277	286	352	308	365	264	296	305·2	314
1. Kensington* HHHH .	7374	120004	51	38	32	45	56	48	49	61	65	59	50·4	57
2. Chelsea H*w* . . .	865	56538	37	27	24	26	30	37	31	36	18	24	29·0	29
3. St. George Hanover-sq. H	1161	73230	26	41	30	34	22	40	24	46	27	33	32·3	46
4. Westminster* HHHH .	917	65609	32	35	31	36	27	50	35	52	23	40	36·1	39
5. St. Martin-in-the-Fields H	305	24640	9	14	8	12	10	16	7	17	10	18	12·1	19
6. St. James Westminster .	164	36406	12	8	8	12	10	16	21	26	11	14	13·8	17
7. Marylebone HH . .	1509	157696	50	75	76	75	66	99	75	92	53	105	76·6	83
8. Hampstead	2252	11986	5	3	3	3	2	12	2	3	6	3	4·2	2
9. Pancras HH*w* . . .	2716	166956	97	94	63	79	71	92	79	125	83	92	88·0	110
10. Islington HHH . .	3127	95329	31	33	26	31	46	42	58	55	63	41	42·6	50
11. Hackney* H*w* . . .	3929	58429	17	17	15	22	26	27	20	37	29	34	24·4	38
12. St. Giles* H . . .	245	54214	24	29	30	29	15	34	29	49	26	24	28·9	33
13. Strand* H	174	44460	21	20	17	22	23	19	18	35	13	19	20·7	21
14. Holborn* H . . .	196	46621	32	23	17	26	25	24	19	35	22	23	24·6	17
15. Clerkenwell	380	64778	33	26	13	19	26	37	18	32	24	26	25·4	34
16. St. Luke HH . . .	220	54055	24	28	21	15	32	30	25	35	27	24	26·1	24
17. East London* . . .	153	44406	26	21	8	24	15	27	17	25	11	23	19·7	23
18. West London* H . .	136	28790	48	21	26	17	25	23	27	22	26	57	29·2	23
19. London City*. . . .	434	55932	21	25	21	23	26	28	11	24	17	21	21·7	13
20. Shoreditch *w* . . .	646	109257	52	61	44	50	56	62	71	66	46	73	58·1	53
21. Bethnal Green H . .	760	90193	26	52	43	27	32	58	59	37	49	42	42·5	38
22. Whitechapel* HH . .	406	79759	57	44	38	38	40	48	53	51	33	43	44·5	55
23. St. George-in-the-East .	243	48376	34	31	20	29	31	24	29	46	22	24	29·0	36
24*a*. Stepney *	576	54173	50	86	37	51	57	64	51	71	34	49	55·0	35
24*b*. Mile-end Old Town H*w*	681	56602												27
25. Poplar* H*w* . . .	2918	47162	27	25	23	14	17	19	18	32	29	36	24·0	39
26. St. Saviour Southwark* HH	250	35731	15	28	18	25	18	27	26	24	11	23	21·5	19
27. St. Olave Southwark* HH	169	19375	14	37	18	25	23	31	13	27	20	15	22·3	21
28. Bermondsey	688	48128	22	29	19	22	16	28	25	32	21	29	24·3	27
29. St. George Southwark .	282	51824	28	29	24	22	30	18	25	36	23	34	26·9	26
30. Newington	624	64816	28	38	35	21	29	31	30	28	17	33	29·0	27
31. Lambeth H	4015	139325	87	51	51	62	52	73	64	81	45	56	62·2	71
32. Wandsworth*. . . .	11695	50764	19	25	16	19	23	24	18	25	24	11	20·4	13
33. Camberwell	4342	54667	20	20	15	14	26	45	30	22	17	27	23·6	25
34. Rotherhithe	886	17805	4	11	6	11	5	7	8	12	10	9	8·3	10
35. Greenwich* HHHHH .	5367	99365	46	67	48	47	55	57	58	63	68	47	55·6	60
36. Lewisham*	17224	34835	9	13	14	9	9	11	11	15	8	12	11·1	15

Note.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—Deaths registered in 118 Public Institutions.

	In the Week ending February 13. Total.	Males.	Females.	In the Week ending February 20. Total.	Males.	Females.
Total Deaths in 117 Public Institutions .	228	127	101	235	127	108
45 Workhouses	129	68	61	157	73	84
14 Prisons . . . . . .‡	1	1	–	–	–	–
4 Military and Naval Asylums . . . .§	7	7	–	7	7	–
15 General Hospitals	67	40	27	46	31	15
7 Hospitals for Special Diseases	6	5	1	4	2	2
4 Lying-in Hospitals . . . . Women .	1	–	1	1	–	1
4 Lying-in Hospitals . . . . Children .	1	1	–	–	–	–
7 Military and Naval Hospitals	1	1	–	5	5	–
2 Hospitals and Asylums for Foreigners . .	–	–	–	2	2	–
20 Lunatic Asylums	15	4	11	13	7	6

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

NDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 20th February 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	4	34	39	53	11	34
.*							
-6 WEST DISTRICTS - -	376427	1	3	6	4	5	4
11 NORTH DISTRICTS - -	490396	2	5	13	19	-	8
19 CENTRAL DISTRICTS -	393256	-	3	5	7	2	3
25 EAST DISTRICTS - -	485522	1	14	4	15	2	11
36 SOUTH DISTRICTS - -	616635	-	9	11	8	2	8
WEST DISTRICTS.							
1 St. Mary Paddington *W*H	17252	-	1	-	2	1	1
2 St. John Paddington H -	29053	-	-	-	-	-	-
3 Kensington Town *W*L -	29183	-	-	2	-	-	-
4 Brompton HH - -	14870	-	-	1	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W*LLLL - -	11886	-	-	1	1	-	-
1 Chelsea South H - -	19050	-	-	-	-	1	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	1	-
3 Chelsea North-east L -	19819	-	-	-	-	-	-
1 Hanover Square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	2	1	-	1	-
1 St. John Westmr. HHHP	34295	1	-	-	1	-	-
2 St. Margaret West. *W*HP	31314	-	-	1	-	1	2
1 Charing Cross *W*H -	12587	-	-	-	-	-	1
2 Long Acre - - -	12053	-	-	-	-	-	-
1 Berwick Street - -	10798	-	-	-	-	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
1 All Souls Marylebone H -	28841	-	-	-	2	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	1
3 Rectory Marylebone *W* -	27633	-	-	1	5	-	-
4 St. Mary Marylebone H	22814	-	-	-	-	-	1
5 Christchurch Marylebone	33895	-	-	-	2	-	-
6 St. John Marylebone -	29826	-	-	-	-	-	-
1 Hampstead *W* - -	11986	-	-	-	-	-	-
1 Regent's Park Pancras -	31918	-	-	2	1	-	-
2 Tottenham-court *w*H -	28433	-	-	2	-	-	-
3 Gray's Inn Lane H -	26523	-	-	1	1	-	1
4 Somers Town - - -	35641	-	-	4	1	-	-
5 Camden Town *W* - -	21115	-	4	2	2	-	1
6 Kentish Town - -	23326	-	-	-	1	-	2
1 Islington West† *W*HHHPP	47881	2	-	-	1	-	1
2 Islington East - -	47448	-	1	1	-	-	-
1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford Hill - - -	5549	-	-	-	1	-	1
3 West Hackney L - -	18732	-	-	-	1	-	-
4 Hackney *W*H*w* - -	20850	-	-	-	1	-	-
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
St. George Bloomsbury -	16807	-	-	-	1	-	-
2 St. Giles South *W*H -	19951	-	-	-	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
St. Anne Soho - -	17335	-	-	2	-	-	1
2 St. Mary-le-Strand -	11615	-	-	1	-	-	-
3 St. Clement Danes H -	15510	-	-	-	1	-	-
St. George-the-Martyr H.	18813	-	-	-	-	1	-
2 St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron Hill - - -	13837	-	-	-	-	-	-
St. James Clerkenwell *W*P	21529	-	-	-	-	-	1
2 Amwell Clerkenwell P -	15720	-	-	1	-	-	-
3 Pentonville - - -	11904	-	-	-	-	1	-
4 Goswell-street - - -	15625	-	-	-	-	-	-
Old-street H - - -	10617	-	1	-	1	-	-
2 City-road HL - -	16840	-	-	-	2	-	-
3 Whitecross-street - -	13657	-	-	-	1	-	-
4 Finsbury - - - -	12941	-	-	-	-	-	-
St. Botolph East London	23824	-	2	-	-	-	-
2 Cripplegate P - -	20582	-	-	1	-	-	-
West London North *W*HP	12946	-	-	-	-	-	-
2 West London South P -	15844	-	-	-	-	-	-
1 London City South-west -	9204	-	-	-	1	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South - -	11461	-	-	-	-	-	1
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	1	-	1	-	1
2 St. Leonard Shoreditch L	19449	-	-	-	2	-	-
3 Hoxton New Town *w* -	23505	-	-	-	-	-	-
4 Hoxton Old Town - -	17431	-	-	1	-	-	-
5 Haggerstone West *W* -	20276	1	-	-	1	-	-
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney-road - - -	23910	-	-	-	1	-	1
2 Green, Bethnal Green *W*HL	23555	-	-	-	2	-	-
3 Church, Bethnal Green -	21787	-	1	-	-	-	-
4 Town, Bethnal Green -	20941	-	-	-	-	-	-
22; 1 Artillery Whitechapel -	6769	-	-	1	-	-	1
2 Spitalfields - - -	15336	-	1	-	-	-	1
3 Mile End New Town *W*	14543	-	-	-	-	-	1
4 Whitechapel North *W* -	12530	-	-	-	-	-	4
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	1	-	1	-	-
7 Aldgate H - - -	10694	-	-	-	1	-	-
23; 1 St. Mary St. Geo. East -	18067	-	1	-	1	-	-
2 St. Paul St. Geo. East -	20319	-	1	-	2	-	1
3 St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	2	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	1
3 Limehouse *W* - -	22782	-	1	1	3	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	1	-	-	1	-
2 Mile End Old T., East. *Ww*H	27020	-	-	-	-	1	-
25; 1 Bow *w*LH - - -	18778	-	2	-	-	-	-
2 Poplar *W* - - -	28384	-	2	1	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	2	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	1	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	1	1	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	1	-	-
3 Leather Market - -	15295	-	-	-	-	-	-
29; 1 Kent-road - - -	18126	-	-	-	-	-	1
2 Borough-road *W*P -	15862	-	-	-	-	-	-
3 London-road LP - -	17836	-	2	-	-	-	-
30; 1 Trinity Newington P -	20922	-	-	-	1	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	-	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	1	2	-	-	1
2 Waterloo-road 2nd H -	18348	-	-	1	-	-	-
3 Lambeth Church 1st -	18409	-	1	1	-	-	1
4 Lambeth Church 2nd *W*	26784	-	-	1	-	-	-
5 Kennington 1st - -	24261	-	-	-	-	-	2
6 Kennington 2nd - -	18848	-	-	-	-	-	1
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	1	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	-	1	-
2 Battersea *W*L - -	10560	-	-	-	-	-	1
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W*LL - -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	1	-	-	-
4 St. George Camberwell -	15849	-	-	-	1	-	-
34; 1 Rotherhithe *W* - -	17805	-	1	-	1	-	-
35; 1 St. Paul Deptford - -	24899	-	1	-	-	1	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	-	-	-	1
4 Greenwich East *W*H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	1	-	1	-	-
6 Woolwich Arsenal HPH	15227	-	1	-	1	-	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	1	-	-	-

OTE.—The letters placed against the names of the sub-districts te public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

The numbers on the left of the semicolons refer to the Districts in the preceding page.
Islington West contains the Small-pox and Fever Hospitals.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 20TH FEBRUARY 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
FEBRUARY.																									
SUNDAY .	14	..	29·784	41·5	34·0	7·5	36·7	36·5	40·5	39·2	39·8	39·3	0·2	0·7	0·0	— 1·3	99	E.N.E.	E.N.E.	0·0	0·0	0·0	110	0·91
MONDAY .	15	..	29·804	42·9	30·5	12·4	36·0	33·3	49·8	24·1	39·1	38·3	2·7	7·1	1·3	— 2·1	89	N.E.	N.N.E.	0·0	0·0	0·0	70	0·06
TUESDAY .	16	In Equator.	29·871	47·0	33·2	13·8	37·3	31·5	61·4	25·2	40·1	38·8	5·8	7·8	3·9	— 0·8	83	N.N.E.	N.N.E.	0·0	0·0	0·0	45	0·00
WEDNESDAY	17	..	30·027	46·0	27·9	18·1	35·6	32·4	62·2	28·2	39·1	38·6	3·2	7·9	2·6	— 2·6	89	N.	E.S.E.	0·0	0·0	0·0	20	0·00
THURSDAY .	18	..	30·002	38·0	27·7	10·3	30·8	22·9	49·2	20·0	39·3	38·8	7·9	10·6	5·1	— 7·5	73	S.E.	E.	0·0	0·0	0·0	85	0·00
FRIDAY . .	19	..	29·865	37·0	24·0	13·0	30·0	26·4	—	12·2	38·8	38·3	3·6	7·8	2·2	— 8·4	83	E.S.E.	E.	0·0	0·0	0·0	50	0·00
SATURDAY .	20	First Quarter, at 53 m. after midnight.	29·753	39·6	25·9	13·7	31·6	26·0	52·0	17·2	38·1	37·6	5·6	11·5	4·8	— 6·9	74	E.S.E.	S.E.	0·0	0·0	0·0	90	0·00
MEANS . .		..	29·872	41·7	29·0	12·7	34·0	29·9	(6 days) 52·5	23·7	39·2	38·5	4·1	7·6	2·8	— 4·2	84	N.E.		..	..	..	Sum 470	Sum 0·97
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
FEBRUARY.			
SUNDAY . .	14	Nothing was shown at any examination.	Overcast throughout the day. Rain fell generally, and during the evening it was mingled sleet.
MONDAY. .	15	Strong positive during the morning.	Overcast throughout the day.
TUESDAY .	16	Weak positive during the morning; strong positive at night.	Cloudy for the most part throughout the day.
WEDNESDAY	17	Strong positive throughout the day. Volleys of sparks and galvanic currents.	Clear throughout the day.
THURSDAY .	18	Positive, with variable tension.	Generally clear throughout the day.
FRIDAY . .	19	The insulating lamp on the pole was not burning.	Cloudless throughout the day.
SATURDAY .	20	The insulating lamp on the pole was not burning.	Cloudless throughout the day.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·92 in. at the beginning of the week to 29·78 in. by noon on the 14th; increased to 29·82 in. by 9h. A.M. on the 15th; decreased from noon to 29·80 in. by 9h. P.M. on the same day; increased to 30·04 in. by 9h. P.M. on the 17th; turned to decrease a little before noon on the 18th; and was 29·74 in. at the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, February 27. [No. 8.

General Register Office, Somerset House,
March 1st, 1858.

In the week that ended on Saturday (February 27th) 1288 deaths were registered in London, a number which exhibits a slight increase on that of the previous week. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1209; but as the deaths returned for last week occurred in an increased population, they should be compared with the average when the latter has been raised in proportion to the increase, a correction which will give 1330. The result of the figures as stated is that the deaths in last week were less by only 42 than those which would have taken place by the estimated mortality. The mean temperature of the air last week was 33·1°, which is 6° below the average. In the same week of February 1855 the cold was considerably more severe; the mean temperature fell to 26·7°, and the deaths in London rose to 1604.

The total numbers of deaths in the last two weeks were nearly the same; they were 1275 and 1288; and the numbers in the two weeks, in five distinct periods of life, show also extremely little variation: the deaths under 20 years of age were respectively 610 and 609; those in the period 20–40 years were 160 and 164; those in the next period 40–60 were 201 and 204; at 60 to 80, 243 and 250; and deaths at 80 years and upwards 61 and 57. Of the 57 deaths 9 were those of nonagenarians, the oldest of whom was a widow, aged 94 years.

The deaths from diseases of the respiratory organs were in the last two weeks 327 and 339 (the corrected average for last week being 293); those from bronchitis were 191 and 195 (the average being 151); those from pneumonia 102 and 105 (the average being 91). Phthisis was fatal in the same times in 158 and 146 cases. It appears therefore that the observation which was made in the last weekly report remains equally applicable to the facts obtained from the returns of an additional week,—that, though the mortality of bronchitis is higher than usual, the continuance of cold weather had not been attended by a continual increase of the mortality from pulmonary complaints.

The deaths from whooping-cough have exceeded 50 in each of the last six weeks; those from measles again rose last week to 57; the disease being chiefly fatal in the East districts, particularly St. George-in-the-East, Limehouse, and Poplar. Scarlatina carried off 53 persons, of whom 4 were adults; "diphtheria" is recorded in 11 cases, either as the primary cause of death, or as supervening on some other form of disease. Three young children died of measles, all on the 20th February, in the Workhouse at Norwood. In addition to the 4 deaths from measles in the St. Pancras Workhouse, mentioned last week, five occurred in the same house from that disease, as follows:—3 on February 16th; one on the 17th, and one on the 19th.

Last week the births of 942 boys and 868 girls, in all 1810 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1648.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·837 in. The *highest* barometrical reading occurred on Thursday, and was 30·21 in. The mean temperature of the week was 33·1°, and the mean

daily reading was below the average on every day, the extent of depression on the last three days having been equal to 7° or 9°. The mean daily range of temperature in the week was 12·9°. The *highest* reading of the thermometer in the week was 44·1° on Wednesday; the *lowest* was 23·5° on Friday, or 8·5° below the freezing point of water. On that day the *highest* reading was 37·2°, and the mean 30·3°. The difference between the mean dew point temperature and air temperature was 5·6°. The mean degree of humidity of the air was 77; on Thursday the humidity was only 67. The mean temperature of the water of the Thames was 37·2°, or 4° above that of the air. During the first half of the week the wind blew from the south-east and east; during the remainder from the north-east. No rain was measured in the week.

Kensington; *Town.*—On 24th February, a male, aged 78 years, "disease of the prostate (many years), chronic cystitis (14 days), diphtheria (1 week)."

In the same sub-district, on 21st February, a male, aged 44 years, "pleuritis, with extensive effusion, and diphtheria."

Pancras; *Somers Town.*—At 25 West-street, on 26th February, the son of a tailor, aged 3 years, "diphtheria (6 days)."

Pancras; *Kentish Town.*—At 8 Fitzroy-terrace, Haverstock Hill, on 25th February, the son of a banker's clerk, aged 3 years, "diphtheria (14 days)."

Islington; *East.*—At 1 Bird's-buildings, on 23d February, the daughter of a carpenter, aged 1 year and 6 months, "pertussis (1 year), diphtheria (4 days)."

Hackney; *Hackney.*—At Lavender-grove, Dalston, on 23d February, the daughter of a mercantile clerk, aged 11 months, "diphtheria (7 days), tracheitis."

St. Giles; *St. George Bloomsbury.*—At 37 Bedford-place, on 22d February, the daughter of a physician, aged 3 years, "diphtheria (15 days), convulsions (1 day)."

Bethnal Green; *Church.*—At 26 Sommerford-street, on 10th February, the daughter of a silk weaver, aged 6 years, "diphtheria (2 days)."

Stepney; *Limehouse.*—At 9 James-street, on 22d February, the daughter of a mariner, aged 4 months, "diphtheria (1 week)."

Wandsworth; *Putney.*—At Roehampton, on 26th February, the son of a labourer, aged 4 years, "diphtheria (14 days)."

Camberwell; *Peckham.*—At 2*a* Marlborough-road, on 21st February, the daughter of a professor of music, aged 4 years, "diphtheria (5 days)."

West London; *South.*—At 47 Bell-yard, St. Dunstan's, on 22d February, the wife of a greengrocer, aged 47 years, "labour, craniotomy (48 hours), internal hæmorrhage."

Lambeth; *Waterloo, 2d Part.*—On 22d February, a lighterman, aged 47 years, "natural, affection of the brain, accelerated by exposure and intemperance, being found insensible in a shed." (*Inquest.*)

In the same sub-district, at 4 Frazier-street, on 23d February, the son of a chair maker, aged 6 weeks, "eczema (4 weeks)."

Births Registered last Week, and in the Eighth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1364	1490	1536	1567	1638	1662	1795	1790	1818	1821	1648·1	1810*
Males . .	688	735	781	792	831	846	891	916	885	925	829·0	942
Females .	676	755	755	775	807	816	904	874	933	896	819·1	868

Deaths Registered last Week, and in the Eighth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1145	1191	911	1213	1069	1344	1334	1604	1062	1216	1208·9	1288*
Males . .	602	605	467	607	544	664	657	791	541	624	610·2	606
Females .	543	586	444	606	525	680	677	813	521	592	598·7	682

* The Births and Deaths in the sub-district of Lee are not inserted above. Averages of 4 births and 4 deaths, derived from the returns of six previous weeks, are inserted instead of the true numbers, which are 6 and 4 respectively.

DEATHS in LONDON, from ALL CAUSES, Registered in the EIGHTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 26 1848	Feb. 24 1849	Feb. 23 1850	Feb. 22 1851	Feb. 28 1852	Feb. 26 1853	Feb. 25 1854	Feb. 24 1855	Feb. 23 1856	Feb. 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 27, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	45°·0	45°·4	47°·2	42°·5	37°·9	33°·8	40°·9	26°·7	35°·6	41°·2	39°·6	Mean Temp. 33°·1					
	ALL CAUSES	1145	1191	911	1213	1069	1344	1334	1604	1062	1216	1208·9	1288†	609	164	204	250	57
	SPECIFIED CAUSES	1128	1164	877	1192	1046	1316	1314	1589	1044	1193	1186·3	1279	604	164	204	250	57
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	322	336	176	228	223	222	276	318	224	210	253·5	240	202	15	13	9	1
II.	CONSTITUTIONAL "	226	224	180	240	246	230	265	323	219	244	239·7	251	78	83	66	24	..
III.	LOCAL "	430	465	391	556	433	631	546	711	447	569	517·9	605	226	60	116	176	27
IV.	DEVELOPMENTAL "	108	100	104	142	116	190	169	200	120	132	138·1	160	84	4	4	39	29
V.	VIOLENT DEATHS	42	39	26	26	28	43	58	37	34	38	37·1	23	14	2	5	2	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	306	317	167	205	210	206	248	293	205	197	235·4	227	191	15	12	9	..
	2. ENTHETIC "	5	4	1	4	..	2	8	5	7	6	4·2	3	3	..	..	..	..
	3. DIETIC "	9	14	5	17	11	13	11	19	10	5	11·4	7	6	..	1	..	..
	4. PARASITIC "	2	1	3	2	2	1	9	1	2	2	2·5	3	2	..	..	..	1
II.	1. DIATHETIC "	33	50	42	50	40	32	48	54	46	44	43·9	43	1	7	20	15	..
	2. TUBERCULAR "	193	174	138	190	206	198	217	269	173	200	195·8	208	77	76	46	9	..
III.	1. DISEASES OF NERVOUS SYSTEM	128	126	108	139	119	142	137	154	115	132	130·0	139	54	13	17	47	8
	2. " OF ORGANS OF CIRCULATION	34	39	50	66	53	56	59	55	62	59	53·3	48	8	12	17	11	..
	3. " OF RESPIRATORY ORGANS	208	239	167	277	193	371	262	434	203	304	265·8	339	145	24	56	99	15
	4. " OF DIGESTIVE ORGANS	36	43	37	40	46	36	58	48	42	44	43·0	44	8	5	17	11	3
	5. " OF URINARY ORGANS	15	9	14	14	15	14	10	11	11	20	13·3	12	2	3	2	4	1
	6. " OF ORGANS OF GENERATION	3	2	4	3	3	..	7	3	2	4	3·1	11	1	3	5	2	..
	7. " OF ORGANS OF LOCOMOTION	2	6	3	9	2	8	2	2	3	3	4·0	6	4	..	..	2	..
	8. " OF INTEGUMENTARY SYSTEM	4	1	8	8	2	4	11	4	9	3	5·4	6	4	..	2	..	..
IV.	1. DEV. DISEASES OF CHILDREN	40	36	37	44	39	56	68	54	45	49	46·8	45	45	..	..	..	..
	2. " OF ADULTS	7	5	4	6	7	10	8	2	4	3	5·6	6	..	4	2	..	..
	3. " OF OLD PEOPLE	40	46	45	61	51	87	54	89	41	48	56·2	60	..	..	..	31	29
	4. " OF NUTRITION	21	13	18	31	19	37	39	55	30	32	29·5	49	39	..	2	8	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											20	14	1	3	2	..
	3. HOMICIDE*												..	..	..	..	..	..
	4. SUICIDE												3	..	1	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	42	39	26	26	28	43	58	37	34	38	37·1	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	13	9	22	16	14	7	11	4	12	7	11·5	2	2	..	..	..	..
	CAUSES NOT SPECIFIED	4	18	12	5	9	21	9	11	6	16	11·1	7†	3	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.
† An average of 4 is inserted for the sub-district of Lee.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 26 1848	Feb. 24 1849	Feb. 23 1850	Feb. 22 1851	Feb. 28 1852	Feb. 26 1853	Feb. 25 1854	Feb. 24 1855	Feb. 23 1856	Feb. 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 27, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	45°·0	45°·4	47°·2	42°·5	37°·9	33°·8	40°·9	26°·7	35°·6	41°·2	39°·6	Mean Temp. 33°·1					
I.	ORDER 1.																	
	1. Small-pox	30	20	9	18	29	3	4	31	10	5	15·9	2	2	..	..	..	..
	2. Measles	33	16	24	29	11	8	23	30	17	23	21·4	57	57	..	..	..	..
	3. Scarlatina	43	50	11	9	22	28	29	47	28	19	28·6	53	49	4	..	..	..
	4. Quinsy	4	..	..	1	1	2	..	3	3	3	1·7	..	..	..	..	..	..
	5. Croup	8	7	6	8	7	9	21	9	12	4	9·1	6	6	..	..	..	..
	6. Whooping-cough	30	76	36	65	47	51	72	82	40	53	55·2	53	53	..	..	..	..
	7. Typhus (and Infantile fever)	77	53	33	36	42	46	52	37	58	45	47·9	27	13	5	6	3	..
	8. Erysipelas	12	14	11	5	9	10	3	8	8	10	9·0	4	3	..	1	..	..
	9. Metria	6	8	7	3	2	5	1	8	4	5	4·9	2	..	1	1	..	..
	10. Carbuncle	..	..	..	..	1	2	3	..	..	2	·8	2	..	1	..	1	..
	11. Influenza	33	2	2	4	5	6	1	5	1	2	6·1	4	1	1	2	..	..
	12. Dysentery	3	2	3	2	4	3	5	3	2	..	2·7	1	..	..	..	1	..
	13. Diarrhœa	20	23	21	16	20	24	28	21	11	18	20·2	9	6	..	2	1	..
	14. Cholera	2	40	..	..	1	..	..	..	..	1	4·4	..	..	..	..	..	..
	15. Ague	..	1	..	..	..	2	1	1	1	1	·7	..	..	..	..	..	..
	16. Remittent Fever	1	1	..	3	2	2	..	3	1	3	1·6	..	..	..	..	..	..
	17. Rheumatism	4	4	4	6	7	5	5	5	9	3	5·2	7	1	3	..	3	..
	ORDER 2.																	
	1. Syphilis	3	3	1	4	..	1	6	4	6	4	3·2	3	3	..	..	..	..
	2. Stricture of Urethra	2	1	..	..	..	1	2	1	1	2	1·0	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	1	..	3	1	3	..	..	..	..	·9	..	..	..	..	..	..
	2. Want of Breast-milk	4	3	1	4	8	1	3	12	6	..	4·2	6	6	..	..	..	..
	3. Purpura and Scurvy	3	..	..	2	..	1	2	2	1	2	1·3	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	6	3	5	2	5	5	4	2	..	3·3	..	..	..	..	..	..
	4. Alcoholism { *b* Intemperance	..	4	1	3	..	3	1	1	1	3	1·7	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	2	1	3	2	2	1	9	1	2	2	2·5	3	2	..	..	..	1
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	..	2	..	3	2	3	2	3	3	1·9	..	..	..	..	..	..
	2. Dropsy	13	24	12	24	19	12	20	27	17	14	18·2	17	..	2	6	9	..
	3. Cancer	17	21	23	22	17	17	22	16	20	24	19·9	20	1	4	13	2	..
	4. Noma	..	1	1	..	..	..	..	1	..	..	·3	..	..	..	..	..	..
	5. Mortification	2	4	4	4	1	1	3	8	6	3	3·6	6	..	1	1	4	..
	ORDER 2.																	
	1. Scrofula	7	8	6	8	11	5	6	9	6	4	7·0	14	11	3	..	..	..
	2 Tabes Mesenterica	22	15	13	13	16	12	23	20	10	14	15·8	14	14	..	..	..	..
	3. Phthisis	135	123	94	137	143	147	154	204	133	142	141·2	146	19	73	45	9	..
	4. Hydrocephalus	29	28	25	32	36	34	34	36	24	40	31·8	34	33	..	1	..	..
III.	ORDER 1.																	
	1. Cephalitis	11	15	10	7	14	14	14	12	9	6	11·2	13	10	1	1	1	..
	2. Apoplexy	23	21	22	34	18	23	28	32	25	30	25·6	36	1	5	9	17	4
	3. Paralysis	28	22	16	25	18	28	24	47	20	24	25·2	28	..	2	4	19	3
	4. Insanity	1	2	3	2	2	6	2	3	1	2	2·4	2	..	1	..	1	..
	5. Chorea	..	..	..	..	..	..	..	1	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	5	13	7	8	6	6	5	4	10	7	7·1	6	1	1	2	2	..
	7. Convulsions	44	38	41	47	46	54	49	44	35	56	45·4	41	40	1	..	..	..
	8. *Brain Disease, &c.*	16	15	9	16	15	11	15	11	15	7	13·0	13	2	2	1	7	1
	ORDER 2.																	
	1. Pericarditis	1	2	4	5	2	3	3	2	4	5	3·1	1	..	..	1	..	..
	2. Aneurism	2	..	5	1	3	4	1	1	1	1	1·9	..	..	..	..	..	..
	3. *Heart Disease, &c.*	31	37	41	60	48	49	55	52	57	53	48·3	47	8	12	16	11	..
	ORDER 3.																	
	1. Laryngitis	1	8	2	8	6	10	5	6	4	7	5·7	4	2	2	..	..	..
	2. Bronchitis	86	118	79	119	89	212	134	260	106	166	136·9	195	58	8	39	77	13
	3. Pleurisy	7	5	3	8	3	5	6	5	6	2	5·0	3	..	..	1	2	..
	4. Pneumonia	89	88	51	98	67	93	82	100	67	91	82·6	105	85	9	6	5	..
	5. Asthma	11	8	21	32	21	40	30	44	13	33	25·3	28	..	3	9	14	2
	6. *Lung Disease, &c.*	14	12	11	12	7	11	5	19	7	5	10·3	4	..	2	1	1	..
	ORDER 4.																	
	1 Gastritis	..	1	2	2	3	1	..	1	3	..	1·3	4	..	1	2	1	..
	2. Enteritis	9	7	2	6	7	2	11	3	3	5	5·5	1	..	1	..	..	..
	3. Peritonitis	4	5	1	1	7	..	4	5	4	1	3·2	1	..	..	1	..	..
	4. Ascites	2	..	1	1	6	4	..	3	3	3	2·3	2	..	1	..	1	..
	5. Ulceration of Intestines	2	2	3	1	1	4	3	3	6	2	2·7	1	..	..	1	..	..
	6. Hernia	5	5	3	2	1	3	2	7	1	3	3·2	5	..	..	2	2	1
	7. Ileus	1	1	1	4	..	2	5	3	2	2	2·1	3	1	..	1	1	..
	8. Intussusception	..	3	..	1	1	1	1	1	1	1	1·0	1	1	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

n the EIGHTH Week of each of the following Years—*continued.*

lass.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Feb. 26 1848	Feb. 24 1849	Feb. 23 1850	Feb. 22 1851	Feb. 28 1852	Feb. 26 1853	Feb. 25 1854	Feb. 24 1855	Feb. 23 1856	Feb. 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Feb. 27, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	45°·0	45°·4	47°·2	42°·5	37°·9	33°·8	40°·9	26°·7	35°·6	41°·2	39°·6	Mean Temp. 33°·1					
	9. Stricture of Intestines	1	..	1	..	1	..	..	..	..	1	·4	..	..	..	..	..	..
	10. Fistula	..	..	..	..	..	1	..	..	..	1	·2	3	..	1	2	..	..
	11. *Stomach Disease, &c.*	4	5	7	2	6	6	6	9	5	11	6·1	10	3	1	2	2	2
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	1	3	3	8	2	4	4	2	2	1	3·0	2	..	..	..	2	..
	14. Jaundice	1	3	5	3	3	..	4	2	4	1	2·6	2	2	..	..	..	..
	15. *Liver Disease, &c.*	5	8	8	9	8	8	18	9	8	12	9·3	9	1	..	6	2	..
	16. *Spleen Disease, &c.*	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	..	..	2	..	..	..	..	·2	1	1	..	..	..	..
	2. Ischuria	1	..	..	1	1	..	..	..	..	1	·4	1	..	..	..	1	..
	3. Nephria	4	3	2	1	6	5	1	2	3	9	3·6	4	..	2	1	1	..
	4. Diabetes	2	..	1	..	1	1	..	1	..	..	·6	..	..	..	..	..	..
	5. Stone	..	1	1	1	..	3	2	..	1	2	1·1	1	..	..	1	..	..
	6. Cystitis	1	..	..	1	..	..	..	1	..	2	·5	1	..	..	..	1	..
	7. *Kidney Disease, &c.*	7	5	10	10	7	3	7	7	7	6	6·9	4	1	1	..	1	1
	ORDER 6.																	
	1. Ovarian Dropsy	3	1	1	..	..	..	1	..	1	..	·7	3	..	1	2	..	..
	2. *Uterus Disease, &c.*	..	1	3	3	3	..	6	3	1	4	2·4	8	1	2	3	2	..
	ORDER 7.																	
	1. Arthritis	..	..	1	..	1	1	..	..	..	..	·3	2	2	..	..	..	..
	2. *Joint Disease, &c.*	2	6	2	9	1	7	2	2	3	3	3·7	4	2	..	..	2	..
	ORDER 8.																	
	1. Phlegmon	4	1	4	3	1	3	9	2	5	3	3·5	3	2	..	1	..	..
	2. Ulcer	..	..	3	2	..	..	1	2	..	..	·8	1	1	..	..	..	..
	3. *Skin Disease, &c.*	..	..	1	3	1	1	1	..	4	..	1·1	2	1	..	1	..	..
IV.	ORDER 1.																	
	1. Premature Birth	24	23	22	27	23	36	40	34	28	32	28·9	17	17	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848–57 are not distinguished, but are placed in the next line following.											2	2	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	6	3	3	3	3	5	9	5	3	4	4·4	6	6	..	..	..	..
	5. Teething	10	10	12	14	13	15	19	15	14	13	13·5	19	19	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	7	5	4	6	7	10	8	2	4	3	5·6	6	..	4	2	..	..
	ORDER 3.																	
	1. Old Age	40	46	45	61	51	87	54	89	41	48	56·2	60	..	..	..	31	29
	ORDER 4.																	
	1. Atrophy and Debility	21	13	18	31	19	37	39	55	30	32	29·5	49	39	..	2	8	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	7	3	..	2	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	5	4	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	7	7	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	*In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	42	39	26	26	28	43	58	37	34	38	37·1	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	13	9	22	16	14	7	11	4	12	7	11·5	2	2	..	..	..	..
	Causes not specified or ill-defined	4	18	12	5	9	21	9	11	6	16	11·1	7†	3	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 4 is inserted for the sub-district of Lee.

DEATHS Registered in the EIGHTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Feb. 26 1848	Feb. 24 1849	Feb. 23 1850	Feb. 22 1851	Feb. 28 1852	Feb. 26 1853	Feb. 25 1854	Feb. 24 1855	Feb. 23 1856	Feb. 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Feb. 27 1858.
Mean Temperature . . .			45·0°	45·4°	47·2°	42·5°	37·9°	33·8°	40·9°	26·7°	35·6°	41·2°	39·6°	33·1°
LONDON	78029	2362236	1145	1191	911	1213	1069	1344	1334	1604	1062	1216	1208·9	1288
1-6. WEST DISTRICTS .	10786	376427	169	159	143	179	160	220	205	273	186	187	188·1	198
7-11. NORTH DISTRICTS .	13533	490396	227	206	193	250	219	264	273	335	206	267	244·0	292
12-19. CENTRAL DISTRICTS	1938	393256	183	185	151	216	178	230	228	236	203	184	199·4	178
20-25. EAST DISTRICTS .	6230	485522	245	311	182	285	236	287	293	307	218	261	262·5	290
26-36. SOUTH DISTRICTS .	45542	616635	321	330	242	283	276	343	335	453	249	317	314·9	330
1. Kensington* HHHH .	7374	120004	43	45	31	49	41	51	67	82	67	62	53·8	94
2. Chelsea H*w* . . .	865	56538	24	25	33	38	27	37	43	43	35	25	33·0	28
3. St. George Hanover-sq. H	1161	73230	33	33	23	39	28	41	38	51	26	41	35·3	27
4. Westminster* HHHH .	917	65609	38	41	29	25	24	53	23	63	35	32	36·3	34
5. St. Martin-in-the-Fields H	305	24640	18	6	18	15	15	19	20	14	10	14	14·9	9
6. St. James Westminster .	164	36406	13	9	9	13	25	19	14	20	13	13	14·8	6
7. Marylebone HH . .	1509	157696	72	78	68	92	76	90	89	104	60	85	81·4	79
8. Hampstead	2252	11986	2	2	6	7	6	6	3	6	6	4	4·8	5
9. Pancras HH*w* . . .	2716	166956	99	66	71	94	66	88	115	129	67	78	87·3	121
10. Islington HHH . .	3127	95329	29	35	25	35	44	53	46	64	48	67	44·6	51
11. Hackney* H*w* . . .	3929	58429	25	25	23	22	27	27	20	32	25	33	25·9	36
12. St. Giles* H . . .	245	54214	41	22	28	35	28	25	32	31	43	30	31·5	20
13. Strand* H	174	44460	17	17	21	22	19	22	15	24	20	17	19·4	25
14. Holborn* H . . .	196	46621	25	38	22	34	30	45	30	28	22	30	30·4	21
15. Clerkenwell	380	64778	23	25	15	28	21	36	27	40	21	19	25·5	24
16. St. Luke HH . . .	220	54055	22	19	15	20	21	41	29	23	20	28	23·8	19
17. East London* . . .	153	44406	15	21	16	25	17	16	24	30	18	21	20·3	23
18. West London* H . .	136	28790	25	22	16	33	20	22	50	35	41	20	28·4	24
19. London City* . . .	434	55932	15	21	18	19	22	23	21	25	18	19	20·1	22
20. Shoreditch *w* . . .	646	109257	54	87	33	65	64	59	62	63	43	62	59·2	67
21. Bethnal Green H . .	760	90193	37	78	26	27	42	56	43	44	42	42	43·7	49
22. Whitechapel* HH . .	406	79759	55	63	35	66	34	49	60	69	36	45	51·2	44
23. St. George in the East .	243	48376	23	26	24	30	20	36	35	25	23	25	26·7	42
24*a*. Stepney*	576	54173	57	37	45	65	50	63	66	62	49	54	54·8	31
24*b*. Mile-end Old Town H*w*	681	56602												26
25. Poplar* H*w* . . .	2918	47162	19	20	19	32	26	24	27	44	25	33	26·9	31
26. St. Saviour Southwark* HH	250	35731	17	20	18	30	29	22	24	29	14	17	22·0	13
27. St. Olave Southwark* HH	169	19375	38	14	20	17	24	16	18	27	13	45	23·2	16
28. Bermondsey	688	48128	21	31	18	18	19	35	22	36	15	28	24·3	11
29. St. George Southwark .	282	51824	21	29	25	20	20	19	36	34	19	24	24·7	34
30. Newington	624	64816	24	29	30	27	29	30	36	50	16	33	30·4	53
31. Lambeth H	4015	139325	61	72	44	58	62	72	65	114	42	61	65·1	78
32. Wandsworth* . . .	11695	50764	28	26	22	19	17	41	22	27	21	25	24·8	16
33. Camberwell	4342	54667	36	25	14	35	20	25	32	37	27	15	26·6	28
34. Rotherhithe	886	17805	13	9	10	7	4	5	13	16	11	10	9·8	11
35. Greenwich* HHHHH .	5367	99365	51	64	32	41	43	63	52	65	56	48	51·5	45
36. Lewisham*	17224	34835	11	11	9	11	9	15	15	18	15	11	12·5	25

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 119 PUBLIC INSTITUTIONS.

	In the Week ending February 20. Total.	Males.	Females.	In the Week ending February 27. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	235	127	108	222	107	115
46 WORKHOUSES	157	73	84	156	69	87
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	7	7	–	5	5	–
15 GENERAL HOSPITALS	46	31	15	43	22	21
7 HOSPITALS FOR SPECIAL DISEASES	4	2	2	7	5	2
4 LYING-IN HOSPITALS . . . . Women .	1	–	1	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	1	–	1
7 MILITARY AND NAVAL HOSPITALS	5	5	–	–	–	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	2	2	–	2	2	–
20 LUNATIC ASYLUMS	13	7	6	8	4	4

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

DON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 27th February 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	2	57	53	53	9	27
WEST DISTRICTS - -	376427	-	9	3	9	2	5
NORTH DISTRICTS - -	490396	2	11	19	10	-	10
CENTRAL DISTRICTS -	393256	-	8	4	2	1	3
EAST DISTRICTS - -	485522	-	21	11	17	3	8
SOUTH DISTRICTS - -	616635	-	8	16	15	3	1
WEST DISTRICTS.							
St. Mary Paddington *W*H	17252	-	1	-	-	-	1
St. John Paddington H -	29053	-	-	1	3	-	2
Kensington Town *W*L -	29183	-	1	-	1	-	-
Brompton HH - -	14870	-	-	-	-	-	-
St. Peter Hammersmith -	4467	-	-	-	-	-	-
St. Paul Hammersmith -	13293	-	-	-	-	-	-
Fulham *W*LLLL - -	11886	-	-	-	-	-	-
Chelsea South H - -	19050	-	1	-	-	-	1
Chelsea North-west *Ww*	17669	-	1	-	1	1	1
Chelsea North-east L -	19819	-	-	-	-	-	-
Hanover-square - -	20216	-	-	-	-	-	-
May Fair *W* - - -	12980	-	-	-	-	-	-
Belgrave H - - -	40034	-	1	1	1	-	-
St. John Westmr. HHHP	34295	-	3	-	2	-	-
St. Margaret West. *W*HP	31314	-	-	1	1	1	-
Charing Cross *W*H -	12587	-	-	-	-	-	-
Long Acre - - -	12053	-	-	-	-	-	-
Berwick-street - -	10798	-	-	-	-	-	-
St. James's-square - -	11469	-	-	-	-	-	-
Golden-square *W* - -	14139	-	1	-	-	-	-
NORTH DISTRICTS.							
All Souls Marylebone H -	28841	-	-	-	-	-	1
Cavendish-square - -	14687	-	-	-	-	-	-
Rectory Marylebone *W* -	27633	-	1	-	2	-	2
St. Mary Marylebone H -	22814	-	-	1	-	-	-
Christchurch Marylebone	33895	-	1	1	1	-	-
St. John Marylebone -	29826	-	1	1	-	-	-
Hampstead *W* - -	11986	-	-	-	-	-	-
Regent's Park Pancras -	31918	-	-	2	1	-	1
Tottenham-court *w*H -	28433	-	-	1	-	-	1
Gray's-inn-lane H -	26523	-	-	-	-	-	-
Somers-town - - -	35641	-	-	6	-	-	-
Camden-town *W* - -	21115	-	5	1	2	-	-
Kentish-town - - -	23326	-	-	1	1	-	1
Islington West† *W*HHHPP	47881	2	1	1	-	-	-
Islington East - - -	47448	-	2	2	2	-	1
Stoke Newington L -	4840	-	-	-	-	-	-
Stamford-hill - - -	5549	-	-	-	-	-	-
West Hackney L - -	18732	-	-	1	1	-	-
Hackney *W*H*w* - -	20850	-	-	1	-	-	3
South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
St. George Bloomsbury -	16807	-	-	1	-	-	-
St. Giles South *W*H -	19951	-	-	-	-	-	-
St. Giles North - -	17456	-	-	-	-	-	-
St. Anne Soho - - -	17335	-	-	-	-	-	1
St. Mary-le-Strand - -	11615	-	-	-	-	-	-
St. Clement Danes H -	15510	-	-	1	-	-	-
St. George-the-Martyr H.	18813	-	1	-	-	-	-
St. Andrew East. Holb. *W*	13971	-	-	1	-	-	1
Saffron-hill - - -	13837	-	-	1	-	-	-
St. James Clerkenwell *W*P	21529	-	-	-	-	1	-
Amwell Clerkenwell P -	15720	-	-	-	-	-	-
Pentonville - - -	11904	-	-	-	-	-	-
Goswell-street - -	15625	-	-	-	-	-	-
Old-street H - - -	10617	-	-	-	-	-	-
City-road HL - -	16840	-	-	-	-	-	-
Whitecross-street - -	13657	-	-	-	1	-	-
Finsbury - - - -	12941	-	-	-	-	-	-
St. Botolph East London	23824	-	-	-	1	-	1
Cripplegate P - -	20582	-	1	-	-	-	-
West London North *W*HP	12946	-	4	-	-	-	-
West London South P -	15844	-	-	-	-	-	-
London City South-west -	9204	-	-	-	-	-	-
London City North-west -	11847	-	-	-	-	-	-
London City South -	11461	-	-	-	-	-	-
London City South-east -	10594	-	2	-	-	-	-
London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	-	-	-
3 Hoxton New Town *w* -	23505	-	1	1	-	-	1
4 Hoxton Old Town - -	17431	-	-	-	-	1	-
5 Haggerstone West *W* -	20276	-	1	1	3	1	-
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney Road - -	23910	-	-	1	-	-	-
2 Green, Bethnal Green *W*HL	23555	-	-	-	1	-	-
3 Church, Bethnal Green -	21787	-	1	3	1	-	1
4 Town, Bethnal Green -	20941	-	1	-	-	-	2
22; 1 Artillery Whitechapel -	6769	-	-	1	-	-	-
2 Spitalfields - - -	15336	-	-	-	-	-	-
3 Mile End New Town *W* -	14543	-	-	-	1	-	-
4 Whitechapel North *W* -	12530	-	-	-	2	-	1
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	1	-	-	-	1
23; 1 St. Mary St. Geo. East -	18067	-	2	-	2	-	-
2 St. Paul St. Geo. East -	20319	-	1	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	3	-	1	-	1
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	1	-	-
2 Ratcliff *W* - - -	15212	-	1	-	-	-	-
3 Limehouse *W* - -	22782	-	4	1	2	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	1	3	1	-	1
4 Mile End Old T., East. *Ww*H	27020	-	-	-	-	-	-
25; 1 Bow *w*LH - - -	18778	-	1	-	1	1	-
2 Poplar *W* - - -	28384	-	3	-	1	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	3	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	-	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3 Leather Market - -	15295	-	-	1	2	-	-
29; 1 Kent Road - - -	18126	-	-	1	-	-	-
2 Borough Road *W*P -	15862	-	-	-	1	-	-
3 London Road LP - -	17836	-	-	1	2	-	-
30; 1 Trinity Newington P -	20922	-	-	1	1	-	-
2 St. Peter Walworth *W* -	29861	-	-	1	1	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	2	1	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	-	-
3 Lambeth Church 1st -	18409	-	-	1	-	-	-
4 Lambeth Church 2nd *W*	26784	-	-	1	3	1	-
5 Kennington 1st - -	24261	-	-	1	1	1	-
6 Kennington 2nd - -	18848	-	-	-	1	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	3	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	-	-
2 Battersea *W*L - -	10560	-	-	1	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	1	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W*LL -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	2	1	-	-
4 St. George Camberwell -	15849	-	-	-	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	1	-	-	1	-
35; 1 St. Paul Deptford - -	24899	-	-	-	-	-	-
2 St. Nicholas Deptford -	7071	-	1	-	-	-	-
3 Greenwich West H -	18800	-	-	-	-	-	-
4 Greenwich East *W*H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	1	-	-
6 Woolwich Arsenal HPH	15227	-	1	-	-	-	1
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *Ww* -	6097	-	-	-	1	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

TE.—The letters placed against the names of the sub-districts te public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

The numbers on the left of the semicolons refer to the Districts in the preceding page.
Islington West contains the Small-pox and Fever Hospitals.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 27TH FEBRUARY 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
SUNDAY . .	21	..	29·785	42·0	28·0	14·0	33·3	29·4	55·2	20·2	38·3	37·8	3·9	8·3	3·1	— 5·2	82	S.E.	E.S.E.	0·0	0·0	0·0	65	0·00
MONDAY . .	22	Perigee Greatest Dec. N.	29·687	39·7	27·5	12·2	33·1	31·0	53·0	—	38·8	38·3	2·1	7·7	0·8	— 5·5	83	S.E.	E.	2·5	0·0	0·3	130	0·00
TUESDAY .	23	..	29·633	40·2	29·9	10·3	35·1	31·7	42·5	23·0	37·3	36·9	3·4	6·7	1·8	— 3·8	88	E.	E.S.E.	0·0	0·0	0·0	50	0·00
WEDNESDAY	24	..	29·957	44·1	31·3	12·8	35·4	27·9	59·0	25·8	36·8	36·4	7·5	9·7	4·3	— 3·7	78	E.	E.	1·0	0·0	0·0	70	0·00
THURSDAY.	25	..	30·136	40·0	25·7	14·3	31·4	22·5	53·7	19·4	37·3	36·9	8·9	13·7	4·2	— 8·1	67	N.E.	N.E.	3·0	0·0	0·3	105	0·00
FRIDAY . .	26	..	29·924	37·2	23·5	13·7	30·3	24·2	50·8	14·0	36·8	36·0	6·1	10·7	4·8	— 9·4	72	N.E.	N.E.	1·0	0·0	0·1	70	0·00
SATURDAY.	27	Full	29·735	41·0	28·3	12·7	33·0	25·6	54·6	25·6	37·3	36·0	7·4	13·6	3·8	— 6·8	72	N.N.E.	E.	0·0	0·0	0·0	75	0·00
MEANS . .		..	29·837	40·6	27·7	12·9	33·1	27·5	52·7	21·3	37·5	36·9	5·6	10·1	3·3	— 6·1	77	E.		..	..	..	Sum 565	Sum 0·00
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
FEBRUARY.			
SUNDAY . .	21	The insulating lamp on the pole was not burning.	A small amount of cloud prevailed during the morning; at other times of the day the sky was clear.
MONDAY . .	22		Cloudless throughout the day.
TUESDAY . .	23		Overcast throughout the day. Light snow fell early in the morning, and thin rain fell at night.
WEDNESDAY	24	Weak positive during the morning.	Partially cloudy early in the morning; clear at other times of the day.
THURSDAY .	25	The insulating lamp on the pole was not burning.	Cloudless throughout the day.
FRIDAY . .	26		Cloudless till evening; overcast afterwards.
SATURDAY .	27		Cloudless throughout the day.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans.. Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·74 in. at the beginning of the week to 29·80 in. by 6h. P.M. on the 21st; decreased to 29·56 in. by 9h. A.M. on the 23d; increased to 30·21 in. by 9h. A.M. on the 25th; and decreased to 29·69 in. by the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, March 6. [No. 9.

General Register Office, Somerset House,
March 8th, 1858.

The Returns for last week (which ended Saturday, March 6th) show a considerable increase of mortality, an effect which the remarkable coldness of the weather on several days could hardly fail to produce. The deaths in London, which were about 1280 weekly in the latter half of February, rose last week to 1353, of which 694 were deaths of men and boys, 659 those of women and girls. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1175, but as the deaths of last week occurred in an increased population, it is necessary to compare them with the average, when the latter has been raised in proportion to the increase, a correction which will make it 1293. Hence it appears that the deaths now returned are 60 in excess of the number which would have occurred under the average rate of mortality.

The births of last week exceed the deaths in the same period by 291.

Of the five classes into which the causes of death are distributed, only one, namely, "local diseases," is found to produce the excess above mentioned; and amongst local diseases the increase is due to those which affect the organs of respiration. Under this last head, comprising chiefly bronchitis and pneumonia, 399 deaths are classed, whilst the corrected average is not more than 283. The only corresponding weeks in which nearly equal or greater numbers under this head are found, are those of 1853 and 1855, when during or immediately after low temperature of the air the deaths from pulmonary diseases were 388 and 433. Bronchitis was fatal last week in 243 cases (the average being 140); pneumonia in 123 cases (the average being 96). Influenza was specified as the cause of death in only 4 cases; fatal cases of whooping-cough rose to 59. From phthisis (or consumption) 146 persons died; its mortality was not aggravated by the cold, for the number was exactly the same as that of the previous week, and is scarcely equal to the average.

In the sub-district of Lambeth Church (2d part) two children died of whooping-cough in a family at 3 Neville-street; and on the 1st and 3d instant two children of typhus in a family at 50 Park-street. Four children have died since 25th ult. of measles in the workhouse at Norwood, besides one from chicken-pox, and one from pyemia. Five children died of measles in the sub-district of Poplar; 7 of whooping-cough in St. Paul, St. George-in-the-East. "Diphtheria" is returned in 7 instances. One person died of destitution.

Last week the births of 869 boys and 775 girls, in all 1644 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1676.

Dr. Robert Dundas Thomson of St. Thomas's Hospital has found the composition of the waters supplied by the principal Metropolitan Water Companies during the month of February as follows, in grains per imperial gallon :—

Companies.	Total Impurity.	Organic Impurity.
	grs.	grs.
Chelsea	20·00	0·52
West Middlesex	19·15	1·35
Grand Junction	18·00	1·68
Lambeth	19·88	1·28
Southwark	19·72	1·16
New River	20·08	1·84
Plumstead	21·60	1·78
Kent	26·64	3·04

All the specimens of water were derived from the main water pipes, with the following exceptions :—The Lambeth water was obtained from the service-pipe of a house at Champion Hill. The Plumstead water was procured direct from the works, after being softened by Dr. Clark's process. The water is derived from a well sunk in the chalk, which now yields one and a quarter millions of gallons of water daily. As sent from the works it is much softer than any other London company's water.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·420 in. The highest barometrical reading was 29·69 in. on Sunday (the 28th ult.) ; the lowest was 28·88 in. and occurred on Saturday. The mean temperature of the air in the week was 31·5°, which is 8·5° below the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average throughout the week, and it has been below the average on every day, with the exception of February 13th, during the whole period from February 6th to March 6th. Last week the extent of this depression was more than 10° on Monday, Tuesday, and Wednesday. The *highest* point attained by the thermometer was 43° on Thursday ; the *lowest* was 25·3° on Sunday. The mean daily range of temperature was 11·1° ; on Wednesday the range was 6·5° ; on the following day it was 17·1°. The difference between the mean dew point temperature and air temperature was 6°. The mean temperature of the water of the Thames was 35·2°, nearly 4° higher than that of the air. The mean degree of humidity of the air was ·79 ; on Thursday the humidity was only 64. On six days the wind blew from a north-easterly point. The rain or melted snow measured was 0·45 in., most of which fell on Wednesday. Snow fell on four days ; on Wednesday it fell to the depth of five inches.

Kensington ; *St. John Paddington.*—At 68 Market-street, on 4th March, the daughter of a cabman, aged 2 years, "diphtheria (24 hours)."

St. Giles ; *St. George Bloomsbury.*—At 45 Great Coram-street, on 28th February, the son of an artist's brush maker, aged 6 months, "diphtheria (3 weeks)."

Bethnal Green ; *Town.*—At 13 Oakey-street, on 25th February, the daughter of a printer, aged 1 year, "diphtheria, asphyxia (3 weeks)."

Mile End Old Town ; *Western.*—At 13 New Nelson-street, on 2d March, the daughter of a tailor, aged 7 years, "diphtheria (1 day)."

St. George Southwark ; *London-road.*—At 29 Albert-terrace, on 26th February, the son of a compositor, aged 1 year, "diphtheria."

Lambeth ; *Lambeth Church, 1st Part.*—At 16 Upper Marsh, on 26th February, the son of a carman, aged 3 years, "diphtheria (3 days), œdema laryngis, (1 day)."

Wandsworth ; *Clapham.*—At 9 Waterloo-place, Bromells-road, on 4th March, the daughter of an omnibus coachman, aged 11 years, "diphtheria (8 days)."

Kensington ; *Fulham.*—At 1 Carpenter's-row, Walham Green, on 2d March, the son of a railway clerk, aged 2 months, "found dead, accidentally suffocated under a shawl." *Post mort.*

St. George Hanover-square ; *Belgrave.*—At 9 Spring-gardens, on 1st March, the widow of a bricklayer's labourer, aged 37 years, "phthisis (3 months)." The medical attendant says : — "Hastened by unrelieved distress."

Pancras ; *Tottenham Court Road.*—At Strand Union Workhouse, on 5th March, the wife of a shoemaker, aged 63 years, "destitution and exposure."

Pancras ; *Grays Inn-lane.*—At Royal Free Hospital, on 27th February, a female servant, aged 28 years, "foreign body in appendix cæci, vermiformis (2 weeks), abscess in entera."

Births Registered last Week, and in the Ninth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1376	1547	1574	1591	1699	1671	1739	1726	1976	1858	1675·7	1644
Males . .	713	788	813	784	873	861	893	838	1002	970	853·5	869
Females . .	663	759	761	807	826	810	846	888	974	888	822·2	775

Deaths Registered last Week, and in the Ninth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	1114	1138	896	1148	1128	1427	1135	1560	1029	1175	1175·0	1353
Males . .	557	562	460	580	566	733	580	748	529	606	592·1	694
Females .	557	576	436	568	562	694	555	812	500	569	582·9	659

DEATHS in LONDON, from ALL CAUSES, Registered in the NINTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 4 1848	Mar 3 1849	Mar 2 1850	Mar 1 1851	Mar 6 1852	Mar 5 1853	Mar 4 1854	Mar 3 1855	Mar 1 1856	Mar 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 6, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	43°·1	42°·4	42°·8	37°·6	36°·4	35°·3	41°·0	40°·8	43°·8	43°·1	40°·6	Mean Temp. 31°·5					
	ALL CAUSES	1114	1138	896	1148	1128	1427	1135	1560	1029	1175	1175·0	1353	665	171	226	235	56
	SPECIFIED CAUSES	1073	1120	875	1134	1094	1397	1126	1518	983	1138	1145·8	1341	659	170	225	231	56
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	286	319	164	237	226	264	238	280	220	189	242·3	267	226	20	10	9	2
II.	CONSTITUTIONAL "	201	211	179	239	242	266	261	270	213	248	233·0	244	75	81	68	20	..
III.	LOCAL "	430	446	394	506	481	674	474	733	429	518	508·5	671	279	62	143	166	21
IV.	DEVELOPMENTAL "	140	115	122	129	120	164	130	205	91	145	136·1	136	65	5	1	35	30
V.	VIOLENT DEATHS	16	29	16	23	25	29	23	30	30	38	25·9	23	14	2	3	1	3
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	271	304	151	222	208	246	214	260	210	170	225·6	240	209	15	7	7	2
	2. ENTHETIC "	1	2	5	3	5	5	9	5	2	6	4·3	9	5	2	2	..	..
	3. DIETIC "	11	7	6	8	10	10	11	13	5	12	9·3	15	9	3	1	2	..
	4. PARASITIC "	3	6	2	4	3	3	4	2	3	1	3·1	3	3	..	..	..	..
II.	1. DIATHETIC "	44	37	37	49	46	50	44	36	40	33	41·6	39	3	7	17	12	..
	2. TUBERCULAR "	157	174	142	190	196	216	217	234	173	215	191·4	205	72	74	51	8	..
III.	1. DISEASES OF NERVOUS SYSTEM	130	133	121	112	125	156	120	149	120	124	129·0	145	63	10	32	34	6
	2. " OF ORGANS OF CIRCULATION	35	46	28	41	49	60	43	63	47	54	46·6	58	12	12	18	16	..
	3. " OF RESPIRATORY ORGANS	178	204	176	281	231	388	231	433	185	262	256·9	399	194	25	72	95	13
	4. " OF DIGESTIVE ORGANS	63	45	47	54	49	43	50	59	43	41	49·4	41	6	7	12	15	1
	5. " OF URINARY ORGANS	16	10	10	8	17	13	20	15	16	21	14·6	16	..	5	5	5	1
	6. " OF ORGANS OF GENERATION	3	1	7	2	3	4	4	5	5	2	3·6	1	..	1	..	..	..
	7. " OF ORGANS OF LOCOMOTION	..	5	1	3	3	1	3	2	3	6	2·7	6	..	2	4	..	..
	8. " OF INTEGUMENTARY SYSTEM	5	2	4	5	4	9	3	7	10	8	5·7	5	4	..	..	1	..
IV.	1. DEV. DISEASES OF CHILDREN	42	40	47	52	49	41	44	58	46	59	47·8	27	27	..	..	..	..
	2. " OF ADULTS	6	4	4	9	8	8	8	5	2	2	5·6	5	..	4	1	..	..
	3. " OF OLD PEOPLE	59	51	45	46	40	82	40	92	26	50	53·1	54	..	..	..	24	30
	4. " OF NUTRITION.	33	20	26	22	23	33	38	50	17	34	29·6	50	38	1	..	11	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											21	14	1	3	..	3
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												2	..	1	..	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	16	29	16	23	25	29	23	30	30	38	25·9	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	13	12	11	5	10	10	4	11	15	6	9·7	8	4	..	1	3	..
	CAUSES NOT SPECIFIED	28	6	10	9	24	20	5	31	31	31	19·5	4	2	1	..	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 4 1848	Mar 3 1849	Mar 2 1850	Mar 1 1851	Mar 6 1852	Mar 5 1853	Mar 4 1854	Mar 3 1855	Mar 1 1856	Mar 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 6, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	43·1°	42·4°	42·8°	37·6°	36·4°	35·3°	41·0°	40·8°	43·8°	43·1°	40·6°	Mean Temp. 31·5°					
I.	ORDER 1.																	
	1. Small-pox	30	11	10	19	31	5	11	17	14	2	15·0	4	2	2	..	..	..
	2. Measles	33	12	13	36	12	16	16	23	17	10	18·8	55	54	1	..	..	..
	3. Scarlatina	54	57	21	19	24	33	31	36	24	22	32·1	37	37	..	..	..	..
	4. Quinsy	1	1	..	2	..	2	3	1	..	3	1·3	1	1	..	..	..	..
	5. Croup	4	6	9	8	8	15	9	11	8	6	8·4	14	13	..	1	..	..
	6. Whooping-cough	19	89	27	66	40	56	64	71	60	70	56·2	59	59	..	..	..	..
	7. Typhus (and Infantile fever)	67	45	27	31	38	72	33	41	52	28	43·4	22	15	5	1	1	..
	8. Erysipelas	12	7	9	..	8	6	11	7	9	3	7·2	6	2	2	..	2	..
	9. Metria	6	9	4	3	7	3	4	7	2	5	5·0	4	..	4	..	..	..
	10. Carbuncle	..	..	..	1	1	1	2	..	1	..	·6	..	..	..	..	..	..
	11. Influenza	18	5	..	8	3	4	3	3	3	3	5·0	4	1	..	1	1	1
	12. Dysentery	5	3	3	5	5	2	1	2	2	..	2·8	6	5	1	..	..	..
	13. Diarrhœa	15	20	18	17	21	22	20	32	6	12	18·3	20	14	..	3	2	1
	14. Cholera	..	35	1	..	1	1	..	1	..	..	3·9	..	..	..	..	..	..
	15. Ague	..	1	1	..	..	..	..	1	..	..	·3	..	..	..	..	..	..
	16. Remittent fever	..	..	3	4	2	1	3	1	1	1	1·6	3	3	..	..	..	..
	17. Rheumatism	7	3	5	3	7	7	3	6	11	5	5·7	5	3	..	1	1	..
	ORDER 2.																	
	1. Syphilis	1	2	4	2	2	5	5	2	1	6	3·0	8	5	1	2	..	..
	2. Stricture of Urethra	..	..	..	1	3	..	4	3	1	..	1·2	1	..	1	..	..	..
	3. Hydrophobia	..	..	1	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	2	..	1	..	..	2	1	2	·9	1	..	..	..	1	..
	2. Want of Breast-milk	3	3	2	5	3	2	2	5	1	6	3·2	8	8	..	..	..	..
	3. Purpura and Scurvy	1	..	..	1	2	..	..	1	..	..	·5	2	1	..	..	1	..
	4. Alcoholism { *a* Del. Tremens	6	1	1	1	2	4	5	2	2	2	2·6	2	..	1	1	..	..
	4. Alcoholism { *b* Intemperance	1	2	1	1	2	4	4	3	1	2	2·1	2	..	2	..	..	..
	ORDER 4.																	
	1. Thrush	3	6	2	4	3	3	4	2	3	1	3·1	3	3	..	..	..	..
	2. Worms, &c.	In 1848-57 classed in this Table with *Disease of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	..	1	1	4	1	1	..	2	1	1·1	1	..	..	..	1	..
	2. Dropsy	21	14	17	23	18	21	20	15	14	11	17·4	13	2	..	4	7	..
	3. Cancer	19	20	11	17	22	21	18	14	17	18	17·7	22	..	7	11	4	..
	4. Noma	1	2	..	..	..	..	..	4	..	..	·7	..	..	..	..	..	..
	5. Mortification	3	1	8	8	2	7	5	3	7	3	4·7	3	1	..	2	..	..
	ORDER 2.																	
	1. Scrofula	7	4	8	1	10	8	13	10	4	8	7·3	10	4	4	1	1	..
	2. Tabes Mesenterica	14	13	11	14	16	10	23	16	8	16	14·1	22	21	1	..	..	..
	3. Phthisis	115	126	93	146	141	160	140	167	136	159	138·3	146	20	69	50	7	..
	4. Hydrocephalus	21	31	30	29	29	38	41	41	25	32	31·7	27	27	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	14	15	10	8	11	10	17	22	16	4	12·7	9	7	2	..	..	..
	2. Apoplexy	30	28	34	29	19	32	19	39	28	26	28·4	45	10	1	19	12	3
	3. Paralysis	21	28	23	20	29	31	25	31	28	27	26·3	29	..	1	7	18	3
	4. Insanity	5	..	1	2	3	1	1	1	..	1	1·5	..	..	..	..	..	..
	5. Chorea	..	..	..	..	..	..	1	1	..	..	·2	..	..	..	..	..	..
	6. Epilepsy	9	11	5	3	4	10	8	9	4	10	7·3	7	1	3	3	..	..
	7. Convulsions	42	37	34	37	47	57	35	28	33	34	38·4	43	43	..	..	..	..
	8. *Brain Disease, &c.*	9	14	14	13	12	15	14	18	11	22	14·2	12	2	3	3	4	..
	ORDER 2.																	
	1. Pericarditis	6	4	1	2	4	4	1	3	2	1	2·8	4	1	2	..	1	..
	2. Aneurism	..	1	1	2	1	2	2	1	4	1	1·5	..	..	..	..	..	..
	3. *Heart Disease, &c.*	29	41	26	37	44	54	40	59	41	52	42·3	54	11	10	18	15	..
	ORDER 3.																	
	1. Laryngitis	2	6	6	3	2	6	11	5	5	4	5·0	10	8	1	1	..	..
	2. Bronchitis	68	83	76	131	121	212	106	249	95	136	127·7	243	89	11	52	79	12
	3. Pleurisy	6	2	3	3	2	4	6	5	1	2	3·4	..	..	..	..	..	..
	4. Pneumonia	81	81	65	104	70	108	81	128	62	100	88·0	123	95	11	9	7	1
	5. Asthma	15	20	17	33	24	44	19	38	16	14	24·0	14	..	..	8	6	..
	6. *Lung Disease, &c.*	6	12	9	7	12	14	8	8	6	6	8·8	9	2	2	2	3	..
	ORDER 4.																	
	1. Gastritis	2	1	6	2	2	1	2	4	..	..	2·0	1	..	..	1	..	..
	2. Enteritis	12	8	2	5	7	3	9	5	7	2	6·0	4	2	1	..	1	..
	3. Peritonitis	9	3	6	7	4	3	2	7	2	6	4·9	3	1	..	2	..	..
	4. Ascites	1	2	1	2	1	5	5	4	2	1	2·4	..	..	..	..	..	..
	5. Ulceration of Intestines	3	2	1	4	4	3	2	3	2	3	2·7	1	..	1	..	..	..
	6. Hernia	3	4	3	5	5	4	1	8	2	5	4·0	4	..	2	1	1	..
	7. Ileus	3	1	3	2	3	..	3	2	3	4	2·4	3	1	2	..	..	..
	8. Intussusception	1	..	2	..	2	3	1	1	1	2	1·3	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

n the NINTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 4 1848	Mar 3 1849	Mar 2 1850	Mar 1 1851	Mar 6 1852	Mar 5 1853	Mar 4 1854	Mar 3 1855	Mar 1 1856	Mar 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the week ending Saturday, Mar. 6, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	43°·1	42°·4	42°·8	37°·6	36°·4	35°·3	41°·0	40°·8	43°·8	43°·1	40°·6	31°·5					
	9. Stricture of Intestines	..	..	1	1	..	..	..	..	2	1	·5	1	..	..	..	1	..
	10. Fistula	..	1	1	..	..	..	1	..	..	..	·3	1	..	..	..	1	..
	11. *Stomach Disease, &c.*	7	7	6	7	5	3	6	8	4	1	5·4	4	1	..	2	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..
	13. Hepatitis	7	1	5	5	1	2	5	5	3	1	3·5	6	..	1	2	3	..
	14. Jaundice	3	7	1	4	6	4	2	4	4	1	3·6	3	1	..	..	1	1
	15. *Liver Disease, &c.*	12	8	9	9	9	11	11	8	11	14	10·2	9	..	..	4	5	..
	16 *Spleen Disease, &c.*	..	..	..	1	..	1	..	..	..	..	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	..	..	1	1	..	2	..	·4	2	..	1	1	..	..
	2. Ischuria	..	2	..	..	..	..	1	..	..	..	·3	..	..	..	..	..	..
	3. Nephria	2	..	5	1	4	5	10	4	5	10	4·6	5	..	1	2	2	..
	4. Diabetes	1	..	1	1	2	..	4	1	1	1	1·2	..	.	..	..	..	..
	5. Stone	..	1	1	..	1	..	..	..	..	..	·3	..	..	..	..	..	..
	6. Cystitis	1	..	..	1	..	..	..	..	..	1	·3	1	..	1	..	..	..
	7. *Kidney Disease, &c.*	12	7	3	5	10	7	4	10	8	9	7·5	8	..	2	2	3	1
	ORDER 6.																	
	1. Ovarian Dropsy	1	1	1	1	1	..	2	..	..	..	·7	1	..	1	..	..	..
	2. *Uterus Disease, &c.*	2	..	6	1	2	4	2	5	5	2	2·9	..	..	..	..	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	1	..	1	1	..	..	..	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	..	5	1	2	3	..	2	2	3	6	2·4	6	..	2	4	..	..
	ORDER 8.																	
	1. Phlegmon	2	1	3	4	3	7	2	5	8	4	3·9	4	·4	..	..	..	..
	2. Ulcer	2	1	1	..	..	2	1	1	2	3	1·3	1	..	..	..	1	..
	3. *Skin Disease, &c.*	1	..	..	1	1	..	..	1	..	1	·5	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	24	25	28	35	35	24	21	34	29	33	28·8	18	18	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	3	5	5	2	2	4	3	1	2	5	3·2	1	1	..	..	..	..
	5. Teething	15	10	14	15	12	13	20	23	15	21	15·8	8	8	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	1	..	..	1	..	..	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	6	4	4	8	8	8	7	5	2	2	5·4	5	..	4	1	..	..
	ORDER 3.																	
	1. Old Age	59	51	45	46	40	82	40	92	26	50	53·1	54	..	..	..	24	30
	ORDER 4.																	
	1. Atrophy and Debility	33	20	26	22	23	33	38	50	17	34	29·6	50	38	1	..	11	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	4	..	..	1	..	3
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	11	10	..	1	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	4	4	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	16	29	16	23	25	29	23	30	30	38	25·9	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	13	12	11	5	10	10	4	11	15	6	9·7	8	4	..	1	3	..
	Causes not specified or ill-defined	28	6	10	9	24	20	5	31	31	31	19·5	4	2	1	..	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the NINTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Mar. 4 1848	Mar. 3 1849	Mar. 2 1850	Mar. 1 1851	Mar. 6 1852	Mar. 5 1853	Mar. 4 1854	Mar. 3 1855	Mar. 1 1856	Mar. 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Mar. 6 1858.
Mean Temperature . . .			43·1°	42·4°	42·8°	37·6°	36·4°	35·3°	41·0°	40·8°	43·8°	43·1°	40·6°	31·5°
LONDON	78029	2362236	1114	1138	896	1148	1128	1427	1135	1560	1029	1175	1175·0	1353
1–6. WEST DISTRICTS .	10786	376427	179	181	139	175	170	199	151	247	176	208	182·5	246
7–11. NORTH DISTRICTS .	13533	490396	202	179	159	264	230	272	238	328	212	225	230·9	267
12–19. CENTRAL DISTRICTS	1938	393256	179	195	167	204	175	257	190	240	136	209	195·2	192
20–25. EAST DISTRICTS .	6230	485522	238	298	191	234	193	334	257	322	238	235	254·0	322
26–36. SOUTH DISTRICTS .	45542	616635	316	285	240	271	360	365	299	423	267	298	312·4	326
1. Kensington* HHHH .	7374	120004	58	50	37	48	38	57	43	76	66	72	54·5	90
2. Chelsea H*w* . . .	865	56538	32	35	16	35	26	30	26	42	21	37	30·0	38
3. St. George Hanover-sq. H	1161	73230	27	36	28	30	34	38	32	38	25	34	32·2	38
4. Westminster* HHHH .	917	65609	35	36	44	45	40	43	23	46	35	35	38·2	43
5. St. Martin-in-the-Fields H	305	24640	5	11	7	11	12	10	11	19	12	14	11·2	14
6. St. James Westminster .	164	36406	22	13	7	6	20	21	16	26	17	16	16·4	23
7. Marylebone HH . .	1509	157696	70	59	52	102	74	104	73	88	72	71	76·5	85
8. Hampstead	2252	11986	4	6	2	4	2	6	2	13	6	6	5·1	4
9. Pancras HH*w* . . .	2716	166956	73	59	58	86	90	94	77	104	54	85	78·0	96
10. Islington HHH . .	3127	95329	36	31	32	50	43	45	50	79	60	42	46·8	56
11. Hackney* H*w* . . .	3929	58429	19	24	15	22	21	23	36	44	20	21	24·5	26
12. St. Giles* H . . .	245	54214	40	34	21	36	26	55	28	39	17	30	32·6	24
13. Strand* H	174	44460	5	20	17	21	22	36	16	38	19	25	21·9	19
14. Holborn* H . . .	196	46621	22	22	19	26	23	31	24	34	18	38	25·7	29
15. Clerkenwell	380	64778	31	32	25	30	17	24	41	29	15	30	27·4	32
16. St. Luke HH . . .	220	54055	27	34	27	24	24	29	30	34	15	28	27·2	27
17. East London* . . .	153	44406	17	20	23	22	24	26	19	25	13	22	21·1	14
18. West London* H . .	136	28790	18	10	14	23	21	26	19	27	20	21	19·9	23
19. London City*	434	55932	19	23	21	22	18	30	13	14	19	15	19·4	24
20. Shoreditch *w* . . .	646	109257	58	68	41	45	38	91	42	75	68	34	56·0	63
21. Bethnal Green H . .	760	90193	39	73	43	40	23	59	29	60	27	49	44·2	46
22. Whitechapel* HH . .	406	79759	43	46	28	52	37	61	57	67	38	41	47·0	51
23. St. George-in-the-East .	243	48376	20	20	27	19	26	37	29	27	32	23	26·0	44
24*a*. Stepney*	576	54173	58	59	36	54	51	58	63	62	37	56	53·4	30
24*b*. Mile-end Old Town H*w*	681	56602												33
25. Poplar* H*w* . . .	2918	47162	20	32	16	24	18	28	37	31	36	32	27·4	55
26. St. Saviour Southwark* HH	250	35731	29	27	13	25	31	28	23	22	17	18	23·3	23
27. St. Olave Southwark* HH	169	19375	22	17	15	18	16	25	18	21	9	30	19·1	26
28. Bermondsey	688	48128	11	24	15	23	33	25	22	26	25	18	22·2	29
29. St. George Southwark .	282	51824	34	22	24	23	34	34	29	46	23	22	29·1	20
30. Newington	624	64816	30	23	26	26	48	48	34	47	21	38	34·1	25
31. Lambeth H	4015	139325	54	52	44	56	76	75	62	92	48	53	61·2	73
32. Wandsworth*	11695	50764	21	21	18	21	25	30	14	32	15	25	22·2	23
33. Camberwell	4342	54667	44	28	19	24	23	23	26	32	20	27	26·6	28
34. Rotherhithe	886	17805	4	17	6	5	10	12	6	7	10	8	8·5	8
35. Greenwich* HHHHH .	5367	99365	59	47	50	41	44	47	49	76	61	46	52·0	55
36. Lewisham*	17224	34835	8	7	10	9	20	18	16	22	18	13	14·1	16

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 118 PUBLIC INSTITUTIONS.

	In the Week ending February 27. Total.	Males.	Females.	In the Week ending March 6. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	222	107	115	261	138	123
45 WORKHOUSES	156	69	87	165	76	89
14 PRISONS . . . . . ‡	–	–	–	2	1	1
4 MILITARY AND NAVAL ASYLUMS . . . . §	5	5	–	4	4	–
15 GENERAL HOSPITALS	43	22	21	75	48	27
7 HOSPITALS FOR SPECIAL DISEASES	7	5	2	2	2	–
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	1	–	1	2	–	2
7 MILITARY AND NAVAL HOSPITALS	–	–	–	5	5	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	2	2	–	–	–	–
20 LUNATIC ASYLUMS	8	4	4	6	2	4

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

NDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 6th March 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	4	55	37	59	20	22
*							
-6 WEST DISTRICTS - -	376427	1	16	3	14	3	2
11 NORTH DISTRICTS - -	490396	-	8	5	9	5	6
9 CENTRAL DISTRICTS -	393256	-	5	6	6	2	3
25 EAST DISTRICTS - -	485522	1	17	11	19	5	4
6 SOUTH DISTRICTS - -	616635	2	9	12	11	5	7
WEST DISTRICTS.							
1 St. Mary Paddington *W*H	17252	-	1	-	-	-	-
2 St. John Paddington H -	29053	-	3	1	3	-	-
3 Kensington Town *W*L -	29183	-	-	-	1	-	-
4 Brompton HH - -	14870	-	-	-	3	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	1
7 Fulham *W*LLLL - -	11886	-	-	-	-	-	-
1 Chelsea South H - -	19050	-	2	2	-	-	-
2 Chelsea North-west *Ww*	17669	-	4	-	3	1	-
3 Chelsea North-east L -	19819	-	-	-	-	-	1
1 Hanover Square - -	20216	-	1	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	1	-	1	-	-
1 St. John Westmr. HHHP	34295	1	2	-	3	1	-
2 St. Margaret West. *W*HP	31314	-	2	-	-	1	-
1 Charing Cross *W*H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
1 Berwick Street - -	10798	-	-	-	-	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
1 All Souls Marylebone H -	28841	-	2	-	-	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	1	-	1	-	-
4 St. Mary Marylebone H	22814	-	-	3	1	-	-
5 Christchurch Marylebone	33895	-	-	-	-	1	-
6 St. John Marylebone -	29826	-	-	-	-	-	1
1 Hampstead *W* - -	11986	-	-	-	-	-	-
Regent's Park Pancras -	31918	-	2	-	1	-	-
2 Tottenham-court *w*H -	28433	-	1	-	1	1	2
3 Gray's Inn Lane H -	26523	-	-	-	1	1	-
4 Somers Town - - -	35641	-	1	2	-	-	-
5 Camden Town *W* - -	21115	-	1	-	-	-	1
6 Kentish Town - -	23326	-	-	-	-	-	-
Islington West† *W*HHHPP	47881	-	-	-	1	-	-
Islington East - -	47448	-	-	-	1	1	-
Stoke Newington L -	4840	-	-	-	-	1	-
Stamford Hill - - -	5549	-	-	-	1	-	-
West Hackney L - -	18732	-	-	-	1	-	1
Hackney *W*H*w* - -	20850	-	-	-	-	-	1
South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
St. George Bloomsbury -	16807	-	-	1	-	-	-
St. Giles South *W*H -	19951	-	-	-	-	-	1
St. Giles North - -	17456	-	-	-	-	-	-
St. Anne Soho - -	17335	-	-	-	-	-	-
St. Mary-le-Strand -	11615	-	-	-	-	-	-
St. Clement Danes H -	15510	-	-	-	-	-	-
St. George-the-Martyr H.	18813	-	-	-	-	-	-
St. Andrew, East. Holb. *W*	13971	-	2	-	-	1	-
Saffron Hill - - -	13837	-	-	2	-	-	-
St. James Clerkenwell *W*P	21529	-	-	-	-	-	-
Amwell Clerkenwell P -	15720	-	-	-	-	-	-
Pentonville - - -	11904	-	-	-	-	-	-
Goswell-street - - -	15625	-	2	-	-	-	-
Old-street H - - -	10617	-	-	-	-	-	-
City-road HL - -	16840	-	-	1	-	-	-
Whitecross-street - -	13657	-	-	-	1	-	-
Finsbury - - - -	12941	-	-	1	-	-	-
St. Botolph East London	23824	-	-	1	-	-	-
Cripplegate P - -	20582	-	1	-	1	-	-
West London North *W*HP	12946	-	-	-	-	1	1
West London South P -	15844	-	-	-	1	-	-
London City South-west -	9204	-	-	-	-	-	-
London City North-west -	11847	-	-	-	2	-	-
London City South - -	11461	-	-	-	-	-	-
London City South-east -	10594	-	-	-	-	-	-
London City North-east -	12826	-	-	-	1	-	1

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	1	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	-	-	-
3 Hoxton New Town *w* -	23505	-	-	-	-	-	-
4 Hoxton Old Town - -	17431	-	-	1	1	-	-
5 Haggerstone West *W* -	20276	-	1	-	1	1	1
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney-road - - -	23910	-	2	-	-	-	1
2 Green, Bethnal Green *W*HL	23555	-	-	1	-	-	-
3 Church, Bethnal Green -	21787	-	1	-	-	-	-
4 Town, Bethnal Green -	20941	-	-	1	-	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	1	1	-	-	-
3 Mile End New Town *W*	14543	-	-	-	2	-	-
4 Whitechapel North *W* -	12530	-	-	-	1	1	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	1	-	-
7 Aldgate H - - -	10694	-	1	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	1	-	2	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	7	1	-
3 St. John St. Geo. East *W*	9990	-	1	1	1	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	2	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	1	-	-	-
3 Limehouse *W* - -	22782	-	-	1	-	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	1	1	1	-
2 Mile End Old T., East. *W*H	27020	-	-	1	1	1	1
25; 1 Bow *w*LH - - -	18778	-	1	-	1	-	-
2 Poplar *W* - - -	28384	1	5	2	-	-	1
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	1
2 St. Saviour Southwark HH	19709	-	-	1	1	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	2	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	1	1	-	1
2 St. Mary Magdalen *W* -	13934	-	-	-	2	2	-
3 Leather Market - -	15295	-	-	-	1	-	-
29; 1 Kent-road - - -	18126	-	-	-	-	-	-
2 Borough-road *W*P -	15862	-	-	-	1	-	-
3 London-road LP - -	17836	-	-	1	-	-	-
30; 1 Trinity Newington P -	20922	-	1	-	1	1	-
2 St. Peter Walworth *W* -	29861	-	-	1	1	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	-	-	-	-
2 Waterloo-road 2nd H -	18348	-	1	-	1	-	-
3 Lambeth Church 1st -	18409	-	1	2	-	-	-
4 Lambeth Church 2nd *W*	26784	-	-	1	2	-	2
5 Kennington 1st - -	24261	-	-	-	-	-	-
6 Kennington 2nd - -	18848	-	-	-	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	1	4	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	-	1	-
2 Battersea *W*L - -	10560	-	1	-	-	-	2
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	1	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W*LL - -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	-	-	-	-
4 St. George Camberwell -	15849	-	-	-	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	-	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	-	-	1	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	-	-	-	1
4 Greenwich East *W*H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	1	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	-	-	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	1	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	1	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

OTE.—The letters placed against the names of the sub-districts e public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

The numbers on the left of the semicolons refer to the Districts in the preceding page.
slington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 6th March 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
February. Sunday	28	..	29·558	40·2	25·3	14·9	32·3	27·2	44·0	17·0	36·8	36·0	5·1	8·3	1·5	— 7·7	88	N.E.	E.N.E.	3·0	0·0	0·2	115	0·00
March. Monday	1	In Equator.	29·415	34·3	26·2	8·1	29·6	23·6	41·2	—	36·8	35·1	6·0	11·2	2·2	—10·5	78	E.N.E.	E.	3·0	0·0	0·3	165	0·00
Tuesday	2	..	29·496	34·2	26·3	7·9	29·4	25·1	33·0	—	36·8	35·1	4·3	6·4	2·0	—10·6	83	E.	E.N.E.	4·0	0·0	1·0	195	0·04
Wednesday	3	..	29·567	33·7	27·2	6·5	29·6	24·7	33·7	—	34·8	34·1	4·9	9·1	2·3	—10·3	86	E.N.E.	N.E.	2·0	0·0	0·1	95	0·40
Thursday	4	..	29·539	43·0	25·9	17·1	33·3	24·0	58·6	24·6	34·8	34·5	9·3	14·0	8·0	— 6·6	64	N.E.	N.E.	0·0	0·0	0·0	35	0·00
Friday	5	..	29·435	39·8	28·4	11·4	33·1	29·6	40·0	21·1	34·3	34·1	3·5	7·4	2·0	— 6·9	89	N.	NE & NW	0·0	0·0	0·0	140	0·00
Saturday	6	..	28·930	39·5	27·7	11·8	32·9	24·2	48·0	24·8	35·0	35·0	8·7	11·1	3·6	— 7·2	68	SW & NW	N.W.	0·0	0·0	0·0	165	0·01
Means		..	29·420	37·8	26·7	11·1	31·5	25·5	42·6	4 nights. 21·9	35·6	34·8	6·0	9·6	3·1	— 8·5	79	E.N.E.		..	..	..	Sum 910	Sum 0·45
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
February. Sunday	28		Generally cloudy throughout the day.
March. Monday	1		Overcast. Snow fell frequently. A keen cold day.
Tuesday	2	During the first five days of the week the insulating lamp on the pole was not burning.	Overcast. A very cold day.
Wednesday	3		Overcast. Snow fell till 4h. 30m. P.M. to the depth of 5 inches. A very cold day.
Thursday	4		Clear till noon; occasionally cloudy during the remainder of the day.
Friday	5	Positive, with moderate tension after noon.	Cloudy till noon; during the remainder of the day the amount of cloud was variable. Snow and rain fell frequently.
Saturday	6	Negative and strong during the morning, and particularly so during the fall of hail and sleet. Positive from 3h. P.M.	Generally cloudy till noon, mostly clear afterwards. During this day snow, rain, sleet, and hail fell, but to small amounts only.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·69 in. at the beginning of the week to 29·39 in. by 3h. P.M. on the 1st of March; increased to 29·66 in. by 9h. P.M. on the 3d; decreased to 29·40 in. by 9h. A.M. on the 5th; increased to 29·49 in. by noon, and decreased to 29·42 in. by 9h. P.M. on the same day; then decreased quickly till the 6th, 8h. A.M., to 28·88 in.; turned to increase at 10h. A.M.; and was 29·01 in. at the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, March 13. [No. 10.

General Register Office, Somerset House, March 15th, 1858.

The effect of the great and prolonged coldness of the atmosphere is now seen very perceptibly in the returns of mortality. During the last five weeks the mean daily temperature has been almost invariably below the average, on the first three days of March so much as 10° below it; and since the middle of February the weekly deaths in London, which had previously declined to 1195, have increased continuously, though at first slowly, until the number returned in the week that ended last Saturday was 1487. In the tenth week of each of the ten years 1848–57, which corresponds with last week, the deaths ranged from 875 to 1436, and the average was 1187; but as the deaths of last week occurred in an increased population, they can only be compared with the average when the latter is raised in proportion to the increase, a correction which will make it 1305. The result is that 182 persons died last week more than would have died if the rate of mortality had not been higher than the average rate at this season.

It deserves to be noticed that the deaths increased from 1353 in the previous week to 1487 last week, and that this increase is derived from the mortality contributed by each class of disease except "local diseases," which include bronchial complaints. In the last two weeks the deaths referred to diseases of the respiratory organs decreased from 399 to 366. But whooping-cough, which stands in the zymotic class, rose from 59 to 69. The Registrar of St. Paul (St. George-in-the-East) states that it is very prevalent in his sub-district. Measles was fatal in 59 cases, small-pox in 7, scarlatina in 41. Nearly half of the deaths from measles occurred in the East districts. At 20 Danvers-street, Chelsea, a family has lost four children from malignant scarlatina within seven days, and two others are ill from the same complaint. "Diphtheria" is recorded as fatal in 13 cases, either as a primary or secondary disease. Bronchitis carried off 207 persons last week; pneumonia 112; the corrected average of the former is 143, that of the latter 98. A drayman died after two hours' illness from eating mussels; 3 persons from intemperance, besides 2 from delirium tremens. A widow, aged 60 years, died in Union-buildings, Woolwich, from destitution. The two oldest persons recorded in the week were widows, aged respectively 92 and 96 years.

The number of births registered last week was unusually large—namely 2007, —and exceeded the deaths, though these were numerous, by 520. Of children born 1043 were boys, 964 were girls. The average number of births in the corresponding weeks of ten previous years 1848–57 was 1683.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·526 in. The lowest barometrical reading was 28·86 in. on Monday; and the highest was 30·07 in. which occurred on Friday. The mean temperature of the air in the week was 34·7°, which is 5·7° below the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average till Saturday; on five days it was from 7° to 9° below the average. With the exception of only one day, viz., February 13th, the mean daily temperature has been below the average on every day, during the whole period from February 7th to March 12th, both days included. Last week the mean daily range of temperature was 15·3°. The *lowest* reading of the thermometer was obtained on Thursday, and was 23·6°, or 8·4° below the freezing point of water; the *highest* was 50·8° on Saturday; the range of the week was therefore 27·2°. The difference between the mean dew point temperature and air temperature was 4·7°. The temperature of the water of the Thames was remarkably uniform;

the highest and lowest readings of each day differed little, and the mean of the highest in the seven days was 35·2°, and that of the lowest 35·1°. The mean degree of humidity in the week was 80, complete saturation being represented by 100; the humidity of Thursday was only 64. The most frequent direction of the wind was north-west. There was no rain of appreciable amount till Saturday, and the quantity measured for that day was 0·25 in. A little snow fell on several days.

Kensington; *St. John Paddington.*—At 12 Stanley-street, on 5th March, the daughter of an hotel waiter, aged 3 years, "measles, diphtheria."

In the same sub-district, at 11½ Upper Porchester-street, on 10th March, the daughter of a commercial traveller, aged 1 year, "measles, diphtheria."

In the same sub-district, at 36 Queen's-gardens, on 10th March, the daughter of a general labourer, aged 20 months, "diphtheria (3 weeks), convulsions (1 day)."

Pancras; *Regent's Park.*—At 125 Albany-street, on 6th March, the daughter of a carpenter, aged 2 years, "diphtheria (4 days)."

Pancras; *Somers Town.*—At 3 Railway-mews, on 2d March, the daughter of an auctioneer's porter, aged 3 years, "diphtheria."

In the same sub-district, at 43 Aldenham-street, on 6th March, the daughter of a railway porter, aged 9 years, "diphtheria, with sloughing of the left tonsil (6 days)."

Pancras; *Camden Town.*—At 7 Ashby-street, on 6th March, the son of a street hawker, aged 5 years, "diphtheria (5 days)."

Islington; *West.*—At 63 Huntingdon-street, on 11th March, the son of a cheese factor, aged 4 years, "diphtheria (6 days)."

St. Giles; *St. George Bloomsbury.*—At 30 Kingsgate-street, on 1st March, the son of an engine smith, aged 1 year, "diphtheria."

Bethnal Green; *Green.*—At 18 Charles-terrace, on 6th March, the daughter of a vinegar manufacturer, aged 14 months, "pertussis (3 weeks), diphtheria (5 days)."

St. George-in-the-East; *St. Mary.*—At 8 King's-place, on 7th March, the daughter of an ironmonger, aged 2 years, "diphtheria (4 days)."

Lambeth; *Kennington, 1st Part.*—At Clapham-road, on 8th March, a female, aged 19 years, "diphtheria (15 days)."

Lewisham; *Plumstead.*—At Upper Woodland-terrace, Charlton, on 11th March, a boy, aged 3 years, "diphtheria (1 week)."

St. Luke; *Old-street.*—At St. Mark's Hospital, on 7th March, an iron wharf store keeper, aged 53 years, "acute tetanus (3 days), following the operation for tying two internal hæmorrhoids (4 days)."

Lambeth; *Lambeth Church, 2d Part.*—At 70 New-street, Princes-road, on 3d March, a brewer's drayman, aged 43 years, "asphyxia, from eating a quantity of mussels (2 hours)."

Greenwich; *Woolwich Arsenal.*—At 6 Union-buildings, on 7th March, a widow, aged 60 years, "destitution and old age."

On one day, viz., 12th of last January, two mariners, aged respectively 20 and 42 years, died on board the brig "Ann Isabella," in the London Docks, from "ague and fever." Inquests were held, and *post mortem* examinations made on both bodies.

Births Registered last Week, and in the Tenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1480	1544	1476	1580	1647	1816	1800	1920	1925	1644	1683·2	2007
Males . .	750	821	733	795	841	892	946	971	994	858	860·1	1043
Females .	730	723	743	785	806	924	854	949	931	786	823·1	964

Deaths Registered last Week, and in the Tenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1070	1047	875	1247	1232	1436	1343	1377	1082	1156	1186·5	1487*
Males . .	525	531	433	582	636	740	689	679	570	573	595·8	771
Females .	545	516	442	665	596	696	654	698	512	583	590·7	716

* The deaths in the sub-district of Lee are not inserted above; but, instead thereof, an average of 4 is inserted, derived from the returns of six previous weeks. The true number has been ascertained to be also 4.

DEATHS in LONDON, from ALL CAUSES, Registered in the TENTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 11 1848	Mar 10 1849	Mar 9 1850	Mar 8 1851	Mar 13 1852	Mar 12 1853	Mar 11 1854	Mar 10 1855	Mar 8 1856	Mar 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 13, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	41°·7	43°·0	42°·4	39°·4	40°·0	44°·6	43°·8	36°·0	38°·3	37°·2	40°·6	34°·7					
	ALL CAUSES . . .	1070	1047	875	1247	1232	1436	1343	1377	1082	1156	1186·5	1487†	691	197	247	280	68
	SPECIFIED CAUSES .	1053	1028	858	1228	1205	1424	1315	1330	1058	1137	1163·6	1461	678	194	244	278	67
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	271	253	152	264	219	268	274	281	225	234	244·1	291	228	20	20	20	3
II.	CONSTITUTIONAL „ .	232	213	189	252	290	272	268	260	230	242	244·8	288	94	94	71	25	4
III.	LOCAL „ .	433	425	414	577	495	679	573	587	430	502	511·5	672	268	63	143	175	23
IV.	DEVELOPMENTAL „ .	94	105	88	130	128	158	170	152	135	137	129·7	175	80	8	1	54	32
V.	VIOLENT DEATHS . .	23	32	15	5	73	47	30	50	38	22	33·5	35	8	9	9	4	5
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	261	238	133	251	196	250	250	263	212	219	227·3	271	216	17	17	18	3
	2. ENTHETIC „ . .	2	2	9	3	7	5	4	4	3	5	4·4	6	6	..	..	..	..
	3. DIETIC „ . .	7	11	9	7	14	10	15	9	8	9	9·9	11	3	3	3	2	..
	4. PARASITIC „ . .	1	2	1	3	2	3	5	5	2	1	2·5	3	3	..	..	..	..
II.	1. DIATHETIC „ . .	39	41	40	44	53	41	53	41	38	48	43·8	57	5	12	19	17	4
	2. TUBERCULAR „ . .	193	172	149	208	237	231	215	219	192	194	201·0	231	89	82	52	8	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	126	101	138	121	126	150	147	149	122	116	129·6	156	73	12	32	34	5
	2. „ OF ORGANS OF CIRCULATION .	30	25	33	70	59	57	55	41	52	53	47·5	67	5	15	21	25	1
	3. „ OF RESPIRATORY ORGANS . .	198	223	171	321	251	391	295	313	191	263	261·7	366	169	22	69	90	16
	4. „ OF DIGESTIVE ORGANS . . .	55	52	43	49	43	48	46	55	39	47	47·7	58	16	10	15	16	1
	5. „ OF URINARY ORGANS . . .	12	15	12	7	10	24	19	13	13	8	13·3	16	1	3	4	8	..
	6. „ OF ORGANS OF GENERATION .	2	2	4	1	2	5	2	4	5	6	3·3	3	1	..	1	1	..
	7. „ OF ORGANS OF LOCOMOTION .	2	3	4	4	2	2	1	4	5	6	3·3	3	1	1	..	1	..
	8. „ OF INTEGUMENTARY SYSTEM .	8	4	9	4	2	2	8	8	3	3	5·1	3	2	..	1	..	..
IV.	1. DEV. DISEASES OF CHILDREN	30	47	20	63	46	57	68	41	55	49	47·6	39	39	..	..	..	..
	2. „ OF ADULTS .	5	3	8	2	3	8	8	2	10	6	5·5	8	..	8	..	..	..
	3. „ OF OLD PEOPLE	36	39	42	45	58	57	50	71	37	48	48·3	72	..	..	..	40	32
	4. DISEASES OF NUTRITION .	23	16	18	20	21	36	44	38	33	34	28·3	56	41	..	1	14	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											32	8	8	8	4	4
	3. HOMICIDE*												..	..	..	..	..	..
	4. SUICIDE												2	..	1	..	..	1
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	23	32	15	5	73	47	30	50	38	22	33·5	1	..	..	1	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	14	10	9	11	14	7	11	16	18	11	12·1	18	10	2	3	2	1
	CAUSES NOT SPECIFIED . .	3	9	8	8	13	5	17	31	6	8	10·8	8†	3	1	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 4 is inserted for Lee. The true number is also 4.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 11 1848	Mar 10 1849	Mar 9 1850	Mar 8 1851	Mar 13 1852	Mar 12 1853	Mar 11 1854	Mar 10 1855	Mar 8 1856	Mar 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 13, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	41°·7	43°·0	42°·4	39°·4	40°·0	44°·6	43°·8	36°·0	38°·3	37°·2	40°·6	Mean Temp. 34°·7					
I.	ORDER 1.																	
	1. Small-pox	38	13	6	26	30	2	14	23	15	6	17·3	7	5	1	..	1	..
	2. Measles	34	9	17	30	7	20	31	22	17	27	21·4	59	59	..	..	..	..
	3. Scarlatina	42	43	14	20	18	38	30	40	24	24	29·3	41	40	1	..	..	..
	4. Quinsy	2	1	2	2	..	3	..	2	..	3	1·5	2	2	..	..	..	..
	5. Croup	7	6	3	13	10	8	13	5	9	11	8·5	14	14	..	..	..	..
	6. Whooping-cough	27	69	35	70	42	79	59	74	54	72	58·1	69	68	..	..	..	1
	7. Typhus (and Infantile fever)	63	42	30	39	48	53	53	42	52	39	46·1	34	13	4	11	6	..
	8. Erysipelas	11	7	7	5	9	6	11	9	5	7	7·7	5	1	..	..	3	1
	9. Metria	4	6	2	4	4	6	4	6	6	4	4·6	4	..	4	..	..	..
	10. Carbuncle	..	..	..	..	1	4	1	..	1	1	·8	1	1	..	..	..	..
	11. Influenza	11	4	..	15	3	6	..	7	2	1	4·9	4	..	1	1	1	1
	12. Dysentery	..	3	1	3	2	3	4	2	1	2	2·1	3	..	1	1	1	..
	13. Diarrhœa	14	18	9	13	11	13	19	22	13	9	14·1	20	11	2	1	6	..
	14. Cholera	1	15	..	2	1	..	..	1	1	..	2·1	..	..	..	..	..	..
	15. Ague	..	..	..	1	1	..	1	..	1	..	·4	3	1	1	1	..	..
	16. Remittent Fever	3	1	1	3	5	..	3	3	1	7	2·7	..	..	..	..	..	..
	17. Rheumatism	4	1	6	5	4	9	7	5	10	6	5·7	5	1	2	2	..	..
	ORDER 2.																	
	1. Syphilis	2	2	6	3	3	3	3	3	..	3	2·8	6	6	..	..	..	..
	2. Stricture of Urethra	..	..	3	..	4	2	1	1	3	2	1·6	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	1	1	..	2	1	1	..	·6	2	..	..	1	1	..
	2. Want of Breast-milk	2	3	6	2	6	2	8	3	4	6	4·2	3	3	..	..	..	..
	3. Purpura and Scurvy	1	3	..	..	1	2	..	..	..	1	·8	1	..	1	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	3	3	4	3	4	2	4	3	1	2·9	2	..	..	1	1	..
	4. Alcoholism { *b* Intemperance	2	2	..	..	3	2	3	1	..	1	1·4	3	..	2	1	..	..
	ORDER 4.																	
	1. Thrush	1	2	1	3	2	3	5	5	2	1	2·5	3	3	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	..	..	2	2	1	1	..	1	1	1·0	3	..	..	1	2	..
	2. Dropsy	14	16	12	19	21	19	23	16	17	12	16·9	21	3	8	6	3	1
	3. Cancer	20	19	19	11	23	17	24	14	17	32	19·6	26	..	4	12	9	1
	4. Noma	..	..	1	..	..	1	2	..	..	..	·4	1	1	..	..	..	..
	5. Mortification	3	6	8	12	7	3	3	11	3	3	5·9	6	1	..	..	3	2
	ORDER 2.																	
	1. Scrofula	7	4	2	7	12	9	7	6	4	11	6·9	16	11	3	1	1	..
	2. Tabes Mesenterica	18	19	9	16	14	18	18	21	16	12	16·1	14	14	..	..	..	..
	3. Phthisis	141	121	107	154	182	167	151	163	129	140	145·5	165	28	79	51	7	..
	4. Hydrocephalus	27	28	31	31	29	37	39	29	43	31	32·5	36	36	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	9	9	14	8	18	14	9	7	10	12	11·0	12	6	2	4	..	..
	2. Apoplexy	35	21	34	20	19	32	33	33	29	22	27·8	30	3	3	7	16	1
	3. Paralysis	24	15	33	15	30	41	32	33	25	23	27·1	29	1	2	8	14	4
	4. Insanity	2	2	1	1	..	2	1	2	3	..	1·4	1	..	..	1	..	..
	5. Chorea	..	..	1	..	..	..	..	..	..	..	·1	2	1	..	1	..	..
	6. Epilepsy	8	6	8	3	6	6	6	9	9	9	7·0	10	4	4	2	..	..
	7. Convulsions	43	38	37	60	46	39	48	46	35	41	43·3	52	52	..	..	..	..
	8. *Brain Disease, &c.*	5	10	10	14	7	16	18	19	11	9	11·9	20	6	1	9	4	..
	ORDER 2.																	
	1. Pericarditis	2	1	3	8	..	..	..	1	1	2	1·8	7	2	2	2	1	..
	2. Aneurism	2	3	..	1	1	1	3	6	2	1	2·0	1	..	1	..	..	..
	3. *Heart Disease, &c.*	26	21	30	61	58	56	52	34	49	50	43·7	59	3	12	19	24	1
	ORDER 3.																	
	1. Laryngitis	2	9	2	8	7	6	8	2	5	5	5·4	9	8	1	..	..	..
	2. Bronchitis	95	85	65	160	127	233	147	169	86	135	130·2	207	71	9	47	67	13
	3. Pleurisy	3	4	4	6	3	3	2	4	3	..	3·2	3	..	1	2	..	..
	4. Pneumonia	72	89	74	96	79	98	103	108	76	100	89·5	112	89	5	8	8	2
	5. Asthma	13	29	17	40	27	36	27	24	15	12	24·0	26	..	2	11	13	..
	6. *Lung Disease, &c.*	13	7	9	11	8	15	8	6	6	11	9·4	9	1	4	1	2	1
	ORDER 4.																	
	1 Gastritis	4	1	1	..	..	..	3	1	2	1	1·3	1	1	..	..	..	..
	2. Enteritis	9	9	7	7	4	6	4	6	3	7	6·2	7	4	1	..	2	..
	3. Peritonitis	8	7	6	4	4	7	3	10	2	2	5·3	3	1	1	1	..	..
	4. Ascites	4	1	1	2	6	3	3	6	1	2	2·9	1	..	..	..	1	..
	5. Ulceration of Intestines	5	1	..	5	4	5	5	3	3	2	3·3	5	..	1	3	1	..
	6. Hernia	1	2	2	2	3	3	3	6	2	5	2·9	4	..	..	..	4	..
	7. Ileus	3	2	2	..	1	2	3	2	2	6	2·3	7	2	3	1	1	..
	8. Intussusception	1	..	4	1	..	2	..	..	..	1	·9	3	2	..	..	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

the TENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 11 1848	Mar 10 1849	Mar 9 1850	Mar 8 1851	Mar 13 1852	Mar 12 1853	Mar 11 1854	Mar 10 1855	Mar 8 1856	Mar 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 13, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	41°·7	43°·0	42°·4	39°·4	40°·0	44°·6	43°·8	36°·0	38°·3	37°·2	40°·6	34°·7					
	9. Stricture of Intestines	..	1	..	..	..	1	..	1	1	1	·5	1	..	1	..	..	..
	10. Fistula	1	..	..	..	..	1	1	..	..	..	·3	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	8	8	4	6	8	3	5	8	7	6	6·3	9	1	..	5	3	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	1	6	4	5	2	3	3	7	2	..	3·3	4	1	2	1	..	..
	14. Jaundice	3	6	3	7	4	..	2	2	3	3	3·3	4	4	..	..	..	..
	15. *Liver Disease, &c.*	7	8	8	10	7	12	11	3	11	11	8·8	8	..	1	4	2	1
	16. *Spleen Disease, &c.*	..	..	1	..	..	..	..	..	..	..	·1	1	..	..	..	1	..
	ORDER 5.																	
	1. Nephritis	2	..	..	..	1	1	2	3	1	..	1·0	1	..	..	..	1	..
	2. Ischuria	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	3. Nephria	..	2	2	1	3	7	6	7	2	2	3·2	7	1	1	2	3	..
	4. Diabetes	1	1	..	1	1	1	3	1	..	..	·9	1	..	1	..	..	..
	5. Stone	2	1	1	..	..	1	2	..	1	1	·9	1	..	..	..	1	..
	6. Cystitis	..	2	..	1	1	1	1	..	1	1	·8	2	..	..	..	2	..
	7. *Kidney Disease, &c.*	7	9	9	4	4	13	5	2	7	4	6·4	4	..	1	2	1	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	1	..	..	1	..	..	1	1	..	·4	1	1	..	..	..	..
	2. *Uterus Disease, &c.*	2	1	4	1	1	5	2	3	4	6	2·9	2	..	..	1	1	..
	ORDER 7.																	
	1. Arthritis	..	1	..	..	..	..	..	1	1	..	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	2	4	4	2	2	1	3	4	6	3·0	3	1	1	..	1	..
	ORDER 8.																	
	1. Phlegmon	5	1	8	2	1	1	6	4	2	2	3·2	2	1	..	1	..	..
	2. Ulcer	1	1	..	1	1	..	1	3	1	..	·9	..	..	..	..	..	..
	3. *Skin Disease, &c.*	2	2	1	1	..	1	1	1	..	1	1·0	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	16	35	13	36	26	35	49	18	31	26	28·5	19	19	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												4	4	..	..	..	..
	4. Other Malformations	3	3	2	6	2	4	11	4	7	8	5·0	3	3	..	..	..	..
	5. Teething	11	9	5	21	18	18	8	19	17	15	14·1	13	13	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	1	1	..	..	..	..	..	1	1	·4	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	5	2	7	2	3	8	8	2	9	5	5·1	8	..	8	..	..	..
	ORDER 3.																	
	1. Old Age	36	39	42	45	58	57	50	71	37	48	48·3	72	..	..	..	40	32
	ORDER 4.																	
	1. Atrophy and Debility	23	16	18	20	21	36	44	38	33	34	28·3	56	41	..	1	14	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	10	1	2	4	1	2
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	9	4	1	1	1	2
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	4	..	1	1	2	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	4	1	3	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	4	2	1	1	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	..	1
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	23	32	15	5	73	47	30	50	38	22	33·5	1	..	..	1	..	..
	Sudden Deaths (Cause unascertained)	14	10	9	11	14	7	11	16	18	11	12·1	18	10	2	3	2	1
	Causes not specified or ill-defined	3	9	8	8	13	5	17	31	6	8	10·8	8†	3	1	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 4 is inserted for Lee. The true number is also 4.

DEATHS Registered in the TENTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Mar. 11 1848	Mar. 10 1849	Mar. 9 1850	Mar. 8 1851	Mar. 13 1852	Mar. 12 1853	Mar. 11 1854	Mar. 10 1855	Mar. 8 1856	Mar. 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Mar. 13 1858.
Mean Temperature . . .			41·7°	43·0°	42·4°	39·4°	40·0°	44·6°	43·8°	36·0°	38·3°	37·2°	40·6°	34·7°
LONDON	78029	2362236	1070	1047	875	1247	1232	1436	1343	1377	1082	1156	1186·5	1487
1-6. WEST DISTRICTS .	10786	376427	149	151	123	175	222	214	213	206	178	177	180·8	245
7-11. NORTH DISTRICTS .	13533	490396	193	168	160	220	222	266	251	280	202	254	221·6	303
12-19. CENTRAL DISTRICTS	1938	393256	172	170	160	255	237	292	258	214	155	186	209·9	216
20-25. EAST DISTRICTS .	6230	485522	252	255	186	272	255	324	274	303	257	266	264·4	347
26-36. SOUTH DISTRICTS .	45542	616635	304	303	246	325	296	340	347	374	290	273	309·8	376
1. Kensington* HHHH .	7374	120004	56	41	37	63	44	70	62	42	61	64	54·0	88
2. Chelsea H*w* . . .	865	56538	30	19	18	26	59	33	47	35	21	28	31·6	35
3. St. George Hanover-sq. H	1161	73230	16	23	20	26	49	31	40	37	36	26	30·4	52
4. Westminster* HHHH .	917	65609	29	50	32	36	34	53	36	52	35	26	38·3	40
5. St. Martin-in-the-Fields H	305	24640	11	4	8	10	18	9	11	23	11	18	12·3	9
6. St. James Westminster .	164	36406	7	14	8	14	18	18	17	17	14	15	14·2	21
7. Marylebone HH . .	1509	157696	60	57	63	74	75	90	77	110	73	72	75·1	100
8. Hampstead	2252	11986	3	1	4	5	3	6	4	7	3	9	4·5	6
9. Pancras HH*w* . . .	2716	166956	76	59	45	85	84	87	84	85	63	91	75·9	92
10. Islington HHH . .	3127	95329	29	27	29	38	38	63	61	51	37	53	42·6	68
11. Hackney* H*w* . . .	3929	58429	25	24	19	18	22	20	25	27	26	29	23·5	37
12. St. Giles* H . . .	245	54214	26	31	13	33	31	48	45	39	18	19	30·3	34
13. Strand* H	174	44460	12	17	15	23	20	15	33	25	26	28	21·4	27
14. Holborn* H . . .	196	46621	24	21	20	37	37	35	34	29	19	29	28·5	38
15. Clerkenwell	380	64778	31	22	22	36	30	59	35	37	35	23	33·0	30
16. St. Luke HH . . .	220	54055	20	13	22	48	21	34	39	27	14	22	26·0	18
17. East London* . . .	153	44406	20	16	18	29	20	24	21	13	11	16	18·8	18
18. West London* H . .	136	28790	23	34	29	25	57	54	26	27	23	27	32·5	31
19. London City* . . .	434	55932	16	16	21	24	21	23	25	17	9	22	19·4	20
20. Shoreditch *w* . . .	646	109257	52	45	35	59	62	72	62	74	56	47	56·4	87
21. Bethnal Green H . .	760	90193	43	49	25	43	48	52	37	49	34	57	43·7	54
22. Whitechapel* HH . .	406	79759	44	44	46	54	42	67	58	69	44	42	51·0	51
23. St. George in the East .	243	48376	37	45	26	23	24	36	25	24	27	18	28·5	49
24*a*. Stepney*	576	54173	50	57	35	66	57	62	54	60	57	71	56·9	31
24*b*. Mile-end Old Town H*w*	681	56602												44
25. Poplar* H*w* . . .	2918	47162	26	15	19	27	22	35	38	27	39	31	27·9	31
26. St. Saviour Southwark* HH	250	35731	29	21	15	25	22	15	26	37	22	18	23·0	31
27. St. Olave Southwark* HH	169	19375	14	18	13	15	15	23	13	27	25	26	18·9	25
28. Bermondsey	688	48128	19	28	17	33	31	28	37	19	24	23	25·9	21
29. St. George Southwark .	282	51824	38	25	21	40	25	30	31	42	23	23	29·8	32
30. Newington	624	64816	21	27	33	29	31	48	33	33	22	27	30·4	34
31. Lambeth H	4015	139325	62	50	43	58	63	83	69	64	53	56	60·1	74
32. Wandsworth* . . .	11695	50764	26	14	16	24	23	18	20	29	25	23	21·8	28
33. Camberwell	4342	54667	24	31	20	31	20	28	41	22	26	20	26·3	29
34. Rotherhithe	886	17805	8	16	8	8	15	9	8	7	11	7	9·7	12
35. Greenwich* HHHHH .	5367	99365	51	59	45	44	40	49	58	74	46	39	50·5	74
36. Lewisham*	17224	34835	12	14	15	18	11	9	11	20	13	11	13·4	16

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 119 PUBLIC INSTITUTIONS.

	In the Week ending March 6. Total.	Males.	Females.	In the Week ending March 13. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	261	138	123	280	148	132
46 WORKHOUSES	165	76	89	178	87	91
14 PRISONS . . . . . ‡	2	1	1	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	4	4	–	6	6	–
15 GENERAL HOSPITALS	75	48	27	71	37	34
7 HOSPITALS FOR SPECIAL DISEASES	2	2	–	5	4	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	2	–	2	–	–	–
7 MILITARY AND NAVAL HOSPITALS	5	5	–	6	6	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	–	–	–
20 LUNATIC ASYLUMS	6	2	4	14	8	6

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

NDON.—Deaths from Small-pox, Measles, Scarlatina, Whooping-cough, Diarrhœa, and Typhus registered in each Sub-district during the Week ending Saturday, 13th March 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	7	59	41	69	20	34
.*							
1–6 West Districts - -	376427	-	14	8	9	2	6
–11 North Districts - -	490396	5	7	9	14	5	10
–19 Central Districts -	393256	-	4	5	10	2	2
–25 East Districts - -	485522	1	28	12	19	6	9
–36 South Districts - -	616635	1	6	7	17	5	7
West Districts.							
1 St. Mary Paddington *W* H	17252	-	1	1	-	1	-
2 St. John Paddington H -	29053	-	2	2	1	-	-
3 Kensington Town *W* L -	29183	-	-	-	3	-	-
4 Brompton HH - -	14870	-	-	-	-	-	2
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
1 Chelsea South H - -	19050	-	-	2	-	-	-
2 Chelsea North-west *Ww*	17669	-	1	-	-	-	-
3 Chelsea North-east L -	19819	-	-	-	-	-	-
1 Hanover-square - -	20216	-	2	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	4	1	1	-	1
1 St. John Westmr. HHHP	34295	-	1	-	3	-	-
2 St. Margaret West. *W* HP	31314	-	3	-	1	1	1
1 Charing Cross *W* H -	12587	-	-	-	-	-	2
2 Long Acre - - -	12053	-	-	-	-	-	-
1 Berwick-street - -	10798	-	-	1	-	-	-
2 St. James's-square - -	11469	-	-	1	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
North Districts.							
1 All Souls Marylebone H -	28841	-	1	1	1	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	1	2	-	5	-	-
4 St. Mary Marylebone H -	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	1	-	-	-	-
6 St. John Marylebone -	29826	1	2	-	1	1	1
1 Hampstead *W* - -	11986	-	-	-	1	-	-
1 Regent's Park Pancras -	31918	-	1	1	-	-	-
2 Tottenham-court *w*H -	28433	-	-	1	-	-	4
3 Gray's-inn-lane H -	26523	2	-	-	-	1	-
4 Somers-town - - -	35641	-	-	2	1	-	1
5 Camden-town *W* - -	21115	-	-	1	1	-	1
6 Kentish-town - - -	23326	-	-	-	1	-	1
1 Islington West† *W* HHHPP	47881	1	-	1	1	-	-
2 Islington East - - -	47448	-	-	-	2	2	1
1 Stoke Newington L -	4840	-	-	1	-	-	1
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	-	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	1	-
5 South Hackney L - -	8458	-	-	1	-	-	-
Central Districts.							
1 St. George Bloomsbury -	16807	-	-	1	1	-	-
2 St. Giles South *W* H -	19951	-	-	-	1	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
1 St. Anne Soho - - -	17335	-	-	2	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	-
1 St. George-the-Martyr H.	18813	-	1	-	1	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron-hill - - -	13837	-	1	-	1	-	-
1 St. James Clerkenwell *W* P	21529	-	1	-	2	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	1	-	-	-	1
4 Goswell-street - -	15625	-	-	-	1	1	-
1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	-	-	1	-	-
3 Whitecross-street - -	13657	-	-	1	-	-	-
4 Finsbury - - - -	12941	-	-	-	-	-	-
1 St. Botolph East London	23824	-	-	-	-	-	1
2 Cripplegate P - -	20582	-	-	1	1	-	-
1 West London North *W* HP	12946	-	-	-	-	1	-
2 West London South P -	15844	-	-	-	-	-	-
1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
East Districts.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	-	-	-
3 Hoxton New Town *w* -	23505	-	2	-	-	-	-
4 Hoxton Old Town - -	17431	-	-	-	1	1	1
5 Haggerstone West *W* -	20276	-	-	2	1	-	-
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney Road - -	23910	-	1	1	1	-	1
2 Green, Bethnal Green *W* HL	23555	-	-	-	2	2	-
3 Church, Bethnal Green -	21787	-	1	2	1	-	1
4 Town, Bethnal Green -	20941	-	-	-	3	1	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	-	1	1
3 Mile End New Town *W* -	14543	-	-	-	1	-	2
4 Whitechapel North *W* -	12530	-	-	-	-	-	-
5 Whitechapel Church H -	7818	1	-	1	-	-	-
6 Goodman's Fields - -	12069	-	1	-	-	-	-
7 Aldgate H - - -	10694	-	-	-	-	-	1
23; 1 St. Mary St. Geo. East -	18067	-	3	1	1	-	-
2 St. Paul St. Geo. East -	20319	-	1	-	4	-	-
3 St. John St. Geo. East *W*	9990	-	5	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	1	1	-
2 Ratcliff *W* - - -	15212	-	1	1	-	-	-
3 Limehouse *W* - -	22782	-	5	-	1	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	1	2	-	-
4 Mile End Old T., East. *Ww* H	27020	-	1	-	-	-	-
25; 1 Bow *w*LH - - -	18778	-	3	-	-	-	-
2 Poplar *W* - - -	28384	-	4	2	-	-	1
South Districts.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	1	-	1
2 St. Saviour Southwark HH	19709	-	-	-	-	1	-
27; 1 St. Olave Southwark HH	8015	-	-	-	1	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	-	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3 Leather Market - -	15295	-	-	-	-	-	-
29; 1 Kent Road - - -	18126	-	-	-	-	-	-
2 Borough Road *W* P -	15862	-	-	-	-	-	1
3 London Road LP - -	17836	-	-	1	-	-	-
30; 1 Trinity Newington P -	20922	-	-	-	3	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	2	-	1
3 St. Mary Newington -	14033	-	-	-	1	-	-
31; 1 Waterloo Road 1st - -	14088	-	1	1	-	-	1
2 Waterloo Road 2nd H -	18348	-	-	-	-	-	-
3 Lambeth Church 1st -	18409	-	-	1	1	-	-
4 Lambeth Church 2nd *W*	26784	-	-	-	-	-	-
5 Kennington 1st - -	24261	-	-	1	1	-	1
6 Kennington 2nd - -	18848	-	-	-	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	1	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	1	-
2 Battersea *W* L - -	10560	-	-	1	-	1	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	-	-	-	-
4 St. George Camberwell -	15849	-	-	-	1	1	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	1	-	1	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	1	-	1	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	1	2
5 Woolwich Dockyard HP	17140	-	1	-	2	-	-
6 Woolwich Arsenal HPH	15227	1	1	-	1	-	-
36; 1 Plumstead - - -	13191	-	-	1	1	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	‡	-	-	-	-	-
4 Lewisham Village *Ww* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

Note.—The letters placed against the names of the sub-districts note public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

Outlying Workhouses:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ Return not received in time for insertion. It contains one death from whooping-cough.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 13TH MARCH 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Low-est.	Range in day.	Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
MARCH.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
SUNDAY . .	7	Apogee Last Quarter.	29·113	40·5	27·5	13·0	33·1	30·2	—	21·0	34·8	34·8	2·9	9·1	0·8	— 7·0	80	W.	W. & SW.	0·0	0·0	0·0	200	0·00
MONDAY. .	8	Greatest Dec. S.	29·262	41·7	26·7	15·0	31·1	29·1	50·0	26·0	35·1	34·9	2·0	8·1	0·0	— 9·0	90	SW&NW	N.W.	4·0	0·0	0·2	135	0·00
TUESDAY .	9	..	29·521	41·6	27·5	14·1	33·2	24·8	49·5	21·5	35·3	35·1	8·4	11·6	5·8	— 7·0	70	W.S.W.	W.N.W.	0·0	0·0	0·0	145	0·00
WEDNESDAY	10	..	29·691	44·0	30·3	13·7	35·3	30·0	51·0	22·8	35·3	35·1	5·3	11·7	1·4	— 5·0	83	W.	NW. & NE.	0·0	0·0	0·0	15	0·00
THURSDAY.	11	..	29·858	43·0	23·6	19·4	32·4	22·9	60·5	15·0	35·3	35·1	9·5	15·9	7·4	— 8·1	64	N.E.	N.	0·0	0·0	0·0	20	0·00
FRIDAY . .	12	..	30·009	41·4	25·2	16·2	32·6	29·2	50·2	15·0	35·3	35·1	3·4	6·2	1·0	— 8·0	79	N. & NW.	W.N.W.	0·0	0·0	0·0	170	0·00
SATURDAY.	13	..	29·231	50·8	35·0	15·8	44·9	43·2	53·2	27·3	35·6	35·4	1·7	3·8	0·0	+ 3·9	93	S.W.	W. &WSW.	3·0	0·0	0·1	180	0·25
MEANS . .		..	29·526	43·3	28·0	15·3	34·7	29·9	52·4	21·2	35·2	35·1	4·7	9·5	2·3	— 5·7	80	N.W.		..	..	..	Sum 865	Sum 0·25
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
MARCH.			
SUNDAY . .	7	Positive, with weak tension.	The amount of cloud was very variable throughout the day, generally more than two thirds were covered.
MONDAY . .	8	Positive, with weak tension at night.	Generally cloudy, but at times variable in amount; showers of snow, sleet, and hail at intervals till evening, cloudless at night. Fog was prevalent early in the morning.
TUESDAY . .	9	Positive, with strong tension generally; sparks were shown at night.	At and about noon much cloud was prevalent, and a few flakes of snow fell, cloudless generally at other times of the day.
WEDNESDAY	10	Positive, with strong tension throughout the day.	One half the sky was generally covered during the day. A little snow fell occasionally after noon.
THURSDAY .	11	Positive, with moderate tension during the morning; strong tension afterwards.	The day was very fine and bright throughout. Slight haze at night.
FRIDAY . .	12	Positive, with strong tension.	Generally overcast throughout the day.
SATURDAY .	13	Weak positive at night.	Cloudy till evening, clear afterwards. Rain fell generally till noon.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·01 in. at the beginning of the week to 29·13 in. by 7h. P.M. on the 7th; turned to decrease rapidly shortly after this time, and by 0h. 30m. A.M. on the 8th the reading was 28·86 in.; turned to increase soon after this time, and by noon on the same day the reading was 29·24 in.; increased to 30·07 in. by 9h. A.M. on the 12th; decreased to 29·14 in. by 3h. P.M. on the 13th; and increased to 29·23 in. at the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, March 20. [No. 11.

General Register Office, Somerset House, March 22d, 1858.

The Deaths registered in London decreased from 1487 in the previous week to 1431 in the week that ended last Saturday (March 20th). The decrease is not great, and the mortality is still unusually high; for though the weather has been bright and genial during the week, its effect is not immediately seen, to its full extent, in the shortening of the long list of deaths. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1198, but as the deaths of last week occurred in an increased population, they can only be compared with the average, after the latter is raised proportionally to the increase, a correction which will make it 1318. Hence it appears that 113 persons died last week, who would have survived if a mortality not higher than the average rate had ruled.

On comparing the facts of the last two weeks it will be seen that of the five classes of disease, only that which comprises "local diseases" exhibits any important variation of numbers. Diseases of the organs of circulation decreased from 67 fatal cases in the preceding week to 49 last week; those of the respiratory organs from 366 to 333; those of the organs of digestion from 58 to 45. And under the second of these heads the decrease appears to have been chiefly in the deaths from asthma; for the respective numbers in the two weeks were from bronchitis 207 and 192, from pneumonia 112 and 111, and from asthma 26 and 14. The corrected average of bronchitis in corresponding weeks is 139. The present return exhibits a considerable increase in the mortality of whooping-cough, for in three previous weeks the deaths from it were successively 53, 59, 69, and last week they were 83. Of 45 deaths from measles only 4 occurred in the Central districts, and only one in the largest and most populous division, the Southern. Scarlatina was fatal in 40 cases, among which 7 of diphtheria are enumerated. A girl died of typhus in a house in Gibraltar-walk, Bethnal-green, the fatal termination of the disease having been, in the opinion of the medical attendant, materially promoted by bad sanitary condition. Another child died of malignant scarlatina at 20 Danvers-street, Chelsea, in addition to the four, mentioned in last return, who have been carried off by this disease, in the same family, during the current month. A seaman died of scurvy on board a ship in the West India Dock. One person died of privation; 2 of intemperance, besides 3 of delirium tremens. The deaths of six persons are recorded who had attained the age of 90 years or upwards. The two oldest had arrived at the ages respectively of 97 and 100; the younger of whom died in Clapton; the centenarian in Alma-terrace, Old Kent-road.

Last week the births of 1026 boys and 934 girls, in all 1960 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1639.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·963 in. On the last four days the mean barometrical reading was above 30 in., and on Saturday it was 30·306 in. The highest reading in the week was obtained on that day, and was 30·33 in. The mean temperature of the air in the week was 48°, and was 6·3° above the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was above the average throughout the week; on Tuesday the excess was equal to 9·1°, and varied from 6° to 8° on the four subsequent days. The *lowest* temperature in the week occurred on Sunday (the 14th) and was 36·9°; the *highest* on Friday, and was 61·4°; the range of the week was therefore 24·5°. The mean

daily range of temperature was 14·8°. The difference between the mean dew point temperature and air temperature was 7·7°. The mean degree of humidity was 75, complete saturation being represented by 100; on Thursday and Saturday the humidity was 69. The mean temperature of the water of the Thames was 39·1°. The wind blew generally from the west. The whole amount of rain measured was the tenth of an inch.

KENSINGTON; *St. John Paddington.*—At 57 Praed-street, on 10th March, the daughter of a carpenter, aged 5 years, "diphtheria, exhaustion."

KENSINGTON; *Town.*—At 5 Peel-street, on 14th March, the daughter of a horse keeper, aged 2 months, "diphtheria (5 days)."

WESTMINSTER; *St. John.*—At 45 Great Peter-street, on 19th March, the daughter of a plasterer, aged 1 year, "diphtheria (5 days)."

MARYLEBONE; *Rectory.*—At the Workhouse, on 17th March, the son of a servant, aged 10 months, "diphtheria."

ISLINGTON; *East.*—At 17 Prospect-row, on 18th March, the daughter of a gardener, aged 2 years, "diphtheria (3 days)."

SHOREDITCH; *Hoxton Old Town.*—At 54 Buckland-street, on 13th March, the son of an artificial florist, aged 8 months, "diphtheria (10 days), tracheitis."

WANDSWORTH; *Clapham.*—At 9 Waterloo-place, Bromell's-road, on 18th March, the son of an omnibus coachman, aged 2 years, "diphtheria (10 days)."

POPLAR; *Poplar.*—On board the ship "Sir George Anderson," now lying in the West India Dock, on 7th March, a seaman, merchant service, aged 27 years, "scurvy."

CAMBERWELL; *St. George.*—At 9 Alma-terrace, Mawbey-road, Old Kent-road, on 7th March, a gentleman, aged 100 years, "old age, natural decay."

BIRTHS Registered LAST WEEK, and in the ELEVENTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1436	1521	1384	1533	1710	1667	1764	1779	1744	1855	1639·3	1960*
Males . .	721	768	728	770	897	855	883	906	932	939	839·9	1026
Females . .	715	753	656	763	813	812	881	873	812	916	799·4	934

DEATHS Registered LAST WEEK, and in the ELEVENTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	1118	1083	967	1401	1208	1274	1188	1425	1118	1195	1197·7	1431†
Males . .	590	537	500	684	652	652	606	727	563	627	613·8	770
Females .	528	546	467	717	556	622	582	698	555	568	583·9	661

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.
BIRTHS	1499	1933	1700	1763	1798	1750	1842	1836	1963	1810	1644	2007	1960
DEATHS	1013	1431	1327	1289	1344	1363	1314	1195	1275	1288	1353	1487	1431
DEATHS (except from Violence) . . .	987	1317	1307	1276	1325	1344	1282	1150	1250	1265	1330	1452	1396
Deaths (except from Violence) at 60 years and upwards . .	231	277	305	311	333	336	337	279	299	305	287	339	306
Small-pox	1	..	3	2	2	2	3	4	4	2	4	7	4
Measles	41	45	60	65	66	50	57	57	34	57	55	59	45
Scarlatina	30	25	36	39	33	42	31	27	39	53	37	41	40
Whooping-cough . .	37	57	49	41	54	54	51	53	53	53	59	69	83
Typhus	30	42	31	34	35	34	32	35	34	27	22	34	41
Diarrhœa	12	12	9	17	9	5	8	8	11	9	20	20	13
Mean Temperature .	47°·1	39°·1	34°·5	39°·8	37°·5	37°·5	37°·8	34°·3	34°·0	33°·1	31°·5	34°·7	48°·0

* The Births in the sub-district of Bethnal Green Town are not inserted above; but, instead thereof, an average of 21 is inserted, which is derived from the returns of six previous weeks.

† The deaths in the sub-districts of Bethnal Green Town and Golden-square are not inserted above; but, in lieu thereof, averages of 12 for the former, and 11 for the latter, are inserted. The true number for Golden-square is ascertained to be only 2.

DEATHS in LONDON, from ALL CAUSES, Registered in the ELEVENTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 18 1848	Mar 17 1849	Mar 16 1850	Mar 15 1851	Mar 20 1852	Mar 19 1853	Mar 18 1854	Mar 17 1855	Mar 15 1856	Mar 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 20, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 48°·0	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·7	45°·9	40°·9	40°·5	40°·5	36°·6	47°·2	38°·5	36°·3	45°·1	41°·2						
	ALL CAUSES	1118	1083	967	1401	1208	1274	1188	1425	1118	1195	1197·7	1431†	694	176	229	251	58
	SPECIFIED CAUSES	1097	1066	944	1379	1200	1258	1151	1362	1098	1174	1172·9	1400	688	174	229	251	58
	(CLASSES.)			*														
I.	ZYMOTIC DISEASES	305	240	165	303	214	249	239	280	234	215	244·4	286	217	22	23	24	..
II.	CONSTITUTIONAL "	245	246	237	282	257	227	241	293	240	265	253·3	281	94	80	62	43	2
III.	LOCAL "	411	438	406	604	557	622	489	588	468	548	513·1	628	263	61	135	143	26
IV.	DEVELOPMENTAL "	106	118	103	166	147	130	155	172	123	119	133·9	170	97	4	1	38	30
V.	VIOLENT DEATHS	30	24	33	24	25	30	27	29	33	27	28·2	35	17	7	8	3	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	290	235	150	283	200	232	223	254	219	199	228·5	271	210	17	22	22	..
	2. ENTHETIC "	4	1	3	1	2	6	1	5	5	7	3·5	5	4	..	..	1	..
	3. DIETIC "	7	3	9	16	7	10	13	21	5	8	9·9	9	2	5	1	1	..
	4. PARASITIC "	4	1	3	3	5	1	2	..	5	1	2·5	1	1	..	..	..	..
II.	1. DIATHETIC "	40	50	39	49	33	38	48	62	42	38	43·9	52	2	7	15	26	2
	2. TUBERCULAR "	205	196	198	233	224	189	193	231	198	227	209·4	229	92	73	47	17	..
III.	1. DISEASES OF NERVOUS SYSTEM	126	121	123	123	144	150	140	136	123	130	131·6	166	78	17	36	28	7
	2. " OF ORGANS OF CIRCULATION	28	42	42	53	51	59	35	46	49	49	45·4	49	5	11	17	15	1
	3. " OF RESPIRATORY ORGANS	176	198	182	352	269	332	237	339	223	292	260·0	333	164	21	54	82	12
	4. " OF DIGESTIVE ORGANS	56	53	37	49	57	58	46	43	42	57	49·8	45	10	4	16	14	1
	5. " OF URINARY ORGANS	15	12	12	13	22	9	16	13	19	7	13·8	21	1	4	9	4	3
	6. " OF ORGANS OF GENERATION	1	3	6	5	2	2	4	2	5	3	3·3	5	..	3	2	..	..
	7. " OF ORGANS OF LOCOMOTION	3	4	1	2	5	2	3	4	1	7	3·2	2	1	..	1	..	..
	8. " OF INTEGUMENTARY SYSTEM	6	5	3	7	7	10	8	5	6	3	6·0	7	4	1	..	..	2
IV.	1. DEV. DISEASES OF CHILDREN	30	32	34	63	51	44	68	60	43	40	46·5	50	48	1	..	1	..
	2. " OF ADULTS	3	2	3	5	3	1	2	6	6	7	3·8	4	..	3	1	..	..
	3. " OF OLD PEOPLE	43	62	43	74	62	57	46	57	44	45	53·3	60	..	..	..	31	29
	4. DISEASES OF NUTRITION	30	22	23	24	31	28	39	49	30	27	30·3	56	49	..	..	6	1
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											35	17	7	8	3	..
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												..	..	..	..	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	30	24	33	24	25	30	27	29	33	27	28·2	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	11	3	19	18	1	8	10	28	9	11	11·8	4	4	..	..	..	..
	CAUSES NOT SPECIFIED	10	14	4	4	7	8	27	35	11	10	13·0	27†	2	2	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† Averages, amounting to 23, are inserted for the sub-districts of Bethnal Green Town and Golden-square.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 18 1848	Mar 17 1849	Mar 16 1850	Mar 15 1851	Mar 20 1852	Mar 19 1853	Mar 18 1854	Mar 17 1855	Mar 15 1856	Mar 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 20, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 48°·0	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·7	45°·9	40°·9	40°·5	40°·5	36°·6	47°·2	38°·5	36°·3	45°·1	41°·2						
I.	ORDER 1.																	
	1. Small-pox	23	10	3	16	22	3	10	23	13	4	12·7	4	1	3	..	..	..
	2. Measles	29	12	12	29	9	13	21	16	24	26	19·1	45	45	..	..	..	..
	3. Scarlatina	51	42	12	16	20	37	22	35	32	28	29·5	40	39	1	..	..	..
	4. Quinsy	6	1	1	2	..	2	2	1	2	3	2·0	2	2	..	..	..	..
	5. Croup	4	6	9	7	11	8	8	11	7	13	8·4	11	11	..	..	..	..
	6. Whooping-cough	30	63	43	92	54	70	71	76	47	58	60·4	83	83	..	..	..	..
	7. Typhus (and Infantile fever)	74	47	29	47	32	58	41	40	46	24	43·8	41	16	8	9	8	..
	8. Erysipelas	20	8	8	7	12	7	4	9	14	8	9·7	9	4	..	1	4	..
	9. Metria	13	6	4	3	4	2	3	8	3	2	4·8	3	1	1	1	..	..
	10. Carbuncle	..	..	1	..	..	1	4	..	..	4	1·0	1	..	..	1	..	..
	11. Influenza	10	1	1	38	4	2	5	9	2	3	7·5	5	..	..	3	2	..
	12. Dysentery	3	3	1	5	3	4	3	2	5	..	2·9	2	..	1	..	1	..
	13. Diarrhœa	19	20	17	12	19	17	22	11	14	17	16·8	13	6	..	2	5	..
	14. Cholera	1	9	3	1	..	..	..	..	1	..	1·5	..	..	..	..	..	..
	15. Ague	1	1	..	..	..	..	..	..	1	..	·3	1	..	..	..	1	..
	16. Remittent fever	2	1	1	3	..	..	1	5	..	3	1·6	1	1	..	..	..	..
	17. Rheumatism	4	5	5	5	10	8	6	8	8	6	6·5	10	1	3	5	1	..
	ORDER 2.																	
	1. Syphilis	3	1	2	..	2	4	..	4	4	6	2·6	4	4	..	..	..	..
	2. Stricture of Urethra	1	..	1	1	..	2	1	1	1	1	·9	1	..	..	..	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	..	..	1	..	1	1	1	1	1	·7	1	..	1	..	..	..
	2. Want of Breast-milk	2	..	3	7	6	6	4	13	2	3	4·6	2	2	..	..	..	..
	3. Purpura and Scurvy	..	1	1	2	..	1	2	2	..	1	1·0	1	..	1	..	..	..
	4. Alcoholism { *a* Del. Tremens	4	1	3	..	1	2	4	4	1	2	2·2	3	..	2	1	..	..
	4. Alcoholism { *b* Intemperance	..	1	2	6	..	..	2	1	1	1	1·4	2	..	1	..	1	..
	ORDER 4.																	
	1. Thrush	4	1	3	3	5	1	2	..	5	1	2·5	1	1	..	..	..	..
	2. Worms, &c.	In 1848-57 classed in this Table with *Disease of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	1	3	..	1	2	2	5	..	1	1·6	4	..	..	1	3	..
	2. Dropsy	14	27	13	15	17	21	22	24	13	13	17·9	22	1	3	7	11	..
	3. Cancer	18	18	20	29	14	11	20	24	20	18	19·2	19	1	4	7	7	..
	4. Noma	1	..	..	..	..	..	..	1	1	..	·3	..	..	..	..	..	..
	5. Mortification	6	4	3	5	1	4	4	8	8	6	4·9	7	..	..	..	5	2
	ORDER 2.																	
	1. Scrofula	8	7	6	9	17	6	13	9	6	10	9·1	14	10	3	..	1	..
	2. Tabes Mesenterica	13	15	22	11	20	19	18	21	11	11	16·1	15	14	1	..	..	..
	3. Phthisis	148	140	143	166	151	131	128	160	148	167	148·2	162	30	69	47	16	..
	4. Hydrocephalus	36	34	27	47	36	33	34	41	33	39	36·0	38	38	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	11	13	9	11	16	15	21	18	8	7	12·9	15	9	2	1	2	1
	2. Apoplexy	25	23	34	20	29	29	24	18	25	35	26·2	34	7	2	15	7	3
	3. Paralysis	21	25	21	20	25	22	21	29	28	19	23·1	32	..	6	11	12	3
	4. Insanity	2	..	..	4	4	5	2	3	2	2	2·4	..	..	..	..	..	..
	5. Chorea	..	..	..	..	..	..	..	1	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	10	5	7	6	8	7	11	9	7	7	7·7	12	1	6	1	4	..
	7. Convulsions	44	46	40	51	52	55	48	47	39	41	46·3	55	55	..	..	..	..
	8. *Brain Disease, &c.*	13	9	12	11	10	17	13	11	14	19	12·9	18	6	1	8	3	..
	ORDER 2.																	
	1. Pericarditis	2	2	3	5	..	..	3	2	4	3	2·4	3	1	1	1	..	..
	2. Aneurism	1	1	3	1	3	3	1	1	2	2	1·8	3	..	..	3	..	..
	3. *Heart Disease, &c.*	25	39	36	47	48	56	31	43	43	44	41·2	43	4	10	13	15	1
	ORDER 3.																	
	1. Laryngitis	3	3	3	5	8	12	8	5	5	12	6·4	8	5	2	..	1	..
	2. Bronchitis	81	85	79	171	126	174	122	163	101	164	126·6	192	65	9	37	70	11
	3. Pleurisy	1	3	1	3	3	3	5	5	4	2	3·0	4	1	..	1	1	1
	4. Pneumonia	65	86	82	123	83	101	84	135	92	98	94·9	111	92	8	7	4	..
	5. Asthma	12	14	12	36	29	29	15	26	9	12	19·4	14	1	..	7	6	..
	6. *Lung Disease, &c.*	14	7	5	14	20	13	3	5	12	4	9·7	4	..	2	2	..	..
	ORDER 4.																	
	1. Gastritis	3	3	1	3	..	1	..	2	2	3	1·8	..	..	..	..	..	..
	2. Enteritis	7	5	6	8	7	9	4	11	5	5	6·7	6	2	1	..	3	..
	3. Peritonitis	6	4	3	6	6	8	5	1	2	7	4·8	6	2	1	1	1	1
	4. Ascites	7	2	1	3	1	5	3	..	3	4	2·9	..	..	..	..	..	..
	5. Ulceration of Intestines	2	6	1	2	2	3	..	1	3	1	2·1	..	..	..	..	..	..
	6. Hernia	2	2	2	..	5	3	2	3	4	3	2·6	2	1	..	1	..	..
	7. Ileus	..	1	1	3	3	3	2	4	2	4	2·3	2	..	1	1	..	..
	8. Intussusception	1	3	..	..	1	1	1	..	1	..	·8	3	1	..	2	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

the ELEVENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 18 1848	Mar 17 1849	Mar 16 1850	Mar 15 1851	Mar 20 1852	Mar 19 1853	Mar 18 1854	Mar 17 1855	Mar 15 1856	Mar 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the week ending Saturday, Mar. 20, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·7	45°·9	40°·9	40°·5	40°·5	36°·6	47°·2	38°·5	36°·3	45°·1	41°·2	48°·0					
	9. Stricture of Intestines	..	3	..	1	1	1	..	1	..	..	·7	..	..	..	..	..	..
	10. Fistula	..	2	1	1	..	..	3	..	..	..	·7	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	10	4	3	7	9	9	6	8	3	4	6·3	9	1	1	5	2	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	2	2	..	1	1	7	2	4	7	5	3·1	2	..	..	1	1	..
	14. Jaundice	7	3	2	2	3	4	3	3	2	12	4·1	3	3	..	..	..	..
	15. *Liver Disease, &c.*	9	13	15	12	18	4	15	4	8	9	10·7	12	..	..	5	7	..
	16 *Spleen Disease, &c.*	..	..	1	..	..	..	..	1	..	..	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	1	..	2	..	1	1	2	..	·7	2	..	..	1	..	1
	2. Ischuria	..	..	..	..	..	1	..	..	..	1	·2	..	..	..	..	..	..
	3. Nephria	6	1	3	1	5	1	7	5	6	2	3·7	9	..	1	6	1	1
	4. Diabetes	1	1	2	1	2	..	..	3	1	1	1·2	3	..	2	1	..	..
	5. Stone	1	1	3	1	2	1	2	1	1	..	1·3	1	1	..	..	..	..
	6. Cystitis	2	1	..	1	3	..	1	..	4	..	1·2	1	..	..	..	1	..
	7. *Kidney Disease, &c.*	5	8	3	9	8	6	5	3	5	3	5·5	5	..	1	1	2	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	1	1	3	1	1	2	..	..	..	·9	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	1	2	5	2	1	1	2	2	5	3	2·4	5	..	3	2	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	1	2	..	..	..	..	..	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	3	4	1	1	3	2	3	4	1	7	2·9	2	1	..	1	..	..
	ORDER 8.																	
	1. Phlegmon	3	5	2	3	5	5	6	4	3	2	3·8	3	3	..	..	..	..
	2. Ulcer	2	..	1	2	2	4	2	1	..	..	1·4	1	..	..	..	..	1
	3. *Skin Disease, &c.*	1	..	..	2	..	1	..	..	3	1	·8	3	1	1	..	..	1
V.	ORDER 1.																	
	1. Premature Birth	15	19	16	39	30	26	44	41	33	21	28·4	22	22	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											2	1	..	..	1	..
	3. Spina Bifida												3	3	..	..	..	..
	4. Other Malformations	2	1	3	7	4	6	4	3	1	1	3·2	3	2	1	..	..	..
	5. Teething	13	12	15	17	17	12	20	16	9	18	14·9	20	20	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	1	..	..	..	..	..	..	..	1	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	3	1	3	5	3	1	2	6	6	6	3·6	4	..	3	1	..	..
	ORDER 3.																	
	1. Old Age	43	62	43	74	62	57	46	57	44	45	53·3	60	..	..	..	31	29
	ORDER 4.																	
	1. Atrophy and Debility	30	22	23	24	31	28	39	49	30	27	30·3	56	49	..	..	6	1
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	17	6	3	5	3	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	2	1	1	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	6	2	2	2	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	5	5	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	30	24	33	24	25	30	27	29	33	27	28·2	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	11	3	19	18	1	8	10	28	9	11	11·8	4	4	..	..	..	..
	Causes not specified or ill-defined	10	14	4	4	7	8	27	35	11	10	13·0	27†	2	..	2	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† Averages, amounting to 23, are inserted for the sub-districts of Bethnal Green Town and Golden-square.

DEATHS Registered in the ELEVENTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Mar. 18 1848	Mar. 17 1849	Mar. 16 1850	Mar. 15 1851	Mar. 20 1852	Mar. 19 1853	Mar. 18 1854	Mar. 17 1855	Mar. 15 1856	Mar. 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Mar. 20 1858.
Mean Temperature . . .			40·7°	45·9°	40·9°	40·5°	40·5°	36·6°	47·2°	38·5°	36·3°	45·1°	41·2°	48·0°
LONDON	78029	2362236	1118	1083	967	1401	1208	1274	1188	1425	1118	1195	1197·7	1431
1–6. WEST DISTRICTS .	10786	376427	164	184	139	220	195	159	175	235	192	203	186·6	255
7–11. NORTH DISTRICTS .	13533	490396	209	185	179	293	237	286	242	292	216	227	236·6	292
12–19. CENTRAL DISTRICTS	1938	393256	207	177	187	251	208	243	186	230	156	164	200·9	202
20–25. EAST DISTRICTS .	6230	485522	251	215	198	281	230	288	262	307	276	285	259·3	331
26–36. SOUTH DISTRICTS .	45542	616635	287	322	264	356	338	298	323	361	278	316	314·3	351
1. Kensington* HHHH .	7374	120004	48	66	37	57	59	52	59	85	79	80	62·2	82
2. Chelsea H*w* . . .	865	56538	24	31	21	42	26	27	34	31	24	36	29·6	35
3. St. George Hanover-sq. H	1161	73230	17	21	28	38	40	19	34	45	24	31	29·7	56
4. Westminster* HHHH .	917	65609	50	36	30	41	36	33	27	43	44	34	37·4	55
5. St. Martin-in-the-Fields H	305	24640	10	14	11	18	11	11	15	11	10	11	12·2	8
6. St. James Westminster .	164	36406	15	16	12	24	23	17	6	20	11	11	15·5	19†
7. Marylebone HH . . .	1509	157696	61	65	52	97	80	106	88	114	67	55	78·5	86
8. Hampstead	2252	11986	7	1	5	2	6	7	3	9	5	6	5·1	3
9. Pancras HH*w* . . .	2716	166956	87	74	69	110	80	100	82	92	74	81	84·9	103
10. Islington HHH . . .	3127	95329	40	28	30	55	45	53	42	55	45	48	44·1	62
11. Hackney* H*w* . . .	3929	58429	14	17	23	29	26	20	27	22	25	37	24·0	38
12. St. Giles* H . . .	245	54214	22	26	33	39	34	34	25	45	23	16	29·7	38
13. Strand* H	174	44460	24	25	20	24	16	20	26	17	19	24	21·5	22
14. Holborn* H . . .	196	46621	36	23	21	54	29	22	19	39	27	23	29·3	24
15. Clerkenwell	380	64778	33	28	22	33	25	34	31	40	25	31	30·2	31
16. St. Luke HH . . .	220	54055	30	19	24	26	35	38	31	26	9	19	25·7	30
17. East London* . . .	153	44406	16	18	15	22	19	32	17	21	18	12	19·0	22
18. West London* H . .	136	28790	21	18	26	25	25	35	14	21	15	23	22·3	19
19. London City*	434	55932	25	20	26	28	25	28	23	21	20	16	23·2	16
20. Shoreditch *w* . . .	646	109257	51	50	42	80	50	58	44	80	54	52	56·1	69
21. Bethnal Green H . .	760	90193	46	39	35	44	48	55	54	50	44	46	46·1	41†
22. Whitechapel* HH . .	406	79759	48	38	40	55	39	52	52	55	62	52	49·3	85
23. St. George-in-the-East .	243	48376	26	15	20	14	25	30	20	25	26	23	22·4	42
24*a*. Stepney*	576	54173	64	45	36	60	43	63	64	66	55	64	56·0	24
24*b*. Mile-end Old Town H*w*	681	56602												29
25. Poplar* H*w* . . .	2918	47162	16	28	25	28	25	30	28	31	35	48	29·4	41
26. St. Saviour Southwark* HH	250	35731	27	16	13	29	24	29	16	27	22	10	21·3	20
27. St. Olave Southwark* HH	169	19375	15	35	17	27	13	28	41	16	16	10	21·8	22
28. Bermondsey	688	48128	24	29	18	22	24	18	31	23	22	17	22·8	14
29. St. George Southwark .	282	51824	30	38	22	32	29	34	27	32	23	30	29·7	22
30. Newington	624	64816	26	30	28	38	39	36	27	28	21	37	31·0	42
31. Lambeth H	4015	139325	39	58	61	96	83	61	62	78	62	69	66·9	81
32. Wandsworth*	11695	50764	21	21	18	27	15	21	29	32	19	29	23·2	21
33. Camberwell	4342	54667	23	20	12	32	35	17	27	30	24	29	24·9	38
34. Rotherhithe	886	17805	7	7	10	5	7	8	6	9	7	12	7·8	9
35. Greenwich* HHHHH .	5367	99365	61	58	47	39	52	35	46	62	37	60	49·7	61
36. Lewisham*	17224	34835	14	10	18	9	17	11	11	24	25	13	15·2	21

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† Averages, of 12 for the Town of Bethnal Green, and 11 for Golden Square, are inserted instead of the true numbers. The true number for the latter is only 2.

LONDON.—DEATHS registered in 118 PUBLIC INSTITUTIONS.

	In the Week ending March 13. Total.	Males.	Females.	In the Week ending March 20. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	280	148	132	245	147	98
45 WORKHOUSES	178	87	91	146	77	69
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	6	6	–	6	6	–
15 GENERAL HOSPITALS	71	37	34	68	46	22
7 HOSPITALS FOR SPECIAL DISEASES	5	4	1	4	2	2
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	1	–	1
7 MILITARY AND NAVAL HOSPITALS	6	6	–	5	5	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	3	2	1
20 LUNATIC ASYLUMS	14	8	6	12	9	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 20th March 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	4	45	40	83	13	41
No.*							
1-6 WEST DISTRICTS - -	376427	1	12	8	15	1	11
7-11 NORTH DISTRICTS - -	490396	2	13	11	21	2	7
12-19 CENTRAL DISTRICTS -	393256	-	4	1	9	1	3
20-25 EAST DISTRICTS - -	485522	-	15	7	15	6	12
26-36 SOUTH DISTRICTS - -	616635	1	1	13	23	3	8
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	1	2	-	1
2 St. John Paddington H -	29053	-	1	2	4	-	1
3 Kensington Town *W* L -	29183	-	-	1	1	-	-
4 Brompton HH - -	14870	-	-	-	-	-	2
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	1	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	1	1	-	-	-
2 Chelsea North-west *Ww*	17669	-	5	1	-	1	-
3 Chelsea North-east L -	19819	-	-	-	-	-	1
3; 1 Hanover Square - -	20216	-	1	-	1	-	1
2 May Fair *W* - - -	12980	-	-	-	-	-	1
3 Belgrave H - - -	40034	-	1	-	4	-	2
4; 1 St. John Westmr. HHHP	34295	1	2	1	2	-	1
2 St. Margaret West. *W* HP	31314	-	1	1	-	-	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick Street - -	10798	-	-	-	-	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	-	3	-	1
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	1	1	1	-	-
4 St. Mary Marylebone H	22814	-	1	-	2	-	-
5 Christchurch Marylebone	33895	-	4	-	-	-	-
6 St. John Marylebone -	29826	-	1	-	1	-	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	1	-	-	-	-
2 Tottenham-court *w*H -	28433	-	-	1	1	1	1
3 Gray's Inn Lane H -	26523	-	-	3	2	-	-
4 Somers Town - - -	35641	-	-	2	-	-	-
5 Camden Town *W* - -	21115	-	-	-	1	-	3
6 Kentish Town - -	23326	-	-	1	1	-	1
10; 1 Islington West† *W*HHHPP	47881	1	3	2	3	-	1
2 Islington East - -	47448	1	-	1	5	1	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford Hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	-	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	1	-	-
5 South Hackney L - -	8458	-	1	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16307	-	1	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - -	17335	-	-	-	1	-	-
2 St. Mary-le-Strand -	11615	-	-	-	1	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	1
14; 1 St. George-the-Martyr H.	18813	-	-	-	-	-	1
2 St. Andrew, East. Holb. *W*	13971	-	1	-	-	-	-
3 Saffron Hill - - -	13837	-	1	-	-	-	-
15; 1 St. James Clerkenwell *W*P	21529	-	-	1	-	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	1	-	-	-	-
4 Goswell-street - - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	-	-	-	-	-
3 Whitecross-street - -	13657	-	-	-	1	-	-
4 Finsbury - - - -	12941	-	-	-	-	-	-
17; 1 St. Botolph East London	23824	-	-	-	-	-	-
2 Cripplegate P - -	20582	-	-	-	2	-	-
18; 1 West London North *W*HP	12946	-	-	-	3	1	1
2 West London South P -	15844	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South - -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	1	-	1	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	-	1	-
3 Hoxton New Town *w* -	23505	-	-	-	2	-	3
4 Hoxton Old Town - -	17431	-	-	1	2	-	1
5 Haggerstone West *W* -	20276	-	-	-	-	-	2
6 Haggerstone East - -	11351	-	1	-	-	-	-
21; 1 Hackney-road - - -	23910	-	-	-	-	-	1
2 Green, Bethnal Green *W* HL	23555	-	2	-	1	-	-
3 Church, Bethnal Green -	21787	-	-	-	-	-	-
4 Town, Bethnal Green -	20941	‡	-	-	-	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	1	1	-	1
3 Mile End New Town *W*	14543	-	-	-	2	3	-
4 Whitechapel North *W* -	12530	-	-	-	1	-	1
5 Whitechapel Church H -	7818	-	-	-	-	1	-
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	2	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	1	1	-	-	1
2 St. Paul St. Geo. East -	20319	-	2	2	2	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	2	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	-	-
2 Ratcliff *W* - - -	15212	-	1	-	-	-	-
3 Limehouse *W* - -	22782	-	-	-	-	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	-	-	-	-
2 Mile End Old T., East. *Ww*H	27020	-	2	-	1	-	1
25; 1 Bow *w*LH - - -	18778	-	-	-	-	-	1
2 Poplar *W* - - -	28384	-	3	2	-	1	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	1	1	1	1
28; 1 St. James Bermondsey -	18899	-	-	-	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	-	1	-
3 Leather Market - -	15295	-	-	1	1	-	-
29; 1 Kent-road - - -	18126	-	1	-	-	-	-
2 Borough-road *W* P -	15862	-	-	1	1	-	-
3 London-road LP - -	17836	-	-	1	-	-	-
30; 1 Trinity Newington P -	20922	-	-	-	3	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	2	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	-	-	-	-
2 Waterloo-road 2nd H -	18348	-	-	2	4	-	1
3 Lambeth Church 1st -	18409	-	-	-	1	-	-
4 Lambeth Church 2nd *W*	26784	-	-	-	2	-	-
5 Kennington 1st - -	24261	-	-	-	-	-	-
6 Kennington 2nd - -	18848	-	-	3	1	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	-	-	-
2 Battersea *W* L - -	10560	-	-	1	-	-	1
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	1
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL - -	17742	-	-	-	1	-	-
3 Peckham - - - -	19444	-	-	-	-	-	2
4 St. George Camberwell -	15849	-	-	1	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	-	2	-	-
35; 1 St. Paul Deptford - -	24899	-	-	-	1	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	1
3 Greenwich West H -	18800	-	-	-	-	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	-	1
5 Woolwich Dockyard HP	17140	-	-	-	1	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	2	-	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	1	-	-	-
3 Lee - - - - -	8478	1	-	-	-	1	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ Return not received.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 20th March 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
March.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday .	14	..	29·333	49·2	36·9	12·3	42·8	35·8	53·0	31·8	36·8	36·5	7·0	9·9	2·6	+ 1·5	76	W.	W. & NW.	5·0	0·0	0·5	215	0·08
Monday .	15	New In Equator.	29·786	51·4	39·5	11·9	45·8	38·8	52·0	39·0	37·3	37·0	7·0	12·8	0·7	+ 4·3	76	N.W.	W. & NW.	2·0	0·0	0·2	100	0·00
Tuesday .	16	..	29·940	60·0	42·7	17·3	50·8	43·2	77·0	35·8	38·5	38·1	7·6	13·7	5·5	+ 9·1	75	W.	W.	0·0	0·0	0·0	105	0·00
Wednesday	17	..	30·121	54·4	44·2	10·2	48·3	43·0	58·0	38·0	39·6	38·9	5·3	8·4	3·8	+ 6·5	83	W.	W.S.W.	0·0	0·0	0·0	40	0·02
Thursday .	18	..	30·070	57·0	41·5	15·5	48·5	39·0	71·7	41·8	39·3	38·8	9·5	14·2	4·2	+ 6·7	69	W.S.W.	W.	0·0	0·0	0·0	30	0·00
Friday .	19	Perigee	30·185	61·4	41·9	19·5	49·5	42·3	78·6	36·5	41·3	40·7	7·2	14·8	2·2	+ 7·7	78	Calm	Calm	0·0	0·0	0·0	0	0·00
Saturday .	20	..	30·306	59·7	42·5	17·2	50·3	39·9	81·8	45·2	42·8	41·4	10·4	17·6	2·0	+ 8·4	69	Calm	Calm	0·0	0·0	0·0	5	0·00
Means . .		..	29·963	56·1	41·3	14·8	48·0	40·3	68·2	38·3	39·4	38·8	7·7	13·1	3·0	+ 6·3	75	W.		..	..	..	Sum 495	Sum 0·10
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
March.			
Sunday . .	14	Positive, with weak tension.	Cloudy generally till evening, clear sky afterwards. Rain fell occasionally during the afternoon; at 6h. P.M. a heavy squall of wind and rain occurred. A magnetic disturbance.
Monday. .	15	Weak positive till noon; strong negative during the afternoon; strong positive at night.	Clear during the earlier portion of the morning, cloudy till evening, and partially clear afterwards. The magnetic disturbance continued. Large solar eclipse.
Tuesday .	16	No electricity till noon; weak positive after noon.	Clear till evening, cloudy afterwards. Rain fell at night.
Wednesday	17	No electricity was shown at any examination.	Cloudy till evening, partially clear afterwards. Light rain fell during the evening. A magnetic disturbance.
Thursday .	18	Strong positive throughout the day.	Generally clear during the morning, partially cloudy afterwards. Thick haze at night.
Friday . .	19	Positive, with variable tension.	Overcast throughout the day.
Saturday .	20	Strong positive throughout the day.	Clear for the most part till noon, partially cloudy during the remainder of the day.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·22 in. at the beginning of the week to 29·51 in. by 10h. A.M. on the 14th; decreased to 29·38 in. by 7h. P.M. on the same day; increased after 9h. to 30·15 in. by noon on the 17th; decreased to 30·06 in. by 3h. P.M. on the 18th; and increased to 30·33 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, March 27. [No. 12.

General Register Office, Somerset House,
March 29th, 1858.

Under the influence of fine weather the mortality is much reduced. The deaths in London were in two previous weeks 1487 and 1431; last week they fell to 1268. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1217; but as the deaths returned for last week occurred in an increased population, they should be compared with the average after the latter is raised in proportion to the increase, a correction which will make it 1339. The present return is, therefore, so far favourable, that it shows the number of deaths less by 71 than that which the average rate of mortality towards the end of March would have produced.

There is a decrease of the deaths of last week as compared with those of the preceding week, in each of the five classes of disease to which they are referred, with the exception of the last class. Zymotic diseases were fatal in the two weeks in 286 and 270 cases; constitutional in 281 and 217; the local (which include bronchial affections) in 628 and 566; and developmental diseases in 170 and 145. Deaths by violence, the registration of which becomes more active towards the end of the quarter, increased from 35 to 50. Of these 50, 39 were accidental, and were chiefly from fractures and burns, and suffocation of children in bed; 4 were cases of infanticide; and 7 of suicide.

Bronchitis has declined in the number of fatal cases from 192 to 150,—the corrected average for last week is 137. Pneumonia, from which 109 persons died, shows also little excess on the average. Whooping-cough declined from 83 to 72 in the two weeks; scarlatina from 40 to 29; typhus with common fever from 41 to 26. There were 12 deaths last week from diarrhœa (all, except 4, amongst infants); and a young woman died in Pentonville from "cholera biliosa," after 5 days' illness. Three children died of measles in the Workhouse, Grays-inn-lane. Ten cases of diphtheria are recorded, in which it was either the primary or secondary cause of death. Seven persons, the victims of intemperance, are included in this return, besides 3 who died of delirium tremens. Four women and a man had arrived at the advanced age of 90 years or upwards, amongst whom was a widow whose years had been extended to 97.

Last week the births of 1000 boys and 924 girls, in all 1924 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1616.

At the Royal Observatory, Greenwich, the mean daily reading of the barometer was above 30 in. throughout the week; on Monday it rose to 30·422 in.; the mean reading of the week was 30·190 in. The *highest* barometrical reading occurred on Monday, and was 30·45 in. The mean temperature of the week was 46·6°, which is 4·4° above the average of the same week in 43 years (as determined by Mr. Glaisher). The mean temperature was more or less above the average on every day; on Wednesday the excess was 12·7°. The thermometer in the shade rose to 68·7° on Wednesday; in the sun to 84·6°, both points the highest in the week; the *lowest* temperature occurred on Friday, and was 31·1°. The mean daily range of temperature was 25·4°. The difference between the mean dew point temperature and air temperature was 8·8°. The mean daily degree of humidity was 70, complete saturation being represented by 100; on Wednesday the humidity was so low as 62. The mean temperature of the water of the Thames was 45·6°. The air was calm in the earlier half of the week; during the remainder the direction of the wind was variable; on Thursday it was north-east, and the mean daily temperature fell 12°. No rain fell in the week.

KENSINGTON; *Town.*—At Addison-road, on 19th March, the son of a civil engineer, aged 5 years, "cynanche parotidea (14 days), diphtheria (10 days)."

In the same sub-district, at 5 Clarendon-road North, on 20th March, the son of a gentleman in the civil service, aged 17 days, "diphtheria (8 days)."

PANCRAS; *Regent's Park.*—At 18 Chalcot-terrace, on 18th March, the daughter of a working jeweller, aged 2 years, "whooping-cough, diphtheria, convulsions."

ST. GILES; *St. George Bloomsbury.*—At 29 Bloomsbury-street, on 24th March, a gentlewoman, aged 73 years, "affection of mouth like diphtheria (about one month), prostration of vital powers."

ST. GILES; *South.*—At 25 Little St. Andrew-street, on 24th March, the son of a fishmonger, aged 10 months, "rubeola (1 week), diphtheria, pneumonia."

EAST LONDON; *St. Botolph.*—At 8 Sparrow-corner, Aldgate, on 23d March, the son of a ship chandler, aged 3 years, "whooping-cough (8 days), diphtheria (3 days)."

SHOREDITCH; *Hoxton Old Town.*—At 40 Robert-street, on 21st March, the daughter of a dissenting minister, aged 2 years, "diphtheria (3 days)."

WHITECHAPEL; *Aldgate.*—At 2 Postern-row, Tower Liberty, on 21st March, the son of a bookbinder, aged 10 months, "measles (6 days), diphtheria, typhus (3 days)."

GREENWICH; *St. Nicholas Deptford.*—At 93 New-street, on 21st March, the son of a general labourer, aged 9 days, "diphtheria."

GREENWICH; *West.*—In "Dreadnought" Hospital Ship, on 15th March, a seaman, merchant service, aged 30 years, "dysentery, scurvy."

In the same ship, on 17th March, a stoker, merchant service, aged 43 years, "dysentery, ramolissement medullæ spinalis."

In the same sub-district, at 5 Roan-street, on 23d March, the daughter of a waterman, aged 1 year, "diphtheria."

PANCRAS; *Tottenham Court-road.*—Found dead, on 22d March, the wife of a labourer, aged 45 years, "accidentally suffocated by food getting into the windpipe while intoxicated in bed. *Post mort.* (*Inquest.*)

CLERKENWELL; *Pentonville.*—At 18 Chapel-street, on 19th March, the daughter of a letter sorter in General Post Office, aged 18 years, "cholera biliosa (5 days)."

LAMBETH; *Waterloo* (*2d Part*).—At 9 Addington-place, on 16th March, the daughter of a copying law clerk, aged 6 years, "enteritis; supposed to arise from eating parched peas."

BIRTHS Registered LAST WEEK, and in the TWELFTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1554	1445	1462	1580	1607	1480	1805	1558	1727	1937	1615·5	1924
Males . .	782	740	769	824	814	752	912	800	889	990	827·2	1000
Females .	772	705	693	756	793	728	893	758	838	947	788·3	924

DEATHS Registered LAST WEEK, and in the TWELFTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1099	1048	1026	1412	1219	1321	1200	1383	1213	1248	1216·9	1268*
Males . .	578	505	520	669	615	687	622	701	638	630	616·5	647
Females .	521	543	506	743	604	634	578	682	575	618	600·4	621

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.
BIRTHS	1933	1700	1763	1798	1750	1842	1836	1963	1810	1644	2007	1960	1924
DEATHS	1431	1327	1289	1344	1363	1314	1195	1275	1288	1353	1487	1431	1268
DEATHS (except from Violence) . . .	1317	1307	1276	1325	1344	1282	1150	1250	1265	1330	1452	1396	1218
Deaths (except from Violence) at 60 years and upwards . .	277	305	311	333	336	337	279	299	305	287	339	306	237
Small-pox	..	3	2	2	2	3	4	4	2	4	7	4	3
Measles	45	60	65	66	50	57	57	34	57	55	59	45	50
Scarlatina	25	36	39	33	42	31	27	39	53	37	41	40	29
Whooping-cough . .	57	49	41	54	54	51	53	53	53	59	69	83	72
Typhus	42	31	34	35	34	32	35	34	27	22	34	41	26
Diarrhœa	12	9	17	9	5	8	8	11	9	20	20	13	12
Mean Temperature .	39°·1	34°·5	39°·8	37°·5	37°·5	37°·8	34°·3	34°·0	33°·1	31°·5	34°·7	48°·0	46°·6

* The deaths in the sub-district of Lee are not inserted above; but an average of 4 is inserted, instead of the true number, which is 2.

DEATHS in LONDON, from ALL CAUSES, Registered in the TWELFTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 25 1848	Mar 24 1849	Mar 23 1850	Mar 22 1851	Mar 27 1852	Mar 26 1853	Mar 25 1854	Mar 24 1855	Mar 22 1856	Mar 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 27, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44°·7	40°·0	37°·8	44°·9	45°·5	33°·3	40°·1	38°·2	42°·8	39°·6	40°·7	46°·6					
	ALL CAUSES	1099	1048	1026	1412	1219	1321	1200	1383	1213	1248	1216·9	1268†	674	148	200	203	39
	SPECIFIED CAUSES	1077	1033	984	1386	1192	1285	1171	1349	1193	1216	1188·6	1248	663	146	198	202	39
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	290	250	175	338	217	259	267	282	251	208	253·7	270	214	18	20	18	..
II.	CONSTITUTIONAL „	238	204	199	272	267	250	248	284	220	268	245·0	217	84	61	51	17	4
III.	LOCAL „	405	430	467	615	507	595	492	549	529	548	513·7	566	258	53	113	130	12
IV.	DEVELOPMENTAL „	113	124	117	136	143	141	143	166	146	122	135·1	145	81	6	3	32	23
V.	VIOLENT DEATHS	31	25	26	25	58	40	21	68	47	70	41·1	50	26	8	11	5	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	271	242	159	324	199	232	244	261	221	184	233·7	235	192	16	13	14	..
	2. ENTHETIC „	5	1	5	4	10	3	6	5	4	11	5·4	9	8	..	1	..	..
	3. DIETIC „	9	7	10	8	5	19	13	12	22	10	11·5	24	12	2	6	4	..
	4. PARASITIC „	5	..	1	2	3	5	4	4	4	3	3·1	2	2	..	..	..	..
II.	1. DIATHETIC „	45	30	29	44	43	33	42	42	32	50	39·0	33	5	3	9	12	4
	2. TUBERCULAR „	193	174	170	228	224	217	206	242	188	218	206·0	184	79	58	42	5	..
III.	1. DISEASES OF NERVOUS SYSTEM	116	129	120	132	117	141	137	124	125	120	126·1	152	86	11	22	32	1
	2. „ OF ORGANS OF CIRCULATION	37	41	47	53	53	55	45	62	54	63	51·0	52	5	6	19	19	3
	3. „ OF RESPIRATORY ORGANS	186	179	231	350	243	322	242	285	281	278	259·7	292	155	18	53	60	6
	4. „ OF DIGESTIVE ORGANS	46	49	43	59	61	51	52	49	48	58	51·6	43	8	7	13	15	..
	5. „ OF URINARY ORGANS	8	18	13	10	18	11	6	15	13	13	12·5	16	2	6	3	3	2
	6. „ OF ORGANS OF GENERATION	7	6	7	2	7	8	6	4	5	6	5·8	5	..	1	3	1	..
	7. „ OF ORGANS OF LOCOMOTION	1	5	3	3	3	..	3	4	2	2	2·6	1	..	1	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM	4	3	3	6	5	7	1	6	1	8	4·4	5	2	3	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	34	39	44	35	50	52	58	62	52	53	47·9	38	38	..	..	..	..
	2. „ OF ADULTS	6	5	5	7	8	5	4	5	8	5	5·8	6	..	5	1	..	..
	3. „ OF OLD PEOPLE	46	51	50	69	55	45	47	58	51	38	51·0	50	..	..	..	27	23
	4. DISEASES OF NUTRITION	27	29	18	25	30	39	34	41	35	26	30·4	51	43	1	2	5	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											39	21	7	7	4	..
	3. HOMICIDE*												4	4	..	..	..	..
	4. SUICIDE												7	1	1	4	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	31	25	26	25	58	40	21	68	47	70	41·1	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	14	8	31	24	15	10	25	23	16	29	19·5	14	9	2	2	1	..
	CAUSES NOT SPECIFIED	8	7	11	2	12	26	4	11	4	3	8·8	6†	2	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 4 is inserted for Lee, instead of the true number, which is 2.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 25 1848	Mar 24 1849	Mar 23 1850	Mar 22 1851	Mar 27 1852	Mar 26 1853	Mar 25 1854	Mar 24 1855	Mar 22 1856	Mar 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 27, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44·7°	40·0°	37·8°	44·9°	45·5°	33·3°	40·1°	38·2°	42·8°	39·6°	40·7°	46·6°					
I.	ORDER 1.																	
	1. Small-pox	29	11	6	16	23	5	14	16	12	3	13·5	3	2	1	..	..	..
	2. Measles	27	10	23	33	10	16	34	20	20	20	21·3	50	50	..	..	..	..
	3. Scarlatina	46	40	14	15	31	37	33	35	26	20	29·7	29	28	..	..	1	..
	4. Quinsy	2	..	..	1	..	2	2	6	2	3	1·8	4	4	..	..	..	..
	5. Croup	11	7	6	12	8	2	12	12	15	15	10·0	10	10	..	..	..	..
	6. Whooping-cough	29	79	36	81	38	65	63	75	52	60	57·8	72	72	..	..	..	..
	7. Typhus (and Infantile fever)	69	40	32	56	42	54	42	50	59	36	48·0	26	10	3	6	7	..
	8. Erysipelas	13	11	4	9	11	8	3	9	8	6	8·2	9	2	4	2	1	..
	9. Metria	6	3	5	4	6	3	1	6	4	2	4·0	3	..	3	..	..	..
	10. Carbuncle	..	..	..	..	2	2	2	2	2	1	1·1	2	1	..	1	..	..
	11. Influenza	16	5	2	65	3	4	2	7	6	1	11·1	1	..	..	..	1	..
	12. Dysentery	2	1	2	1	2	4	3	5	1	..	2·1	5	..	1	1	3	..
	13. Diarrhœa	15	15	20	18	13	22	22	15	6	9	15·5	12	8	2	1	1	..
	14. Cholera	..	10	1	1	..	1	..	..	..	..	1·3	1	1	..	..	..	..
	15. Ague	..	1	1	..	..	1	..	1	..	..	·4	..	..	..	..	..	..
	16. Remittent Fever	1	1	2	1	4	2	4	1	1	2	1·9	2	2	..	..	..	..
	17. Rheumatism	5	8	5	11	6	4	7	1	7	6	6·0	6	2	2	2	..	..
	ORDER 2.																	
	1. Syphilis	4	1	3	2	9	2	5	5	3	8	4·2	8	8	..	..	..	..
	2. Stricture of Urethra	1	..	2	2	1	1	1	..	1	3	1·2	1	..	..	1	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	..	1	1	3	..	3	3	1	1·3	2	1	..	..	1	..
	2. Want of Breast-milk	1	1	7	4	3	10	7	3	9	8	5·3	11	11	..	..	..	..
	3. Purpura and Scurvy	5	1	..	1	..	2	1	1	1	..	1·2	1	..	1	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	1	..	2	1	4	4	2	6	1	2·2	3	..	..	3	..	..
	4. Alcoholism { *b* Intemperance	2	3	3	..	..	..	1	3	3	..	1·5	7	..	1	3	3	..
	ORDER 4.																	
	1. Thrush	5	..	1	2	3	5	4	4	4	3	3·1	2	2	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	2	2	2	..	..	4	1	..	3	1·6	3	..	..	1	2	..
	2. Dropsy	17	14	14	25	13	19	15	18	14	15	16·4	14	4	1	2	5	2
	3. Cancer	19	11	9	13	26	10	19	16	18	24	16·5	14	1	2	6	4	1
	4. Noma	1	..	1	..	..	..	1	..	..	..	·3	..	..	..	..	..	..
	5. Mortification	6	3	3	4	4	4	3	7	..	8	4·2	2	..	..	..	1	1
	ORDER 2.																	
	1. Scrofula	5	6	5	9	6	6	15	7	4	6	6·9	9	8	1	..	..	..
	2. Tabes Mesenterica	21	13	12	14	14	17	20	24	10	15	16·0	11	11	..	..	..	..
	3. Phthisis	139	116	135	166	160	153	136	177	144	152	147·8	130	27	57	41	5	..
	4. Hydrocephalus	28	39	18	39	44	41	35	34	30	45	35·3	34	33	..	1	..	..
III.	ORDER 1.																	
	1. Cephalitis	5	12	10	19	7	9	16	6	13	8	10·5	8	8	..	..	..	..
	2. Apoplexy	32	28	35	28	20	24	32	28	28	26	28·1	35	10	3	9	13	..
	3. Paralysis	19	22	18	24	20	20	25	29	33	22	23·2	18	1	3	2	11	1
	4. Insanity	1	1	..	4	3	4	2	2	1	..	1·8	2	..	..	1	1	..
	5. Chorea	..	..	3	..	..	..	..	..	..	..	·3	..	..	..	..	..	..
	6. Epilepsy	5	5	7	5	10	10	5	6	10	10	7·3	12	3	3	2	4	..
	7. Convulsions	40	44	35	35	46	54	44	38	34	41	41·1	59	59	..	..	..	..
	8. *Brain Disease, &c.*	14	17	12	17	11	20	13	15	6	13	13·8	18	5	2	8	3	..
	ORDER 2.																	
	1. Pericarditis	1	1	1	4	4	2	1	4	4	3	2·5	1	1	..	..	..	..
	2. Aneurism	..	..	2	1	..	1	2	1	1	2	1·0	2	..	1	1	..	..
	3. *Heart Disease, &c.*	36	40	44	48	49	52	42	57	49	58	47·5	49	4	5	18	19	3
	ORDER 3.																	
	1. Laryngitis	3	3	7	8	8	7	10	12	13	5	7·6	8	7	1	..	..	..
	2. Bronchitis	76	66	99	156	128	175	100	146	141	160	124·7	150	58	6	35	45	6
	3. Pleurisy	3	3	5	6	5	3	7	5	1	3	4·1	5	1	1	3	..	..
	4. Pneumonia	79	78	90	126	72	88	95	96	96	91	91·1	109	88	8	12	1	..
	5. Asthma	17	19	18	39	22	34	16	17	21	16	21·9	12	..	1	2	9	..
	6. *Lung Disease, &c.*	8	10	12	15	8	15	14	9	9	3	10·3	8	1	1	1	5	..
	ORDER 4.																	
	1 Gastritis	2	1	1	1	1	..	2	..	1	4	1·3	1	..	..	1	..	..
	2. Enteritis	5	11	6	8	8	7	6	7	7	5	7·0	4	2	..	2	..	..
	3. Peritonitis	3	6	1	5	7	2	10	3	3	5	4·5	6	3	1	..	2	..
	4. Ascites	1	1	2	7	3	1	2	1	7	6	3·1	5	..	1	1	3	..
	5. Ulceration of Intestines	3	1	4	..	3	2	3	1	3	5	2·5	1	..	..	..	1	..
	6. Hernia	2	1	3	4	8	3	6	10	2	5	4·4	5	..	1	2	2	..
	7. Ileus	4	1	3	5	2	7	1	..	2	4	2·9	3	1	..	1	1	..
	8. Intussusception	1	1	1	1	1	1	..	2	..	2	1·0	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWELFTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Mar 25 1848	Mar 24 1849	Mar 23 1850	Mar 22 1851	Mar 27 1852	Mar 26 1853	Mar 25 1854	Mar 24 1855	Mar 22 1856	Mar 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Mar. 27, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44°·7	40°·0	37°·8	44°·9	45°·5	33°·3	40°·1	38°·2	42°·8	39°·6	40°·7	46°·6					
	9. Stricture of Intestines	..	..	1	..	..	2	..	1	1	1	·6	..	..	..	..	..	..
	10. Fistula	..	1	..	..	..	..	..	..	..	..	·1	1	..	1	..	..	..
	11. *Stomach Disease, &c.*	4	5	6	4	9	4	9	7	1	5	5·4	3	..	1	2	..	..
	12. *Pancreas Disease, &c.*	..	..	..	2	..	..	..	..	..	1	·3	..	..	..	..	..	..
	13. Hepatitis	4	5	5	3	5	2	3	3	1	1	3·2	1	..	..	1	..	..
	14. Jaundice	..	4	3	4	3	6	1	3	5	1	3·0	3	1	1	1	..	..
	15. *Liver Disease, &c.*	16	11	7	15	10	14	7	11	15	13	11·9	10	1	1	2	6	..
	16. *Spleen Disease, &c.*	1	..	..	..	1	..	2	..	..	..	·4	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	1	..	1	1	..	4	1	·8	..	..	..	..	..	..
	2. Ischuria	..	..	..	1	1	..	..	..	..	..	·2	..	..	..	..	..	..
	3. Nephria	..	4	3	4	3	4	1	4	2	4	2·9	3	1	1	..	1	..
	4. Diabetes	..	1	..	..	3	..	..	..	1	1	·6	..	..	..	..	..	..
	5. Stone	1	1	1	..	1	..	..	1	1	..	·6	1	..	..	..	1	..
	6. Cystitis	1	2	1	..	1	1	..	2	..	1	·9	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	6	10	8	4	9	5	4	8	5	6	6·5	12	1	5	3	1	2
	ORDER 6.																	
	1. Ovarian Dropsy	2	..	4	..	3	2	4	3	..	..	1·8	3	..	1	2	..	..
	2. *Uterus Disease, &c.*	5	6	3	2	4	6	2	1	5	6	4·0	2	..	..	1	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	1	..	..	1	..	..	1	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	1	5	3	2	3	..	2	4	2	1	2·3	1	..	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	4	2	1	2	2	6	..	4	..	5	2·6	3	1	2	..	..	..
	2. Ulcer	..	1	1	2	..	1	1	2	1	1	1·0	1	..	1	..	..	..
	3. *Skin Disease, &c.*	..	..	1	2	3	..	..	..	..	2	·8	1	1	..	..	..	..
V.	ORDER 1.																	
	1. Premature Birth	21	26	29	18	28	29	37	36	32	25	28·1	14	14	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											2	2	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	5	2	5	2	3	5	4	4	6	8	4·4	1	1	..	..	..	..
	5. Teething	8	11	10	15	19	18	17	22	14	20	15·4	21	21	..	..	..	..
	ORDER 2.																	
	1. Paramenia	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	5	5	5	7	8	5	4	5	8	5	5·7	6	..	5	1	..	..
	ORDER 3.																	
	1. Old Age	46	51	50	69	55	45	47	58	51	38	51·0	50	..	..	..	27	23
	ORDER 4.																	
	1. Atrophy and Debility	27	29	18	25	30	39	34	41	35	26	30·4	51	43	1	2	5	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	13	..	6	5	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	11	10	..	..	1	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	4	3	..	..	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	6	6	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	4	2	..	2	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											4	4	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	3	..	..	3	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	3	1	..	1	1	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	31	25	26	25	58	40	21	68	47	70	41·1	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	14	8	31	24	15	10	25	23	16	29	19·5	14	9	2	2	1	..
	Causes not specified or ill-defined	8	7	11	2	12	26	4	11	4	3	8·8	6†	2	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 4 is inserted for Lee.

DEATHS Registered in the TWELFTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Mar. 25 1848	Mar. 24 1849	Mar. 23 1850	Mar. 22 1851	Mar. 27 1852	Mar. 26 1853	Mar. 25 1854	Mar. 24 1855	Mar. 22 1856	Mar. 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Mar. 27 1858.
Mean Temperature . . .			44·7°	40·0°	37·8°	44·9°	45·5°	33·3°	40·1°	38·2°	42·8°	39·6°	40·7°	46·6°
LONDON	78029	2362236	1099	1048	1026	1412	1219	1321	1200	1383	1213	1248	1216·9	1268
1-6. WEST DISTRICTS .	10786	376427	171	156	139	236	191	194	184	212	168	218	186·9	193
7-11. NORTH DISTRICTS .	13533	490396	199	221	217	282	221	259	237	318	240	250	244·4	270
12-19. CENTRAL DISTRICTS	1938	393256	197	204	179	250	204	248	191	223	213	235	214·4	204
20-25. EAST DISTRICTS .	6230	485522	254	210	214	265	273	259	281	284	265	246	255·1	283
26-36. SOUTH DISTRICTS .	45542	616635	278	257	277	379	330	361	307	346	327	299	316·1	315
1. Kensington* HHHH .	7374	120004	37	43	36	81	64	62	47	78	47	59	55·4	78
2. Chelsea H*w* . . .	865	56538	31	31	27	37	38	38	30	31	31	30	32·4	36
3. St. George Hanover-sq. H	1161	73230	34	23	22	34	29	26	39	42	31	42	32·2	32
4. Westminster* HHHH .	917	65609	35	41	21	54	37	40	42	28	32	50	38·0	34
5. St. Martin-in-the-Fields H	305	24640	16	10	13	9	6	14	7	12	10	19	11·6	10
6. St. James Westminster .	164	36406	18	8	20	21	17	14	19	21	17	18	17·3	13
7. Marylebone HH . .	1509	157696	80	83	90	93	81	94	72	123	69	80	86·5	76
8. Hampstead	2252	11986	4	2	5	4	3	9	4	13	11	3	5·8	4
9. Pancras HH*w* . . .	2716	166956	72	77	75	100	77	83	92	98	84	95	85·3	101
10. Islington HHH . .	3127	95329	20	32	27	66	38	55	52	54	39	44	42·7	59
11. Hackney* H*w* . . .	3929	58429	23	27	20	19	22	18	17	30	37	28	24·1	30
12. St. Giles* H . . .	245	54214	30	23	34	63	37	40	33	35	39	29	36·3	33
13. Strand* H	174	44460	19	21	15	17	22	23	26	19	21	25	20·8	19
14. Holborn* H . . .	196	46621	42	26	27	25	26	45	27	27	21	26	29·2	24
15. Clerkenwell	380	64778	35	29	24	35	29	36	21	46	36	47	33·8	25
16. St. Luke HH . . .	220	54055	17	33	28	28	26	23	18	13	34	32	25·2	40
17. East London* . . .	153	44406	16	25	14	21	18	30	18	19	21	22	20·4	18
18. West London* H . .	136	28790	19	23	20	27	26	32	28	52	25	37	28·9	28
19. London City* . . .	434	55932	19	24	17	34	20	19	20	12	16	17	19·8	17
20. Shoreditch *w* . . .	646	109257	46	45	52	70	49	49	47	53	58	45	51·4	56
21. Bethnal Green H . .	760	90193	34	34	24	37	35	56	54	55	39	41	40·9	63
22. Whitechapel* HH . .	406	79759	58	41	51	58	75	41	50	46	61	45	52·6	54
23. St. George in the East .	243	48376	37	30	29	25	21	31	28	38	16	22	27·7	18
24*a*. Stepney*	576	54173	63	45	38	45	59	59	70	61	57	60	55·7	30
24*b*. Mile-end Old Town H*w*	681	56602												32
25. Poplar* H*w* . . .	2918	47162	16	15	20	30	34	23	32	31	34	33	26·8	33
26. St. Saviour Southwark* HH	250	35731	18	15	18	27	17	20	23	20	13	12	18·3	15
27. St. Olave Southwark* HH	169	19375	11	16	13	26	13	27	21	30	15	17	18·9	13
28. Bermondsey	688	48128	18	29	23	22	21	36	24	19	20	24	23·6	29
29. St. George Southwark .	282	51824	28	17	21	34	32	35	23	29	32	26	27·7	25
30. Newington	624	64816	32	33	39	48	40	22	25	37	48	52	37·6	43
31. Lambeth H	4015	139325	53	49	52	88	72	79	51	67	46	60	61·7	64
32. Wandsworth* . . .	11695	50764	16	16	19	25	32	19	35	25	31	18	23·6	26
33. Camberwell	4342	54667	25	16	19	28	22	25	24	27	23	24	23·3	19
34. Rotherhithe	886	17805	3	6	9	11	8	18	13	5	7	1	8·1	14
35. Greenwich* HHHHH .	5367	99365	59	56	52	59	65	68	56	74	73	55	61·7	51
36. Lewisham*	17224	34835	15	4	12	11	8	12	12	13	19	10	11·6	16†

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after rising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† An average of 4 is inserted for Lee, instead of 2 the true number.

LONDON.—DEATHS registered in 119 PUBLIC INSTITUTIONS.

	In the Week ending March 20. Total.	Males.	Females.	In the Week ending March 27. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	245	147	98	216	118	98
46 WORKHOUSES	146	77	69	125	57	68
14 PRISONS . . . . . ‡	–	–	–	1	1	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	6	6	–	2	2	–
15 GENERAL HOSPITALS	68	46	22	64	39	25
7 HOSPITALS FOR SPECIAL DISEASES	4	2	2	8	7	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	1	–	1
4 LYING-IN HOSPITALS . . . . Children .	1	–	1	1	1	–
7 MILITARY AND NAVAL HOSPITALS	5	5	–	4	4	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	3	2	1	1	–	1
20 LUNATIC ASYLUMS	12	9	3	9	7	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not

ONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 27th March 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	50	29	72	12	26
No.*							
1-6 WEST DISTRICTS - -	376427	1	7	7	18	1	7
7-11 NORTH DISTRICTS - -	490396	2	10	5	9	3	2
12-19 CENTRAL DISTRICTS -	393256	-	12	1	15	1	4
20-25 EAST DISTRICTS - -	485522	-	13	7	18	4	7
26-36 SOUTH DISTRICTS - -	616635	-	8	9	12	3	6
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	1	-	-	-
2 St. John Paddington H -	29053	-	-	1	4	-	1
3 Kensington Town *W* L -	29183	-	-	2	4	-	1
4 Brompton HH - -	14870	1	-	-	1	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	2	-	-
2; 1 Chelsea South H - -	19050	-	-	1	1	-	-
2 Chelsea North-west *Ww*	17669	-	1	-	-	-	1
3 Chelsea North-east L -	19819	-	-	-	1	-	-
3; 1 Hanover-square - -	20216	-	1	1	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	1	1	1	-	1
4; 1 St. John Westmr. HHHP	34295	-	3	-	3	-	-
2 St. Margaret West. *W* HP	31314	-	-	-	-	-	2
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	1	1
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	1	-	1	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	-	-	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	-	1	1
4 St. Mary Marylebone H -	22814	-	1	-	-	-	-
5 Christchurch Marylebone	33895	-	3	-	-	-	-
6 St. John Marylebone -	29826	-	2	-	-	-	-
8; 1 Hampstead *W* - -	11986	-	-	-	1	-	-
9; 1 Regent's Park Pancras -	31918	-	-	-	1	-	-
2 Tottenham-court *w*H -	28433	-	-	-	-	-	-
3 Gray's-inn-lane H -	26523	1	-	1	2	-	-
4 Somers-town - - -	35641	-	-	1	-	-	-
5 Camden-town *W* - -	21115	-	1	1	1	-	-
6 Kentish-town - - -	23326	-	-	-	-	1	-
10; 1 Islington West† *W* HHHPP	47881	1	1	-	1	-	-
2 Islington East - - -	47448	-	-	1	2	-	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	1	-	-
3 West Hackney L - -	18732	-	-	1	-	-	1
4 Hackney *W* H*w* - -	20850	-	1	-	-	-	-
5 South Hackney L - -	8458	-	-	-	-	1	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	1	1	-	-
2 St. Giles South *W* H -	19951	-	1	-	1	1	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	1	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	1
14; 1 St. George-the-Martyr H.	18813	-	3	-	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	3	-	-	-	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	2	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	1	-	-
4 Goswell-street - -	15625	-	1	-	1	-	-
16; 1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	-	-	1	-	1
3 Whitecross-street - -	13657	-	1	-	2	-	1
4 Finsbury - - - -	12941	-	-	-	2	-	-
17; 1 St. Botolph East London	23824	-	1	-	1	-	-
2 Cripplegate P - -	20582	-	2	-	1	-	-
18; 1 West London North *W* HP	12946	-	-	-	1	-	1
2 West London South P -	15844	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	-	1	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	1	-	-
3 Hoxton New Town *w* -	23505	-	1	1	-	-	-
4 Hoxton Old Town - -	17431	-	1	1	-	-	1
5 Haggerstone West *W* -	20276	-	1	-	-	-	1
6 Haggerstone East - -	11351	-	-	1	-	-	-
21; 1 Hackney Road - -	23910	-	1	-	2	-	-
2 Green, Bethnal Green *W* HL	23555	-	1	1	-	-	1
3 Church, Bethnal Green -	21787	-	-	-	1	-	1
4 Town, Bethnal Green -	20941	-	-	-	1	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	1
2 Spitalfields - - -	15336	-	-	-	1	-	1
3 Mile End New Town *W* -	14543	-	-	1	3	2	-
4 Whitechapel North *W* -	12530	-	-	-	2	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	3	-	-	1	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	1	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	1	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	-	-	1
2 Ratcliff *W* - - -	15212	-	1	-	1	-	-
3 Limehouse *W* - -	22782	-	-	-	1	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	-	1	-	-
4 Mile End Old T., East. *Ww* H	27020	-	-	1	-	-	-
25; 1 Bow *w*LH - - -	18778	-	-	-	-	-	-
2 Poplar *W* - - -	28384	-	3	-	2	1	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	1	1	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	1	-	-
3 Leather Market - -	15295	-	-	-	1	-	-
29; 1 Kent Road - - -	18126	-	-	-	-	-	-
2 Borough Road *W* P -	15862	-	-	-	1	-	1
3 London Road LP - -	17836	-	-	-	-	-	-
30; 1 Trinity Newington P -	20922	-	-	1	1	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	2	1	1
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	1	-
3 Lambeth Church 1st -	18409	-	-	-	-	-	-
4 Lambeth Church 2nd *W*	26784	-	2	-	2	1	-
5 Kennington 1st - -	24261	-	-	1	-	-	-
6 Kennington 2nd - -	18848	-	-	1	1	-	-
7 Brixton L - - -	14610	-	-	-	1	-	-
8 Norwood *W* - - -	3977	-	1	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	1	-	-
2 Battersea *W* L - -	10560	-	1	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	1
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	-	-	-	-
4 St. George Camberwell -	15849	-	-	1	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	1
35; 1 St. Paul Deptford - -	24899	-	-	-	-	-	-
2 St. Nicholas Deptford -	7071	-	-	1	-	-	-
3 Greenwich West H -	18800	-	-	1	-	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	-	1
6 Woolwich Arsenal HPH	15227	-	2	-	1	-	1
36; 1 Plumstead - - -	13191	-	1	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	‡	-	-	-	-	-
4 Lewisham Village *Ww* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ Return not received in time for insertion. It includes a death from scarlatina.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 27th March 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
March.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	21	..	30·354	61·7	33·9	27·8	47·4	38·0	77·0	—	45·3	43·8	9·4	18·4	3·6	+ 5·5	66	Calm	Calm	0·0	0·0	0·0	5	0·00
Monday . .	22	Greatest Dec. N. First Quarter.	30·422	61·6	31·7	29·9	46·1	38·8	80·2	24·6	46·7	45·0	7·3	16·7	4·8	+ 4·2	74	Calm	S.E.	0·0	0·0	0·0	15	0·00
Tuesday .	23	..	30·326	65·0	33·0	32·0	49·0	42·3	74·4	—	45·6	44·3	6·7	17·8	2·1	+ 7·0	74	Calm	Calm	0·0	0·0	0·0	5	0·00
Wednesday	24	..	30·013	68·7	40·7	28·0	54·8	43·4	84·6	35·0	46·3	45·0	11·4	22·5	1·4	+12·7	62	Calm	N.W.	0·0	0·0	0·0	10	0·00
Thursday.	25	..	30·106	53·7	37·3	16·4	42·5	32·9	67·0	36·2	46·3	45·0	9·6	13·0	5·2	+ 0·3	73	N.E.	N.E.	0·0	0·0	0·0	55	0·00
Friday . .	26	..	30·072	54·2	31·1	23·1	42·6	33·1	72·6	21·0	46·6	45·2	9·5	17·8	5·2	+ 0·3	67	E.	W.	0·0	0·0	0·0	40	0·00
Saturday.	27	..	30·034	54·0	33·6	20·4	43·5	35·7	68·0	26·8	47·3	45·0	7·8	16·2	4·6	+ 1·1	72	W.S.W.	N.	0·0	0·0	0·6	10	0·00
Means . .		..	30·190	59·8	34·5	25·4	46·6	37·8	74·8	5 nights. 28·5	46·3	44·8	8·8	17·5	3·8	+ 4·4	70	Variable.		..	..	..	Sum 140	Sum 0·00
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. March.		Electricity.	Sky and Atmosphere.
Sunday . .	21	Positive, with weak tension.	The day was fine, and the sky was free from cloud. Fog prevailed between 11h. A.M. and noon.
Monday . .	22	Positive, with strong tension; at night sparks were shown.	Cloudless throughout the day.
Tuesday . .	23	Positive, with strong tension.	Cloudless throughout the day. Fog prevailed during the morning.
Wednesday	24	Positive, with strong tension.	Cloudless throughout the day. Thin fog prevailed at night.
Thursday .	25	Positive, with variable tension; at night sparks were shown.	With slight exceptions the sky was covered with cloud throughout the day.
Friday . .	26	Positive, with variable tension.	Partially cloudy during the afternoon; at other times of the day the sky was clear.
Saturday .	27	Positive with variable tension.	Cloudy for the most part till noon; occasionally clear during the afternoon; cloudy at night.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 30·33 in. at the beginning of the week to 30·45 in. on the 22d at 9h. A.M.; decreased to 29·95 in. by 9h. P.M. on the 24th; increased to 30·16 in. by 9h. P.M. on the 25th; decreased to 30·02 in. by 3h. P.M. on the 27th; after which it turned to increase.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, April 3. [No. 13.

General Register Office, Somerset House,
April 5th, 1858.

The total number of deaths registered in London in the week that ended on Saturday (April 3d) was 1374. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1392, but as the deaths of last week occurred in an increased population, they should be compared with the average, after the latter has been raised proportionally to the increase, a correction which will make it 1531. The deaths now returned are, therefore, less by 157 than the number which the average rate of mortality would have produced.

The registration of last week exceeds that of the previous week to the extent of 106 deaths; but the excess arises from deaths, on which inquests had been held, having been entered in the registers in more than their due proportion, at the end of the quarter, and not from an increased rate of mortality. This will be evident, when it is stated that cases in which bronchitis, pneumonia, and asthma were fatal, declined in the two weeks from 271 to 258; whereas deaths produced by mechanical or chemical injuries increased from 50 to 113. The same explanation applies to an increase of "sudden" deaths, of which the cause is unascertained or not defined, from 14 to 27. The mortality from whooping-cough has declined in the last three weeks according to the following numbers: 83, 72, and 66. The mean temperature rose in the third week of March to 48° (which is higher by 15° than it had been in the earlier part of the month); but in the last two weeks the air has not been so warm, the means having been 47° and 45°.

Measles from which 59 children died, of whom 31 were under two years of age, is exceedingly fatal in the Royal Military Asylum, Chelsea, where six boys, whose ages varied from six to ten years, died from the complaint, 2 on the 26th ult., 2 on the 27th, one on the 28th, and one on the 29th. A young man died in the same institution, on the 25th, of rheumatic fever. Three children died of measles in the sub-district of Christchurch, Marylebone, 3 in Bow, and 3 in St. James, Bermondsey.

Two persons died of destitution on the same day, March 31st: a seaman, aged 56 years, in St. Bartholomew's Hospital, and the wife of a labourer, aged 40, in the Workhouse, St. Margaret, Westminster. Of 113 *violent deaths* included in the present return, 100 occurred accidentally, 3 were by murder or manslaughter, and 10 by suicide. The three oldest individuals who paid the debt of nature, were aged respectively 93, 94, and 96 years.

Last week the births of 872 boys and 863 girls, in all 1735 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1801.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·577 in. The barometrical readings fell from 30·05 in. on Sunday the 28th ult. to 28·85 in. on the 31st. The mean temperature of the week was 44·6°, which is 1·3° above the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature which was *above* the average on the first four days, fell from 48·1° on Wednesday, to 38·4° on Thursday, and 34·7°, on Friday, the last of which is 9·4° *below* the average. On Friday the thermometer fell so low as 27·2°. The wind which previously to

Thursday had blown from the south-west, turned on that day to north-east. On Monday the thermometer in the shade had reached 61·8°, and its extreme range in five days was therefore 34·6°. The mean daily range of the week was 19·1°. The difference between the mean dew point temperature and air temperature was 6°. The mean degree of humidity of the air was 81. The mean temperature of the water of the Thames was 46·9°. The rain-fall of the week was 0·42 in. A loud thunder-clap was heard on Saturday afternoon.

St. George Hanover-square; *May Fair.*—At 3 Ducking Pond-mews, on 29th March, the son of a carman, aged 5 years, "diphtheria."

Pancras; *Regent's Park.*—At Albany-street, on 28th March, a lady, aged 26 years, "pneumonia, consecutive to an attack of diphtheria."

Pancras; *Tottenham.*—At 89 John-street, on 27th March, the son of a painter, aged 8 years, "croup, diphtheria."

Pancras; *Somers Town.*—At 13 Polygon, on 28th March, the son of a railway porter, aged 1 year, "bronchitis (10 days), diphtheria (5 days)."

London City; *North-west.*—At 139 Cheapside, on 28th March, a wool merchant, aged 46 years, "rheumatic fever (14 days), diphtheria (several days), exhaustion." The Registrar adds:—"The deceased, who resided at Huddersfield, Yorkshire, had been in London about four weeks. The medical certificate states that exhaustion was produced from total want of support during the first nine days of the illness, during which time he was under homæopathic treatment."

London City; *North east.*—At 3 King-street, Aldgate, on 29th March, the son of a fruit merchant, aged 3 years, "diphtheria (one week)."

Bethnal Green; *Hackney Road.*—At 8 Gloucester-place, on 28th March, the daughter of a carver and gilder, aged 3 years, "diphtheria (48 hours)."

St. George Southwark; *London Road.*—At 7 Richmond-street, on 28th March, the daughter of a meat salesman, aged 7 months, "diphtheria (2 days)."

Westminster; *St. Margaret.*—At the Workhouse, on 31st March, the wife of a bricklayer's labourer, aged 40 years, "destitution, pulmonary disease (6 days)."

West London; *North.*—At St. Bartholomew's Hospital, on 31st March, a seaman, aged 56 years, "destitution."

Marylebone; *Rectory.*—At the Workhouse, on 2d March, a female pauper, aged 63 years, "exhaustion; how produced unknown. Found helpless and destitute in a street." *Post mort.* (*Inquest.*)

Islington; *West.*—On 28th March, the daughter of an artist, aged 17 months, "suffocation from spasm of glottis while in a fit of passion." *Post mort.* (*Inquest.*)

Wandsworth; *Wandsworth.*—At High-street, on 9th March, a compositor, aged about 18 years, "cold and exposure (voluntarily)." (*Inquest.*)

Births Registered last Week, and in the Thirteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1681	1621	1431	1780	1730	1909	1948	2099	1977	1838	1801·4	1735
Males . .	836	799	711	947	838	1005	1015	1021	994	936	910·2	872
Females . .	845	822	720	833	892	904	933	1078	983	902	891·2	863

Deaths Registered last Week, and in the Thirteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	1294	1241	1167	1418	1324	1748	1489	1604	1396	1235	1391·6	1374
Males . .	650	616	600	754	668	861	829	842	717	620	715·7	694
Females .	644	625	567	664	656	887	660	762	679	615	675·9	680

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTEENTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 1 1848	Mar 31 1849	Mar 30 1850	Mar 29 1851	Apr. 3 1852	Apr. 2 1853	Apr. 1 1854	Mar 31 1855	Mar 29 1856	Apr. 4 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, April 3, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	51°·2	40°·2	35°·9	46°·3	43°·5	43°·4	47°·3	36°·5	37°·7	47°·8	43°·0	Mean Temp. 44°·6					
	ALL CAUSES	1294	1241	1167	1418	1324	1748	1489	1604	1396	1235	1391·6	1374	700	165	221	227	61
	SPECIFIED CAUSES	1235	1178	1104	1349	1266	1673	1421	1516	1336	1188	1326·6	1344	685	162	214	223	60
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	302	293	195	273	232	300	269	292	252	209	261·7	271	213	15	23	18	2
II.	CONSTITUTIONAL „	270	237	212	230	269	307	289	294	253	246	260·7	229	89	64	57	16	3
III.	LOCAL „	466	456	506	551	518	742	552	611	558	509	546·9	591	274	54	108	133	22
IV.	DEVELOPMENTAL „	111	124	100	163	143	173	152	172	154	139	143·1	140	65	1	3	41	30
V.	VIOLENT DEATHS	86	68	91	132	104	151	159	147	119	85	114·2	113	44	28	23	15	3
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	282	268	181	251	211	278	247	260	223	186	238·7	248	204	12	15	15	2
	2. ENTHETIC „	3	4	5	1	8	4	3	4	9	6	4·7	2	2	..	..	..	..
	3. DIETIC „	14	17	8	19	11	16	17	27	17	13	15·9	18	4	3	8	3	..
	4. PARASITIC „	3	4	1	2	2	2	2	1	3	4	2·4	3	3	..	..	..	..
II.	1. DIATHETIC „	47	51	47	35	50	72	52	48	55	42	49·9	32	3	4	15	8	2
	2. TUBERCULAR „	223	186	165	195	219	235	237	246	198	204	210·8	197	86	60	42	8	1
III.	1. DISEASES OF NERVOUS SYSTEM	149	146	127	163	127	171	174	155	156	116	148·4	159	76	12	25	38	8
	2. „ OF ORGANS OF CIRCULATION	49	41	54	53	65	68	61	74	75	57	59·7	67	1	10	32	20	4
	3. „ OF RESPIRATORY ORGANS	191	197	252	272	249	420	236	303	249	264	263·3	284	174	17	30	56	7
	4. „ OF DIGESTIVE ORGANS	49	44	54	43	43	56	52	44	53	36	47·4	52	18	8	10	14	2
	5. „ OF URINARY ORGANS	15	10	8	7	12	16	14	13	9	17	12·1	19	..	4	9	5	1
	6. „ OF ORGANS OF GENERATION	4	8	3	3	5	..	6	4	5	8	4·6	1	..	..	1	..	..
	7. „ OF ORGANS OF LOCOMOTION	6	4	5	5	6	4	3	8	5	5	5·1	1	..	1	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM	3	6	3	5	11	7	6	10	6	6	6·3	8	5	2	1	..	..
IV.	1. DEV. DISEASES OF CHILDREN	38	48	35	67	47	51	59	70	56	51	52·2	40	40	..	..	..	..
	2. „ OF ADULTS	2	5	6	6	6	8	7	4	6	6	5·6	4	1	1	2	..	..
	3. „ OF OLD PEOPLE	45	43	37	65	61	69	44	56	56	54	53·0	59	..	..	..	29	30
	4. DISEASES OF NUTRITION	26	28	22	25	29	45	42	42	36	28	32·3	37	24	..	1	12	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											100	42	26	16	13	3
	3. HOMICIDE *												3	2	1	..	..	..
	4. SUICIDE												10	..	1	7	2	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	86	68	91	132	104	151	159	147	119	85	114·2	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	53	50	52	66	42	56	49	74	40	28	51·0	27	14	2	6	4	1
	CAUSES NOT SPECIFIED	6	13	11	3	16	19	19	14	20	19	14·0	3	1	1	1	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 1 1848	Mar 31 1849	Mar 30 1850	Mar 29 1851	Apr. 3 1852	Apr. 2 1853	Apr. 1 1854	Mar 31 1855	Mar 29 1856	Apr. 4 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, April 3, 1858. ALL AGES. Mean Temp. 44°·6	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	51°·2	40°·2	35°·9	46°·3	43°·5	43°·4	47°·3	36°·5	37°·7	47°·8	43°·0						
I.	ORDER 1.																	
	1. Small-pox	23	12	8	12	27	6	11	11	13	2	12·5	1	1	..	..	..	..
	2. Measles	21	19	19	35	11	12	29	14	23	34	21·7	59	59	..	..	..	..
	3. Scarlatina	47	56	15	10	38	35	32	42	28	12	31·5	26	25	1	..	..	..
	4. Quinsy	1	3	2	2	1	2	1	4	1	1	1·8	3	2	..	1	..	..
	5. Croup	7	5	8	9	10	7	13	9	15	10	9·3	9	9	..	..	..	..
	6. Whooping-cough	37	83	44	63	42	84	77	77	51	64	62·2	66	66	..	..	..	..
	7. Typhus (and Infantile fever)	81	36	40	38	40	77	41	50	66	34	50·3	40	18	7	8	6	1
	8. Erysipelas	17	8	9	9	15	9	9	11	6	8	10·1	10	7	1	..	1	1
	9. Metria	17	11	3	2	4	1	3	5	6	1	5·3	..	..	..	..	..	..
	10. Carbuncle	..	1	..	..	..	3	1	1	2	2	1·0	1	..	..	1	..	..
	11. Influenza	8	1	7	37	2	3	1	2	..	2	6·3	3	2	..	1	..	..
	12. Dysentery	3	2	6	2	4	5	..	3	2	6	3·3	2	..	..	..	2	..
	13. Diarrhœa	15	19	12	20	8	23	16	13	4	7	13·7	11	9	..	..	2	..
	14. Cholera	1	4	..	1	1	1	..	4	..	..	1·2	..	..	..	..	..	..
	15. Ague	..	..	..	..	..	..	1	1	..	..	·2	1	1	..	..	..	..
	16. Remittent fever	1	2	1	2	2	2	4	3	1	..	1·8	3	3	..	..	..	..
	17. Rheumatism	3	6	7	9	6	8	8	10	5	3	6·5	13	2	3	4	4	..
	ORDER 2.																	
	1. Syphilis	3	3	4	1	5	3	3	4	7	6	3·9	2	2	..	..	..	..
	2. Stricture of Urethra	..	1	1	..	3	1	..	..	2	..	·8	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	4	6	1	4	1	3	2	7	3	..	3·1	3	..	..	2	1	..
	2. Want of Breast-milk	4	6	3	7	4	3	9	14	4	6	6·0	4	4	..	..	..	..
	3. Purpura and Scurvy	2	2	1	..	1	..	..	..	..	1	·7	1	..	1	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	1	..	4	2	4	1	2	5	1	2·2	3	..	1	2	..	..
	4. Alcoholism { *b* Intemperance	2	2	3	4	3	6	5	4	5	5	3·9	7	..	1	4	2	..
	ORDER 4.																	
	1. Thrush	3	4	1	2	2	2	2	1	3	4	2·4	3	3	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	1	2	..	4	1	..	2	1	1	1·3	..	..	..	..	..	..
	2. Dropsy	18	22	24	14	20	33	15	22	18	11	19·7	11	3	1	5	1	1
	3. Cancer	16	20	18	17	21	34	32	19	27	24	22·8	19	..	3	10	6	..
	4. Noma	2	1	1	1	..	2	..	..	1	2	1·0	..	..	..	..	..	..
	5. Mortification	10	7	2	3	5	2	5	5	8	4	5·1	2	..	..	..	1	1
	ORDER 2.																	
	1. Scrofula	11	8	11	8	6	4	3	11	9	8	7·9	5	4	1	..	..	..
	2. Tabes Mesenterica	18	11	7	19	14	18	26	21	11	17	16·2	17	16	..	1	..	..
	3. Phthisis	149	136	115	129	161	179	162	181	141	148	150·1	140	31	59	41	8	1
	4. Hydrocephalus	45	31	32	39	38	34	46	33	37	31	36·6	35	35	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	10	14	9	10	12	11	11	17	15	10	11·9	13	12	..	..	1	..
	2. Apoplexy	44	23	31	32	28	44	41	45	44	30	36·2	40	10	2	7	15	6
	3. Paralysis	19	25	26	39	15	29	21	15	19	16	22·4	28	..	2	9	15	2
	4. Insanity	1	2	1	3	5	2	4	3	2	1	2·4	5	..	1	1	3	..
	5. Chorea	2	..	1	..	..	..	..	..	..	..	·3	..	..	..	..	..	..
	6. Epilepsy	5	11	10	8	5	14	9	7	16	7	9·2	14	2	4	4	4	..
	7. Convulsions	55	57	37	57	45	54	68	52	44	38	50·7	43	43	..	..	..	..
	8. *Brain Disease, &c.*	13	14	12	14	17	17	20	16	16	14	15·3	16	9	3	4	..	..
	ORDER 2.																	
	1. Pericarditis	2	1	4	2	1	2	3	5	3	5	2·8	2	..	1	..	1	..
	2. Aneurism	2	3	5	3	4	3	5	4	4	3	3·6	2	..	..	2	..	..
	3. *Heart Disease, &c.*	45	37	45	48	60	63	53	65	68	49	53·3	63	1	9	30	19	4
	ORDER 3.																	
	1. Laryngitis	1	6	4	5	3	10	7	7	11	4	5·8	13	13	..	..	..	..
	2. Bronchitis	66	79	113	109	128	231	109	149	127	130	124·1	140	65	6	21	41	7
	3. Pleurisy	3	7	3	10	7	7	6	6	3	4	5·6	4	2	2	..	..	..
	4. Pneumonia	91	78	88	117	80	122	93	113	80	99	96·1	108	91	5	6	6	..
	5. Asthma	21	17	29	21	15	38	10	16	15	19	20·1	10	..	..	1	9	..
	6. *Lung Disease, &c.*	9	10	15	10	16	12	11	12	13	8	11·6	9	3	4	2	..	..
	ORDER 4.																	
	1. Gastritis	1	4	2	3	..	1	2	2	..	1	1·6	2	1	..	..	1	..
	2. Enteritis	10	4	14	5	3	4	11	2	8	2	6·3	7	5	1	..	1	..
	3. Peritonitis	4	5	4	2	5	4	3	6	1	4	3·8	2	1	..	..	1	..
	4. Ascites	2	2	3	1	..	3	1	4	4	2	2·2	4	1	..	1	1	1
	5. Ulceration of Intestines	2	2	2	1	4	5	4	3	3	1	2·7	2	2	..	..	..	..
	6. Hernia	2	2	5	5	1	4	4	2	3	4	3·2	4	1	..	1	2	..
	7. Ileus	3	4	4	3	1	3	4	2	5	2	3·1	2	2	..	..	..	..
	8. Intussusception	1	3	1	2	..	1	..	2	2	1	1·3	3	..	1	..	2	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTEENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 1 1848	Mar 31 1849	Mar 30 1850	Mar 29 1851	Apr. 3 1852	Apr. 2 1853	Apr. 1 1854	Mar 31 1855	Mar 29 1856	Apr. 4 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the week ending Saturday, Apr. 3, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	51°·2	40°·2	35°·9	46°·3	43°·5	43°·4	47°·3	36°·5	37°·7	47°·8	43°·0	44°·6					
	9. Stricture of Intestines	..	..	3	1	1	2	1	..	..	..	·8	..	..	..	..	..	..
	10. Fistula	..	..	..	1	..	1	1	..	1	..	·4	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	9	5	1	6	11	4	8	4	10	5	6·3	8	2	1	1	3	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	4	3	3	3	4	3	1	3	4	4	3·2	2	..	..	1	1	..
	14. Jaundice	2	1	4	1	4	4	4	3	1	1	2·5	4	1	..	2	1	..
	15. *Liver Disease, &c.*	9	8	8	9	9	16	8	11	11	9	9·8	11	1	5	4	1	..
	16 *Spleen Disease, &c.*	..	1	..	..	..	1	..	..	..	..	·2	1	1	..	..	..	..
	ORDER 5.																	
	1. Nephritis	3	2	1	..	1	2	..	..	..	1	1·0	..	..	..	..	..	..
	2. Ischuria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	3. Nephria	4	..	2	1	4	..	5	6	2	7	3·1	5	..	1	2	2	..
	4. Diabetes	1	1	..	1	2	3	..	..	..	2	1·0	1	..	..	1	..	..
	5. Stone	..	1	..	..	1	..	..	1	..	..	·3	..	..	..	..	..	..
	6. Cystitis	2	..	..	2	..	2	1	..	1	..	·8	3	..	..	2	1	..
	7. *Kidney Disease, &c.*	5	6	5	3	4	9	8	6	6	7	5·9	10	..	3	4	2	1
	ORDER 6.																	
	1. Ovarian Dropsy	1	2	..	1	2	..	1	1	2	1	1·1	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	3	6	3	2	3	..	5	3	3	7	3·5	1	..	..	1	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	1	..	..	2	..	1	·4	..	..	..	..	..	..
	2. *Joint Disease, &c.*	6	4	5	5	5	4	3	6	5	4	4·7	1	..	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	1	4	3	2	10	4	4	3	4	5	4·0	6	3	2	1	..	..
	2. Ulcer	1	..	..	2	..	1	1	6	2	1	1·4	..	..	..	..	..	..
	3. *Skin Disease, &c.*	1	2	..	1	1	2	1	1	..	..	·9	2	2	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	24	26	22	42	32	32	43	40	34	28	32·3	20	20	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	3	5	..	4	3	1	5	7	4	4	3·6	1	1	..	..	..	..
	5. Teething	11	17	13	21	12	18	11	23	18	19	16·3	18	18	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	1	..	..	..	..	..	..	·1	1	1	..	..	..	..
	2. Childbirth (*see* Metria)	2	5	6	5	6	8	7	4	6	6	5·5	3	..	1	2	..	..
	ORDER 3.																	
	1. Old Age	45	43	37	65	61	69	44	56	56	54	53·0	59	..	..	..	29	30
	ORDER 4.																	
	1. Atrophy and Debility	26	28	22	25	29	45	42	42	36	28	32·3	37	24	..	1	12	..
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	41	7	11	12	8	3
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	22	17	2	..	3	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	13	..	11	2	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	15	15	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	6	1	2	1	2	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											3	2	1	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	4	..	..	4	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	4	..	..	2	2	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	86	68	91	132	104	151	159	147	119	85	114·2	†	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	53	50	52	66	42	56	49	74	40	28	51·0	27	14	2	6	4	1
	Causes not specified or ill-defined	6	13	11	3	16	19	19	14	20	19	14·0	3	1	1	1	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† See page 99.

DEATHS Registered in the THIRTEENTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Apr. 1 1848	Mar. 31 1849	Mar. 30 1850	Mar. 29 1851	Apr. 3 1852	Apr. 2 1853	Apr. 1 1854	Mar. 31 1855	Mar. 29 1856	Apr. 4 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Apr. 3 1858.
Mean Temperature . . .			51·2°	40·2°	35·9°	46·3°	43·5°	43·4°	47·3°	36·5°	37·7°	47·8°	43·0°	44·6°
LONDON	78029	2362236	1294	1241	1167	1418	1324	1748	1489	1604	1396	1235	1391·6	1374
1–6. WEST DISTRICTS .	10786	376427	186	157	150	202	203	246	195	258	212	160	196·9	223
7–11. NORTH DISTRICTS .	13533	490396	232	219	216	289	281	331	301	290	270	275	270·4	274
12–19. CENTRAL DISTRICTS	1938	393256	214	255	225	231	247	325	286	267	235	193	247·8	201
20–25. EAST DISTRICTS .	6230	485522	316	294	256	299	268	402	308	324	282	258	300·7	329
26–36. SOUTH DISTRICTS .	45542	616635	346	316	320	397	325	444	399	465	397	349	375·8	347
1. Kensington* HHHH .	7374	120004	43	34	38	37	60	69	61	74	43	51	51·0	73
2. Chelsea H*w* . . .	865	56538	29	29	25	29	26	26	25	27	41	23	28·0	36
3. St. George Hanover-sq. H	1161	73230	42	38	31	56	34	49	42	78	42	35	44·7	32
4. Westminster* HHHH .	917	65609	40	30	25	50	38	56	47	51	46	30	41·3	41
5. St. Martin-in-the-Fields H	305	24640	12	11	15	16	31	29	8	15	21	11	16·9	21
6. St. James Westminster .	164	36406	20	15	16	14	14	17	12	13	19	10	15·0	20
7. Marylebone HH . .	1509	157696	92	81	65	144	117	130	116	85	94	100	102·4	84
8. Hampstead	2252	11986	2	5	7	9	7	9	3	6	2	4	5·4	9
9. Pancras HH*w* . . .	2716	166956	84	77	74	72	82	96	102	104	85	81	85·7	98
10. Islington HHH . .	3127	95329	33	32	45	42	44	66	56	54	65	59	49·6	50
11. Hackney* H*w* . . .	3929	58429	21	24	25	22	31	30	24	41	24	31	27·3	33
12. St. Giles* H . . .	245	54214	34	58	36	32	46	54	48	54	37	36	43·5	36
13. Strand* H	174	44460	22	36	33	17	30	35	26	48	30	17	29·4	13
14. Holborn* H . . .	196	46621	16	34	25	21	31	40	37	39	29	24	29·6	28
15. Clerkenwell	380	64778	25	30	28	27	34	43	30	38	33	30	31·8	40
16. St. Luke HH . . .	220	54055	23	20	27	31	20	36	43	21	28	26	27·5	21
17. East London* . . .	153	44406	29	27	20	41	26	36	30	22	31	21	28·3	22
18. West London* H . .	136	28790	33	31	27	40	34	41	38	18	28	21	31·1	17
19. London City*	434	55932	32	19	29	22	26	40	34	27	19	18	26·6	24
20. Shoreditch *w* . . .	646	109257	61	56	34	54	49	73	53	63	63	46	55·2	61
21. Bethnal Green H . .	760	90193	56	64	38	57	52	64	40	48	54	32	50·5	60
22. Whitechapel* HH . .	406	79759	80	59	73	76	46	105	73	66	47	57	68·2	70
23. St. George-in-the-East .	243	48376	29	27	25	30	25	45	25	25	13	23	26·7	26
24*a*. Stepney*	576	54173	66	59	64	60	74	91	78	85	69	62	70·8	49
24*b*. Mile-end Old Town H*w*	681	56602												28
25. Poplar* H*w* . . .	2918	47162	24	29	22	22	22	24	39	37	36	38	29·3	35
26. St. Saviour Southwark* HH	250	35731	31	21	24	24	27	31	33	32	11	28	26·2	19
27. St. Olave Southwark* HH	169	19375	17	28	20	18	23	25	26	26	35	39	25·7	27
28. Bermondsey	688	48128	19	23	18	29	18	35	23	35	19	18	23·7	32
29. St. George Southwark .	282	51824	30	25	30	24	26	31	31	19	24	25	26·5	31
30. Newington	624	64816	33	26	33	44	36	46	53	57	49	31	40·8	38
31. Lambeth H	4015	139325	57	58	71	87	74	64	74	76	81	69	71·1	62
32. Wandsworth*	11695	50764	37	24	27	23	22	35	21	30	19	12	25·0	36
33. Camberwell	4342	54667	13	18	28	23	26	22	30	43	37	24	26·4	28
34. Rotherhithe	886	17805	9	3	7	9	9	7	13	7	12	10	8·6	8
35. Greenwich* HHHHH .	5367	99365	88	73	53	90	45	121	73	118	87	75	82·3	58
36. Lewisham*	17224	34835	12	17	9	26	19	27	22	22	23	18	19·5	8

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 118 PUBLIC INSTITUTIONS.

	In the Week ending March 27. Total.	Males.	Females.	In the Week ending April 3. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	216	118	98	261	150	111
45 WORKHOUSES	125	57	68	121	51	70
14 PRISONS . . . . . .‡	1	1	–	14	12	2
4 MILITARY AND NAVAL ASYLUMS . . . .§	2	2	–	12	12	–
15 GENERAL HOSPITALS	64	39	25	91	60	31
7 HOSPITALS FOR SPECIAL DISEASES	8	7	1	3	3	–
4 LYING-IN HOSPITALS . . . . Women .	1	–	1	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	1	1	–	1	–	1
7 MILITARY AND NAVAL HOSPITALS	4	4	–	2	2	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	–	1	1	1	–
20 LUNATIC ASYLUMS	9	7	2	16	9	7

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 3d April 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	1	59	26	66	11	40
No.*							
1-6 WEST DISTRICTS - -	376427	-	14	4	12	4	8
7-11 NORTH DISTRICTS - -	490396	1	13	8	7	-	11
12-19 CENTRAL DISTRICTS -	393256	-	6	4	9	2	5
20-25 EAST DISTRICTS - -	485522	-	11	4	20	5	8
26-36 SOUTH DISTRICTS - -	616635	-	15	6	18	-	8
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	1	-	2	-	1
2 St. John Paddington H -	29053	-	1	1	1	-	-
3 Kensington Town *W* L -	29183	-	-	-	2	-	-
4 Brompton HH - -	14870	-	2	1	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	1	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	6	-	1	1	-
2 Chelsea North-west *Ww*	17669	-	1	-	-	1	1
3 Chelsea North-east L -	19819	-	-	-	-	1	1
3; 1 Hanover Square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	1	-	-	-
3 Belgrave H - - -	40034	-	2	-	1	-	-
4; 1 St. John Westmr. HHHP	34295	-	1	-	2	-	1
2 St. Margaret West. *W* HP	31314	-	-	-	1	1	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	1	-	2
6; 1 Berwick Street - -	10798	-	-	-	-	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	1	-	-	1
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	-	-	-	-
2 Cavendish-square - -	14687	-	1	-	-	-	-
3 Rectory Marylebone *W* -	27633	1	2	-	1	-	1
4 St. Mary Marylebone H	22814	-	2	-	1	-	-
5 Christchurch Marylebone	33895	-	3	-	1	-	1
6 St. John Marylebone -	29826	-	-	-	-	-	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	-	2	-	-	-
2 Tottenham-court *w*H -	28433	-	-	1	1	-	1
3 Gray's Inn Lane H -	26523	-	-	-	-	-	2
4 Somers Town - - -	35641	-	1	2	-	-	1
5 Camden Town *W* - -	21115	-	-	2	-	-	1
6 Kentish Town - -	23326	-	-	-	1	-	-
10; 1 Islington West† *W*HHHPP	47881	-	-	-	-	-	2
2 Islington East - -	47448	-	2	-	-	-	-
11; 1 Stoke Newington L -	4840	-	-	1	-	-	1
2 Stamford Hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	1	-	-	-	1
4 Hackney *W* H*w* - -	20850	-	1	-	1	-	-
5 South Hackney L - -	8458	-	-	-	1	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	2	-	-
2 St. Giles South *W* H -	19951	-	-	-	1	-	-
3 St. Giles North - -	17456	-	-	-	-	1	-
13; 1 St. Anne Soho - -	17335	-	-	-	1	-	-
2 St. Mary-le-Strand -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	1
14; 1 St. George-the-Martyr H.	18813	-	-	-	-	-	-
2 St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	1	2	-	-
2 Amwell Clerkenwell P -	15720	-	-	1	-	-	1
3 Pentonville - - -	11904	-	-	-	-	1	-
4 Goswell-street - - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	1	-	-	-	-
2 City-road HL - -	16840	-	-	-	-	-	-
3 Whitecross-street - -	13657	-	1	-	3	-	-
4 Finsbury - - - -	12941	-	-	-	-	-	-
17; 1 St. Botolph East London	23824	-	2	1	-	-	-
2 Cripplegate P - -	20582	-	-	-	-	-	-
18; 1 West London North *W* HP	12946	-	-	-	-	-	2
2 West London South P -	15844	-	1	-	-	-	1
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South - -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	1	-	-	-	-
5 London City North-east -	12826	-	-	1	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	1	-	1	-	-
3 Hoxton New Town *w* -	23505	-	-	-	-	-	-
4 Hoxton Old Town - -	17431	-	-	-	-	-	1
5 Haggerstone West *W* -	20276	-	2	1	-	-	3
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney-road - - -	23910	-	-	1	2	1	1
2 Green, Bethnal Green *W* HL	23555	-	-	-	-	-	1
3 Church, Bethnal Green -	21787	-	-	-	2	-	-
4 Town, Bethnal Green -	20941	-	-	-	3	-	-
22; 1 Artillery Whitechapel -	6769	-	-	1	-	-	-
2 Spitalfields - - -	15336	-	-	-	-	1	-
3 Mile End New Town *W*	14543	-	-	-	2	-	-
4 Whitechapel North *W* -	12530	-	1	-	-	-	-
5 Whitechapel Church H -	7818	-	-	-	1	1	2
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	-	-	1	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	1	1	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	1	-
2 Ratcliff *W* - - -	15212	-	1	-	2	-	-
3 Limehouse *W* - -	22782	-	2	-	2	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	-	1	-	-
2 Mile End Old T., East. *Ww*H	27020	-	-	-	1	-	-
25; 1 Bow *w*LH - - -	18778	-	3	-	-	-	-
2 Poplar *W* - - -	28384	-	1	-	1	1	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	1
2 St. Saviour Southwark HH	19709	-	-	-	1	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	3	-	-	-	-
2 St. Mary Magdalen *W* -	13934	-	2	-	1	-	-
3 Leather Market - -	15295	-	-	-	1	-	-
29; 1 Kent-road - - -	18126	-	-	-	4	-	1
2 Borough-road *W* P -	15862	-	-	-	1	-	-
3 London-road LP - -	17836	-	-	1	2	-	1
30; 1 Trinity Newington P -	20922	-	-	1	4	-	-
2 St. Peter Walworth *W* -	29861	-	1	-	-	-	1
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	-	-	-	-
2 Waterloo-road 2nd H -	18348	-	1	-	-	-	-
3 Lambeth Church 1st -	18409	-	-	-	-	-	-
4 Lambeth Church 2nd *W*	26784	-	1	-	1	-	-
5 Kennington 1st - -	24261	-	-	1	-	-	1
6 Kennington 2nd - -	18848	-	-	-	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	1
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	1	-	-	-	-
2 Battersea L - -	10560	-	2	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL - -	17742	-	-	1	-	-	-
3 Peckham - - - -	19444	-	-	-	-	-	-
4 St. George Camberwell -	15849	-	-	-	-	-	1
34; 1 Rotherhithe *W* - -	17805	-	-	1	1	-	-
35; 1 St. Paul Deptford - -	24899	-	-	-	1	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	1	-	-	-	-
4 Greenwich East *W* H -	16228	-	-	-	1	-	1
5 Woolwich Dockyard HP	17140	-	1	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	1	-	-	-	-
36; 1 Plumstead - - -	13191	-	-	1	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	1	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts note public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 3d April 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Greatest.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Greatest.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
March.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday .	28	In Equator	29·994	57·0	36·9	20·1	46·7	38·8	77·0	29·0	46·3	45·0	7·9	16·0	0·7	+ 4·1	73	S.E.	S.W.	0·0	0·0	0·0	50	0·00
Monday .	29	Full	29·820	61·8	37·5	24·3	49·0	37·2	81·7	28·0	47·3	45·5	11·8	20·5	7·0	+ 7·1	75	S.S.W.	S.W.	0·0	0·0	0·0	75	0·00
Tuesday .	30	..	29·553	59·0	35·9	23·1	48·2	44·1	78·7	26·0	47·3	45·8	4·1	11·2	3·8	+ 5·2	82	S.S.W.	S.W.	2·0	0·0	0·0	115	0·02
Wednesday	31	..	29·102	54·5	43·0	11·5	48·1	44·7	63·0	40·0	47·7	46·1	3·4	6·8	2·5	+ 4·7	89	S.W.	S.W.	2·5	0·0	0·2	150	0·10
April.																								
Thursday .	1	..	29·439	48·3	34·7	13·6	38·4	32·5	51·0	31·2	48·8	46·8	5·9	9·2	0·8	— 5·2	84	N.	N.N.E.	3·0	0·0	0·5	135	0·12
Friday .	2	..	29·684	44·0	27·2	16·8	34·7	29·1	53·2	29·0	48·1	45·8	5·6	13·6	2·6	— 9·4	78	Calm	WSW. & S.S.E.	0·0	0·0	0·0	60	0·00
Saturday .	3	..	29·450	59·5	35·3	24·2	47·3	44·3	75·2	34 0	48·3	46·8	3·0	9·8	2·3	+ 2·8	86	Calm & W.S.W.	W.	3·5	0·0	0·5	215	0·18
Means . .		..	29·577	54·9	35·8	19·1	44·6	38·7	68·5	31·0	47·7	46·0	6·0	12·4	2·8	+ 1·3	81	Variable.		..	..	..	Sum 800	Sum 0·42
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
March.			
Sunday . .	28	Strong positive throughout the day.	The day was fine, and the amount of cloud was small; a few drops of rain fell during the afternoon. A magnetic disturbance.
Monday. .	29	Positive, with variable tension.	Cloudless throughout the day. A magnetic disturbance.
Tuesday .	30	Strong positive throughout the day.	Generally cloudy throughout the day. Rain fell near noon, and a few drops fell occasionally during the evening.
Wednesday	31	Positive, with weak tension during the morning.	Overcast throughout the day. Rain fell during the afternoon, strong breeze at night.
April.			
Thursday .	1		Cloudy till evening, clear for the most part afterwards. Rain fell frequently during the morning and afternoon.
Friday . .	2	During the remainder of the week the electrometer was under repair.	Cloudy throughout the day. Snow, sleet, and rain fell during the afternoon.
Saturday .	3		Generally cloudy till the afternoon; clear for the most part afterwards. Heavy showers of rain fell during the afternoon; at 2h. 30m. P.M. a loud clap of thunder was heard.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1853. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 30·05 in. at the beginning of the week to 28·85 in. by midnight on March 31st; then turned to increase, at first slowly, but from April 1st 5h. A.M. with great rapidity, at noon the reading was 29·47 in., at 9h. P.M. it had increased to 29·72 in., and still further increased to 29·80 in., by 9h. A.M. on April 2d; decreased to 29·44 in. by 9h. A.M. on the 3d; and increased to 29·53 in. at the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, April 10. [No. 14.

General Register Office, Somerset House,
April 12th, 1858.

The deaths in London exhibit a decrease : the total number registered last week (ending on Saturday the 10th inst.) was 1221. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week, when it is raised for comparison with the deaths of last week, is found to be 1242. The number now returned, therefore, shows a very close approximation to the result obtained by calculation.

The cases in which diseases of the respiratory organs were fatal have decreased from 284 in the previous week to 263 last week : the corrected average for last week is 265. The mortality from measles is still high, 58 children, nearly half of whom were under two years of age, having died of this complaint last week. Dr. Balfour states that the epidemic of measles, which prevailed among the boys of the Royal Military Asylum, Chelsea, has entirely ceased, only one case, and that a very mild one, having occurred among them since the 23d ult. The ages of six women, all widows, and of two men, in the present return, varied from 90 to 93 years.

Last week the births of 852 boys and 790 girls, in all 1642 children, were registered in London. In the ten corresponding weeks of the years 1848–57, the average number was 1525.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·672 in. The highest barometrical reading was 30 in. on Sunday. The mean temperature of the week was 40·3°, which is 4·9° *below* the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average throughout the week. The *highest* point attained by the thermometer was 57° on Thursday, the *lowest* was 34° on Saturday. The mean daily range was 12·3°. The wind blew from an easterly point. Rain fell to the amount of 1·05 in., more than half of which fell on Thursday; there was more or less every day, except Saturday; on Friday there was snow and sleet, and in the evening of that day an unusually great magnetic disturbance.

In the last quarter, viz., the thirteen weeks that ended on Saturday, April 3d, the deaths registered in London were 17,308, of which 8193 occurred under 20 years of age, 2149 in the period of life 20–40 years, 2874 at 40 and under 60, 3247 at 60 and under 80, and 767 at 80 years and upwards. The average *annual* rate of mortality at all ages for the first quarter of five years (1853–57) was 26 to a thousand persons living ; in the quarter that has just terminated the *annual* mortality was nearly the same, namely 25·6. The mean temperature of the quarter was 38°, which is but slightly below the average ; but the mean weekly temperature was below it in seven weeks (five of which were consecutive) out of the thirteen. In the same quarter of 1855, the mean temperature of the air fell to 34·1°, and the deaths rose to 19,627, a number which, though the population was at that time less, exceeds the deaths in last quarter by 2319. In both periods pulmonary diseases were in the ascendant. The present return shows that 4440 deaths were referred to diseases of this character, exclusive of phthisis and whooping-cough, being rather more than 25 per cent. of the total number. The two most fatal epidemic diseases were whooping-cough and measles, the former numbering 757 in the quarter, the latter 714. The East districts contributed a larger proportion of the deaths from these two complaints than any other of the five great divisions. The southern division, or all that part of London which lies on the south side of the river, contains a population which exceeds that of the eastern, but which lives on an area seven times as great.

The following are the deaths in the quarter from diseases of the dietic order : 18 from want of necessaries, besides 71 of children from want of breastmilk ; 9 from purpura and scurvy ; 30 from intemperance, besides 27 from delirium tremens. These last numbers do not include deaths from injuries received by persons when drunk.

Births Registered last Week, and in the Fourteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1340	1225	1343	1560	1460	1591	1742	1517	1868	1608	1525·4	1642
Males . .	654	647	697	808	737	791	865	828	943	835	780·5	852
Females .	686	578	646	752	723	800	877	689	925	773	744·9	790

Deaths Registered last Week, and in the Fourteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1008	994	1124	1059	1051	1340	1149	1226	1284	1059	1129·4	1221
Males . .	525	507	560	571	537	705	592	618	654	523	579·2	644
Females .	483	487	564	488	514	635	557	608	630	536	550·2	577

Deaths Registered in the Fourteenth Week of each of the Eleven Years 1848–58.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Apr. 8 1848	Apr. 7 1849	Apr. 6 1850	Apr. 5 1851	Apr. 10 1852	Apr. 9 1853	Apr. 8 1854	Apr. 7 1855	Apr. 5 1856	Apr. 11 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Apr. 10 1858.
Mean Temperature . . .			51·1°	45·7°	49·6°	43·5°	44·0°	47·3°	49·9°	41·9°	46·4°	49·9°	46·9°	40·3°
LONDON	78029	2362236	1008	994	1124	1059	1051	1340	1149	1226	1284	1059	1129·4	1221
1-6. West Districts .	10786	376427	165	163	182	151	175	190	193	195	175	150	173·9	202
7-11. North Districts .	13533	490396	186	192	210	226	205	227	240	245	284	245	226·0	224
12-19. Central Districts	1938	393256	170	173	187	195	206	259	192	207	215	153	195·7	193
20-25. East Districts .	6230	485522	210	176	224	214	200	300	211	259	261	220	227·5	257
26-36. South Districts .	45542	616635	277	290	321	273	265	364	313	320	349	291	306·3	345
1. Kensington* HHHH .	7374	120004	38	52	56	37	60	55	57	64	59	49	52·7	65
2. Chelsea H*w* . . .	865	56538	39	23	25	23	23	29	29	37	28	18	27·4	39
3. St. George Hanover-sq. H	1161	73230	31	20	18	29	22	49	38	33	30	24	29·4	40
4. Westminster* HHHH .	917	65609	33	43	40	34	34	31	42	33	37	28	35·5	31
5. St. Martin-in-the-Fields H	305	24640	11	17	24	13	14	11	13	17	13	10	14·3	10
6. St. James Westminster .	164	36406	13	8	19	15	22	15	14	11	8	21	14·6	17
7. Marylebone HH . .	1509	157696	61	59	73	74	67	79	62	90	91	81	73·7	71
8. Hampstead	2252	11986	3	4	4	5	4	5	5	10	4	6	5·0	5
9. Pancras HH*w* . . .	2716	166956	75	73	66	86	66	74	91	75	91	75	77·2	68
10. Islington HHH . .	3127	95329	30	36	40	32	43	47	49	41	68	52	43·8	60
11. Hackney* H*w* . . .	3929	58429	17	20	27	29	25	22	33	29	30	31	26·3	20
12. St. Giles* H . . .	245	54214	26	27	19	25	41	32	27	32	35	28	29·2	30
13. Strand* H	174	44460	13	15	22	21	17	31	20	21	18	15	19·3	20
14. Holborn* H . . .	196	46621	21	26	20	16	31	36	22	35	21	19	24·7	23
15. Clerkenwell	380	64778	25	29	30	34	37	36	28	26	31	27	30·3	24
16. St. Luke HH . . .	220	54055	12	20	24	24	29	27	35	30	26	21	24·8	30
17. East London* . . .	153	44406	28	15	21	21	14	29	18	23	23	16	20·8	25
18. West London* H . .	136	28790	23	20	31	25	18	38	21	21	37	15	24·9	20
19. London City* . . .	434	55932	22	21	20	29	19	30	21	19	24	12	21·7	21
20. Shoreditch *w* . . .	646	109257	49	39	48	43	44	70	47	55	51	45	49·1	57
21. Bethnal Green H . .	760	90193	34	31	42	31	36	41	32	38	35	43	36·3	55
22. Whitechapel* HH . .	406	79759	45	35	40	50	35	40	21	42	56	30	39·5	40
23. St. George in the East .	243	48376	27	19	30	21	27	28	28	18	19	25	24·2	26
24*a*. Stepney*	576	54173	39	41	49	46	35	91	53	66	61	43	52·4	27
24*b*. Mile-end Old Town H*w*	681	56602												36
25. Poplar* H*w* . . .	2918	47162	15	11	15	23	23	30	30	40	39	34	26·0	16
26. St. Saviour Southwark* HH	250	35731	28	33	24	22	17	21	14	24	22	18	22·3	15
27. St. Olave Southwark* HH	169	19375	24	21	17	21	13	29	32	19	24	11	21·1	13
28. Bermondsey	688	48128	17	19	19	22	20	21	24	24	26	27	21·9	37
29. St. George Southwark .	282	51824	19	20	19	19	26	33	20	24	29	26	23·5	28
30. Newington	624	64816	22	29	44	32	25	40	26	26	36	34	31·4	25
31. Lambeth H	4015	139325	57	53	69	53	67	77	74	67	65	62	64·4	71
32. Wandsworth* . . .	11695	50764	12	17	20	21	26	33	18	19	22	23	21·1	20
33. Camberwell	4342	54667	23	23	33	25	12	32	22	25	19	23	23·7	25
34. Rotherhithe	886	17805	11	13	4	6	5	9	6	21	6	7	8·8	14
35. Greenwich* HHHHH .	5367	99365	54	51	57	41	46	54	61	61	70	48	54·3	70
36. Lewisham*	17224	34835	10	11	15	11	8	15	16	10	30	12	13·8	27

* See Return No. 13, page 102.

DEATHS in LONDON, from ALL CAUSES, Registered in the FOURTEENTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 8 1848	Apr. 7 1849	Apr. 6 1850	Apr. 5 1851	Apr. 10 1852	Apr. 9 1853	Apr. 8 1854	Apr. 7 1855	Apr. 5 1856	Apr 11 1857	Average of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, April 10, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	51°·1	45°·7	49°·6	43°·5	44°·0	47°·3	49°·9	41°·9	46°·4	49°·9	46°·9	40°·3					
	ALL CAUSES . . .	1008	994	1124	1059	1051	1340	1149	1226	1284	1059	1129·4	1221	650	154	172	204	41
	SPECIFIED CAUSES .	972	984	1104	1023	1040	1324	1123	1214	1239	1047	1107·0	1209	644	153	172	199	41
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	246	228	179	191	232	275	273	276	254	201	235·5	294	240	16	16	15	7
II.	CONSTITUTIONAL „ .	233	226	235	247	241	285	235	267	248	233	245·0	264	92	82	66	22	2
III.	LOCAL „ .	369	429	520	439	431	591	461	492	568	475	477·5	498	218	51	80	136	13
IV.	DEVELOPMENTAL „ .	96	93	140	121	123	157	130	149	112	126	124·7	130	84	2	1	24	19
V.	VIOLENT DEATHS . .	28	8	30	25	13	16	24	30	57	12	24·3	23	10	2	9	2	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	238	217	163	179	217	249	259	261	234	181	219·8	264	223	10	11	13	7
	2. ENTHETIC „ . .	4	3	5	2	4	12	5	2	8	7	5·2	5	3	1	1	..	..
	3. DIETIC „ . .	2	4	10	9	10	11	6	13	8	13	8·6	23	12	5	4	2	..
	4. PARASITIC „ . .	2	4	1	1	1	3	3	..	4	..	1·9	2	2	..	..	..	..
II.	1. DIATHETIC „ . .	40	30	49	40	34	41	41	44	44	34	39·7	40	8	5	13	12	2
	2. TUBERCULAR „ . .	193	196	186	207	207	244	194	223	204	199	205·3	224	84	77	53	10	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	104	111	158	120	94	153	133	107	161	136	127·7	103	49	10	18	23	3
	2. „ OF ORGANS OF CIRCULATION .	26	39	37	35	33	47	43	34	54	35	38·3	48	1	13	9	24	1
	3. „ OF RESPIRATORY ORGANS . .	176	202	253	220	235	323	219	286	276	222	241·2	263	150	16	27	63	7
	4. „ OF DIGESTIVE ORGANS . . .	41	51	50	44	39	42	45	51	53	59	47·5	49	11	7	15	16	..
	5. „ OF URINARY ORGANS . . .	13	10	11	13	15	12	8	9	7	18	11·6	19	..	2	7	9	1
	6. „ OF ORGANS OF GENERATION .	3	6	3	1	4	4	4	5	2	1	3·3	1	..	1	..	..	..
	7. „ OF ORGANS OF LOCOMOTION .	3	2	5	2	2	3	5	..	5	2	2·9	7	3	1	2	1	..
	8. „ OF INTEGUMENTARY SYSTEM .	3	8	3	4	9	7	4	..	10	2	5·0	8	4	1	2	..	1
IV.	1. DEV. DISEASES OF CHILDREN	37	37	46	44	44	56	40	46	44	56	45·0	32	32	..	..	..	..
	2. „ OF ADULTS .	4	1	6	2	3	5	3	7	4	2	3·7	3	..	2	1	..	..
	3. „ OF OLD PEOPLE	34	33	62	42	52	56	46	55	38	37	45·5	36	..	..	..	17	19
	4. DISEASES OF NUTRITION .	21	22	26	33	24	40	41	41	26	31	30·5	59	52	..	..	7	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											17	9	1	7	..	..
	* 3. HOMICIDE												..	..	..	..	..	..
	4. SUICIDE												6	1	1	2	2	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	28	8	30	25	13	16	24	30	57	12	24·3	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	8	4	17	11	3	6	5	7	25	5	9·1	6	2	..	..	4	..
	CAUSES NOT SPECIFIED . .	28	6	3	25	8	10	21	5	20	7	13·3	6	4	1	..	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 8 1848	Apr. 7 1849	Apr. 6 1850	Apr. 5 1851	Apr. 10 1852	Apr. 9 1853	Apr. 8 1854	Apr. 7 1855	Apr. 5 1856	Apr. 11 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Apr. 10, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	51°·1	45°·7	49°·6	43°·5	44°·0	47°·3	49°·9	41°·9	46°·4	49°·9	46°·9	Mean Temp. 40°·3					
I.	ORDER 1.																	
	1. Small-pox	18	9	4	9	34	5	6	21	15	3	12·4	3	3	..	..	..	..
	2. Measles	29	36	16	23	11	17	41	18	23	17	23·1	58	58	..	..	..	..
	3. Scarlatina	36	39	17	6	35	37	36	51	35	23	31·5	33	33	..	..	..	..
	4. Quinsy	..	..	6	..	1	..	..	3	..	2	1·2	3	1	..	1	1	..
	5. Croup	11	10	5	2	8	12	16	11	17	6	9·8	14	14	..	..	..	..
	6. Whooping-cough	43	54	27	59	47	80	65	78	43	50	54·6	78	78	..	..	..	..
	7. Typhus (and Infantile fever)	60	40	34	32	44	49	48	36	62	50	45·5	22	12	4	4	2	..
	8. Erysipelas	12	3	15	5	7	5	8	10	6	6	7·7	6	3	..	1	2	..
	9. Metria	4	3	3	2	3	4	2	4	4	2	3·1	2	..	1	1	..	..
	10. Carbuncle	..	..	..	..	1	..	..	..	2	2	·5	2	..	..	..	2	..
	11. Influenza	6	1	8	23	4	5	4	2	1	..	5·4	5	1	..	..	3	1
	12. Dysentery	1	4	..	3	3	4	1	3	3	2	2·4	4	1	1	..	..	2
	13. Diarrhœa	10	8	15	11	14	20	22	18	16	10	14·4	17	13	1	..	2	1
	14. Cholera	..	5	2	..	..	1	..	..	..	..	·8	1	1	..	..	..	..
	15. Ague	2	1	..	..	..	..	1	..	1	1	·6	..	..	..	..	..	..
	16. Remittent Fever	1	..	4	2	2	1	4	1	2	1	1·8	1	1	..	..	..	..
	17. Rheumatism	5	4	7	2	3	9	5	5	4	6	5·0	15	4	3	4	1	3
	ORDER 2.																	
	1. Syphilis	3	3	5	2	2	8	3	2	7	7	4·2	4	3	1	..	..	..
	2. Stricture of Urethra	1	..	..	..	2	4	2	..	1	..	1·0	1	..	..	1	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	..	..	..	..	1	1	..	·2	..	..	..	..	..	..
	2. Want of Breast-milk	..	2	4	4	2	4	2	8	3	7	3·6	11	11	..	..	..	..
	3. Purpura and Scurvy	..	1	1	..	4	1	..	1	..	..	·8	2	1	1	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	..	4	3	3	5	3	1	2	2	2·5	7	..	4	3	..	..
	4. Alcoholism { *b* Intemperance	..	1	1	2	1	1	1	2	2	4	1·5	3	..	..	1	2	..
	ORDER 4.																	
	1. Thrush	2	4	1	1	1	3	3	..	4	..	1·9	2	2	..	..	..	..
	2. Worms, &c.	Deaths in 1848-57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	1	..	2	3	..	1	1	..	3	1·1	1	..	..	..	1	..
	2. Dropsy	16	13	28	16	10	23	8	18	19	10	16·1	17	5	3	5	4	..
	3. Cancer	17	13	19	19	18	14	23	20	22	19	18·4	17	1	2	8	6	..
	4. Noma	1	..	..	..	..	..	1	..	1	..	·3	1	1	..	..	..	..
	5. Mortification	6	3	2	3	3	4	8	5	2	2	3·8	4	1	..	..	1	2
	ORDER 2.																	
	1. Scrofula	7	6	7	7	4	9	9	11	6	5	7·1	6	4	1	1	..	..
	2. Tabes Mesenterica	14	14	14	10	18	19	22	24	18	15	16·8	18	18	..	..	..	..
	3. Phthisis	126	146	134	149	146	165	137	150	152	148	145·3	169	31	76	52	10	..
	4. Hydrocephalus	46	30	31	41	39	51	26	38	28	31	36·1	31	31	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	9	18	15	13	6	15	11	8	17	20	13·2	12	10	2	..	..	..
	2. Apoplexy	19	28	38	28	16	32	24	19	42	31	27·7	22	6	3	6	6	1
	3. Paralysis	16	20	33	23	13	22	35	20	37	20	23·9	22	..	2	7	12	1
	4. Insanity	1	2	4	1	2	2	2	1	3	1	1·9	..	..	..	..	..	..
	5. Chorea	..	..	1	1	..	..	..	2	..	..	·4	..	..	..	..	..	..
	6. Epilepsy	3	3	3	7	11	8	9	6	14	7	7·1	9	2	1	3	2	1
	7. Convulsions	49	30	42	34	33	57	38	38	35	47	40·3	27	27	..	..	..	..
	8. *Brain Disease, &c.*	7	10	22	13	13	17	14	13	13	10	13·2	11	4	2	2	3	..
	ORDER 2.																	
	1. Pericarditis	3	2	..	3	1	1	3	2	2	1	1·8	4	..	3	..	1	..
	2. Aneurism	..	4	1	1	..	1	3	2	3	2	1·7	2	..	1	..	1	..
	3. *Heart Disease, &c.*	23	33	36	31	32	45	37	30	49	32	34·8	42	1	9	9	22	1
	ORDER 3.																	
	1. Laryngitis	7	3	7	5	4	13	8	8	5	12	7·2	7	6	..	..	1	..
	2. Bronchitis	60	79	119	95	122	186	112	155	135	113	117·6	119	45	3	19	45	7
	3. Pleurisy	4	3	6	2	4	2	4	4	2	2	3·3	2	1	..	..	1	..
	4. Pneumonia	83	87	86	81	80	98	72	98	112	81	87·8	115	97	8	5	5	..
	5. Asthma	14	17	23	24	18	18	17	18	17	10	17·6	13	..	2	1	10	..
	6. *Lung Disease, &c.*	8	13	12	13	7	6	6	3	5	4	7·7	7	1	3	2	1	..
	ORDER 4.																	
	1 Gastritis	1	1	3	1	1	2	2	3	1	1	1·6	..	..	..	..	..	..
	2. Enteritis	4	4	8	4	5	3	6	4	5	7	5·0	3	1	..	..	2	..
	3. Peritonitis	6	5	5	1	1	3	5	2	4	6	3·8	8	1	3	3	1	..
	4. Ascites	1	1	3	3	1	4	2	2	4	5	2·6	1	..	1	..	..	..
	5. Ulceration of Intestines	1	3	..	2	3	2	2	4	2	3	2·2	2	..	..	..	2	..
	6. Hernia	5	3	4	1	4	2	6	4	1	2	3·2	3	1	..	..	2	..
	7. Ileus	4	2	5	2	4	5	1	5	1	3	3·2	8	3	1	3	1	..
	8. Intussusception	2	1	..	..	..	1	..	1	..	..	·5	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FOURTEENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 8 1848	Apr. 7 1849	Apr. 6 1850	Apr. 5 1851	Apr. 10 1852	Apr. 9 1853	Apr. 8 1854	Apr. 7 1855	Apr. 5 1856	Apr. 11 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Apr. 10, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	51°·1	45°·7	49°·6	43°·5	44°·0	47°·3	49°·9	41°·9	46°·4	49°·9	46°·9	40°·3					
	9. Stricture of Intestines	..	1	1	1	2	..	..	..	3	1	·9	..	..	..	..	..	..
	10. Fistula	..	..	2	1	..	..	..	2	..	1	·6	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	4	6	3	4	8	6	6	5	5	5	5·2	5	2	..	..	3	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	13. Hepatitis	2	7	2	4	2	6	4	5	4	2	3·8	2	..	1	1	..	..
	14. Jaundice	2	6	2	3	3	..	..	2	5	6	2·9	5	3	..	1	1	..
	15. *Liver Disease, &c.*	9	11	12	17	5	8	10	12	18	16	11·8	12	..	1	7	4	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	..	..	1	·1	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	1	..	..	2	2	1	2	2	1	2	1·3	1	..	..	1	..	..
	2. Ischuria	..	..	..	..	..	..	..	..	..	2	·2	..	..	..	..	..	..
	3. Nephria	2	4	3	3	4	2	3	2	3	3	2·9	6	..	1	3	2	..
	4. Diabetes	..	2	..	1	2	1	1	..	1	..	·8	1	..	..	1	..	..
	5. Stone	..	..	..	..	1	..	1	1	..	..	·3	1	..	..	..	1	..
	6. Cystitis	1	1	1	..	1	..	..	..	..	..	·4	1	..	..	..	1	..
	7. *Kidney Disease, &c.*	9	3	7	7	5	8	1	4	2	11	5·7	9	..	1	2	5	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	1	1	..	1	..	1	..	..	1	·5	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	3	5	2	1	3	4	3	5	2	..	2·8	1	..	1	..	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	1	..	..	..	..	·1	1	1	..	..	..	..
	2. *Joint Disease, &c.*	3	2	5	2	2	2	5	..	5	2	2·8	6	2	1	2	1	..
	ORDER 8.																	
	1. Phlegmon	2	3	2	3	9	2	2	..	6	1	3·0	6	3	1	2	..	..
	2. Ulcer	..	3	..	..	..	3	1	..	3	1	1·1	1	..	..	..	..	1
	3. *Skin Disease, &c.*	1	2	1	1	..	2	1	..	1	..	·9	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	21	24	31	21	30	29	29	26	24	34	26·9	15	15	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	4	5	6	1	6	3	2	6	3	3	3·9	1	1	..	..	..	..
	5. Teething	12	8	9	22	8	24	9	14	17	19	14·2	15	15	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	1	..	..	1	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	4	1	6	2	3	4	3	7	3	2	3·5	3	..	2	1	..	..
	ORDER 3.																	
	1. Old Age	34	33	62	42	52	56	46	55	38	37	45·5	36	..	..	..	17	19
	ORDER 4.																	
	1. Atrophy and Debility	21	22	26	33	24	40	41	41	26	31	30·5	59	52	..	..	7	..
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	9	2	..	7	..	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	6	6	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	*In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	4	1	..	2	1	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	28	8	30	25	13	16	24	30	57	12	24·3	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	8	4	17	11	3	6	5	7	25	5	9·1	6	2	..	..	4	..
	Causes not specified or ill-defined	28	6	3	25	8	10	21	5	20	7	13·3	6	4	1	..	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 10th April 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	58	33	78	17	22
No.*							
1-6 WEST DISTRICTS - -	376427	1	11	3	20	4	3
7-11 NORTH DISTRICTS - -	490396	-	12	7	13	3	2
12-19 CENTRAL DISTRICTS -	393256	-	7	8	9	3	3
20-25 EAST DISTRICTS - -	485522	2	15	5	16	4	8
26-36 SOUTH DISTRICTS - -	616635	-	13	10	20	3	6
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	-	-	-	-
2 St. John Paddington H -	29053	-	-	-	2	-	-
3 Kensington Town *W* L -	29183	-	1	-	3	1	1
4 Brompton HH -	14870	-	-	-	1		-
5 St. Peter Hammersmith	4467		-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	1	-	1	-	-
7 Fulham *W* LLLL - -	11886	-		-		-	-
2; 1 Chelsea South H -	19050	-	3	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	2	1	1	-
3 Chelsea North-east L -	19819	-	1	-	1	1	-
3; 1 Hanover-square - -	20216	1	1	-	-	-	-
2 May Fair *W* - - -	12980	-	-	1	-	-	-
3 Belgrave H - - -	40034	-	-	-	4	-	-
4; 1 St. John Westmr. HHHP	34295	-	3	-	5	1	1
2 St. Margaret West. *W* HP	31314	-	1	-	-	-	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	-	1	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	-	1	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-		-	1	-	-
2 Cavendish-square - -	14687	-	2	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	2	1	-	-	-
4 St. Mary Marylebone H -	22814	-	1	-	-	-	-
5 Christchurch Marylebone	33895	-	-	-	-	-	-
6 St. John Marylebone -	29826	-	-	-	1	-	-
8; 1 Hampstead *W* - -	11986	-	-	-	2	-	-
9; 1 Regent's Park Pancras -	31918	-	-	-	-	-	-
2 Tottenham-court *w* H -	28433	-	-	-	-	1	-
3 Gray's-inn-lane H -	26523	-	-	1	1	1	-
4 Somers-town - - -	35641	-	2	2	-	-	-
5 Camden-town *W* - -	21115	-	1	1	2	-	-
6 Kentish-town - - -	23326	-	-	-	1	-	-
10; 1 Islington West† *W* HHHPP	47881	-	1	-	-	-	1
2 Islington East - - -	47448	-	3	1	3	1	1
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	-	-	-
4 Hackney *W* H*w* - -	20850	-	-	1	2	-	-
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	1	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	-	-
3 St. Giles North - -	17456	-	-	2	1	1	-
13; 1 St. Anne Soho - - -	17335	-	-	-	1	-	1
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	1	-	-	-	1
2 St. Andrew East. Holb. *W*	13971	-	2	1	-	-	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	-	1
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - -	15625	-	-	-	2	-	-
16; 1 Old-street H - - -	10617	-	-	-	1	-	-
2 City-road HL - -	16840	-	-	-	-	-	-
3 Whitecross-street - -	13657	-	-	-	-	2	-
4 Finsbury - - - -	12941	-	1	2	1	-	-
17; 1 St. Botolph East London	23824	-	-	-	-	-	-
2 Cripplegate P - -	20582	-	-	-	2	-	-
18; 1 West London North *W* HP	12946	-	3	1	-	-	-
2 West London South P -	15844	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	1	-	-
5 London City North-east -	12826	-	-	1	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	1	-	-	-
2 St. Leonard Shoreditch L	19449	-	1	-	-	-	-
3 Hoxton New Town *w* -	23505	-	1	-	2	1	-
4 Hoxton Old Town - -	17431	-	-	-	1	-	1
5 Haggerstone West *W* -	20276	-	1	1	-	1	-
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney Road - -	23910	-	-	-	-	-	-
2 Green, Bethnal Green *W* HL	23555	-	1	1	1	-	-
3 Church, Bethnal Green -	21787	1	1	-	1	-	-
4 Town, Bethnal Green -	20941	-	1	-	2	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	1	-	1
3 Mile End New Town *W* -	14543		-	-	-	-	1
4 Whitechapel North *W* -	12530	-	1	-	-	-	1
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	1	-	-
7 Aldgate H - - -	10694	-	-	-	-	1	-
23; 1 St. Mary St. Geo. East -	18067	-	1	-	1	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	1	-	-	1	-
24*a*; 1 Shadwell *W* - - -	16179	-	1	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	1	-	-
3 Limehouse *W* - -	22782	-	1	-	2	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	1	1	-	1
2 Mile End Old T., East. *Ww* H	27020	-	2	-	1	-	1
25; 1 Bow *w* LH - - -	18778	-	-	-	-	-	2
2 Poplar *W* - - -	28384	1	2	1	1	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	1	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	4	-	4	-	1
2 St. Mary Magdalen *W* -	13934	-	1	1	1	1	-
3 Leather Market - -	15295	-	1	-	2	-	-
29; 1 Kent Road - - -	18126	-	-	-	3	-	-
2 Borough Road *W* P -	15862	-	-	-	1	1	-
3 London Road LP - -	17836	-	-	-	1	-	-
30; 1 Trinity Newington P -	20922	-	-	1	-	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	1	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	-	-
3 Lambeth Church 1st -	18409	-	-	1	-	-	-
4 Lambeth Church 2nd *W*	26784	-	4	-	1	-	-
5 Kennington 1st - -	24261	-	-	2	-	1	
6 Kennington 2nd - - -	18848	-	-	-	-	-	1
7 Brixton L - - -	14610	-	-	-	1	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	-	-
2 Battersea *W* - - -	10560	-	-	1	1	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	1	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	-	2	-	-
4 St. George Camberwell -	15849	-	-	1	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	1	-	-	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	1	-	-	-	2
4 Greenwich East *W* H -	16228	-	-	-	-	-	1
5 Woolwich Dockyard HP	17140	-	-	1	1	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	1	-	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - -	8478	-	-	-	-	-	1
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 10th April 1858.

[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
April.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	4	Apogee Greatest Dec. S.	29·912	54·4	36·5	17·9	43·1	39·1	69·8	38·4	48·9	45·8	4·0	8·6	2·6	— 1·7	87	W.	N.E.	0·0	0·0	0·0	90	0·00
Monday . .	5	..	29·764	47·6	34·4	13·2	39·9	32·2	61·4	28·3	48·8	45·8	7·7	11·0	2·2	— 5·2	74	S.E.	S.E.	5·0	0·0	0·5	225	0·00
Tuesday .	6	Last Quarter.	29·721	43·3	37·4	5·9	38·9	34·4	46·0	36·8	47·8	45·4	4·5	8·1	3·4	— 6·5	86	E.S.E.	E.	2·0	0·0	0·1	75	0·03
Wednesday	7	..	29·587	43·2	37·1	6·1	39·3	37·5	45·0	31·1	47·3	45·0	1·8	4·4	0·0	— 6·2	96	E.	E.	2·5	0·0	0·1	140	0·20
Thursday.	8	..	29·405	57·0	39·2	17·8	44·5	43·4	58·0	39·0	47·3	45·0	1·1	5·0	0·0	— 1·0	99	Calm	E.	0·0	0·0	0·0	135	0·59
Friday . .	9	..	29·617	44·6	34·3	10·3	37·1	32·6	48·5	—	47·3	45·0	4·5	6·0	1·9	— 8·3	88	E.	E.N.E.	2·0	0·0	0·0	100	0·23
Saturday.	10	..	29·699	49·0	34·0	15·0	39·4	31·1	64·0	—	46·3	43·6	8·3	13·2	5·9	— 5·7	74	N.E.	N.E.	1·8	0·0	0·0	110	0·00
Means . .		..	29·672	48·4	36·1	12·3	40·3	35·7	56·1	34·7	47·7	45·1	4·6	8·0	2·3	— 4·9	86	E.		..	..	..	Sum 875	Sum 1·05
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. April.		Electricity.	Sky and Atmosphere.
Sunday . .	4	The electrometer has been under repair during the week.	Partially cloudy till evening, clear afterwards. Slight rain fell during the afternoon.
Monday . .	5		Partially cloudy till evening, overcast afterwards. Rain fell during the evening.
Tuesday . .	6		Cloudy throughout the day. Rain fell frequently.
Wednesday	7		Cloudy throughout the day. Rain fell frequently and heavily at night.
Thursday .	8		Cloudy throughout the day. Rain fell generally, and during the afternoon and evening very heavily.
Friday . .	9		Cloudy throughout the day. Snow, sleet, and rain fell early in the morning. An unusually large magnetic disturbance took place between the hours of 3h. P.M. and 10h. P.M.
Saturday .	10		Partially cloudy till noon, clear sky afterwards.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer was 29·55 in. at the beginning of the week; increased to 30·00 in. on the 4th at 8h. P.M.; turned to decrease after midnight; was 29·66 in. on the 5th at midnight; continued stationary till the 6th at 9h. A.M.; was 29·80 in. on the same day at 7h. P.M.; turned to decrease after midnight; was 29·34 in. on the 8th at 6h. A.M.; and then increased to 29·75 in. by the end of the week.

DEATHS in LONDON from ALL CAUSES *Registered in the Thirteen Weeks forming the First for the same Thirteen*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, April 1 1854	March 31 1855	March 29 1856	March 28 1857	In the Quarter ending Saturday, April 3, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	40°·8	34°·1	40°·0	39°·2	38°·0					
	ALL CAUSES . . .	16534	19627	14533	16093	17308‡	8193	2149	2874	3247	767
	SPECIFIED CAUSES .	16171	19132	14243	15674	17042	8096	2128	2839	3215	764
	(CLASSES.)										
I.	ZYMOTIC DISEASES .	3517	4137	3142	2937	3382	2739	231	205	181	26
II.	CONSTITUTIONAL „ .	3259	3590	2826	3212	3251	1063	1017	842	295	34
III.	LOCAL „ .	6885	8490	6071	7185	7992	3145	735	1661	2152	299
IV.	DEVELOPMENTAL „ .	2041	2370	1702	1818	1965	949	58	36	535	387
V.	VIOLENT DEATHS . .	469	545	502	522	452	200	87	95	52	18
	(ORDERS).										
I.	1. MIASMATIC DISEASES . .	3254	3866	2911	2696	3114	2568	203	158	161	24
	2. ENTHETIC „ . .	60	66	68	91	75	58	7	7	3	..
	3. DIETIC „ . .	162	174	129	131	155	76	21	40	17	1
	4. PARASITIC „ . .	41	31	34	19	38	37	..	..	..	1
II.	1. DIATHETIC „ . .	587	644	519	572	580	57	79	233	179	32
	2. TUBERCULAR „ . .	2672	2946	2307	2640	2671	1006	938	609	116	2
III.	1. DISEASES OF NERVOUS SYSTEM . .	1826	1895	1641	1673	1817	829	150	314	451	73
	2. „ OF ORGANS OF CIRCULATION .	661	734	640	731	723	68	133	249	247	26
	3. „ OF RESPIRATORY ORGANS . .	3366	4850	2883	3789	4440	2030	282	786	1183	159
	4. „ OF DIGESTIVE ORGANS . . .	664	651	561	629	631	142	91	194	183	21
	5. „ OF URINARY ORGANS . . .	182	171	183	189	216	12	45	79	65	15
	6. „ OF ORGANS OF GENERATION .	53	44	44	51	54	4	15	25	9	1
	7. „ OF ORGANS OF LOCOMOTION .	43	51	43	50	42	17	8	8	8	1
	8. „ OF INTEGUMENTARY SYSTEM .	90	94	76	73	69	43	11	6	6	3
IV.	1. DEV. DISEASES OF CHILDREN	794	784	622	620	467	465	1	..	1	..
	2. „ OF ADULTS .	78	59	76	59	63	1	51	11	..	..
	3. „ OF OLD PEOPLE	675	950	599	684	804	..	..	..	420	384
	4. DISEASES OF NUTRITION .	494	577	405	455	631	483	6	25	114	3
V.	1. ACCIDENT OR NEGLIGENCE .	*	*	*	*	401	190	73	75	46	17
	†										
	3. HOMICIDE	*	*	*	*	10	6	3	..	1	..
	4. SUICIDE	*	*	*	*	39	4	10	19	5	1
	5. EXECUTION	*	*	*	*	1	..	1	..	..	..
	VIOLENT DEATHS NOT CLASSED	469	545	502	522	1	..	..	1	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	161	234	157	149	138	66	13	27	30	2
	CAUSES NOT SPECIFIED . .	202	261	183	270	128‡	31	8	8	2	1

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers,

† Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

‡ The total includes 78 deaths (without distinction of ages), being the sum of averages inserted instead of the true numbers of returns which were received too late for the weekly publication.

Quarter of each of the Five Years 1854 *to* 1858; *and also the Deaths in Five Periods of Life Weeks of* 1858.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, April 1 1854	Mar. 31 1855	Mar. 29 1856	Mar. 28 1857	In the Quarter ending Saturday, April 3, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·8	34°·1	40°·0	39°·2	38°·0					
I.	ORDER 1.										
	1. Small-pox	123	323	194	60	41	30	10	..	1	..
	2. Measles	344	319	265	349	714	711	2	1	..	..
	3. Scarlatina	417	705	394	353	473	452	16	3	2	..
	4. Quinsy	16	34	15	26	33	28	2	1	2	..
	5. Croup	145	157	150	117	159	158	..	1	..	..
	6. Whooping-cough	941	959	658	803	757	756	..	..	..	1
	7. Typhus (and Infantile fever)	598	585	727	502	425	220	83	70	49	3
	8. Erysipelas	96	127	111	99	94	40	12	12	25	5
	9. Metria	42	69	53	40	35	1	31	3	..	..
	10. Carbuncle	25	13	22	19	14	4	2	5	3	..
	11. Influenza	27	132	25	28	50	7	5	13	18	7
	12. Dysentery	40	39	31	12	39	15	7	5	12	..
	13. Diarrhœa	308	265	148	169	152	95	8	16	27	6
	14. Cholera	7	13	5	5	2	2	..	..	..	..
	15. Ague	5	6	4	3	13	4	4	3	2	..
	16. Remittent fever	36	37	11	36	19	18	1	..	..	..
	17. Rheumatism	84	83	98	75	94	27	20	25	20	2
	ORDER 2.										
	1. Syphilis	46	47	52	67	66	58	5	3	..	..
	2. Stricture of Urethra	14	19	16	24	9	..	2	4	3	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..
	4. Glanders	*	*	*	*	..	..	..	..	..	..
	ORDER 3.										
	1. Privation	12	17	14	12	18	3	2	6	7	..
	2. Want of Breast-milk	76	90	54	69	71	71	..	..	..	..
	3. Purpura and Scurvy	11	13	9	10	9	2	4	1	2	..
	4. Alcoholism { *a* Del. Tremens	34	33	35	14	27	..	6	18	2	1
	4. Alcoholism { *b* Intemperance	29	21	17	26	30	..	9	15	6	..
	ORDER 4.										
	1. Thrush	41	31	34	19	36	35	..	..	..	1
	2. Worms, &c.	*	*	*	*	2	2	..	..	..	..
II.	ORDER 1.										
	1. Gout	20	20	17	18	21	..	..	5	14	2
	2. Dropsy	224	268	185	200	202	36	29	61	67	9
	3. Cancer	281	258	252	288	298	9	48	160	76	5
	4. Noma	7	11	3	10	7	6	..	1	..	..
	5. Mortification	55	87	62	56	52	6	2	6	22	16
	ORDER 2.										
	1. Scrofula	112	121	70	84	128	90	22	9	7	..
	2. Tabes Mesenterica	261	248	152	157	192	186	5	1	..	..
	3. Phthisis	1869	2147	1711	1974	1944	328	910	595	109	2
	4. Hydrocephalus	430	430	374	425	407	402	1	4	..	..
III.	ORDER 1.										
	1. Cephalitis	173	177	148	124	152	108	19	14	9	2
	2. Apoplexy	368	391	367	356	412	65	24	114	176	33
	3. Paralysis	363	390	338	334	330	4	31	90	172	33
	4. Insanity	28	47	20	24	31	1	6	8	15	1
	5. Chorea	2	3	1	..	2	1	..	1	..	..
	6. Epilepsy	94	124	106	111	129	27	47	28	26	1
	7. Convulsions	592	567	498	530	567	563	1	1	2	..
	8. *Brain Disease, &c.*	206	196	163	194	194	60	22	58	51	3
	ORDER 2.										
	1. Pericarditis	37	34	32	33	32	12	11	5	4	..
	2. Aneurism	22	25	25	18	24	..	5	12	7	..
	3. *Heart Disease, &c.*	602	675	583	680	667	56	117	232	236	26
	ORDER 3.										
	1. Laryngitis	107	97	85	88	112	93	12	2	4	1
	2. Bronchitis	1691	2601	1461	2161	2557	813	127	542	932	143
	3. Pleurisy	46	73	38	32	37	11	8	10	7	1
	4. Pneumonia	1118	1559	964	1172	1385	1093	95	115	76	6
	5. Asthma	291	396	226	264	265	3	16	98	141	7
	6. *Lung Disease, &c.*	113	124	109	72	84	17	24	19	23	1
	ORDER 4.										
	1. Gastritis	17	24	19	18	21	5	3	8	5	..
	2. Enteritis	79	76	56	52	53	25	10	3	14	1
	3. Peritonitis	56	74	33	56	46	18	8	12	5	3
	4. Ascites	33	42	40	46	28	2	4	11	10	1
	5. Ulceration of Intestines	42	31	32	36	25	7	5	8	5	..
	6. Hernia	45	62	39	54	48	5	6	17	18	2
	7. Ileus	46	40	45	44	36	10	7	9	9	1
	8. Intussusception	16	11	11	19	12	4	1	2	5	..

under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess" with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS in LONDON, from ALL CAUSES, *Registered in the Thirteen Weeks forming the First Quarter of each of the Five Years* 1854 *to* 1858; *and also the Deaths in Five Periods of Life for the same Thirteen Weeks of* 1858—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, April 1 1854	Mar. 31 1855	Mar. 29 1856	Mar. 28 1857	In the Quarter ending Saturday, April 3, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·8	34°·1	40°·0	39°·2	38°·0					
	9. Stricture of Intestines	6	8	12	13	8	..	3	3	2	..
	10. Fistula	10	3	6	6	11	..	4	5	2	..
	11. *Stomach Disease, &c.*	78	80	53	67	103	27	10	26	35	5
	12. *Pancreas Disease, &c.*	..	..	3	1	1	..	..	..	1	..
	13. Hepatitis	45	47	41	24	38	5	4	18	11	..
	14. Jaundice	30	45	32	43	45	21	7	5	9	3
	15. *Liver Disease, &c.*	159	107	135	147	153	12	19	66	51	5
	16. *Spleen Disease, &c.*	2	1	4	3	3	1	..	1	1	..
	ORDER 5.										
	1. Nephritis	12	5	18	4	9	2	2	2	2	1
	2. Ischuria	3	2	3	3	5	..	..	3	2	..
	3. Nephria	56	51	48	69	71	4	12	31	22	2
	4. Diabetes	14	15	9	12	12	..	3	8	..	1
	5. Stone	10	9	17	10	6	1	..	3	2	..
	6. Cystitis	7	9	7	9	12	..	1	3	7	1
	7. *Kidney Disease, &c.*	80	80	81	82	101	5	27	29	30	10
	ORDER 6.										
	1. Ovarian Dropsy	17	12	6	11	14	1	6	6	1	..
	2. *Uterus Disease, &c.*	36	32	38	40	40	3	9	19	8	1
	ORDER 7.										
	1. Arthritis	4	4	3	3	4	3	..	..	1	..
	2. *Joint Disease, &c.*	39	47	40	47	38	14	8	8	7	1
	ORDER 8.										
	1. Phlegmon	54	56	45	45	33	23	5	4	1	..
	2. Ulcer	27	28	17	12	14	3	4	1	4	2
	3. *Skin Disease, &c.*	9	10	14	16	22	17	2	1	1	1
IV.	ORDER 1.										
	1. Premature Birth	512	489	396	364	219	219	..	..	..	..
	2. Cyanosis	*	*	*	*	17	16	..	..	1	..
	3. Spina Bifida	*	*	*	*	15	15	..	..	..	..
	4. Other Malformations	63	55	50	48	21	20	1	..	..	..
	5. Teething	219	240	176	208	195	195	..	..	..	..
	ORDER 2.										
	1. Paramenia	1	1	1	4	1	1	..	..	..	..
	2. Childbirth (*see* Metria)	77	58	75	55	62	..	51	11	..	..
	ORDER 3.										
	1. Old Age	675	950	599	684	804	..	..	..	420	384
	ORDER 4.										
	1. Atrophy and Debility	494	577	405	455	631	483	6	25	114	3
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)										
	1. Fractures and Contusions	*	*	*	*	163	31	34	52	31	15
	2. Wounds	*	*	*	*	5	1	2	1	1	..
	3. Burns and Scalds	*	*	*	*	107	86	7	4	8	2
	4. Poison	*	*	*	*	9	3	1	3	2	..
	5. Drowning	*	*	*	*	40	7	24	8	1	..
	6. Suffocation	*	*	*	*	60	56	2	1	1	..
	7. Otherwise	*	*	*	*	17	6	3	6	2	..
	ORDER 3. (HOMICIDE.)										
	1. Murder and Manslaughter	*	*	*	*	10	6	3	..	1	..
	ORDER 4. (SUICIDE.)										
	1. Wounds — Gunshot	*	*	*	*	4	..	3	1	..	..
	1. Wounds — Cut, Stab	*	*	*	*	18	..	5	12	1	..
	2. Poison	*	*	*	*	6	1	2	3	..	..
	3. Drowning	*	*	*	*	2	1	..	..	1	..
	4. Hanging	*	*	*	*	9	2	..	3	3	1
	5. Otherwise	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)										
	1. Hanging	*	*	*	*	1	..	1	..	..	..
	Violent Deaths (not classed)	469	545	502	522	1	..	..	1	..	..
	Sudden Deaths (Cause unascertained)	161	234	157	149	138	66	13	27	30	2
	Causes not specified or ill-defined	202	261	133	270	128†	31	8	8	2	1

† The total includes 78 deaths (without distinction of ages), being the sum of averages inserted instead of the true numbers of returns which were received too late for the weekly publication.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, HOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the 13 Weeks ending Saturday, 3d April 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Hooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	41	714	473	757	152	425
No.							
1-6 WEST DISTRICTS - -	376427	5	120	81	119	27	68
7-11 NORTH DISTRICTS -	490396	25	132	111	165	25	94
12-19 CENTRAL DISTRICTS -	393256	2	94	57	101	16	52
20-25 EAST DISTRICTS - -	485522	4	252	100	207	49	109
26-36 SOUTH DISTRICTS -	616635	5	116	124	165	35	102
WEST DISTRICTS.							
1; 1 St. Mary Paddington *WH*	17252	-	14	5	7	3	7
2 St. John Paddington H -	29053	-	8	9	19		6
3 Kensington Town *WL* -	29183	-	3	6	16	2	2
4 Brompton HH - -	14870	1	2	3	5	-	5
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	2	1	4
7 Fulham *WLLLL* - -	11886	-	-	1	4	-	1
2; 1 Chelsea South H - -	19050	-	10	6	4	3	1
2 Chelsea North-west *Ww*	17669	-	14	4	4	5	3
3 Chelsea North-east L -	19819	-	-	3	2	3	5
3; 1 Hanover-square - -	20216	-	8	7	2	-	1
2 May Fair *W* - - -	12980	-	3	2	-	-	1
3 Belgrave H - - -	40034	-	17	9	13	1	10
4; 1 St. John Westmr. HHHP	34295	3	20	8	26	3	3
2 St. Margaret West. *WHP*	31314	1	11	12	7	5	10
5; 1 Charing Cross *WH* -	12587	-	1	-	-	-	5
2 Long Acre - - -	12053	-	-	2	6	1	3
6; 1 Berwick-street - -	10798	-	-	1	-	-	-
2 St. James's-square - -	11469	-	1	2	-	-	-
3 Golden-square *W* - -	14139	-	8	1	2	-	1
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	1	6	1	8	1	6
2 Cavendish-square - -	14687	-	6	1	-	-	1
3 Rectory Marylebone *W* -	27633	2	11	7	21	2	5
4 St. Mary Marylebone H -	22814	-	7	7	7	-	2
5 Christchurch Marylebone	33895	-	16	1	7	1	4
6 St. John Marylebone -	29826	1	6	1	4	2	2
8; 1 Hampstead *W* - -	11986	-	-	2	6	-	1
9; 1 Regent's Park Pancras -	31918	-	4	7	13	-	2
2 Tottenham-court *w*H -	28433	2	3	11	8	2	10
3 Gray's-inn-lane H -	26523	4	2	5	9	3	9
4 Somers-town - - -	35641	1	7	24	3	1	3
5 Camden town *W* - -	21115	-	26	10	13	-	8
6 Kentish-town - - -	23326	-	3	4	10	1	8
10; 1 Islington West *WHHHPP**	47881	13	18	6	16	-	9
2 Islington East *W* - -	47448	1	11	12	25	6	8
11; 1 Stoke Newington L -	4840	-	1	2	-	2	3
2 Stamford-hill - - -	5549	-	-	1	3	-	3
3 West Hackney L - -	18732	-	1	7	7	2	3
4 Hackney *WHw* - -	20850	-	2	1	4	1	6
5 South Hackney L - -	8458	-	2	1	1	1	1
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	1	6	6	-	1
2 St. Giles South *WH* -	19951	-	1	4	3	1	1
3 St. Giles North - -	17456	-	-	1	1	1	4
13; 1 St. Anne Soho - - -	17335	-	-	7	5	-	2
2 St. Mary-le-Strand - -	11615	-	-	1	1	-	1
3 St. Clement Danes H -	15510	-	-	1	1	1	3
14; 1 St. George-the-Martyr H	18813	-	7	3	1	1	2
2 St. Andrew East., Holb. *W*	13971	-	12	3	-	1	2
3 Saffron-hill - - -	13837	-	4	3	1	-	
15; 1 St. James Clerkenwell *WP*	21529	-	4	2	11	2	1
2 Amwell Clerkenwell P -	15720	-	-	2	3	-	2
3 Pentonville - - -	11904	1	2	-	8	2	1
4 Goswell-street - - -	15625	-	4	2	6	1	2
16; 1 Old-street H - - -	10617	-	6	-	2	-	3
2 City-road HL - -	16840	-	4	4	7	-	5
3 Whitecross-street - -	13657	-	9	2	15	1	1
4 Finsbury - - - -	12941	-	3	4	3	-	1
17; 1 St. Botolph, East London	23824	-	10	2	4	-	2
2 Cripplegate P - -	20582	-	5	2	6	-	1
18; 1 West London North *WHP*	12946	1	13	5	7	5	11
2 West London South P -	15844	-	1	-	1	-	2
19; 1 London City South-west -	9204	-	-	-	1	-	-
2 London City North-west -	11847	-	1	1	5	-	-
3 London City South -	11461	-	-	-	-	-	2
4 London City South-east -	10594	-	3	-	-	-	1
5 London City North-east -	12826	-	4	2	3	-	1

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Hooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.							
20; 1 Holywell Shoreditch -	17245	-	7	-	3	-	1
2 St. Leonard Shoreditch L	19449	-	2	3	7	2	1
3 Hoxton New Town *w* -	23505	-	5	9	3	-	7
4 Hoxton Old Town - -	17431	-	3	4	7	4	6
5 Haggerstone West *W* -	20276	1	6	7	11	3	8
6 Haggerstone East - -	11351	-	5	1	3	1	1
21; 1 Hackney Road - -	23910	1	12	7	10	2	9
2 Green, Bethnal Green *WHL*	23555	-	5	2	10	4	7
3 Church, Bethnal Green -	21787	-	10	6	8	1	5
4 Town, Bethnal Green -	20941	-	7	4	10	1	4
22; 1 Artillery Whitechapel -	6769	-	-	3	-	-	3
2 Spitalfields - - -	15336	-	2	2	3	3	6
3 Mile End New Town *W* -	14543	-	-	3	14	5	5
4 Whitechapel North *W* -	12530	-	1	-	6	2	12
5 Whitechapel Church H -	7818	1	1	1	3	2	3
6 Goodman's Fields - -	12069	-	5	-	6	-	-
7 Aldgate H - - -	10694	-	9	-	5	2	2
23; 1 St. Mary, St. Geo. East -	18067	-	14	6	13	1	3
2 St. Paul, St. Geo. East -	20319	-	20	4	24	1	1
3 St. John, St. Geo. East *W*	9990	-	21	2	8	-	3
24*a*; 1 Shadwell *W* - - -	16179	-	13	4	6	2	1
2 Ratcliff *W* - - -	15212	-	8	3	4	-	2
3 Limehouse *W* - -	22782	-	16	4	12	-	3
24*b*; 1 Mile End Old Town, West -	29582	-	12	8	9	2	5
2 Mile End Old T., East *WwH*	27020	-	7	4	6	3	6
25; 1 Bow *w*LH - - - -	18778	-	16	2	4	3	3
2 Poplar *W* - - -	28384	1	45	11	12	5	2
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	1	4	1	-	3
2 St. Saviour Southwark HH	19709	-	-	3	3	2	3
27; 1 St. Olave Southwark HH	8015	-	-	-	2	-	1
2 St. John Horsleydown *W*	11360	-	-	9	3	1	2
28; 1 St. James Bermondsey -	18899	-	7	5	4	-	6
2 St. Mary Magdalen *W* -	13934	-	2	2	6	3	-
3 Leather Market - -	15295	-	1	7	7	-	2
29; 1 Kent Road - - -	18126	-	2	3	5	-	2
2 Borough Road *WP* -	15862	-	-	1	10	2	3
3 London Road LP - -	17836	-	2	6	5	-	1
30; 1 Trinity Newington P -	20922	-	1	3	15	2	-
2 St. Peter Walworth *W* -	29861	-	2	2	11	1	2
3 St. Mary Newington -	14033	-	-	-	2	1	3
31; 1 Waterloo Road 1st - -	14088	-	6	5	-	-	2
2 Waterloo Road 2nd H -	18348	-	5	4	8	1	2
3 Lambeth Church 1st -	18409	-	3	6	7	2	1
4 Lambeth Church 2nd *W*	26784	-	4	8	13	3	7
5 Kennington 1st - -	24261	-	-	4	4	1	7
6 Kennington 2nd - -	18848	-	-	8	4	-	2
7 Brixton L - - -	14610	-	-	-	1	-	2
8 Norwood *W* - - -	3977	1	10	-	-	-	-
32; 1 Clapham L - - -	16290	-	2	4	2	3	2
2 Battersea *W* - - -	10560	-	4	3	1	2	6
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	3	1	-	-
5 Streatham - - -	9023	-	-	3	-	-	2
33; 1 Dulwich - - - -	1632	-	-	-	-	-	-
2 Camberwell *WLL* -	17742	-	1	2	3	-	2
3 Peckham - - -	19444	-	-	5	2	-	3
4 St. George Camberwell -	15849	-	-	3	3	1	1
34; 1 Rotherhithe *W* - -	17805	-	28	6	7	1	4
35; 1 St. Paul Deptford - -	24899	-	6	2	4	3	1
2 St. Nicholas Deptford -	7071	-	1	1	1	-	2
3 Greenwich West H -	18800	1	3	3	5	2	4
4 Greenwich East *WH* -	16228	-	1	-	4	2	13
5 Woolwich Dockyard HP	17140	-	7	-	7	1	1
6 Woolwich Arsenal HPH	15227	1	10	1	8	-	3
36; 1 Plumstead - - -	13191	-	6	2	3	-	4
2 Eltham - - - -	2568	-	-	2	-	-	-
3 Lee - - - -	8478	1	-	1	1	1	2
4 Lewisham Village *W* -	6097	1	-	-	2	-	-
5 Sydenham - - -	4501	-	1	3	-	-	1

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—Workhouse not belonging to the district in which it is situated. The following are—

* Islington West contains the Small-pox and Fever Hospitals.

OUTLYING WORKHOUSES:

St. George Han. Sq. in 2; 2. Chelsea North-west sub-district.
The Strand - - 9; 2. Tottenham-court sub-district.
East London - - 11; 4. Hackney sub-district.
St. Luke, Middlesex - 20; 3. Hoxton New Town sub-district.
London City - 24*b*; 2. Mile End Old Town Eastern sub-district and Bow sub-district.

LONDON.—DEATHS in 117 PUBLIC INSTITUTIONS, registered in the 13 Weeks ending Saturday 3d April 1858.

—	DEATHS. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS	3095	1698	1397
45 WORKHOUSES	1860	889	971
14 PRISONS	19	15	4
4 MILITARY AND NAVAL ASYLUMS	85	85	-
15 GENERAL HOSPITALS	835	522	313
7 HOSPITALS FOR SPECIAL DISEASES	66	42	24
4 LYING-IN HOSPITALS – Women	4	-	4
4 LYING-IN HOSPITALS – Children	11	3	8
7 MILITARY AND NAVAL HOSPITALS	49	49	-
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS	17	13	4
19 LUNATIC ASYLUMS	149	80	69

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
WORKHOUSES.				
	No.			
Paddington	1; 1. St. Mary Paddington	17	6	11
Kensington	1; 3. Kensington Town	21	12	9
Fulham	1; 7. Fulham	18	9	9
Chelsea	2; 2. Chelsea North-west	33	14	19
St. George Hanover Square	2; 2. *Chelsea North-west*	13	4	9
St. George Hanover Square	3; 2. May Fair	19	12	7
Westminster	4; 2. St. Margaret Westminster	53	24	29
St. Martin-in-the-Fields	5; 1. Charing Cross	19	8	11
St. James Westminster	6; 3. Golden Square	49	29	20
Marylebone	7; 3. Rectory, Marylebone	156	59	97
Hampstead	8; 1. Hampstead	4	2	2
Strand	9; 2. *Tottenham Court*	43	17	26
Pancras	9; 5. Camden Town	141	66	75
Islington	10; 1. Islington West	33	15	18
Islington (*for children*)	10; 2. Islington East	3	2	1
Hackney	11; 4. Hackney	30	14	16
East London	11; 4. *Hackney*	49	28	21
St. Giles	12; 2. St. Giles South	74	34	40
Holborn	14; 2. St. Andrew Eastern	43	32	11
Clerkenwell	15; 1. St. James Clerkenwell	34	13	21
West London	18; 1. West London North	42	21	21
Shoreditch	20; 5. Haggerstone West	108	58	50
St. Luke	20; 3. *Hoxton New Town*	49	17	32
Bethnal Green	21; 2. The Green	66	36	30
Whitechapel	22; 3. Mile End New Town	40	39	1
Whitechapel	22; 4. Whitechapel North	63	7	56
St. George-in-the-East	23; 3. St. John	65	26	39
Stepney	24*a*; 1. Shadwell	28	5	23
Stepney	24*a*; 2. Ratcliff	25	21	4
Stepney	24*a*; 3. Limehouse	-	-	-
Mile End Old Town	24*b*; 2. Eastern	30	13	17
London City	24*b*; 2. *Mile End Old Town Eastern*	10	-	10
London City	25; 1. *Bow*	44	27	17
Poplar	25; 2. Poplar	34	20	14
St. Saviour	26; 1. Christchurch	27	10	17
St. Olave	27; 2. St. John Horsleydn.	34	18	16
Bermondsey	28; 2. St. Mary Magdalen	31	19	12
St. George Southwark	29; 2. Borough Road	33	17	16
Newington	30; 2. St. Peter Walworth	43	16	27
Lambeth	31; 4. Lambeth Church 2d	94	47	47
Lambeth (*for children*)	31; 8. Norwood	12	5	7
Wandsworth	32; 2. Battersea	20	10	10
Camberwell	33; 2. Camberwell	18	9	9
Rotherhithe	34; 1. Rotherhithe	13	9	4
Greenwich	35; 4. East Greenwich	73	35	38
Lewisham	36; 4. Lewisham Village	6	4	2
PRISONS.*				
Westminster House of Correction, Tothill-fields.	4; 2. St. Margaret Westminster	3	1	2
Millbank Prison	4; 1. St. John Westmr.	-	-	-
Pentonville Prison	10; 1. Islington West	1	1	-
City Prison, Holloway	10; 1. Islington West	3	2	1
Middlesex House of Detention.	15; 1. St. James Clerkenwell	-	-	-
Middlesex House of Correction, Coldbath-fields.	15; 2. Amwell Clerkenwell	8	8	-
Whitecross Street Prison	17; 2. Cripplegate	-	-	-
Newgate	18; 1. West London North	1	1	-
Bridewell	18; 2. West London South	-	-	-
Queen's Bench Prison	29; 2. Borough Road	-	-	-
House of Occupations	29; 3. London Road	1	1	-
Surrey County Gaol, Horsemonger-lane.	30; 1. Trinity Newington	-	-	-
Surrey House of Correction	32; 3. Wandsworth	2	1	1
Convict Hulks	35; 5 & 6. Woolwich Dockyard; & Arsenal	-	-	-
Hospital Ship, Unité	35; 5 & 6. Woolwich Dockyard; & Arsenal	-	-	-

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
HOSPITALS, &c.				
Military and Naval Asylums. †	No.			
Royal Hospital Greenwich, *In-Pensioners.*	35; 4. East Greenwich	53	53	-
Naval School, Royal Hospital, Greenwich, *Boys.*	35; 4. East Greenwich	1	1	-
Royal Hospital Chelsea, *In-Pensioners.*	2; 1. Chelsea South	24	24	-
Royal Military Asylum, Chelsea, *Boys.*	2; 1. Chelsea South	7	7	-
General Hospitals.				
St. Mary's	1; 2. St. John Paddington	63	35	28
St. George's	3; 3. Belgrave	75	55	20
Westminster	4; 2. St. Margaret Westminster	36	25	11
Charing Cross	5; 1. Charing Cross	25	15	10
Middlesex	7; 1. All Souls Marylebone	39	27	12
University College	9; 2. Tottenham Court	43	30	13
Royal Free Hospital	9; 3. Gray's-inn Lane	20	11	9
Great Northern	10; 1. Islington West	3	1	2
King's College	13; 3. St. Clement Danes	46	29	17
Hospital for Sick Children	14; 1. St. George the Martyr Holborn	13	7	6
St. Bartholomew's	18; 1. West London, North	170	100	70
London	22; 5. Whitechapel Church	93	71	22
Poplar	25; 1. Bow	6	6	-
Guy's	26; 2. St. Saviour	11	3	8
Guy's	27; 1. St. Olave	98	60	38
St. Thomas's	26; 2. St. Saviour	33	4	29
St. Thomas's	27; 1. St. Olave	61	43	18
Hospitals for Special Diseases.				
Cancer	1; 4. Brompton	4	2	2
Small-pox	10; 1. Islington West	8	7	1
London Fever	10; 1. Islington West	25	12	13
St. Mark's	16; 1. Old Street	2	2	-
Lock	1; 1. St. Mary Paddington	1	-	1
Consumption	1; 4. Brompton	22	16	6
City of London, for Diseases of Chest.	21; 2. The Green, Bethnal Green	4	3	1
Lying-in Hospitals.				
Queen Charlotte's	7; 4. St. Mary Marylebone, Women	-	-	-
Queen Charlotte's	7; 4. St. Mary Marylebone, Children	3	1	2
British	12; 2. St. Giles South, Women	-	-	-
British	12; 2. St. Giles South, Children	-	-	-
City of London	16; 2. City Road, Women	1	-	1
City of London	16; 2. City Road, Children	4	1	3
Hospital, York Road	31; 2. Waterloo, 2d Part, Women	3	-	3
Hospital, York Road	31; 2. Waterloo, 2d Part, Children	4	1	3
Military and Naval Hospitals.				
Grenadier Guards Hospital.	4; 1. St. John Westminster	7	7	-
Coldstream Guards Hospital.	4; 1. St. John Westminster	1	1	-
Scots Fusileer Guards Hospital.	4; 1. St. John Westminster	-	-	-
Tower	22; 7. Aldgate	1	1	-
Royal Marine Infirmary	35; 5. Woolwich Dockyard	4	4	-
Royal Artillery Hospital	35; 6. Woolwich Arsenal	12	12	-
Dreadnought Ship for Seamen.	35; 3. Greenwich West	24	24	-
Hospitals and Asylums for Foreigners.				
German Hospital	11; 4. Hackney	17	13	4
Portuguese Jews Hospital	24*b*; 2. Mile End Old Town Eastern	-	-	-
Lunatic Asylums.				
Kensington House	1; 3. Kensington Town	1	1	-
Normand House	1; 7. Fulham	1	-	1
Munster House	1; 7. Fulham	1	1	-
Otto House	1; 7. Fulham	1	-	1
Sussex and Brandenburgh House.	1; 7. Fulham	3	2	1
Blacklands House	2; 3. Chelsea North-east	-	-	-
Northumberland House	11; 1. Stoke Newington	3	2	1
Whitmore House	11; 3. West Hackney	1	1	-
Pembroke House	11; 5. South Hackney	4	4	-
St. Luke	16; 2. City Road	7	2	5
Hoxton House ‡	20; 2. St. Leonard	21	11	10
Bethnal House ‡	21; 2. Bethnal Green	15	9	6
Grove Hall ‡	25; 1. Bow	17	7	10
Bethlehem	29; 3. London Road	5	4	1
Effra Hall	31; 7. Brixton	-	-	-
Retreat	32; 1. Clapham	-	-	-
Surrey County	32; 3. Wandsworth	33	20	13
Peckham House ‡	33; 2. Camberwell	14	7	7
Camberwell House ‡	33; 2. Camberwell	22	9	13

* The deaths of infant children of prisoners are not included.
† The deaths of *out-pensioners* of Greenwich and Chelsea Hospitals are not included. ‡ Asylums in which paupers are received.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, April 17. [No. 15.

General Register Office, Somerset House,
April 19th, 1858.

The deaths in London registered in the week ending Saturday, April 17th, were 1207, being nearly the same as those of the previous week. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1102, but as the deaths now returned occurred in an increased population, they should be compared with the average, after the latter is raised in proportion to the increase, a correction which will make it 1212. The number actually returned, therefore, agrees almost exactly with that obtained by calculation. Whooping-cough and measles still maintain a high mortality, the former having numbered 77 deaths in the week, the latter 55. Two widows died at the age of 96 years, one at Walham-green, another in Islington Workhouse.

Last week the births of 1009 boys and 956 girls, in all 1965 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1583.

The analyses which Dr. Thomson has made show the salutary effects of the recent Acts of Parliament for supplying London with water. The water which the west end and the southern districts of London received was formerly pumped out of the Thames within the tidal range between Hungerford Bridge and the new Battersea Bridge. It was impregnated with the impurities of the sewers. The water cannot now be legally taken from the Thames below the Teddington-lock, and it consequently contains less than half the previous amount of impurity. A gallon of water of the Chelsea Company formerly contained from 37 to 66 grains of extraneous matter; the Southwark water contained from 23 to 73 grains;* while the analysis now shows that only 21 grains of extraneous matter are to be found in a gallon of the water of either company. Only the West Middlesex and the Southwark Company have openings by which it would be possible to communicate with the unfiltered water of the Thames below Teddington; and the engineers of the Board of Health reported that in the case of the West Middlesex this "precaution appears to be wholly unnecessary, and it would be more satisfactory that the connexion with unfiltered water should be destroyed."† With regard to the Southwark Company, the same report states that "the connexion between the river and the reservoirs at the Battersea works, by which the supply was formerly obtained, has not yet (Jan. 3d, 1856) been actually removed, but a dam has been put across to prevent the use of this intake." The wide barred projecting opening into the bed of the Thames is still visible at low water. As this channel cannot be legally used by the Company, it would be satisfactory to see it altogether removed. Large *covered* expensive reservoirs for filtered water had been erected in 1856 by all the companies except the Kent,‡ the Hampstead, and the Southwark Companies. The Southwark Company has no reservoir either covered or uncovered for filtered water, but it had in 1856 already purchased land for reservoirs at Nunhead, Peckham. These reservoirs are not yet constructed, but no doubt they will soon be

* See Report of Scientific Committee of Medical Council of Board of Health, p. 42.

† Report to the Right Hon. W. Cowper, M.P., President of the General Board of Health, under the provisions of the Metropolis Water Act, pp. 44–5, p. 39, and p. 99.

‡ The Kent Waterworks had in 1856 *open* reservoirs for filtered water covering 1·55 acres.

completed, and then the inhabitants of the south side of the Thames will live in the same security as the other inhabitants of London.

Waters supplied by Water Companies.—The composition of the water supplied by the principal Water Companies of the Metropolis has been determined for the month of March by Dr. Robert Dundas Thomson of St. Thomas's Hospital, and is given in the following Table. Distilled water is represented as the standard of comparison, leaving 0° (degrees) or grains of impurity per gallon when evaporated. The other waters contain a certain number of grains of foreign matter per gallon, which are denoted in the tabular statement by degrees (°). The table is read thus: Distilled Water, 0° (degrees) or grains of impurity per gallon; West Middlesex, 17°·64 (degrees) or grains of total impurity per gallon, of which 0°·56 (degrees) or grains per gallon are organic matter. Under "Impurity" Dr. Thomson designates all the matter, except the elements of water.

Companies.	Total Impurity.	Organic Impurity.
	grs. *or* °	grs. *or* °
Distilled Water -	0·0	—
West Middlesex - -	17·64	0·56
Grand Junction - - -	17·76	0·80
Lambeth - - -	18·40	1·36
East London - - -	18·55	1·15
Chelsea - - -	20·52	1·96
New River - - -	20·80	1·44
Southwark - - - -	21·10	1·70
Kent - - - -	25·04	2·32

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·821 in. The highest barometrical reading occurred on Wednesday, and was 30·04 in. The mean temperature of the week was 46·7°, which is 1·2° above the average of the same week in 43 years (as determined by Mr. Glaisher). On the first four days the mean daily temperature was *below* the average; on the two following days it was from 10° to 14° *above* it. On Sunday the 11th the thermometer fell to 27·9°, the *lowest* point in the week; on Friday it rose to 76°, (the *highest* point); the entire range was therefore 48·1°. The mean daily range was 20·1°; the range of Sunday was 28·3°, that of the following day only 9·3°. The difference between the mean dew point temperature and air temperature was 8·7°. The mean temperature of the water of the Thames was 45·5°. The mean degree of humidity was 72. The wind was generally north-east on the first three days; it then turned to south-east and south-west, and on Saturday was again in the north-east. A thunder storm occurred on the evening of Friday, accompanied with rain, which fell to the depth of 0·15 in. in ten minutes.

Births Registered last Week, and in the Fifteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1240	1346	1473	1536	1644	1679	1573	1718	1684	1933	1582·6	1965
Males . .	660	707	745	779	805	853	795	912	862	1002	812·0	1009
Females . .	580	639	728	757	839	826	778	806	822	931	770·6	956

Deaths Registered last Week, and in the Fifteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	1047	1066	893	1042	1092	1243	1087	1347	1115	1084	1101·6	1207
Males . .	537	512	459	542	551	686	536	715	555	573	566·6	631
Females .	510	554	434	500	541	557	551	632	560	511	535·0	576

DEATHS in LONDON, from ALL CAUSES, Registered in the FIFTEENTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 15 1848	Apr. 14 1849	Apr. 13 1850	Apr. 12 1851	Apr. 17 1852	Apr. 16 1853	Apr. 15 1854	Apr. 14 1855	Apr. 12 1856	Apr. 18 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, April 17, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44°·4	41°·8	49°·5	40°·3	47°·0	44°·4	48°·0	47°·2	47°·1	43°·4	45°·3	Mean Temp. 46°·7					
	ALL CAUSES	1047	1066	893	1042	1092	1243	1087	1347	1115	1084	1101·6	1207	643	162	188	184	30
	SPECIFIED CAUSES	1030	1056	887	1024	1080	1197	1075	1332	1099	1073	1085·3	1198	636	162	187	183	30
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	290	256	171	203	255	242	273	265	250	219	242·4	273	233	13	15	12	..
II.	CONSTITUTIONAL "	237	231	197	249	241	280	249	293	225	246	244·8	289	104	91	73	19	2
III.	LOCAL "	381	446	395	442	433	506	400	584	469	451	450·7	499	221	50	90	127	11
IV.	DEVELOPMENTAL "	95	104	108	121	126	136	149	164	124	124	125·1	117	70	2	4	24	17
V.	VIOLENT DEATHS	27	19	16	9	25	33	4	26	31	33	22·3	20	8	6	5	1	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	271	242	159	187	238	221	253	241	226	208	224·6	255	221	13	11	10	..
	2. ENTHETIC "	7	3	2	2	4	4	6	7	5	..	4·0	5	3	..	1	1	..
	3. DIETIC "	9	10	9	13	11	15	10	17	17	9	12·0	10	6	..	3	1	..
	4. PARASITIC "	3	1	1	1	2	2	4	..	2	2	1·8	3	3	..	..	..	..
II.	1. DIATHETIC "	45	34	34	43	43	50	40	50	46	31	41·6	40	6	1	17	14	2
	2. TUBERCULAR "	192	197	163	206	198	230	209	243	179	215	203·2	249	98	90	56	5	..
III.	1. DISEASES OF NERVOUS SYSTEM	104	137	117	131	106	132	120	155	140	120	126·2	128	58	10	21	36	3
	2. " OF ORGANS OF CIRCULATION	32	38	37	38	43	51	46	70	37	50	44·2	38	3	8	11	15	1
	3. " OF RESPIRATORY ORGANS	181	198	174	202	214	251	179	282	218	200	209·9	266	147	14	40	60	5
	4. " OF DIGESTIVE ORGANS	48	54	48	44	43	55	34	51	43	50	47·0	37	10	7	10	10	..
	5. " OF URINARY ORGANS	10	10	5	11	15	6	11	17	15	17	11·7	16	..	8	5	2	1
	6. " OF ORGANS OF GENERATION	2	4	5	5	4	2	4	3	3	2	3·4	6	..	2	3	..	1
	7. " OF ORGANS OF LOCOMOTION	2	2	3	1	4	6	2	2	5	6	3·3	2	1	..	..	1	..
	8. " OF INTEGUMENTARY SYSTEM	2	3	6	10	4	3	4	4	8	6	5·0	6	2	1	..	3	..
IV.	1. DEV. DISEASES OF CHILDREN	37	29	35	51	55	55	49	65	43	52	47·1	34	34	..	..	..	..
	2. " OF ADULTS	6	2	2	3	8	2	7	10	4	1	4·5	4	1	2	1	..	..
	3. " OF OLD PEOPLE	34	49	48	44	46	51	45	55	51	46	46·9	35	..	..	..	18	17
	4. DISEASES OF NUTRITION	18	24	23	23	17	28	48	34	26	25	26·6	44	35	..	3	6	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											15	8	2	4	1	..
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												5	..	4	1	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	27	19	16	9	25	33	4	26	31	33	22·3	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	14	7	4	2	3	3	2	5	3	6	4·9	5	4	..	1	..	..
	CAUSES NOT SPECIFIED	3	3	2	16	9	43	10	10	13	5	11·4	4	3	..	..	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 15 1848	Apr. 14 1849	Apr. 13 1850	Apr. 12 1851	Apr. 17 1852	Apr. 16 1853	Apr. 15 1854	Apr. 14 1855	Apr. 12 1856	Apr. 18 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, April 17, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44·4°	41·8°	49·5°	40·3°	47·0°	44·4°	48·0°	47·2°	47·1°	43·4°	45·3°	46·7°					
I.	ORDER 1.																	
	1. Small-pox	19	6	7	12	38	6	5	16	14	1	12·4	3	3	..	..	..	..
	2. Measles	36	26	15	28	18	17	34	17	37	24	25·2	55	54	1	..	..	..
	3. Scarlatina	53	48	18	13	36	20	39	42	29	26	32·4	37	35	1	1	..	..
	4. Quinsy	3	1	1	2	3	1	..	1	..	..	1·2	..	..	..	..	..	..
	5. Croup	7	2	4	4	10	5	7	18	8	7	7·2	7	7	..	..	..	..
	6. Whooping-cough	54	69	35	50	38	68	63	59	62	71	56·9	77	77	..	..	..	..
	7. Typhus (and Infantile fever)	49	44	37	26	47	68	59	44	47	38	45·9	37	27	5	4	1	..
	8. Erysipelas	8	11	8	4	3	4	7	6	5	8	6·4	5	2	..	3	..	..
	9. Metria	3	8	2	1	5	4	2	5	3	1	3·4	4	1	3	..	..	..
	10. Carbuncle	..	1	..	..	1	1	3	..	1	1	·8	3	..	..	..	3	..
	11. Influenza	9	2	4	20	6	1	..	2	1	3	4·8	3	..	..	1	2	..
	12. Dysentery	2	3	1	4	4	1	..	..	1	3	1·9	2	..	1	..	1	..
	13. Diarrhœa	20	14	13	14	15	16	18	13	13	17	15·3	12	11	..	..	1	..
	14. Cholera	1	2	..	..	3	1	2	2	..	..	1·1	..	..	..	..	..	..
	15. Ague	..	..	..	..	1	..	..	1	..	..	·2	1	..	..	1	..	..
	16. Remittent fever	1	..	6	4	2	2	4	5	2	..	2·6	2	2	..	..	..	..
	17. Rheumatism	6	5	8	5	8	6	10	10	3	8	6·9	7	2	2	1	2	..
	ORDER 2.																	
	1. Syphilis	6	2	1	2	2	2	5	5	5	..	3·0	4	3	..	1	..	..
	2. Stricture of Urethra	1	1	1	..	2	2	1	2	..	..	1·0	1	..	..	..	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	..	1	1	2	..	..	2	..	..	·7	..	..	..	..	..	..
	2. Want of Breast-milk	2	2	3	5	6	11	1	7	7	7	5·1	5	5	..	..	..	..
	3. Purpura and Scurvy	2	1	..	1	..	..	2	2	4	..	1·2	1	1	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	3	7	1	5	2	3	3	2	3	2	3·1	2	..	..	2	..	..
	4. Alcoholism { *b* Intemperance	1	..	4	1	1	1	4	4	3	..	1·9	2	..	..	1	1	..
	ORDER 4.																	
	1. Thrush	3	1	1	1	2	2	4	..	2	2	1·8	2	2	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848-57 classed in this Table with *Dis. of Stomach.*											1	1	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	1	2	2	..	3	2	2	2	..	1·5	1	..	..	..	1	..
	2. Dropsy	17	20	14	20	18	16	20	16	13	8	16·2	21	6	..	9	5	1
	3. Cancer	21	10	17	21	23	27	13	23	27	18	20·0	14	..	..	8	6	..
	4. Noma	1	..	..	..	1	..	1	..	..	..	·3	..	..	..	..	..	..
	5. Mortification	5	3	1	..	1	4	4	9	4	5	3·6	4	..	1	..	2	1
	ORDER 2.																	
	1. Scrofula	4	6	7	10	11	9	8	8	7	5	7·5	6	4	..	2	..	..
	2. Tabes Mesenterica	16	18	14	19	18	18	16	15	21	10	16·5	24	24	..	..	..	..
	3. Phthisis	138	139	108	138	139	165	154	175	122	172	145·0	177	28	90	54	5	..
	4. Hydrocephalus	34	34	34	39	30	38	31	45	29	28	34·2	42	42	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	7	12	13	7	13	13	10	8	10	11	10·4	10	8	2	..	..	..
	2. Apoplexy	19	30	28	29	13	26	28	33	23	25	25·4	26	5	2	8	10	1
	3. Paralysis	18	31	24	38	19	20	21	25	37	23	25·6	22	..	1	4	16	1
	4. Insanity	4	..	1	..	7	6	1	3	3	3	2·8	..	..	..	..	..	..
	5. Chorea	..	..	..	1	..	..	1	1	..	..	·3	..	..	..	..	..	..
	6. Epilepsy	6	4	3	8	6	9	4	12	10	7	6·9	13	2	4	4	2	1
	7. Convulsions	45	49	31	38	34	47	39	58	46	27	41·4	42	40	..	1	1	..
	8. *Brain Disease, &c.*	5	11	17	10	14	11	16	15	11	24	13·4	15	3	1	4	7	..
	ORDER 2.																	
	1. Pericarditis	1	5	1	3	3	2	1	3	3	..	2·2	..	..	..	..	..	..
	2. Aneurism	2	2	3	1	2	2	2	3	..	2	1·9	2	..	..	2	..	..
	3. *Heart Disease, &c.*	29	31	33	34	38	47	43	64	34	48	40·1	36	3	8	9	15	1
	ORDER 3.																	
	1. Laryngitis	6	2	6	6	6	6	5	8	7	3	5·5	9	7	..	2	..	..
	2. Bronchitis	64	79	68	89	102	128	77	153	115	104	97·9	130	49	5	29	42	5
	3. Pleurisy	3	4	4	..	2	2	2	6	2	1	2·6	3	1	..	..	2	..
	4. Pneumonia	81	79	72	85	77	89	76	92	82	79	81·2	103	90	2	5	6	..
	5. Asthma	13	20	13	11	13	11	9	17	7	8	12·2	16	..	3	4	9	..
	6. *Lung Disease, &c.*	14	14	11	11	14	15	10	6	5	5	10·5	5	..	4	..	1	..
	ORDER 4.																	
	1. Gastritis	..	1	2	2	..	1	1	3	2	3	1·5	1	..	..	..	1	..
	2. Enteritis	9	8	3	5	8	7	3	2	6	6	5·7	3	2	1	..	..	..
	3. Peritonitis	3	4	8	4	2	3	3	6	3	3	3·9	3	1	2	..	..	..
	4. Ascites	1	3	1	1	1	3	2	5	4	1	2·2	3	..	..	2	1	..
	5. Ulceration of Intestines	2	2	2	1	4	2	4	1	1	4	2·3	2	..	1	1	..	..
	6. Hernia	5	3	5	6	3	2	2	3	3	3	3·5	..	..	..	..	..	..
	7. Ileus	2	4	2	2	2	3	1	6	1	3	2·6	2	1	..	..	1	..
	8. Intussusception	1	..	1	2	..	..	..	1	1	..	·6	2	2	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FIFTEENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 15 1848	Apr. 14 1849	Apr. 13 1850	Apr. 12 1851	Apr. 17 1852	Apr. 16 1853	Apr. 15 1854	Apr. 14 1855	Apr. 12 1856	Apr. 18 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the week ending Saturday, April 17, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44·4°	41·8°	49·5°	40·3°	47·0°	44·4°	48·0°	47·2°	47·1°	43·4°	45·3°	46·7°					
	9. Stricture of Intestines	..	1	..	1	1	1	..	..	..	1	·5	..	..	..	..	..	..
	10. Fistula	..	1	..	..	1	1	..	..	..	..	·3	1	..	1	..	..	..
	11. *Stomach Disease, &c.*	7	11	2	5	6	6	4	5	4	8	5·8	6	2	1	..	3	..
	12. *Pancreas Disease, &c.*	..	..	..	1	..	..	..	..	..	..	·1	..	..	..	..	..	..
	13. Hepatitis	3	3	9	4	1	3	4	1	3	3	3·4	1	1	..	..	..	..
	14. Jaundice	4	2	3	2	2	1	..	3	5	3	2·5	2	..	..	1	1	..
	15. *Liver Disease, &c.*	10	11	10	7	12	22	10	15	9	12	11·8	11	1	1	6	3	..
	16 *Spleen Disease, &c.*	1	..	..	1	..	..	..	..	1	..	·3	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	1	..	2	..	..	1	..	·4	..	..	..	..	..	..
	2. Ischuria	..	1	..	..	..	..	..	..	..	1	·2	..	..	..	..	..	..
	3. Nephria	4	3	3	4	4	1	4	4	6	8	4·1	8	..	5	3	..	..
	4. Diabetes	2	1	..	..	1	1	3	1	1	..	1·0	..	..	..	..	..	..
	5. Stone	1	..	..	1	..	..	..	1	..	1	·4	..	..	..	..	..	..
	6. Cystitis	..	1	..	1	1	..	..	1	..	1	·5	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	3	4	2	4	9	2	4	10	7	6	5·1	8	..	3	2	2	1
	ORDER 6.																	
	1. Ovarian Dropsy	1	..	2	..	1	..	1	..	1	1	·7	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	1	4	3	5	3	2	3	3	2	1	2·7	6	..	2	3	..	1
	ORDER 7.																	
	1. Arthritis	..	1	..	..	1	..	..	..	..	1	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	1	3	1	3	6	2	2	5	5	3·0	2	1	..	..	1	..
	ORDER 8.																	
	1. Phlegmon	1	3	3	5	2	2	3	3	5	3	3·0	4	2	1	..	1	..
	2. Ulcer	1	..	2	2	1	1	1	..	3	2	1·3	2	..	..	..	2	..
	3. *Skin Disease, &c.*	..	..	1	3	1	..	..	1	..	1	·7	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	22	16	21	35	41	37	32	43	28	35	31·0	20	20	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	4	1	2	3	4	4	2	4	5	5	3·4	2	2	..	..	..	..
	5. Teething	11	12	12	13	10	14	15	18	10	12	12·7	12	12	..	..	..	..
	ORDER 2.																	
	1. Paramenia	1	..	..	1	..	..	..	..	..	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	5	2	2	2	8	2	7	10	4	1	4·3	4	1	2	1	..	..
	ORDER 3.																	
	1. Old Age	34	49	48	44	46	51	45	55	51	46	46·9	35	..	..	..	18	17
	ORDER 4.																	
	1. Atrophy and Debility	18	24	23	23	17	28	48	34	26	25	26·6	44	35	..	3	6	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	6	2	2	2	..	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	2	..	..	1	1	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	4	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	3	..	3	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	27	19	16	9	25	33	4	26	31	33	22·3	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	14	7	4	2	3	3	2	5	3	6	4·9	5	4	..	1	..	..
	Causes not specified or ill-defined	3	3	2	16	9	43	10	10	13	5	11·4	4	3	..	..	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

Deaths Registered in the Fifteenth Week of each of the following Years, with the Mean Temperature for the same periods.

Superintendent Registrars' Districts.	Area in Statute Acres.	Population in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Apr. 15 1848	Apr. 14 1849	Apr. 13 1850	Apr. 12 1851	Apr. 17 1852	Apr. 16 1853	Apr. 15 1854	Apr. 14 1855	Apr. 12 1856	Apr. 18 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Apr. 17 1858.
Mean Temperature . . .			44·4°	41·8°	49·5°	40·3°	47·0°	44·4°	48·0°	47·2°	47·1°	43·4°	45·3°	46·7°
LONDON	78029	2362236	1047	1066	893	1042	1092	1243	1087	1347	1115	1084	1101·6	1207
1–6. West Districts .	10786	376427	163	142	143	157	203	181	167	200	156	178	169·0	223
7–11. North Districts .	13533	490396	203	185	165	194	198	256	209	287	231	202	213·0	232
12–19. Central Districts	1938	393256	178	203	163	176	205	221	172	195	172	174	185·9	185
20–25. East Districts .	6230	485522	217	260	192	223	220	262	220	265	241	242	234·2	245
26–36. South Districts .	45542	616635	286	276	230	292	266	323	319	400	315	288	299·5	322
1. Kensington* HHHH .	7374	120004	51	43	48	41	72	51	58	58	51	55	52·8	91
2. Chelsea H*w* . . .	865	56538	29	22	19	30	34	30	23	33	18	24	26·2	31
3. St. George Hanover-sq. H	1161	73230	33	34	30	30	24	26	36	44	26	49	33·2	31
4. Westminster* HHHH .	917	65609	21	20	24	29	46	40	32	34	34	26	30·6	45
5. St. Martin-in-the-Fields H	305	24640	15	10	10	14	10	18	8	15	9	11	12·0	10
6. St. James Westminster .	164	36406	14	13	12	13	17	16	10	16	18	13	14·2	15
7. Marylebone HH . .	1509	157696	77	61	52	70	49	73	67	94	61	63	66·7	68
8. Hampstead	2252	11986	3	4	4	3	3	2	3	3	8	4	3·7	8
9. Pancras HH*w* . . .	2716	166956	77	76	61	62	83	100	71	105	76	76	78·7	82
10. Islington HHH . .	3127	95329	33	24	26	36	46	54	47	56	57	40	41·9	40
11. Hackney* H*w* . . .	3929	58429	13	20	22	23	17	27	21	29	29	19	22·0	34
12. St. Giles* H . . .	245	54214	26	30	14	29	17	42	30	26	23	21	25·8	20
13. Strand* H	174	44460	17	29	25	16	16	21	6	28	18	15	19·1	16
14. Holborn* H . . .	196	46621	18	20	15	21	32	33	23	17	22	24	22·5	29
15. Clerkenwell	380	64778	22	33	23	31	36	32	25	37	27	29	29·5	28
16. St. Luke HH . . .	220	54055	27	20	22	18	30	30	23	28	16	24	23·8	18
17. East London* . . .	153	44406	22	28	22	16	25	18	20	17	22	16	20·6	26
18. West London* H . .	136	28790	30	20	27	26	26	31	32	25	25	30	27·2	22
19. London City*	434	55932	16	23	15	19	23	14	13	17	19	15	17·4	26
20. Shoreditch *w* . . .	646	109257	42	65	38	50	42	64	50	58	61	64	53·4	57
21. Bethnal Green H . .	760	90193	37	42	20	32	30	32	32	40	35	42	34·2	37
22. Whitechapel* HH . .	406	79759	50	49	41	51	42	47	41	58	53	33	46·5	39
23. St. George-in-the-East .	243	48376	22	32	17	19	25	25	25	24	15	18	22·2	32
24*a*. Stepney*	576	54173	52	51	50	48	50	69	43	58	44	45	51·0	19
24*b*. Mile-end Old Town H*w*	681	56602												28
25. Poplar* H*w* . . .	2918	47162	14	21	26	23	31	25	29	27	33	40	26·9	33
26. St. Saviour Southwark* HH	250	35731	21	21	17	27	16	20	13	33	21	18	20·7	18
27. St. Olave Southwark* HH	169	19375	30	27	10	17	16	30	23	30	28	16	22·7	22
28. Bermondsey	688	48128	24	25	14	20	20	26	22	39	19	21	23·0	24
29. St. George Southwark .	282	51824	14	28	26	25	18	19	18	24	27	28	22·7	20
30. Newington	624	64816	33	21	25	26	20	39	34	30	29	34	29·1	35
31. Lambeth H	4015	139325	41	58	54	68	66	60	66	74	57	50	59·4	71
32. Wandsworth*	11695	50764	23	14	18	24	33	36	26	23	26	21	24·4	22
33. Camberwell	4342	54667	29	21	16	23	24	34	29	32	23	31	26·2	24
34. Rotherhithe	886	17805	7	6	3	4	3	6	7	9	11	9	6·5	9
35. Greenwich* HHHHH .	5367	99365	48	46	32	51	37	45	69	93	53	48	52·2	60
36. Lewisham*	17224	34835	16	9	15	7	13	8	12	13	21	12	12·6	17

Note.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—Deaths registered in 117 Public Institutions.

	In the Week ending April 10. Total.	Males.	Females.	In the Week ending April 17. Total.	Males.	Females.
Total Deaths in 117 Public Institutions .	194	108	86	166	97	69
45 Workhouses	118	55	63	95	44	51
14 Prisons . . . . . ‡	1	1	–	–	–	–
4 Military and Naval Asylums . . . . §	9	9	–	6	6	–
15 General Hospitals	46	29	17	53	36	17
7 Hospitals for Special Diseases	2	2	–	–	–	–
4 Lying-in Hospitals . . . . Women .	–	–	–	–	–	–
4 Lying-in Hospitals . . . . Children .	–	–	–	1	1	–
7 Military and Naval Hospitals	9	9	–	7	7	–
2 Hospitals and Asylums for Foreigners . .	–	–	–	1	1	–
19 Lunatic Asylums	9	3	6	3	2	1

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 17th April 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	55	37	77	12	37
No.*							
1-6 WEST DISTRICTS - -	376427	-	9	3	16	4	5
7-11 NORTH DISTRICTS - -	490396	1	9	10	11	3	5
12-19 CENTRAL DISTRICTS -	393256	-	10	7	8	-	4
20-25 EAST DISTRICTS - -	485522	1	10	5	20	1	8
26-36 SOUTH DISTRICTS - -	616635	1	17	12	22	4	15
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	3	-	-	-	-
2 St. John Paddington H -	29053	-	-	-	2	-	-
3 Kensington Town *W* L -	29183	-	-	-	2	-	1
4 Brompton HH - -	14870	-	-	-	1	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	1
6 St. Paul Hammersmith -	13293	-	1	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	2	-	1
2; 1 Chelsea South H - -	19050	-	-	-	-	1	-
2 Chelsea North-west *Ww*	17669	-	-	-	1	-	-
3 Chelsea North-east L -	19819	-	-	1	-	1	-
3; 1 Hanover Square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	1	4	1	1
4; 1 St. John Westmr. HHHP	34295	-	5	-	3	-	-
2 St. Margaret West. *W* HP	31314	-	-	1	-	1	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick Street - -	10798	-	-	-	1	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	-	-	-	1
2 Cavendish-square - -	14687	-	1	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	1	1	-	-
4 St. Mary Marylebone H	22814	-	1	1	-	-	-
5 Christchurch Marylebone	33895	-	1	3	2	-	-
6 St. John Marylebone -	29826	-	-	-	-	1	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	1	2	-	1	-
2 Tottenham-court *w* H -	28433	-	-	-	1	-	-
3 Gray's Inn Lane H -	26523	1	-	1	-	-	-
4 Somers Town - - -	35641	-	-	-	-	-	-
5 Camden Town *W* - -	21115	-	1	-	1	-	1
6 Kentish Town - -	23326	-	-	1	1	-	1
10; 1 Islington West† *W* HHHPP	47881	-	-	-	2	-	-
2 Islington East - -	47448	-	1	-	1	-	1
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford Hill - - -	5549	-	-	1	1	-	-
3 West Hackney L - -	18732	-	3	-	-	1	-
4 Hackney *W* H*w* - -	20850	-	-	-	1	-	1
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	1	-	-	-
3 St. Giles North - -	17456	-	1	1	-	-	-
13; 1 St. Anne Soho - -	17335	-	-	-	1	-	-
2 St. Mary-le-Strand -	11615	-	-	-	-	-	1
3 St. Clement Danes H -	15510	-	-	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	2	3	-	-	1
2 St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	1	-	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	1	-	-
2 City-road HL - -	16840	-	-	-	-	-	-
3 Whitecross-street - -	13657	-	-	-	1	-	-
4 Finsbury - - - -	12941	-	-	1	-	-	-
17; 1 St. Botolph East London	23824	-	-	-	2	-	1
2 Cripplegate P - -	20582	-	3	-	2	-	-
18; 1 West London North *W* HP	12946	-	3	-	-	-	-
2 West London South P -	15844	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	1	-	-
3 London City South - -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	1	-	-	-	1
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	-	-	3	-	1
2 St. Leonard Shoreditch L	19449	-	-	-	2	-	-
3 Hoxton New Town *w* -	23505	-	1	-	-	-	-
4 Hoxton Old Town - -	17431	-	-	1	-	-	-
5 Haggerstone West *W* -	20276	-	1	1	1	-	-
6 Haggerstone East - -	11351	-	-	-	1	-	-
21; 1 Hackney-road - - -	23910	-	-	-	-	-	1
2 Green, Bethnal Green *W* HL	23555	-	-	-	-	-	1
3 Church, Bethnal Green -	21787	-	-	-	-	-	1
4 Town, Bethnal Green -	20941	1	-	-	1	-	-
22; 1 Artillery Whitechapel -	6769	-	-	1	1	-	-
2 Spitalfields - - -	15336	-	-	-	-	-	-
3 Mile End New Town *W*	14543	-	-	-	1	-	1
4 Whitechapel North *W* -	12530	-	-	-	-	-	1
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	1	-	-	-	-
7 Aldgate H - - -	10694	-	1	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	2	-	2	-	-
2 St. Paul St. Geo. East -	20319	-	1	-	1	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	3	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	-
3 Limehouse *W* - -	22782	-	2	-	-	1	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	-	3	-	1
2 Mile End Old T., East. *Ww* H	27020	-	-	2	1	-	-
25; 1 Bow *w* LH - - -	18778	-	1	-	-	-	-
2 Poplar *W* - - -	28384	-	-	-	-	-	1
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	2
2 St. John Horsleydown *W*	11360	-	-	-	1	-	1
28; 1 St. James Bermondsey -	18899	-	2	-	3	-	1
2 St. Mary Magdalen *W* -	13934	-	1	-	-	-	-
3 Leather Market - -	15295	-	-	-	3	-	-
29; 1 Kent-road - - -	18126	-	-	-	2	-	-
2 Borough-road *W* P -	15862	-	-	-	-	-	-
3 London-road LP - -	17836	-	-	-	1	-	-
30; 1 Trinity Newington P -	20922	-	-	1	-	-	-
2 St. Peter Walworth *W* -	29861	-	1	-	4	-	2
3 St. Mary Newington -	14033	-	-	1	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	-	-	-	-
2 Waterloo-road 2nd H -	18348	-	1	1	-	-	-
3 Lambeth Church 1st -	18409	-	-	2	-	1	1
4 Lambeth Church 2nd *W*	26784	-	2	-	-	-	-
5 Kennington 1st - -	24261	-	-	-	-	-	2
6 Kennington 2nd - -	18848	-	-	1	1	-	1
7 Brixton L - - -	14610	-	1	2	-	1	-
8 Norwood *W* - -	3977	-	4	-	-	-	-
32; 1 Clapham L - - -	16290	1	-	-	-	-	-
2 Battersea *W* - - -	10560	-	-	-	-	2	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	1	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL - -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	-	-	-	-
4 St. George Camberwell -	15849	-	-	-	1	-	1
34; 1 Rotherhithe *W* - -	17805	-	1	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	-	1	-	1
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	3	2	1	-	1
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	1	-	1
6 Woolwich Arsenal HPH	15227	-	-	-	1	-	-
36; 1 Plumstead - - -	13191	-	1	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	1	-	-
4 Lewisham Village *W* -	6097	-	-	-	1	-	-
5 Sydenham - - -	4501	-	-	-	-	-	1

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 17th April 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Great-est.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
April.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday .	11	..	29·755	56·2	27·9	28·3	39·2	31·8	70·4	18·0	44·3	42·5	7·4	19·4	3·9	— 5·8	75	N.	NW. & NE.	0·0	0·0	0·0	25	0·00
Monday .	12	In Equator.	29·789	44·0	34·7	9·3	37·9	30·8	63·0	33·2	44·3	42·9	7·1	10·6	2·6	— 7·0	78	N.E.	Calm & NE.	0·0	0·0	0·0	10	0·00
Tuesday .	13	New	29·902	49·0	34·5	14·5	39·6	30·0	64·0	30·5	45·3	43·6	9·6	14·3	5·4	— 5·6	70	N.E.	E. & S.E.	0·0	0·0	0·0	25	0·00
Wednesday	14	..	30·009	57·2	30·9	26·3	44·7	34·8	69·4	22·3	45·8	44·0	9·9	18·4	3·0	— 0·8	62	S.E.	S.E.	0·0	0·0	0·0	75	0·00
Thursday .	15	..	29·870	68·0	44·9	23·1	55·5	42·2	82·5	—	46·9	44·4	13·3	21·2	5·5	+ 9·8	57	S.	S.S.W.	0·0	0·0	0·0	85	0·00
Friday . .	16	Perigee	29·778	76·0	48·8	27·2	60·1	49·9	102·3	--	49·3	46·6	10·2	21·1	2·5	+14·1	68	S.W.	Calm	0·0	0·0	0·0	10	0·00
Saturday .	17	..	29·644	58·6	46·5	12·1	49·8	46·7	61·7	—	50·3	46·0	3·1	8·0	2·0	+ 3·6	92	N.E.	N.E.	0·0	0·0	0·0	20	0·22
Means . .		..	29·821	58·4	38·3	20·1	46·7	38·0	73·3	26·0	46·6	44·3	8·7	16·2	3·6	+ 1·2	72	Four Days	N.E.	..	..	..	Sum 320	Sum 0·22
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
April.			
Sunday . .	11	During the first two days of the week the electrometer was under repair.	Cloudless throughout the day. Haze was prevalent at night.
Monday . .	12		Partially cloudy till noon, overcast during the remainder of the day.
Tuesday .	13	Positive, with moderate tension.	Generally cloudy till evening, clear afterwards.
Wednesday	14	Positive, with strong tension.	Clear early in the morning, cloudy for the most part during the remainder of the day.
Thursday .	15	Positive, with weak tension till evening. Strong positive afterwards.	Partially cloudy till evening; clear for the most part afterwards.
Friday . .	16	Positive, with very strong tension all day.	The day was very fine and hot. The amount of cloud was small until the evening; overcast afterwards. Between 9h. and 11h. P.M. a thunder-storm occurred; some of the flashes of lightning were very vivid. Rain fell to the depth of 0·15 in. between 9h. 45m. P.M. and 9h. 55m. P.M.
Saturday .	17	Positive, with strong tension.	Cloudy till the evening; clear afterwards. Rain fell early in the morning.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·74 in. at the beginning of the week to 29·82 in. by 9h. A.M. on the 12th; decreased to 29·78 in. by 9h. P.M. on the same day; increased to 30·04 in. by noon on the 14th; decreased to 29·74 in. by 9h. P.M. on the 16th; and increased to 30·03 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, April 24. [No. 16.

General Register Office, Somerset House,
April 26th, 1858.

The deaths registered in London were 1144 in the week ending Saturday, April 24th; they show a decrease on those of the previous week, when the number was 1207. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1054; but the deaths of last week occurred in an increased population, and they should be compared with the average, when the latter has been raised in proportion to the increase, a correction which will make it 1159. The rate of mortality that now prevails, therefore, agrees very closely with that which is obtained by calculation from former experience in the third week of April.

Of the 1144 deaths returned last week, 1138 are distributed amongst the five classes, in which all the causes of death are arranged, in the following numbers:—262 are referred to zymotic diseases, the corrected average of which in corresponding weeks is 260; 237 are referred to the class of "constitutional diseases," the average of which is also 260; 477 to "local diseases," of which the average is 466; 139 to "developmental diseases," the average being 131; and 23 to mechanical and chemical injuries, the average being 18. Of the 23 violent deaths, 22 are accidental; of these 9 are caused by fractures and wounds, 3 by burns, one by poison, 3 by drowning, 6 (all of which, except one, are deaths of infants) by suffocation. The only death not accidental is a case of suicide by hanging. The deaths arising from bronchitis and pneumonia, which in the previous week were respectively 130 and 103, declined last week to 120 and 62.

Eighty-one children died of whooping-cough, a considerably higher mortality than occurred in any corresponding week of ten years, except that of 1854, when the deaths from this complaint were 83. Whooping-cough is at present twice as fatal as either measles or scarlatina. The deaths from measles are not so numerous as they were in some previous weeks. Forty deaths are referred to scarlatina; no less than 4 of these occurred in one family in a house on the top of Shooter's-hill. The Registrar states that to the casual observer there is nothing in that elevated situation which would be noticed as the probable cause of so great a mortality; but it is understood that medical men attribute it to an open ditch in the neighbourhood. One child died on the 12th inst., one on the 14th, and two others on the following day.

Six persons died last week at the age of 90 years and upwards; the two oldest were a woman in Newington Workhouse, 98 years old, and the widow of a dock labourer in Redman's-row, Mile-end Old Town, who is said to have died at the age of 101 years.

Last week the births of 894 boys and 916 girls, in all 1810 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1598.

At the Royal Observatory, Greenwich, the readings of the barometer were high. The mean reading of the week was 30·054 in. The *highest* reading was 30·27 in. on Thursday. The mean temperature of the week was 52·8°, which is 5·8°

above the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was above the average throughout the week. The range of temperature was great on every day, and its mean was 29·2°. On Wednesday the thermometer in the shade rose to 71·1°, and fell to 38·1°. The *highest* point attained in the week was 72·9° on Thursday; the *lowest* point was 34·3° on Monday. The extreme range was therefore 38·6°. The difference between the mean dew point temperature and air temperature was 10°. The mean temperature of the water of the Thames was 53°. The mean degree of humidity of the atmosphere was only 65; on Saturday it was only 59, complete saturation being represented by 100. The wind blew from an easterly point. No rain fell.

Births Registered last Week, and in the Sixteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1298	1348	1471	1425	1608	1580	1789	1788	1887	1788	1598·2	1810
Males . .	694	679	755	706	789	812	891	916	923	904	806·9	894
Females .	604	669	716	719	819	768	898	872	964	884	791·3	916

Deaths Registered last Week, and in the Sixteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	991	1089	866	998	1021	1182	1193	1087	1043	1065	1053·5	1144
Males . .	492	572	434	554	559	612	609	545	563	539	547·9	575
Females .	499	517	432	444	462	570	584	542	480	526	505·6	569

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.
Births	1750	1842	1836	1963	1810	1644	2007	1960	1924	1735	1642	1965	1810
Deaths	1363	1314	1195	1275	1288	1353	1487	1431	1268	1374	1221	1207	1144
Deaths (except from Violence) . . .	1344	1282	1150	1250	1265	1330	1452	1396	1218	1261	1198	1187	1121
Deaths (except from Violence) at 60 years and upwards . .	336	337	279	299	305	287	339	306	237	270	243	213	243
Small-pox	2	3	4	4	2	4	7	4	3	1	3	3	..
Measles	50	57	57	34	57	55	59	45	50	59	58	55	41
Scarlatina	42	31	27	39	53	37	41	40	29	26	33	37	40
Whooping-cough . .	54	51	53	53	53	59	69	83	72	66	78	77	81
Typhus	34	32	35	34	27	22	34	41	26	40	22	37	33
Diarrhœa	5	8	8	11	9	20	20	13	12	11	17	12	9
Mean Temperature .	37°·5	37°·8	34°·3	34°·0	33°·1	31°·5	34°·7	48°·0	46°·6	44°·6	40°·3	46°·7	52°·8

DEATHS in LONDON, from ALL CAUSES, Registered in the SIXTEENTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 22 1848	Apr. 21 1849	Apr. 20 1850	Apr. 19 1851	Apr. 24 1852	Apr. 23 1853	Apr. 22 1854	Apr. 21 1855	Apr. 19 1856	Apr. 25 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, April 24, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	49°·1	37°·1	48°·9	46°·3	46°·0	45°·9	52°·6	49°·1	46°·0	46°·6	46°·8	Mean Temp. 52°·8					
	ALL CAUSES . . .	991	1089	866	998	1021	1182	1193	1087	1043	1065	1053·5	1144	580	151	166	196	51
	SPECIFIED CAUSES .	983	1060	836	971	1004	1155	1166	1065	1037	1051	1032·8	1138	576	149	166	196	51
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	262	262	188	229	221	231	307	218	242	204	236·4	262	220	17	15	9	1
II.	CONSTITUTIONAL „ .	228	263	201	208	236	252	254	229	247	249	236·7	237	88	74	57	18	..
III.	LOCAL „ .	374	413	343	400	401	523	457	438	425	463	423·7	477	196	52	87	123	19
IV.	DEVELOPMENTAL „ .	112	93	92	113	130	131	135	162	107	121	119·6	139	61	3	2	42	31
V.	VIOLENT DEATHS . .	7	29	12	21	16	18	13	18	16	14	16·4	23	11	3	5	4	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	249	236	173	216	208	214	292	200	220	186	219·4	244	208	16	11	8	1
	2. ENTHETIC „ . .	6	10	3	5	5	7	3	3	7	8	5·7	7	5	..	1	1	..
	3. DIETIC „ . .	4	9	10	6	8	9	9	10	11	9	8·5	8	4	1	3	..	..
	4. PARASITIC „ . .	3	7	2	2	..	1	3	5	4	1	2·8	3	3	..	..	..	..
II.	1. DIATHETIC „ . .	37	46	40	40	37	41	42	37	33	45	39·8	38	2	6	19	11	..
	2. TUBERCULAR „ . .	191	217	161	168	199	211	212	192	214	204	196·9	199	86	68	38	7	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	100	119	109	118	125	135	130	118	131	122	120·7	146	61	13	27	41	4
	2. „ OF ORGANS OF CIRCULATION .	25	36	34	41	33	54	34	41	34	56	38·8	36	5	4	12	13	2
	3. „ OF RESPIRATORY ORGANS . .	185	181	141	171	172	242	202	222	203	205	192·4	218	111	19	29	47	12
	4. „ OF DIGESTIVE ORGANS . . .	43	52	34	46	38	61	67	46	36	52	47·5	45	9	8	12	15	1
	5. „ OF URINARY ORGANS . . .	10	9	10	13	15	15	14	8	9	15	11·8	16	3	4	3	6	..
	6. „ OF ORGANS OF GENERATION .	6	6	6	7	2	6	3	..	5	6	4·7	3	..	..	3	..	..
	7. „ OF ORGANS OF LOCOMOTION .	3	5	3	2	10	6	2	2	1	5	3·9	10	6	2	1	1	..
	8. „ OF INTEGUMENTARY SYSTEM .	2	5	6	2	6	4	5	1	6	2	3·9	3	1	2	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	33	30	33	44	47	41	57	59	41	49	43·4	31	31	..	..	..	..
	2. „ OF ADULTS .	5	5	3	1	6	8	2	6	7	4	4·7	3	..	2	1	..	..
	3. „ OF OLD PEOPLE	45	35	42	48	56	43	49	53	32	31	43·4	63	..	..	..	32	31
	4. DISEASES OF NUTRITION .	29	23	14	20	21	39	27	44	27	37	28·1	42	30	1	1	10	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											22	11	3	4	4	..
	* 3. HOMICIDE												..	..	..	..	..	..
	4. SUICIDE												1	..	..	1	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	7	29	12	21	16	18	13	18	16	14	16·4	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	13	15	..	6	4	20	8	2	11	8·3	3	2	1	..	..	..
	CAUSES NOT SPECIFIED . .	4	16	15	27	11	23	7	14	4	3	12·4	3	2	1	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 22 1848	Apr. 21 1849	Apr. 20 1850	Apr. 19 1851	Apr. 24 1852	Apr. 23 1853	Apr. 22 1854	Apr. 21 1855	Apr. 19 1856	Apr. 25 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, April 24, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	49°·1	37°·1	48°·9	46°·3	46°·0	45°·9	52°·6	49°·1	46°·0	46°·6	46°·8	Mean Temp. 52°·8					
I.	ORDER 1.																	
	1. Small-pox	27	12	11	18	38	3	9	19	13	3	15·3	..	..	..	..	..	..
	2. Measles	16	24	17	35	16	24	51	12	33	30	25·8	41	40	1	..	..	..
	3. Scarlatina	57	38	19	8	38	26	42	46	27	20	32·1	40	38	1	1	..	..
	4. Quinsy	3	1	1	2	1	1	4	1	..	1	1·5	2	2	..	..	..	..
	5. Croup	10	8	8	11	14	4	7	7	14	9	9·2	15	15	..	..	..	..
	6. Whooping-cough	31	59	36	62	35	66	83	50	39	57	51·8	81	81	..	..	..	..
	7. Typhus (and Infantile fever)	62	46	35	37	37	48	48	36	56	29	43·4	33	17	6	4	6	..
	8. Erysipelas	8	12	8	5	6	5	8	4	10	7	7·3	5	2	..	3	..	..
	9. Metria	2	2	7	3	6	2	4	..	2	3	3·1	3	1	2	..	..	..
	10. Carbuncle	..	..	1	..	1	..	..	1	3	..	·6	2	..	..	2	..	..
	11. Influenza	11	3	3	12	2	2	3	2	2	..	4·0	..	..	..	..	..	..
	12. Dysentery	..	5	3	3	..	3	1	..	2	1	1·8	2	..	1	1	..	..
	13. Diarrhœa	13	18	19	12	1	18	26	11	8	17	14·3	9	6	1	..	1	1
	14. Cholera	..	1	..	..	..	1	2	..	2	..	·6	1	..	1	..	..	..
	15. Ague	1	1	..	..	..	3	..	..	..	..	·5	1	1	..	..	..	..
	16. Remittent Fever	2	2	..	3	3	1	2	1	4	3	2·1	3	3	..	..	..	..
	17. Rheumatism	6	4	5	5	10	7	2	10	5	6	6·0	6	2	3	..	1	..
	ORDER 2.																	
	1. Syphilis	4	8	1	3	3	5	3	1	6	6	4·0	5	5	..	..	..	..
	2. Stricture of Urethra	2	2	2	2	2	2	..	2	1	2	1·7	2	..	..	1	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	3	..	1	..	..	..	1	1	..	·6	..	..	..	..	..	..
	2. Want of Breast-milk	2	3	5	3	4	4	4	7	5	7	4·4	4	4	..	..	..	..
	3. Purpura and Scurvy	1	1	1	..	1	3	3	1	1	..	1·2	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	2	4	2	3	2	1	1	3	..	1·9	1	..	1	..	..	..
	4. Alcoholism { *b* Intemperance	..	..	..	..	..	..	1	..	1	2	·4	3	..	..	3	..	..
	ORDER 4.																	
	1. Thrush	3	7	2	2	..	1	3	5	4	1	2·8	3	3	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	1	2	4	4	1	1	2	1	4	2·2	..	..	..	..	..	..
	2. Dropsy	15	24	17	11	13	11	13	21	11	10	14·6	12	..	2	5	5	..
	3. Cancer	13	14	18	21	20	21	22	12	18	24	18·3	24	..	4	14	6	..
	4. Noma	3	1	..	..	..	1	1	1	1	2	1·0	2	2	..	..	..	..
	5. Mortification	4	6	3	4	..	7	5	1	2	5	3·7	..	..	..	..	..	..
	ORDER 2.																	
	1. Scrofula	13	13	9	10	9	12	14	7	7	7	10·1	8	8	..	..	..	..
	2. Tabes Mesenterica	13	11	8	16	12	17	21	12	17	14	14·1	13	13	..	..	..	..
	3. Phthisis	136	159	122	108	140	139	147	139	148	158	139·6	140	27	68	38	7	..
	4. Hydrocephalus	29	34	22	34	38	43	30	34	42	25	33·1	38	38	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	13	13	10	14	18	8	8	9	14	9	11·6	14	10	1	3	..	..
	2. Apoplexy	26	31	28	19	33	25	19	18	30	19	24·8	31	3	3	12	12	1
	3. Paralysis	6	17	16	22	22	25	32	25	17	24	20·6	29	1	3	3	20	2
	4. Insanity	1	..	1	1	1	1	1	4	..	2	1·2	3	..	2	1	..	..
	5. Chorea	..	..	2	..	1	..	..	1	..	..	·4	..	..	..	..	..	..
	6. Epilepsy	5	3	8	10	5	11	9	6	8	10	7·5	10	2	3	3	2	..
	7. Convulsions	35	45	35	39	30	51	45	40	44	42	40·6	41	41	..	..	..	..
	8. *Brain Disease, &c.*	14	10	9	13	15	14	16	15	18	16	14·0	18	4	1	5	7	1
	ORDER 2.																	
	1. Pericarditis	2	1	3	3	2	2	2	4	1	3	2·3	..	..	..	..	..	..
	2. Aneurism	3	..	1	1	1	4	1	..	1	2	1·4	2	..	..	2	..	..
	3. *Heart Disease, &c.*	20	35	30	37	30	48	31	37	32	51	34·1	34	5	4	10	13	2
	ORDER 3.																	
	1. Laryngitis	6	5	5	2	7	13	7	10	11	5	7·1	9	7	1	1	..	..
	2. Bronchitis	73	76	56	83	71	126	90	103	87	108	87·3	120	48	6	18	37	11
	3. Pleurisy	5	5	2	1	7	2	1	4	5	1	3·3	7	2	3	1	1	..
	4. Pneumonia	69	69	64	52	61	80	83	94	84	71	72·7	62	52	4	4	2	..
	5. Asthma	19	17	9	19	17	16	10	7	10	14	13·8	9	..	1	3	4	1
	6. *Lung Disease, &c.*	13	9	5	14	9	5	11	4	6	6	8·2	11	2	4	2	3	..
	ORDER 4.																	
	1 Gastritis	2	1	1	4	3	3	4	3	2	4	2·7	4	..	..	..	4	..
	2. Enteritis	..	6	2	5	3	9	9	3	4	6	4·7	9	3	2	2	2	..
	3. Peritonitis	6	1	4	4	..	4	4	4	2	3	3·2	4	..	3	1	..	..
	4. Ascites	5	5	4	2	3	4	3	7	2	1	3·6	1	..	..	..	..	1
	5. Ulceration of Intestines	1	3	..	3	2	4	6	2	3	1	2·5	2	2	..	..	..	..
	6. Hernia	4	2	4	2	3	8	5	2	2	6	3·8	1	..	..	1	..	..
	7. Ileus	3	3	..	5	3	4	3	1	..	4	2·6	6	..	..	3	3	..
	8. Intussusception	1	2	1	..	3	2	1	..	2	1	1·3	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the SIXTEENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 22 1848	Apr. 21 1849	Apr. 20 1850	Apr. 19 1851	Apr. 24 1852	Apr. 23 1853	Apr. 22 1854	Apr. 21 1855	Apr. 19 1856	Apr. 25 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, April 24, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	49°·1	37°·1	48°·9	46°·3	46°·0	45°·9	52°·6	49°·1	46°·0	46°·6	46°·8	52°·8					
	9. Stricture of Intestines	..	2	4	1	..	..	..	..	..	1	·8	..	..	..	..	..	..
	10. Fistula	..	..	..	..	..	1	1	2	..	1	·5	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	7	7	4	3	2	4	6	5	2	6	4·6	4	1	1	1	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	2	2	5	4	5	3	5	3	4	3	3·6	1	..	..	1	..	..
	14. Jaundice	3	1	1	6	3	4	7	6	2	5	3·8	2	1	..	..	1	..
	15. *Liver Disease, &c.*	8	17	4	7	7	11	13	8	11	10	9·6	10	1	2	3	4	..
	16. *Spleen Disease, &c.*	1	..	..	..	1	..	..	..	..	..	·2	1	1	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	2	..	1	3	..	..	1	·7	1	..	1	..	..	..
	2. Ischuria	..	1	..	..	..	..	..	1	..	1	·3	..	..	..	..	..	..
	3. Nephria	3	..	2	3	5	3	3	3	2	4	2·8	3	1	..	2	..	..
	4. Diabetes	1	2	..	..	1	1	1	1	..	..	·7	2	1	1	..	..	..
	5. Stone	..	1	1	..	1	..	1	..	..	1	·5	..	..	..	..	..	..
	6. Cystitis	..	..	1	..	1	1	..	1	1	2	·7	2	..	..	..	2	..
	7. *Kidney Disease, &c.*	6	5	6	8	7	9	6	2	6	6	6·1	8	1	2	1	4	..
	ORDER 6.																	
	1. Ovarian Dropsy	3	1	2	1	..	3	1	..	1	1	1·3	3	..	..	3	..	..
	2. *Uterus Disease, &c.*	3	5	4	6	2	3	2	..	4	5	3·4	..	..	..	..	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	1	..	..	..	..	..	2	·3	1	1	..	..	..	..
	2. *Joint Disease, &c.*	3	5	3	1	10	6	2	2	1	3	3·6	9	5	2	1	1	..
	ORDER 8.																	
	1. Phlegmon	1	1	5	..	4	3	2	1	3	..	2·0	2	1	1	..	..	..
	2. Ulcer	..	3	1	..	1	..	2	..	2	2	1·1	1	..	1	.	..	..
	3. *Skin Disease, &c.*	1	1	..	2	1	1	1	..	1	..	·8	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	24	22	20	27	28	22	35	36	23	23	26·0	11	11	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												2	2	..	..	..	..
	4. Other Malformations	3	1	4	3	4	6	10	..	7	5	4·3	3	3	..	..	..	..
	5. Teething	6	7	9	14	15	13	12	23	11	21	13·1	14	14	..	..	..	..
	ORDER 2.																	
	1. Paramenia	1	..	..	..	1	..	..	1	..	..	·3	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	4	5	3	1	5	8	2	5	7	4	4·4	3	..	2	1	..	..
	ORDER 3.																	
	1. Old Age	45	35	42	48	56	43	49	53	32	31	43·4	63	..	..	..	32	31
	ORDER 4.																	
	1. Atrophy and Debility	29	23	14	20	21	39	27	44	27	37	28·1	42	30	1	1	10	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	8	2	1	3	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	3	3	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	..	2	..	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	6	5	..	..	1	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	7	29	12	21	16	18	13	18	16	14	16·4	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	4	13	15	..	6	4	20	8	2	11	8·3	3	2	1	..	..	..
	Causes not specified or ill-defined	4	16	15	27	11	23	7	14	4	3	12·4	3	2	1	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the SIXTEENTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Apr. 22 1848	Apr. 21 1849	Apr. 20 1850	Apr. 19 1851	Apr. 24 1852	Apr. 23 1853	Apr. 22 1854	Apr. 21 1855	Apr. 19 1856	Apr. 25 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Apr. 24 1858.
Mean Temperature . . .			49·1°	37·1°	48·9°	46·3°	46·0°	45·9°	52·6°	49·1°	46·0°	46·6°	46·8°	52·8°
LONDON	78029	2362236	991	1089	866	998	1021	1182	1193	1087	1043	1065	1053·5	1144
1-6. WEST DISTRICTS .	10786	376427	132	176	123	174	148	179	211	177	162	158	164·0	169
7-11. NORTH DISTRICTS .	13533	490396	202	207	206	204	197	234	219	212	235	230	214·6	269
12-19. CENTRAL DISTRICTS	1938	393256	191	197	143	182	178	184	196	179	168	179	179·7	166
20-25. EAST DISTRICTS .	6230	485522	205	254	167	194	198	270	267	233	208	243	223·9	210
26-36. SOUTH DISTRICTS .	45542	616635	261	255	227	244	300	315	300	286	270	255	271·3	330
1. Kensington* HHHH .	7374	120004	28	30	34	50	39	61	74	59	58	55	48·8	53
2. Chelsea H*w* . . .	865	56538	19	26	18	24	34	26	41	37	38	23	28·6	21
3. St. George Hanover-sq. H	1161	73230	34	37	21	32	24	23	41	26	27	37	30·2	39
4. Westminster* HHHH .	917	65609	25	51	20	42	30	44	32	37	20	20	32·1	40
5. St. Martin-in-the-Fields H	305	24640	16	15	19	10	9	16	10	7	8	9	11·9	10
6. St. James Westminster .	164	36406	10	17	11	16	12	9	13	11	11	14	12·4	6
7. Marylebone HH . .	1509	157696	61	66	80	61	77	81	74	76	67	82	72·5	68
8. Hampstead	2252	11986	3	3	1	3	4	7	6	6	9	2	4·4	8
9. Pancras HH*w* . . .	2716	166956	93	87	70	71	54	83	69	57	65	73	72·2	106
10. Islington HHH . .	3127	95329	32	31	37	46	41	37	42	38	64	52	42·0	56
11. Hackney* H*w* . . .	3929	58429	13	20	18	23	21	26	28	35	30	21	23·5	31
12. St. Giles* H . . .	245	54214	16	40	22	41	33	40	33	27	31	15	29·8	20
13. Strand* H	174	44460	24	23	12	17	12	17	12	23	15	22	17·7	13
14. Holborn* H . . .	196	46621	23	27	23	20	12	30	25	23	20	25	22·8	24
15. Clerkenwell	380	64778	27	21	27	23	29	28	34	15	29	30	26·3	20
16. St. Luke HH . . .	220	54055	37	25	14	21	30	19	32	20	17	19	23·4	31
17. East London* . . .	153	44406	20	24	6	21	20	13	21	22	21	18	18·6	24
18. West London* H . .	136	28790	25	21	23	13	26	21	26	37	24	28	24·4	20
19. London City* . . .	434	55932	19	16	16	26	16	16	13	12	11	22	16·7	14
20. Shoreditch *w* . . .	646	109257	46	61	37	41	49	74	60	46	45	63	52·2	53
21. Bethnal Green H . .	760	90193	35	42	26	27	33	41	43	29	24	37	33·7	41
22. Whitechapel* HH . .	406	79759	40	64	32	27	34	52	40	47	40	41	41·7	30
23. St. George in the East .	243	48376	28	14	17	26	18	26	24	24	28	13	21·8	18
24*a*. Stepney*	576	54173	41	52	39	47	52	53	58	56	44	53	49·5	15
24*b*. Mile-end Old Town H*w*	681	56602												34
25. Poplar* H*w* . . .	2918	47162	15	21	16	26	12	24	42	31	27	36	25·0	19
26. St. Saviour Southwark* HH	250	35731	10	19	11	16	23	15	22	17	12	15	16·0	17
27. St. Olave Southwark* HH	169	19375	14	24	17	23	25	23	20	18	12	19	19·5	16
28. Bermondsey	688	48128	26	28	14	18	17	22	26	28	22	19	22·0	41
29. St. George Southwark .	282	51824	17	23	21	23	24	27	24	26	27	14	22·6	16
30. Newington	624	64816	30	20	25	20	36	18	20	21	17	26	23·3	36
31. Lambeth H	4015	139325	60	46	51	51	61	66	76	58	55	62	58·6	65
32. Wandsworth* . . .	11695	50764	22	19	19	18	20	15	18	29	22	11	19·3	23
33. Camberwell	4342	54667	13	16	14	20	21	37	28	15	27	25	21·6	25
34. Rotherhithe	886	17805	7	5	4	6	10	8	5	10	10	9	7·4	10
35. Greenwich* HHHHH .	5367	99365	57	44	41	36	53	63	48	43	48	39	47·2	60
36. Lewisham*	17224	34835	5	11	10	13	10	21	13	21	18	16	13·8	21

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending April 17. Total.	Males.	Females.	In the Week ending April 24. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	166	97	69	178	94	84
45 WORKHOUSES	95	44	51	107	45	62
14 PRISONS . . . . . ‡	–	–	–	1	–	1
4 MILITARY AND NAVAL ASYLUMS . . . . §	6	6	–	8	8	–
15 GENERAL HOSPITALS	53	36	17	44	26	18
7 HOSPITALS FOR SPECIAL DISEASES	–	–	–	5	4	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	1	1	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	7	7	–	6	6	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	1	1	–
19 LUNATIC ASYLUMS	3	2	1	6	4	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 24th April 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	–	41	40	81	9	33
No.*							
1-6 WEST DISTRICTS - -	376427	-	5	5	10	1	2
7-11 NORTH DISTRICTS - -	490396	-	6	7	19	2	7
12-19 CENTRAL DISTRICTS -	393256	-	9	3	13	-	5
20-25 EAST DISTRICTS - -	485522	-	9	9	12	2	11
26-36 SOUTH DISTRICTS - -	616635	-	12	16	27	4	8
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	1	-	1	-	-
2 St. John Paddington H -	29053	-	-	-	-	-	-
3 Kensington Town *W* L -	29183	-	2	-	3	-	1
4 Brompton HH - -	14870	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	1
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	-	1	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	2	-	1	-
3 Chelsea North-east L -	19819	-	-	-	2	-	-
3; 1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	-	2	-	-
4; 1 St. John Westmr. HHHP	34295	-	2	-	-	-	-
2 St. Margaret West. *W* HP	31314	-	-	2	1	-	-
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	-	1	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	-	-	1	-
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	1	-	-	-
4 St. Mary Marylebone H -	22814	-	-	-	1	-	-
5 Christchurch Marylebone	33895	-	-	2	-	-	-
6 St. John Marylebone -	29826	-	-	-	1	-	-
8; 1 Hampstead *W* - -	11986	-	-	-	1	-	-
9; 1 Regent's Park Pancras -	31918	-	-	-	-	-	1
2 Tottenham-court *w*H -	28433	-	-	-	1	-	-
3 Gray's-inn-lane H -	26523	-	-	-	4	-	-
4 Somers-town - - -	35641	-	2	1	3	-	-
5 Camden-town *W* - -	21115	-	-	1	-	1	-
6 Kentish-town - - -	23326	-	-	-	1	-	-
10; 1 Islington West† *W* HHHPP	47881	-	2	-	3	-	3
2 Islington East - - -	47448	-	2	1	2	-	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	1	-	-	-
3 West Hackney L - -	18732	-	-	-	1	-	1
4 Hackney *W* H*w* - -	20850	-	-	-	1	-	2
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	1	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	-	1
3 St. Giles North - -	17456	-	-	-	1	-	1
13; 1 St. Anne Soho - - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	1	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	2	-	1	-	-
2 Amwell Clerkenwell P -	15720	-	1	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	-	-	-	-	-
3 Whitecross-street - -	13657	-	1	1	1	-	-
4 Finsbury - - - -	12941	-	1	1	-	-	-
17; 1 St. Botolph East London	23824	-	-	-	1	-	1
2 Cripplegate P - -	20582	-	2	-	4	-	1
18; 1 West London North *W* HP	12946	-	1	-	3	-	1
2 West London South P -	15844	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	1	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	1	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	1	1	-	-
2 St. Leonard Shoreditch L	19449	-	1	1	1	1	2
3 Hoxton New Town *w* -	23505	-	-	-	1	-	-
4 Hoxton Old Town - -	17431	-	-	-	-	-	-
5 Haggerstone West *W* -	20276	-	-	-	-	1	3
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney Road - -	23910	-	1	-	1	-	-
2 Green, Bethnal Green *W* HL	23555	-	1	-	-	-	-
3 Church, Bethnal Green -	21787	-	-	-	-	-	-
4 Town, Bethnal Green -	20941	-	1	1	2	-	1
22; 1 Artillery Whitechapel -	6769	-	-	1	-	-	-
2 Spitalfields - - -	15336	-	1	-	-	-	1
3 Mile End New Town *W* -	14543	-	1	-	-	-	1
4 Whitechapel North *W* -	12530	-	-	-	2	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	1	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	1	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	2	-	-
3 St. John St. Geo. East *W*	9990	-	2	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	1	1	-	-
3 Limehouse *W* - -	22782	-	-	-	-	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	-	-	-	1
2 Mile End Old T., East. *Ww*H	27020	-	-	2	1	-	1
25; 1 Bow *w*LH - - -	18778	-	-	-	-	-	1
2 Poplar *W* - - -	28384	-	-	1	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	3	1	-	-	1
2 St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	1	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	1	3	-	-
2 St. Mary Magdalen *W* -	13934	-	1	-	1	1	1
3 Leather Market - -	15295	-	-	1	2	-	1
29; 1 Kent Road - - -	18126	-	-	-	3	-	1
2 Borough Road *W* P -	15862	-	-	-	-	-	-
3 London Road LP - -	17836	-	-	-	-	-	-
30; 1 Trinity Newington P -	20922	-	-	-	3	-	-
2 St. Peter Walworth *W* -	29861	-	-	2	-	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	1	-	1	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	1	-	-
3 Lambeth Church 1st -	18409	-	1	1	1	-	-
4 Lambeth Church 2nd *W*	26784	-	1	2	3	-	-
5 Kennington 1st - -	24261	-	-	2	1	-	-
6 Kennington 2nd - -	18848	-	-	-	-	1	-
7 Brixton L - - -	14610	-	1	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	1	-	1	-	-
2 Battersea *W* - - -	10560	-	-	-	1	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	1
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	1	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	1	-	-
3 Peckham - - - -	19444	-	-	-	-	-	1
4 St. George Camberwell -	15849	-	-	-	1	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	-	-	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	1	-	1	-	2
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	1	-
6 Woolwich Arsenal HPH	15227	-	-	1	-	-	-
36; 1 Plumstead - - -	13191	-	-	4	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	1	-
4 Lewisham Village *W* -	6097	-	-	-	2	-	-
5 Sydenham - - -	4501	-	1	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 24th April 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
April.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	18	..	30·055	62·0	36·7	25·3	47·8	40·6	84·2	30·0	52·3	49·5	7·2	18·4	0·8	+ 1·4	76	N.E.	E.	0·0	0·0	0·0	10	0·00
Monday . .	19	..	29·931	65·7	34·3	31·4	49·8	40·2	87·2	22·6	52·3	49·5	9·6	21·7	1·0	+ 3·3	64	E.	S.E.	0·0	0·0	0·0	30	0·00
Tuesday .	20	First Quarter.	29·948	68·0	37·1	30·9	52·6	44·3	88·5	29·2	53·8	49·5	8·3	19·1	1·7	+ 5·9	68	S.E. & N.	N.N.E. & E.S.E.	0·0	0·0	0·0	0	0·00
Wednesday	21	..	30·112	71·1	38·1	33·0	55·0	45·0	91·9	28·8	54·7	50·9	10·0	24·7	1·2	+ 8·0	62	E.S.E.	Calm	0·0	0·0	0·0	5	0·00
Thursday.	22	..	30·251	72·9	42·7	30·2	56·2	44·7	94·7	37·3	56·7	53·2	11·5	23·9	6·9	+ 8·7	62	E.S.E.	E.	0·0	0·0	0·0	40	0·00
Friday . .	23	..	30·107	69·3	40·3	29·0	54·2	43·3	89·6	30·4	56·7	52·7	10·9	22·1	6·7	+ 6·6	61	E.	E.N.E.	0·0	0·0	0·0	90	0·00
Saturday .	24	In Equator.	29·971	67·0	42·0	25·0	54·3	41·5	89·0	31·8	56·7	53·2	12·8	22·7	1·5	+ 6·7	59	E.N.E. & S.W.	W.	0·0	0·0	0·0	110	0·00
Means . .		..	30·054	68·0	38·7	29·2	52·8	42·8	89·3	30·0	54·8	51·2	10·0	21·8	2·8	+ 5·8	65	E.		..	..	..	Sum 285	Sum 0·00
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
April.			
Sunday . .	18	Strong positive throughout the day.	Cloudless throughout the day.
Monday . .	19	Strong positive throughout the day.	Cloudless throughout the day.
Tuesday . .	20	Positive, with variable tension. Sparks were shown at night.	Generally cloudy till noon, clear for the most part afterwards.
Wednesday	21	Strong positive throughout the day.	Cloudless throughout the day; at noon thick haze was prevalent.
Thursday .	22	Positive, with moderate tension till evening; strong positive afterwards.	Cloudless throughout the day.
Friday . .	23	Strong positive throughout the day.	Cloudless throughout the day.
Saturday .	24	Weak positive during the morning; weak negative at noon; positive, with variable tension at other times of the day.	Partially cloudy till the afternoon, clear sky afterwards.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 30·03 in. at the beginning of the week to 30·09 in. by 10h. A.M. on the 18th; decreased to 29·91 in. by 3h. P.M. on the 19th; increased to 30·27 in. by 9h. P.M. on the 22d; decreased to 30·24 in. by 3h. P.M.; and increased to 30·26 in. by 9h. P.M. on the same day; then decreased to 29·96 in. by 9h. A.M. on the 24th; and increased to 30·00 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, May 1. [No. 17.

General Register Office, Somerset House,
May 3d, 1858.

The deaths registered in London in the first three weeks of April were successively 1221, 1207, and 1144; in the last week ending Saturday May 1st they were 1125. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1045, but as the deaths in the present return occurred in an increased population, they should be compared with the average, after the latter is raised in proportion to the increase, a correction which will make it 1149. The deaths of last week were, therefore, less by 24 than the number which the average rate of mortality would have produced.

The births returned for the same time exceed the deaths by 592.

The last two returns show a decrease in deaths by zymotic diseases from 262 to 254, and in those by "local" diseases, which include diseases of the respiratory organs, from 477 to 444. Whooping-cough still predominates in the zymotic class, and caused 69 deaths, a number which, however, is not so great as those of some previous weeks. Measles was fatal in 54 cases, scarlatina in 32, typhus in 31. Out of 11 deaths registered in the sub-district of St. James, Bermondsey, 5 were from measles, one from scarlatina, and 2 from whooping-cough; and in Rotherhithe out of 10 registered, one was from measles, 3 from scarlatina, 2 from whooping-cough, and one from typhus; two thirds of the total mortality in the two sub-districts were caused by diseases of the epidemic character. Eleven persons died last week of diarrhœa, and 2 of "English cholera"; the latter disease was fatal to a girl after 12 hours' illness, and to a boy who died after an illness of 60 hours' duration. Amongst remarkable cases in this return are the following: a grocer, aged 26 years, died in consequence of having swallowed false teeth during his sleep, which produced hæmorrhage from the stomach; a painter died of colica pictonum; a woman died after delivery by the Cæsarian operation; and a young soldier in the University College Hospital from a gunshot wound he had received at the storming of the Redan. The names of four nonagenarians, all widows, were inscribed in the registers, the oldest of whom died at 6 Boot-street, Hoxton Old Town, at the age of 98 years.

Last week the births of 851 boys and 866 girls, in all 1717 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1613.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·566 in. The barometrical readings decreased from 30 in. on Sunday to 28·95 in. on Saturday. The mean temperature of the week was 47·1°, which is 1·5° below the average of the same week in 43 years (as determined by Mr. Glaisher). The *highest* point attained by the thermometer in the shade was 65° on Wednesday; the *lowest* was 36·5° on Saturday, on which day the mean temperature was less than the average by 6·9°. The extreme range in the week was 28·5°. The mean daily range was 17°. The difference between the mean dew point temperature and air temperature was 5·6°; the mean degree of humidity of the air was 83. The mean temperature of the water of the Thames was 55·2°. On the last three days the wind was in the south or south-west. Rain fell to the amount of 0·84 in., a great part of which fell early in the morning of Thursday. On Friday there were heavy showers of hail, and frequent thunder.

Islington; *West.*—At the Great Northern Hospital, King's Cross, from 29 Sidney-street, Somers town, on 23d April, the son of a painter and glazier, aged 11 years "English cholera." *Post mort.* "He was suddenly seized with vomiting on 20th instant at bed time, without any known cause; continuing ill the following day he was removed on the 22d to the Great Northern Hospital, his mouth being nearly closed. He died there on the following morning after 60 hours' illness.

St. George Southwark; *Kent Road.*—At 21 Pitt-street, on 24th April, the daughter of a seaman, aged 8 years, "English cholera" (12 hours).

St. George Hanover-square; *Hanover-square.*—At 77 Park-street, Grosvenor-square, on 22d April, the daughter of a veterinary surgeon, aged 11 months, "gastric fever (8 days); apnœa from the introduction of food into the larynx (instantaneous)."

St. George Hanover-square; *Belgrave.*—At 44 Grosvenor-row, on 29th April, grocer, &c., (master), aged 26 years, "hæmorrhage from the stomach (6 hours), after having swallowed false teeth during sleep (5 days)."

Pancras; *Tottenham-court-road.*—At the University College Hospital, from Somers-town, on 25th April, private soldier, aged 24 years, "gun-shot wound received at the storming of the Redan."

St. Luke; *Old-street.*—At St. Mark's Hospital, on 15th April, a drover, aged 38 years, "hæmorrhoids, operation, tetanus, (5 days)."

Stepney; *Limehouse.*—At 3 Farmers-row, on 26th April, the son of a bricklayer's labourer, aged 1 year, "acute ophthalmia with total loss of eye balls."

St. George Southwark; *Borough-road.*—At 45 Friar-street, on 27 April, plumber, painter, and glazier (journeyman), aged 49 years, "colica pictonum (2 days), collapse."

Greenwich; *St. Pauls Deptford.*—On 23d April, wife of a brass finisher, aged 34 years, "child-birth, placental presentation, flooding (one hour), Cæsarian operation, dead male child."

Births Registered last Week, and in the Seventeenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1511	1528	1499	1503	1536	1622	1566	1756	1861	1745	1612·7	1717
Males . .	729	776	729	771	806	852	742	892	945	896	813·8	851
Females . .	782	752	770	732	730	770	824	864	916	849	798·9	866

Deaths Registered last Week, and in the Seventeenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	966	1058	803	1075	1026	1089	1211	1132	1048	1038	1044·6	1125
Males . .	515	533	391	569	524	537	603	581	533	535	532·1	618
Females .	451	525	412	506	502	552	608	551	515	503	512·5	507

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.
Births	1842	1836	1963	1810	1644	2007	1960	1924	1735	1642	1965	1810	1717
Deaths	1314	1195	1275	1288	1353	1487	1431	1268	1374	1221	1207	1144	1125
Deaths (except from Violence) . . .	1282	1150	1250	1265	1330	1452	1396	1218	1261	1198	1187	1121	1093
Deaths (except from Violence) at 60 years and upwards . .	337	279	299	305	287	339	306	237	270	243	213	243	217
Small-pox	3	4	4	2	4	7	4	3	1	3	3	..	2
Measles	57	57	34	57	55	59	45	50	59	58	55	41	54
Scarlatina	31	27	39	53	37	41	40	29	26	33	37	40	32
Whooping-cough . .	51	53	53	53	59	69	83	72	66	78	77	81	69
Typhus	32	35	34	27	22	34	41	26	40	22	37	33	31
Diarrhœa	8	8	11	9	20	20	13	12	11	17	12	9	11
Mean Temperature .	37°·8	34°·3	34°·0	33°·1	31°·5	34°·7	48°·0	46°·6	44°·6	40°·3	46°·7	52°·8	47°·1

DEATHS in LONDON, from ALL CAUSES, Registered in the SEVENTEENTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 29 1848	Apr. 28 1849	Apr. 27 1850	Apr. 26 1851	May 1 1852	Apr. 30 1853	Apr. 29 1854	Apr. 28 1855	Apr. 26 1856	May 2 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 1, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44°·0	45°·9	46°·8	49°·9	48°·6	42°·5	43°·0	44°·0	48°·5	41°·5	45°·5	Mean Temp. 47°·1					
	ALL CAUSES	966	1058	803	1075	1026	1089	1211	1132	1048	1038	1044·6	1125	616	145	142	190	32
	SPECIFIED CAUSES	959	1025	771	1046	1010	1079	1185	1117	1014	1000	1020·6	1111	605	145	141	188	32
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	249	246	165	246	248	243	311	244	216	213	238·1	256	221	12	15	6	2
II.	CONSTITUTIONAL "	254	237	184	231	235	262	280	284	219	242	242·8	233	90	72	43	26	2
III.	LOCAL "	341	421	308	430	388	437	427	419	424	388	398·3	444	199	49	74	116	6
IV.	DEVELOPMENTAL "	103	105	91	122	120	121	144	140	121	143	121·0	146	83	5	1	36	21
V.	VIOLENT DEATHS	12	16	23	17	19	16	23	30	34	14	20·4	32	12	7	8	4	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	237	229	155	234	231	223	290	225	198	193	221·5	237	206	9	15	5	2
	2. ENTHETIC "	2	7	2	..	6	7	8	4	4	9	4·9	4	3	1	..	..	..
	3. DIETIC "	9	9	8	7	10	12	11	15	13	10	10·4	10	7	2	..	1	..
	4. PARASITIC "	1	1	..	5	1	1	2	..	1	1	1·3	5	5	..	..	..	..
II.	1. DIATHETIC "	35	40	37	35	38	40	37	38	31	41	37·2	40	5	3	12	18	2
	2. TUBERCULAR "	219	197	147	196	197	222	243	246	188	201	205·6	193	85	69	31	8	..
III.	1. DISEASES OF NERVOUS SYSTEM	102	125	99	129	102	113	117	105	129	100	112·1	130	76	10	10	34	..
	2. " OF ORGANS OF CIRCULATION	34	42	31	36	37	50	48	36	48	31	39·3	42	2	8	15	17	..
	3. " OF RESPIRATORY ORGANS	148	194	112	197	187	206	186	190	196	177	179·3	202	110	17	33	36	6
	4. " OF DIGESTIVE ORGANS	42	48	42	45	42	46	40	57	36	53	45·1	37	7	6	11	13	..
	5. " OF URINARY ORGANS	6	6	13	12	7	10	19	16	9	14	11·2	22	2	4	3	13	..
	6. " OF ORGANS OF GENERATION	2	2	4	4	3	4	5	1	1	6	3·2	5	..	3	2	..	..
	7. " OF ORGANS OF LOCOMOTION	5	2	4	4	3	3	6	6	2	2	3·7	3	1	1	..	1	..
	8. " OF INTEGUMENTARY SYSTEM	2	2	3	3	7	5	6	8	3	5	4·4	3	1	..	..	2	..
IV.	1. DEV. DISEASES OF CHILDREN	28	32	37	45	47	35	61	47	46	50	42·8	40	40	..	..	..	..
	2. " OF ADULTS	7	7	10	8	6	5	3	6	4	2	5·8	5	..	4	1	..	..
	3. " OF OLD PEOPLE	40	44	28	45	42	47	43	50	39	45	42·3	50	..	..	..	29	21
	4. DISEASES OF NUTRITION	28	22	16	24	25	34	37	37	32	46	30·1	51	43	1	..	7	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											31	12	6	8	4	1
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												..	..	..	..	..	..
	5. EXECUTION												1	..	1	..	..	..
	VIOLENT DEATHS NOT CLASSED	12	16	23	17	19	16	23	30	34	14	20·4	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	6	14	23	7	9	3	11	5	2	10	9·0	12	9	..	1	2	..
	CAUSES NOT SPECIFIED	1	19	9	22	7	7	15	10	32	28	15·0	2	2	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 29 1848	Apr. 28 1849	Apr. 27 1850	Apr. 26 1851	May 1 1852	Apr. 30 1853	Apr. 29 1854	Apr. 28 1855	Apr. 26 1856	May 2 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 1, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
													Mean Temp.					
	Mean Temperature	44·0°	45·9°	46·8°	49·9°	48·6°	42·5°	43·0°	44·0°	48·5°	41·5°	45·5°	47·1°					
I.	ORDER 1.																	
	1. Small-pox	28	15	7	9	34	3	10	30	9	1	14·6	2	2	..	..	..	..
	2. Measles	27	27	17	67	19	24	36	15	26	36	29·4	54	54	..	..	..	..
	3. Scarlatina	44	47	21	10	45	37	64	45	22	17	35·2	32	30	2	..	..	..
	4. Quinsy	..	2	2	1	1	1	1	..	2	2	1·2	2	2	..	..	..	..
	5. Croup	6	10	5	5	8	8	11	9	14	8	8·4	12	12	..	..	..	..
	6. Whooping-cough	25	51	35	66	42	67	59	50	34	60	48·9	69	69	..	..	..	..
	7. Typhus (and Infantile fever)	67	34	26	33	38	42	57	31	59	38	42·5	31	17	2	9	2	1
	8. Erysipelas	9	7	9	3	6	4	10	8	5	6	6·7	6	2	2	1	1	..
	9. Metria	3	8	3	2	6	3	3	3	3	..	3·4	1	..	1	..	..	..
	10. Carbuncle	..	..	..	..	1	..	5	..	1	1	·8	..	..	..	..	..	..
	11. Influenza	7	3	4	7	6	3	3	2	..	1	3·6	..	..	..	..	..	..
	12. Dysentery	3	2	3	1	5	4	2	1	1	1	2·3	1	..	..	1	..	..
	13. Diarrhœa	9	16	11	21	6	20	19	21	12	14	14·9	11	7	1	1	1	1
	14. Cholera	2	1	1	..	..	1	..	2	..	..	·7	2	2	..	..	..	..
	15. Ague	..	..	..	..	..	..	1	..	..	..	·1	1	..	..	1	..	..
	16. Remittent fever	1	3	2	2	6	2	2	3	2	1	2·4	6	6	..	..	..	..
	17. Rheumatism	6	3	9	7	8	4	7	5	8	7	6·4	7	3	1	2	1	..
	ORDER 2.																	
	1. Syphilis	1	7	2	..	6	6	5	3	4	7	4·1	4	3	1	..	..	..
	2. Stricture of Urethra	1	..	..	..	..	1	3	1	..	2	·8	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	1	..	1	..	2	..	1	..	..	·6	..	..	..	..	..	..
	2. Want of Breast-milk	2	4	4	4	4	5	5	8	6	3	4·5	7	7	..	..	..	..
	3. Purpura and Scurvy	2	..	2	..	2	..	2	2	1	..	1·1	1	..	..	..	1	..
	4. Alcoholism { *a* Del. Tremens	3	2	1	2	3	4	4	3	4	2	2·8	2	..	2	..	..	..
	4. Alcoholism { *b* Intemperance	1	2	1	..	1	1	..	1	2	5	1·4	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	1	1	..	5	1	1	2	..	1	1	1·3	4	4	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848-57 classed in this Table with *Dis. of Stomach.*											1	1	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	1	..	1	2	2	2	..	1	..	·9	1	..	..	..	..	1
	2. Dropsy	18	9	14	19	17	11	15	15	10	10	13·8	12	4	1	3	4	..
	3. Cancer	12	27	20	10	16	21	14	22	16	26	18·4	20	..	1	9	10	..
	4. Noma	2	..	1	..	..	1	1	..	..	..	·5	..	..	..	..	..	..
	5. Mortification	3	3	2	5	3	5	5	1	4	5	3·6	7	1	1	..	4	1
	ORDER 2.																	
	1. Scrofula	9	7	5	10	9	9	13	12	5	7	8·6	11	10	1	..	..	..
	2. Tabes Mesenterica	17	24	13	17	16	26	23	22	13	11	18·2	7	7	..	..	..	..
	3. Phthisis	147	136	110	139	131	152	169	176	139	150	144·9	136	29	68	31	8	..
	4. Hydrocephalus	46	30	19	30	41	35	38	36	31	33	33·9	39	39	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	13	9	10	12	7	9	8	9	7	8	9·2	17	15	1	1	..	..
	2. Apoplexy	20	30	22	19	27	29	26	20	31	32	25·6	27	6	..	5	16	..
	3. Paralysis	18	20	21	23	18	16	22	19	17	11	18·5	15	1	3	1	10	..
	4. Insanity	..	3	1	3	1	2	3	2	7	2	2·4	2	..	..	..	2	..
	5. Chorea	..	..	..	1	1	..	..	..	..	..	·2	..	..	..	..	..	..
	6. Epilepsy	3	5	10	6	4	9	8	5	9	4	6·3	11	3	3	3	2	..
	7. Convulsions	34	41	23	44	37	35	33	30	42	25	34·4	44	44	..	..	..	..
	8. *Brain Disease, &c.*	14	17	12	21	7	13	17	20	16	18	15·5	14	7	3	..	4	..
	ORDER 2.																	
	1. Pericarditis	..	3	2	2	4	3	4	3	2	2	2·5	1	..	..	..	1	..
	2. Aneurism	..	..	3	..	1	3	3	..	5	1	1·6	..	..	..	..	..	..
	3. *Heart Disease, &c.*	34	39	26	34	32	44	41	33	41	28	35·2	41	2	8	15	16	..
	ORDER 3.																	
	1. Laryngitis	4	4	4	5	4	3	8	7	8	5	5·2	5	4	1	..	..	..
	2. Bronchitis	49	91	46	73	86	100	84	92	84	84	78·9	103	42	8	17	31	5
	3. Pleurisy	9	4	4	3	8	2	3	7	2	1	4·3	5	..	..	4	1	..
	4. Pneumonia	72	65	49	90	67	75	70	65	85	74	71·2	82	63	7	10	1	1
	5. Asthma	6	19	6	18	5	18	11	8	12	11	11·4	3	..	..	1	2	..
	6. *Lung Disease, &c.*	8	11	3	8	17	8	10	11	5	2	8·3	4	1	1	1	1	..
	ORDER 4.																	
	1. Gastritis	1	1	1	2	1	1	..	2	2	..	1·1	4	1	..	1	2	..
	2. Enteritis	8	9	6	7	5	6	5	6	6	6	6·4	1	1	..	..	..	..
	3. Peritonitis	5	4	3	4	2	6	2	2	3	1	3·2	5	..	1	1	3	..
	4. Ascites	4	4	2	1	2	1	1	4	5	6	3·0	..	..	..	..	..	..
	5. Ulceration of Intestines	1	3	2	1	4	1	1	4	2	5	2·4	3	1	1	1	..	..
	6. Hernia	..	5	4	6	2	2	..	.	2	4	2·5	4	..	..	..	4	..
	7. Ileus	3	3	2	3	1	3	1	2	1	1	2·0	3	1	1	1	..	..
	8. Intussusception	..	1	1	1	4	3	3	..	1	3	1·7	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the SEVENTEENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Apr. 29 1848	Apr. 28 1849	Apr. 27 1850	Apr. 26 1851	May 1 1852	Apr. 30 1853	Apr. 29 1854	Apr. 28 1855	Apr. 26 1856	May 2 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the week ending Saturday, May 1, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44·0°	45·9°	46·8°	49·9°	48·6°	42·5°	43·0°	44·0°	48·5°	41·5°	45·5°	47·1°					
	9. Stricture of Intestines	1	2	..	1	..	..	..	1	..	..	·5	..	..	..	..	..	..
	10. Fistula	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	6	4	6	5	9	7	6	11	6	9	6·9	6	2	2	..	2	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	13. Hepatitis	..	1	3	4	..	2	6	4	1	2	2·3	3	..	..	3	..	..
	14. Jaundice	1	3	..	1	2	5	3	..	2	5	2·2	1	1	..	..	..	..
	15. *Liver Disease, &c.*	12	7	12	8	9	8	11	21	5	11	10·4	7	..	1	4	2	..
	16 *Spleen Disease, &c.*	..	1	..	1	1	1	..	..	..	..	·4	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	1	..	..	1	..	..	..	2	..	..	·4	..	..	..	..	..	..
	2. Ischuria	..	..	..	2	..	..	1	2	..	..	·5	..	..	..	..	..	..
	3. Nephria	1	2	4	..	2	1	1	4	3	6	2·4	5	..	2	2	1	..
	4. Diabetes	..	..	..	1	..	2	4	..	..	..	·7	1	..	1	..	..	..
	5. Stone	1	..	1	1	1	1	1	..	..	2	·8	1	1	..	..	..	..
	6. Cystitis	1	..	3	..	..	1	4	1	..	1	1·1	2	..	..	..	2	..
	7. *Kidney Disease, &c.*	2	4	5	7	4	5	8	7	6	5	5·3	13	1	1	1	10	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	1	..	..	1	3	..	..	2	·7	2	..	1	1	..	..
	2. *Uterus Disease, &c.*	2	2	3	4	3	3	2	1	1	4	2·5	3	..	2	1	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	5	2	4	4	3	3	5	6	2	2	3·6	3	1	1	..	1	..
	ORDER 8.																	
	1. Phlegmon	1	2	2	2	3	1	4	5	2	2	2·4	3	1	..	..	2	..
	2. Ulcer	..	..	..	..	..	3	..	2	1	1	·7	..	..	..	..	..	..
	3. *Skin Disease, &c.*	1	..	1	1	4	1	2	1	..	2	1·3	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	19	16	22	29	34	20	39	25	31	26	26·1	15	15	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	3	1	4	1	1	2	6	9	2	6	3·5	..	..	..	..	..	..
	5. Teething	6	15	11	15	12	13	16	13	13	18	13·2	25	25	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	1	1	..	1	..	..	..	..	·3	1	..	..	1	..	..
	2. Childbirth (*see* Metria)	7	7	9	7	6	4	3	6	4	2	5·5	4	..	4	..	..	..
	ORDER 3.																	
	1. Old Age	40	44	28	45	42	47	43	50	39	45	42·3	50	..	..	..	29	21
	ORDER 4.																	
	1. Atrophy and Debility	28	22	16	24	25	34	37	37	32	46	30·1	51	43	1	..	7	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	10	2	2	4	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	6	3	2	1	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	4	2	..	2	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	6	5	..	..	1	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	3	..	1	..	1	1
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	Violent Deaths (not classed)	12	16	23	17	19	16	23	30	34	14	20·4	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	6	14	23	7	9	3	11	5	2	10	9·0	12	9	..	1	2	..
	Causes not specified or ill-defined	1	19	9	22	7	7	15	10	32	28	15·0	2	2	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the SEVENTEENTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Apr. 29 1848	Apr. 28 1849	Apr. 27 1850	Apr. 26 1851	May 1 1852	Apr. 30 1853	Apr. 29 1854	Apr. 28 1855	Apr. 26 1856	May 2 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, May 1 1858.
Mean Temperature . . .			44·0°	45·9°	46·8°	49·9°	48·6°	42·5°	43·0°	44·0°	48·5°	41·5°	45·5°	47·1°
LONDON	78029	2362236	966	1058	803	1075	1026	1089	1211	1132	1048	1038	1044·6	1125
1–6. WEST DISTRICTS .	10786	376427	167	179	141	169	153	157	180	168	169	148	163·1	181
7–11. NORTH DISTRICTS .	13533	490396	168	198	186	213	244	216	259	224	222	204	213·4	212
12–19. CENTRAL DISTRICTS	1938	393256	127	195	120	188	161	161	214	181	143	160	165·0	168
20–25. EAST DISTRICTS .	6230	485522	224	201	157	211	181	235	250	234	216	257	216·6	256
26–36. SOUTH DISTRICTS .	45542	616635	280	285	199	294	287	320	308	325	298	269	286·5	308
1. Kensington* HHHH .	7374	120004	45	46	41	54	54	47	57	44	47	54	48·9	67
2. Chelsea H*w* . . .	865	56538	24	28	17	34	26	29	52	24	30	18	28·2	22
3. St. George Hanover-sq. H	1161	73230	36	29	33	19	24	26	27	27	33	28	28·2	43
4. Westminster* HHHH .	917	65609	29	40	25	31	31	29	26	40	39	20	31·0	29
5. St. Martin-in-the-Fields H	305	24640	17	19	10	14	8	10	5	13	12	15	12·3	7
6. St. James Westminster .	164	36406	16	17	15	17	10	16	13	20	8	13	14·5	13
7. Marylebone HH . .	1509	157696	61	76	53	67	80	71	77	64	61	56	66·6	71
8. Hampstead	2252	11986	4	4	3	5	4	2	4	5	3	5	3·9	1
9. Pancras HH*w* . . .	2716	166956	56	71	79	77	93	81	102	74	78	80	79·1	66
10. Islington HHH . .	3127	95329	28	28	25	39	45	41	49	51	49	42	39·7	47
11. Hackney* H*w* . . .	3929	58429	19	19	26	25	22	21	27	30	31	21	24·1	27
12. St. Giles* H . . .	245	54214	22	30	24	29	27	26	49	26	19	27	27·9	16
13. Strand* H	174	44460	15	25	5	11	9	17	19	20	16	19	15·6	16
14. Holborn* H . . .	196	46621	16	22	14	22	21	15	22	18	20	14	18·4	18
15. Clerkenwell	380	64778	13	25	18	36	27	13	30	34	20	21	23·7	22
16. St. Luke HH . . .	220	54055	17	23	21	22	26	18	36	19	13	16	21·1	31
17. East London* . . .	153	44406	18	22	13	20	16	28	16	19	15	17	18·4	21
18. West London* H . .	136	28790	16	25	13	29	18	24	24	23	23	28	22·3	19
19. London City*	434	55932	10	23	12	19	17	20	18	22	17	18	17·6	25
20. Shoreditch *w* . . .	646	109257	51	47	38	43	43	52	56	55	47	57	48·9	65
21. Bethnal Green H . .	760	90193	30	32	30	34	31	35	34	37	42	37	34·2	37
22. Whitechapel* HH . .	406	79759	49	45	22	41	26	41	51	40	41	46	40·2	49
23. St. George-in-the-East .	243	48376	29	11	16	19	19	28	16	19	26	17	20·0	28
24*a*. Stepney*	576	54173	47	44	29	52	41	58	58	57	38	72	49·6	22
24*b*. Mile-end Old Town H*w*	681	56602												23
25. Poplar* H*w* . . .	2918	47162	18	22	22	22	21	21	35	26	22	28	23·7	32
26. St. Saviour Southwark* HH	250	35731	24	15	13	28	18	21	21	25	14	14	19·3	17
27. St. Olave Southwark* HH	169	19375	12	18	10	19	16	27	22	27	21	12	18·4	14
28. Bermondsey	688	48128	23	22	13	25	27	30	21	26	17	23	22·7	29
29. St. George Southwark .	282	51824	27	23	18	25	28	34	20	26	25	22	24·8	24
30. Newington	624	64816	31	31	17	35	33	18	35	26	24	24	27·4	29
31. Lambeth H	4015	139325	45	63	49	64	55	48	61	58	65	50	55·8	62
32. Wandsworth*	11695	50764	19	25	12	15	28	27	23	25	16	23	21·3	28
33. Camberwell	4342	54667	26	25	17	19	18	33	31	31	25	33	25·8	16
34. Rotherhithe	886	17805	9	10	2	5	5	13	8	15	12	8	8·7	10
35. Greenwich* HHHHH .	5367	99365	58	46	38	45	47	55	55	61	63	48	51·6	59
36. Lewisham*	17224	34835	6	7	10	14	12	14	11	5	16	12	10·7	20

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending April 24. Total.	Males.	Females.	In the Week ending May 1. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	178	94	84	162	113	49
45 WORKHOUSES	107	45	62	86	57	29
14 PRISONS . . . . . ‡	1	–	1	1	1	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	8	8	–	5	5	–
15 GENERAL HOSPITALS	44	26	18	55	38	17
7 HOSPITALS FOR SPECIAL DISEASES	5	4	1	8	6	2
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	6	6	–	1	1	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	–	–	–
19 LUNATIC ASYLUMS	6	4	2	6	5	1

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 1st May 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	2	54	32	69	11	31
1-6	WEST DISTRICTS - -	376427	1	5	5	12	3	4
7-11	NORTH DISTRICTS - -	490396	-	8	7	15	3	5
12-19	CENTRAL DISTRICTS -	393256	-	9	2	10	2	8
20-25	EAST DISTRICTS - -	485522	-	13	7	11	1	8
26-36	SOUTH DISTRICTS - -	616635	1	19	11	21	2	6
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W*H	17252	-	-	-	-	-	-
2	St. John Paddington H -	29053	-	-	-	2	-	-
3	Kensington Town *W*L -	29183	-	-	2	2	-	1
4	Brompton HH - -	14870	-	-	-	-	-	1
5	St. Peter Hammersmith -	4467	-	-	-	-	1	-
6	St. Paul Hammersmith -	13293	-	2	-	2	-	-
7	Fulham *W*LLLL - -	11886	-	-	-	1	-	-
2; 1	Chelsea South H - -	19050	1	-	-	-	-	-
2	Chelsea North-west *Ww*	17669	-	-	-	-	1	-
3	Chelsea North-east L -	19819	-	-	-	1	-	-
3; 1	Hanover Square - -	20216	-	-	1	-	-	1
2	May Fair *W* - - -	12980	-	-	-	-	-	-
3	Belgrave H - - -	40034	-	2	1	2	1	-
4; 1	St. John Westmr. HHHP	34295	-	1	-	1	-	-
2	St. Margaret West. *W*HP	31314	-	-	-	1	-	1
5; 1	Charing Cross *W*H -	12587	-	-	-	-	-	-
2	Long Acre - - -	12053	-	-	1	-	-	-
6; 1	Berwick Street - -	10798	-	-	-	-	-	-
2	St. James's Square -	11469	-	-	-	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	-	-	1	-	-
2	Cavendish-square - -	14687	-	-	-	1	-	-
3	Rectory Marylebone *W* -	27633	-	-	-	-	-	-
4	St. Mary Marylebone H	22814	-	-	-	1	-	1
5	Christchurch Marylebone	33895	-	3	1	-	-	1
6	St. John Marylebone -	29826	-	-	-	1	-	-
8; 1	Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1	Regent's Park Pancras -	31918	-	2	-	2	-	-
2	Tottenham-court *w*H -	28433	-	-	-	-	-	-
3	Gray's Inn Lane H -	26523	-	1	-	-	-	-
4	Somers Town - - -	35641	-	1	1	-	1	-
5	Camden Town *W* - -	21115	-	-	1	2	-	-
6	Kentish Town - -	23326	-	-	1	-	-	-
10; 1	Islington West† *W*HHHPP	47881	-	-	3	4	1	2
2	Islington East - -	47448	-	1	-	3	-	-
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	-	-	-	-	-
4	Hackney *W*H*w* - -	20850	-	-	-	-	1	1
5	South Hackney L - -	8458	-	-	-	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	1	-	-	-	-
2	St. Giles South *W*H -	19951	-	-	-	-	-	-
3	St. Giles North - -	17456	-	-	-	-	-	1
13; 1	St. Anne Soho - -	17335	-	1	-	1	-	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15510	-	-	1	-	1	1
14; 1	St. George-the-Martyr H.	18813	-	-	-	-	-	2
2	St. Andrew, East. Holb. *W*	13971	-	-	-	1	-	-
3	Saffron Hill - - -	13837	-	-	-	2	-	1
15; 1	St. James Clerkenwell *W*P	21529	-	2	-	1	-	-
2	Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3	Pentonville - - -	11904	-	-	-	-	-	-
4	Goswell-street - - -	15625	-	-	-	-	-	1
16; 1	Old-street H - - -	10617	-	-	-	1	-	1
2	City-road HL - -	16840	-	1	-	-	-	-
3	Whitecross-street - -	13657	-	-	1	1	-	1
4	Finsbury - - - -	12941	-	2	-	-	-	-
17; 1	St. Botolph East London	23824	-	1	-	-	-	-
2	Cripplegate P - -	20582	-	-	-	2	-	-
18; 1	West London North *W*HP	12946	-	1	-	-	1	-
2	West London South P -	15844	-	-	-	-	-	-
19; 1	London City South-west -	9204	-	-	-	-	-	-
2	London City North-west -	11847	-	-	-	1	-	-
3	London City South - -	11461	-	-	-	-	-	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	-	-	-	-

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	1	-	1	-	1
2	St. Leonard Shoreditch L	19449	-	1	-	1	-	-
3	Hoxton New Town *w* -	23505	-	1	1	-	-	-
4	Hoxton Old Town - -	17431	-	-	2	-	-	-
5	Haggerstone West *W* -	20276	-	-	-	1	-	1
6	Haggerstone East - -	11351	-	-	-	1	-	-
21; 1	Hackney-road - - -	23910	-	-	-	-	-	-
2	Green, Bethnal Green *W*HL	23555	-	-	-	-	-	-
3	Church, Bethnal Green -	21787	-	-	-	1	-	-
4	Town, Bethnal Green -	20941	-	-	-	-	-	1
22; 1	Artillery Whitechapel -	6769	-	-	-	-	-	-
2	Spitalfields - - -	15336	-	-	-	1	-	-
3	Mile End New Town *W*	14543	-	-	-	1	-	2
4	Whitechapel North *W* -	12530	-	-	-	-	-	1
5	Whitechapel Church H -	7818	-	-	-	1	-	1
6	Goodman's Fields - -	12069	-	2	-	1	-	-
7	Aldgate H - - -	10694	-	1	-	-	-	-
23; 1	St. Mary St. Geo. East -	18067	-	-	2	-	-	-
2	St. Paul St. Geo. East -	20319	-	1	-	-	-	-
3	St. John St. Geo. East *W*	9990	-	2	-	-	-	-
24*a*; 1	Shadwell *W* - - -	16179	-	1	-	-	1	-
2	Ratcliff *W* - - -	15212	-	-	-	-	-	-
3	Limehouse *W* - -	22782	-	-	-	-	-	-
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	-	-	-	-
2	Mile End Old T., East. *Ww*H	27020	-	-	-	-	-	-
25; 1	Bow *w*LH - - -	18778	-	3	-	1	-	-
2	Poplar *W* - - -	28384	-	-	2	1	-	1
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	1	1	-	1
2	St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1	St. Olave Southwark HH	8015	-	-	-	-	-	-
2	St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1	St. James Bermondsey -	18899	-	5	1	2	-	-
2	St. Mary Magdalen *W* -	13934	-	1	-	-	-	-
3	Leather Market - -	15295	-	2	-	1	-	-
29; 1	Kent-road - - -	18126	1	1	-	1	1	-
2	Borough-road *W*P -	15862	-	-	-	-	-	-
3	London-road LP - -	17836	-	-	1	-	-	-
30; 1	Trinity Newington P -	20922	-	1	-	2	-	1
2	St. Peter Walworth *W* -	29861	-	-	1	2	-	-
3	St. Mary Newington -	14033	-	-	-	-	-	-
31; 1	Waterloo-road 1st - -	14088	-	2	1	-	-	-
2	Waterloo-road 2nd H -	18348	-	-	-	-	-	-
3	Lambeth Church 1st -	18409	-	1	-	-	-	-
4	Lambeth Church 2nd *W*	26784	-	1	-	2	-	-
5	Kennington 1st - -	24261	-	-	1	-	-	-
6	Kennington 2nd - -	18848	-	-	-	1	-	-
7	Brixton L - - -	14610	-	-	-	-	-	-
8	Norwood *W* - - -	3977	-	-	-	-	-	1
32; 1	Clapham L - - -	16290	-	-	-	-	-	1
2	Battersea *W* - - -	10560	-	-	-	-	-	1
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	1	-	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	-	1	-	-	-
3	Peckham - - - -	19444	-	-	-	-	-	-
4	St. George Camberwell -	15849	-	-	-	1	-	-
34; 1	Rotherhithe *W* - -	17805	-	1	3	2	-	1
35; 1	St. Paul Deptford - -	24899	-	-	-	1	-	-
2	St. Nicholas Deptford -	7071	-	-		-	-	-
3	Greenwich West H -	18800	-	1	-	-	-	-
4	Greenwich East *W*H -	16228	-	-		-	1	-
5	Woolwich Dockyard HP	17140	-	1		-	-	-
6	Woolwich Arsenal HPH	15227	-	1		1	-	-
36; 1	Plumstead - - -	13191	-	-		2	-	-
2	Eltham - - - -	2568	-	-		-	-	-
3	Lee - - - - -	8478	-	-		1	-	-
4	Lewisham Village *W* -	6097	-	-		1	-	-
5	Sydenham - - -	4501	-	-		-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 1st May 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Great-est.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Great-est.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
April.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday .	25	..	29·860	60·7	44·5	16·2	49·6	45·3	77·3	34·5	58·7	53·2	4·3	12·9	2·0	+ 2·0	90	S.W.	Calm	0·0	0·0	0·0	110	0·07
Monday .	26	..	29·922	61·8	42·6	19·2	48·2	43·0	80·0	34·0	57·7	53·2	5·2	14·3	1·8	+ 0·6	85	N.W.	NE. & Calm	0·0	0·0	0·0	15	0·00
Tuesday .	27	..	29·945	50·0	38·0	12·0	44·0	41·1	55·0	31·0	57·7	53·2	2·9	7·6	1·4	— 4·0	88	Calm & N.	N.E.	0·0	0·0	0·0	10	0·00
Wednesday	28	Full	29·573	65·0	44·0	21·0	51·4	42·5	87·3	42·2	56·9	53·2	8·9	18·7	2·6	+ 2·9	73	NE. & Calm	S.W.	0·0	0·0	0·0	0	0·00
Thursday .	29	..	29·394	58·0	40·9	17·1	48·8	44·4	77·3	31·2	56·7	53·2	4·4	10·1	3·0	— 0·3	83	S.	S.W.	0·0	0·0	0·0	40	0·60
Friday .	30	..	28·988	56·4	40·8	15·6	44·6	35·6	74·2	39·8	56·9	53·2	9·0	16·6	6·2	— 4·9	74	S.W.	S.W.	0·0	0·0	0·0	200	0·10
May.																								
Saturday .	1	Apogee	28·977	54·5	36·5	18·0	43·1	38·4	71·2	28·0	56·5	52·2	4·7	6·2	2·6	— 6·9	85	S.	SW. & NW.	0·0	0·0	0·0	130	0·07
Means . .		..	29·566	58·1	41·0	17·0	47·1	41·5	74·6	34·4	57·3	53·1	5·6	12·3	2·8	— 1·5	83			..	..	..	Sum 505	Sum 0·84
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
April.			
Sunday .	25	Positive, with strong tension at each examination.	Cloudy for the most part throughout the day. Showers of rain fell frequently.
Monday.	26	Positive, with strong tension throughout the day. Volleys of sparks were shown at night.	Overcast till near noon, cloudless afterwards. Fog was very prevalent at night.
Tuesday .	27	Positive, with variable tension.	Overcast throughout the day. Thick fog prevailed early in the morning.
Wednesday	28	Positive, with strong tension.	Overcast early in the morning; partially cloudy during the remainder of the day.
Thursday .	29	During the earlier portion of the morning no electricity was shown. Positive, with variable tension during the remainder of the day.	Cloudy generally throughout the day. Rain fell heavily between 2h. 30m. A.M. and 4h. 30m. A.M.
Friday . .	30	Positive and negative alternately, with very strong tension. Volleys of loud sparks and strong galvanic currents were constant during the times rain was falling.	Cloudy for the most part till the evening; occasionally clear afterwards. Rain fell between 0h. 30m. A.M. and 2h. 15m. A.M.; during the remainder of the day heavy showers of hail and rain fell. Thunder was occasionally heard during the morning, and frequently between 2h. and 3h. P.M.
May.			
Saturday .	1	Positive and negative alternately. During the time hail was falling the tension was very strong, volleys of loud sparks and galvanic currents were constant.	With slight exceptions, the sky was obscured with cloud throughout the day. At noon a very heavy hail storm occurred. Rain fell in frequent and heavy showers during the afternoon and evening.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. The pressure apparatus of Osler's anemometer was under repair during the week. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 30·00 in. at the beginning of the week to 29·86 in. by 7h. P.M. on the 25th; increased to 29·97 in. by 9h. A.M. on the 26th; decreased to 29·88 in. by 9h. P.M. on the same day; increased to 29·97 in. by 9h. P.M. on the 27th; decreased to 29·29 in. by 9h. P.M. on the 29th; still further decreased to 28·98 in. by 3h. P.M. on the 30th; continued at this reading till after 9h. P.M., and still further decreased to 28·95 in. by 9h. A.M. on May 1; then turned to increase, and was 29·02 in. at the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, May 8. [No. 18.

General Register Office, Somerset House,
May 10th, 1858.

The deaths in London, which were 1221 in the first week of April, have in subsequent weeks undergone a gradual reduction, and in the first week of May the number returned was 1056. The period between the cold of winter and the heat of summer is that which is most favourable to the health of the London population; and under ordinary conditions the mortality may be expected to fall till the middle of June. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1055; but as the deaths in the present return occurred in an increased population, they should be compared with the average, after the latter is raised proportionally to the increase, a correction which will make it 1161. Hence it appears that the public health was so far in a satisfactory condition that 105 persons survived, who would have died if the average rate of mortality at the beginning of May had prevailed.

The births of last week exceeded the deaths in the same period by 632.

Diseases of the zymotic character produced last week 242 deaths. Whooping-cough continues to be the most fatal disease in this class, though it indicates a tendency to decrease. It was fatal in 63 cases; measles in 45, scarlatina in 38, typhus (with common fever) in 30, diarrhœa in 9, small-pox in 3, ague in 1. Two deaths resulted from cholera, a child having died from it, after 3 days' illness, in Poplar, and a woman 64 years of age in Marshall-street, Golden-square, after a brief illness of 23 hours. Five fatal cases of diphtheria are returned; one of these which occurred in Mile-end Old Town is supposed to have been the consequence of effluvia from sewers into which gas-water had been pumped for a considerable time, in the Hackney-road sub-district, where the family had previously lived, but from which they had been recently advised by their medical attendant to remove. Another child in this family had died of the same complaint before the removal, and two others are now ill.

A licensed victualler, 65 years old, died last week from elephantiasis, from which he had suffered for 30 years. The deaths of six nonagenarians are included in this return.

Last week the births of 868 boys and 820 girls, in all 1688 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1629.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·832 in. The mean daily reading was above 30 in. on the last three days. The *lowest* barometrical reading was 29·02 in. on Sunday, and the *highest* 30·26 in. on Friday. The mean temperature of the week was 45·6°, which is 5·8° below the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average throughout the week; on four days the extent of depression was from 6° to 8°. A north or north-east wind blew on every day. The *highest* point attained by the thermometer in the shade was 63·4° on Wednesday; the *lowest* was 32·1° on Friday. The range in the week was therefore 31·3°. The mean daily range was 22·2°.

The difference between the mean dew point temperature and air temperature was 7·3°. The mean degree of humidity of the air was 76. The mean temperature of the water of the Thames was 53·7°. The rain measured was 0·21 in., which fell chiefly on Sunday (the 2d inst.), when there were also showers of hail.

St. James Westminster; *Golden Square.*—At 32 Marshall-street, on 1st May, the widow of an ironmonger, aged 64 years, "cholera, diarrhœa (23 hours)."

Poplar; *Poplar.*—At 5 Hole's-terrace, on 7th May, the son of a cooper, aged 1 year, "cholera (3 days) convulsions (2 hours)."

St. Pancras; *Somers-town.*—At 15 Coburg-street, on 30th April, the daughter of a tobacco-pipe maker, aged 22 months, "destruction of the skin over abdomen by sulphuric acid (3 weeks), disease of the stomach and bowels (14 days)."

Hackney; *West.*—At 7 Beauchamp-villas, on 1st May, the son of a silk broker, aged 10 months, "eczema capitis."

Lambeth; *Kennington, 2d Part.*—At 11 Halstead-street North Brixton, on 6th May, the daughter of a hair manufacturer, aged 4 months, "cynanche parotidæa (4 weeks)."

Camberwell; *Peckham.*—At the Plough public house, New Hatcham, on 3d May, licensed victualler, aged 65 years, "elephantiasis (30 years), mortification of both legs (14 days)."

Greenwich; *Woolwich Dockyard.*—On 28th April, a female, aged 33 years, "suddenly choked whilst eating oysters, being at the time in a state of intoxication. No medical attendant."

Births Registered last Week, and in the Eighteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1536	1522	1456	1487	1660	1571	1885	1624	1707	1846	1629·4	1688
Males . .	761	801	718	757	810	816	995	845	901	924	832·8	868
Females .	775	721	738	730	850	755	890	779	806	922	796·6	820

Deaths Registered last Week, and in the Eighteenth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1015	986	829	994	972	1159	1263	1185	1087	1064	1055·4	1056
Males . .	507	525	419	484	498	600	637	597	557	542	536·6	550
Females .	508	461	410	510	474	559	626	588	530	522	518·8	506

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.
Births	1836	1963	1810	1644	2007	1960	1924	1735	1642	1965	1810	1717	1688
Deaths	1195	1275	1288	1353	1487	1431	1268	1374	1221	1207	1144	1125	1056
Deaths (except from Violence) . . .	1150	1250	1265	1330	1452	1396	1218	1261	1198	1187	1121	1093	1031
Deaths (except from Violence) at 60 years and upwards . .	279	299	305	287	339	306	237	270	243	213	243	217	216
Small-pox	4	4	2	4	7	4	3	1	3	3	..	2	3
Measles	57	34	57	55	59	45	50	59	58	55	41	54	45
Scarlatina	27	39	53	37	41	40	29	26	33	37	40	32	38
Whooping-cough . .	53	53	53	59	69	83	72	66	78	77	81	69	63
Typhus	35	34	27	22	34	41	26	40	22	37	33	31	30
Diarrhœa	8	11	9	20	20	13	12	11	17	12	9	11	9
Mean Temperature .	34°·3	34°·0	33°·1	31°·5	34°·7	48°·0	46°·6	44°·6	40°·3	46°·7	52°·8	47°·1	45°·6

DEATHS in LONDON, from ALL CAUSES, Registered in the EIGHTEENTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 6 1848	May 5 1849	May 4 1850	May 3 1851	May 8 1852	May 7 1853	May 6 1854	May 5 1855	May 3 1856	May 9 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 8, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	54°·5	55°·2	45°·5	42°·8	48°·1	47°·9	48°·9	44°·0	41°·3	44°·8	47°·3	Mean Temp. 45°·6					
	ALL CAUSES	1015	986	829	994	972	1159	1263	1185	1087	1064	1055·4	1056	539	148	149	176	44
	SPECIFIED CAUSES	1001	975	804	971	949	1135	1214	1168	1060	1053	1033·0	1051	535	148	148	176	44
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	281	261	170	188	211	225	325	228	219	193	230·1	242	199	14	9	19	1
II.	CONSTITUTIONAL "	232	233	174	252	232	258	254	271	257	247	241·0	251	98	75	54	22	2
III.	LOCAL "	371	369	340	391	379	472	468	482	413	426	411·1	407	169	48	75	105	10
IV.	DEVELOPMENTAL "	102	98	73	111	115	142	133	152	146	131	120·3	126	62	3	4	26	31
V.	VIOLENT DEATHS	15	14	47	29	12	38	34	35	25	56	30·5	25	7	8	6	4	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	268	250	157	178	191	212	299	214	204	183	215·6	222	187	11	9	14	1
	2. ENTHETIC "	3	2	3	3	11	3	4	..	1	3	3·3	10	5	1	..	4	..
	3. DIETIC "	6	6	8	6	8	7	18	10	14	6	8·9	8	5	2	..	1	..
	4. PARASITIC "	4	3	2	1	1	3	4	4	..	1	2·3	2	2	..	..	..	..
II.	1. DIATHETIC "	40	40	28	41	42	55	48	42	38	51	42·5	41	5	5	14	15	2
	2. TUBERCULAR "	192	193	146	211	190	203	206	229	219	196	198·5	210	93	70	40	7	..
III.	1. DISEASES OF NERVOUS SYSTEM	125	115	105	127	104	123	127	130	106	105	116·7	112	62	8	11	27	4
	2. " OF ORGANS OF CIRCULATION	19	34	43	42	37	50	50	49	53	49	42·6	27	5	6	7	9	..
	3. " OF RESPIRATORY ORGANS	158	161	138	146	166	224	226	219	174	208	182·0	190	96	14	27	48	5
	4. " OF DIGESTIVE ORGANS	41	37	38	50	47	57	47	60	56	35	46·8	48	3	10	20	14	1
	5. " OF URINARY ORGANS	14	13	9	15	14	7	12	9	13	20	12·6	16	1	5	5	5	..
	6. " OF ORGANS OF GENERATION	5	3	5	3	4	6	3	4	..	3	3·6	5	..	4	1	..	..
	7. " OF ORGANS OF LOCOMOTION	6	3	2	7	4	3	1	5	4	4	3·9	4	..	1	3	..	..
	8. " OF INTEGUMENTARY SYSTEM	3	3	..	1	3	2	2	6	7	2	2·9	5	2	..	1	2	..
IV.	1. DEV. DISEASES OF CHILDREN	20	42	27	32	43	69	54	57	56	56	45·6	40	40	..	..	..	..
	2. " OF ADULTS	3	7	2	3	13	3	2	10	5	4	5·2	4	..	3	1	..	..
	3. " OF OLD PEOPLE	54	33	30	45	32	35	45	48	45	40	40·7	51	..	..	..	20	31
	4. DISEASES OF NUTRITION	25	16	14	31	27	35	32	37	40	31	28·8	31	22	..	3	6	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											21	7	6	4	4	..
	* 3. HOMICIDE												1	..	1	..	..	..
	4. SUICIDE												3	..	1	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	15	14	47	29	12	38	34	35	25	56	30·5	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	8	4	10	9	9	11	15	7	9	4	8·6	5	4	..	1	..	..
	CAUSES NOT SPECIFIED	6	7	15	14	14	13	34	10	18	7	13·8	..	..	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 6 1848	May 5 1849	May 4 1850	May 3 1851	May 8 1852	May 7 1853	May 6 1854	May 5 1855	May 3 1856	May 9 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 8, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	54°·5	55°·2	45°·5	42°·8	48°·1	47°·9	48°·9	44°·0	41°·3	44°·8	47°·3	45°·6					
I.	ORDER 1.																	
	1. Small-pox	25	14	7	14	31	1	12	15	8	2	12·9	3	3	..	..	..	..
	2. Measles	28	29	17	31	12	21	42	15	25	32	25·2	45	45	..	..	..	..
	3. Scarlatina	51	41	17	13	37	40	67	38	27	27	35·8	38	35	2	..	1	..
	4. Quinsy	2	1	..	1	1	..	1	..	1	..	·7	1	1	..	..	..	..
	5. Croup	6	4	16	5	7	6	9	10	7	3	7·3	12	12	..	..	..	..
	6. Whooping-cough	31	71	36	57	35	68	61	53	39	44	49·5	63	63	..	..	..	..
	7. Typhus (and Infantile fever)	75	36	28	26	33	41	51	46	64	42	44·2	30	12	5	3	10	..
	8. Erysipelas	11	9	9	4	4	4	10	7	6	3	6·7	9	4	2	3	..	..
	9. Metria	5	5	7	3	6	3	3	6	2	5	4·5	..	..	..	..	..	..
	10. Carbuncle	..	2	1	1	2	2	..	1	1	1	1·1	1	..	..	1	..	..
	11. Influenza	3	2	2	11	2	..	2	..	..	1	2·3	..	..	..	..	..	..
	12. Dysentery	4	2	..	1	1	2	4	2	1	1	1·8	4	2	1	1	..	..
	13. Diarrhœa	19	20	10	8	14	16	25	11	10	17	15·0	9	8	..	..	1	..
	14. Cholera	2	4	..	..	..	..	..	..	..	..	·6	2	1	..	..	1	..
	15. Ague	1	2	..	..	1	2	..	1	..	..	·7	1	..	1	..	..	..
	16. Remittent Fever	2	1	2	..	..	2	1	1	4	..	1·3	..	..	..	..	..	..
	17. Rheumatism	3	7	5	3	5	4	11	8	9	5	6·0	4	1	..	1	1	1
	ORDER 2.																	
	1. Syphilis	3	2	3	2	7	2	4	..	1	3	2·7	6	5	1	..	..	..
	2. Stricture of Urethra	..	..	..	1	4	1	..	..	..	..	·6	4	..	..	..	4	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	..	..	..	..	..	1	1	..	1	·4	..	..	..	..	..	..
	2. Want of Breast-milk	3	2	2	5	1	4	8	6	7	4	4·2	5	5	..	..	..	..
	3. Purpura and Scurvy	..	1	1	..	2	1	3	1	5	..	1·4	1	..	..	..	1	..
	4. Alcoholism { *a* Del. Tremens	2	3	3	1	4	2	6	1	1	1	2·4	2	..	2	..	..	..
	4. Alcoholism { *b* Intemperance	..	..	2	..	1	..	..	1	1	..	·5	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	4	3	2	1	1	3	4	4	..	1	2·3	2	2	..	..	..	..
	2. Worms, &c.	Deaths in 1848-57 classed in this Table with *Dis. of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	2	2	2	3	1	2	1	..	2	1·7	3	..	..	2	1	..
	2. Dropsy	13	15	4	17	14	27	19	15	14	18	15·6	19	5	2	6	5	1
	3. Cancer	16	18	18	16	22	21	21	23	23	27	20·5	13	..	2	6	5	..
	4. Noma	1	..	1	..	..	1	2	1	..	..	·6	..	..	..	..	..	..
	5. Mortification	8	5	3	6	3	5	4	2	1	4	4·1	6	..	1	..	4	1
	ORDER 2.																	
	1. Scrofula	11	12	6	8	15	7	9	13	8	6	9·5	8	5	1	2	..	..
	2. Tabes Mesenterica	17	17	14	8	17	21	24	17	11	20	16·6	22	21	1	..	..	..
	3. Phthisis	142	139	102	145	130	144	135	170	170	144	142·1	145	33	67	38	7	..
	4. Hydrocephalus	22	25	24	50	28	31	38	29	30	26	30·3	35	34	1	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	7	9	10	19	7	12	9	10	5	12	10·0	10	9	1	..	..	..
	2. Apoplexy	15	27	30	23	17	24	30	35	24	23	24·8	16	3	1	1	9	2
	3. Paralysis	32	24	18	22	12	23	17	16	22	16	20·2	14	1	1	..	11	1
	4. Insanity	2	2	1	..	..	..	1	6	2	3	1·7	1	..	..	1	..	..
	5. Chorea	..	..	..	1	..	..	..	..	..	1	·2	..	..	..	..	..	..
	6. Epilepsy	5	4	1	6	7	9	6	10	5	9	6·2	4	..	1	3	..	..
	7. Convulsions	50	38	28	46	48	46	46	41	38	30	41·1	44	44	..	..	..	..
	8. *Brain Disease, &c.*	14	11	17	10	13	9	18	12	10	11	12·5	23	5	4	6	7	1
	ORDER 2.																	
	1. Pericarditis	2	2	6	3	8	3	4	5	3	2	3·8	1	1	..	..	..	..
	2. Aneurism	..	2	2	..	..	3	2	2	2	..	1·3	1	..	..	1	..	..
	3. *Heart Disease, &c.*	17	30	35	39	29	44	44	42	48	47	37·5	25	4	6	6	9	..
	ORDER 3.																	
	1. Laryngitis	4	5	6	3	6	8	5	9	10	5	6·1	8	7	1	..	..	..
	2. Bronchitis	59	57	44	68	74	115	97	94	83	116	80·7	96	29	5	17	40	5
	3. Pleurisy	2	4	2	1	1	3	3	5	..	1	2·2	2	1	..	..	1	..
	4. Pneumonia	68	77	65	53	62	83	98	94	66	70	73·6	72	55	7	7	3	..
	5. Asthma	13	11	9	10	15	9	14	10	8	8	10·7	3	..	..	..	3	..
	6. *Lung Disease, &c.*	12	7	12	11	8	6	9	7	7	8	8·7	9	4	1	3	1	..
	ORDER 4.																	
	1 Gastritis	2	2	1	1	1	3	3	1	..	1	1·5	2	..	1	1	..	..
	2. Enteritis	5	5	5	5	7	5	7	9	3	1	5·2	3	..	2	..	1	..
	3. Peritonitis	4	5	3	5	7	2	1	3	4	2	3·6	6	..	2	3	1	..
	4. Ascites	2	..	1	2	4	3	3	6	3	2	2·6	4	..	..	2	2	..
	5. Ulceration of Intestines	3	3	3	2	..	5	1	3	2	1	2·3	4	1	..	1	2	..
	6. Hernia	1	..	3	3	2	2	..	4	3	3	2·1	1	..	..	..	1	..
	7. Ileus	1	2	2	2	3	5	3	4	6	1	2·9	4	1	1	1	1	..
	8. Intussusception	3	1	..	1	1	1	2	2	1	2	1·4	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the EIGHTEENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 6 1848	May 5 1849	May 4 1850	May 3 1851	May 8 1852	May 7 1853	May 6 1854	May 5 1855	May 3 1856	May 9 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 8, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	54°·5	55°·2	45°·5	42°·8	48°·1	47°·9	48°·9	44°·0	41°·3	44°·8	47°·3	Mean Temp. 45°·6					
	9. Stricture of Intestines	..	..	..	2	..	1	4	1	1	..	·9	1	..	..	1	..	..
	10. Fistula	..	1	1	..	2	2	1	1	..	..	·8	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	6	..	3	4	4	9	5	5	11	4	5·1	5	..	..	2	2	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	1	..	..	..	1	·2	..	..	..	..	..	..
	13. Hepatitis	1	1	5	5	5	4	5	5	3	4	3·8	4	..	1	2	1	..
	14. Jaundice	1	2	..	3	2	2	5	4	4	2	2·5	1	1	..	..	..	..
	15. *Liver Disease, &c.*	12	14	11	15	7	12	7	12	15	10	11·5	12	..	2	7	3	..
	16. *Spleen Disease, &c.*	..	1	..	..	2	..	..	..	..	1	·4	1	..	1	..	..	..
	ORDER 5.																	
	1. Nephritis	..	1	1	..	..	1	..	..	1	1	·5	..	..	..	..	..	..
	2. Ischuria	..	..	..	1	..	..	..	2	1	..	·4	..	..	..	..	..	..
	3. Nephria	3	5	2	2	6	3	3	1	2	6	3·3	7	..	4	2	1	..
	4. Diabetes	1	1	1	3	2	..	3	..	1	2	1·4	1	..	..	1	..	..
	5. Stone	1	..	1	..	..	2	1	..	..	2	·7	..	..	..	..	..	..
	6. Cystitis	3	..	2	1	..	..	..	1	..	..	·7	1	..	..	..	1	..
	7. *Kidney Disease, &c.*	6	6	2	8	6	1	5	5	8	9	5·6	7	1	1	2	3	..
	ORDER 6.																	
	1. Ovarian Dropsy	2	..	1	..	1	2	..	2	..	..	·8	2	..	1	1	..	..
	2. *Uterus Disease, &c.*	3	3	4	3	3	4	3	2	..	3	2·8	3	..	3	..	..	..
	ORDER 7.																	
	1. Arthritis	..	..	1	2	..	..	..	..	..	..	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	6	3	1	5	4	3	1	5	4	4	3·6	4	..	1	3	..	..
	ORDER 8.																	
	1. Phlegmon	1	..	..	..	..	..	..	5	6	2	1·4	1	..	..	..	1	..
	2. Ulcer	1	2	..	..	3	1	1	1	..	..	·9	1	..	..	1	..	..
	3. *Skin Disease, &c.*	1	1	..	1	..	1	1	..	1	..	·6	3	2	..	..	1	..
IV.	ORDER 1.																	
	1. Premature Birth	11	26	13	21	26	37	35	31	38	36	27·4	23	23	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											2	2	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	3	3	6	2	3	7	5	5	5	2	4·1	1	1	..	..	..	..
	5. Teething	6	13	8	9	14	25	14	21	13	18	14·1	13	13	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	3	7	2	3	12	3	2	10	5	4	5·1	4	..	3	1	..	..
	ORDER 3.																	
	1. Old Age	54	33	30	45	32	35	45	48	45	40	40·7	51	..	..	..	20	31
	ORDER 4.																	
	1. Atrophy and Debility	25	16	14	31	27	35	32	37	40	31	28·8	31	22	..	3	6	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	9	3	1	3	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	3	..	2	..	1	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	4	1	2	1	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	*In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	..	1	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	15	14	47	29	12	38	34	35	25	56	30·5	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	8	4	10	9	9	11	15	7	9	4	8·6	5	4	..	1	..	..
	Causes not specified or ill-defined	6	7	15	14	14	13	34	10	18	7	13·8	..	..	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the EIGHTEENTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, May 6 1848	May 5 1849	May 4 1850	May 3 1851	May 8 1852	May 7 1853	May 6 1854	May 5 1855	May 3 1856	May 9 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, May 8 1858.
Mean Temperature . . .			54·5°	55·2°	45·5°	42·8°	48·1°	47·9°	48·9°	44·0°	41·3°	44·8°	47·3°	45·6°
LONDON	78029	2362236	1015	986	829	994	972	1159	1263	1185	1087	1064	1055·4	1056
1-6. WEST DISTRICTS .	10786	376427	135	151	132	141	118	162	228	192	173	152	158·4	181
7-11. NORTH DISTRICTS .	13533	490396	189	187	174	208	205	215	251	245	232	255	216·1	205
12-19. CENTRAL DISTRICTS	1938	393256	179	167	150	183	184	214	209	169	172	146	177·3	147
20-25. EAST DISTRICTS .	6230	485522	239	196	154	209	197	283	247	258	222	261	226·6	229
26-36. SOUTH DISTRICTS .	45542	616635	273	285	219	253	268	285	328	321	288	250	277·0	294
1. Kensington* HHHH .	7374	120004	25	34	39	29	43	51	82	63	55	51	47·2	62
2. Chelsea H*w* . . .	865	56538	21	21	15	25	20	29	42	37	27	22	25·9	25
3. St. George Hanover-sq. H	1161	73230	32	30	29	30	25	29	34	34	41	26	31·0	24
4. Westminster* HHHH .	917	65609	28	43	28	31	19	29	41	28	29	30	30·6	37
5. St. Martin-in-the-Fields H	305	24640	14	10	8	10	3	11	13	14	11	8	10·2	12
6. St. James Westminster .	164	36406	15	13	13	16	8	13	16	16	10	15	13·5	21
7. Marylebone HH . .	1509	157696	57	56	60	68	72	88	78	64	70	75	68·8	56
8. Hampstead	2252	11986	5	3	7	3	4	1	4	7	5	8	4·7	3
9. Pancras HH*w* . . .	2716	166956	79	67	58	76	65	79	97	74	76	88	75·9	78
10. Islington HHH . .	3127	95329	26	34	27	38	47	31	51	61	53	47	41·5	35
11. Hackney* H*w* . . .	3929	58429	22	27	22	23	17	16	21	39	28	37	25·2	33
12. St. Giles* H . . .	245	54214	31	31	12	31	31	28	30	36	21	29	28·0	24
13. Strand* H	174	44460	16	25	18	17	15	14	24	14	16	27	18·6	18
14. Holborn* H . . .	196	46621	21	22	23	21	27	19	24	20	24	12	21·3	15
15. Clerkenwell	380	64778	24	15	23	27	23	41	30	32	27	19	26·1	26
16. St. Luke HH . . .	220	54055	16	18	14	25	20	26	35	15	24	14	20·7	20
17. East London* . . .	153	44406	19	10	14	18	24	21	28	18	21	11	18·4	15
18. West London* H . .	136	28790	31	27	26	22	22	45	27	19	27	20	26·6	13
19. London City* . . .	434	55932	21	19	20	22	22	20	11	15	12	14	17·6	16
20. Shoreditch *w* . . .	646	109257	68	49	30	53	47	63	48	59	46	47	51·0	49
21. Bethnal Green H . .	760	90193	37	28	16	34	24	56	35	37	29	41	33·7	54
22. Whitechapel* HH . .	406	79759	43	42	37	40	32	41	60	61	36	56	44·8	37
23. St. George in the East .	243	48376	21	18	19	28	18	27	36	19	22	21	22·9	18
24*a*. Stepney*	576	54173	51	38	35	38	51	73	46	54	60	54	50·0	21
24*b*. Mile-end Old Town H*w*	681	56602												24
25. Poplar* H*w* . . .	2918	47162	19	21	17	16	25	23	22	28	29	42	24·2	26
26. St. Saviour Southwark* HH	250	35731	19	29	20	13	20	20	23	22	12	13	19·1	22
27. St. Olave Southwark* HH	169	19375	15	22	24	24	12	18	15	22	32	23	20·7	14
28. Bermondsey	688	48128	28	17	14	23	21	32	37	17	22	15	22·6	28
29. St. George Southwark .	282	51824	30	18	15	18	25	23	22	29	12	31	22·3	22
30. Newington	624	64816	18	26	19	19	30	25	39	28	31	23	25·8	30
31. Lambeth H	4015	139325	53	60	40	53	65	60	81	58	46	52	56·8	56
32. Wandsworth* . . .	11695	50764	11	26	21	16	23	24	18	23	21	22	20·5	17
33. Camberwell	4342	54667	23	29	20	24	21	25	22	25	26	11	22·6	21
34. Rotherhithe	886	17805	9	6	6	8	12	11	4	12	9	8	8·5	13
35. Greenwich* HHHHH .	5367	99365	56	46	30	41	31	31	57	57	64	39	45·2	53
36. Lewisham*	17224	34835	11	6	10	14	8	16	10	28	13	13	12·9	18

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending May 1. Total.	Males.	Females.	In the Week ending May 8. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	162	113	49	178	120	58
45 WORKHOUSES	86	57	29	93	59	34
14 PRISONS . . . . . ‡	1	1	–	2	1	1
4 MILITARY AND NAVAL ASYLUMS . . . . §	5	5	–	9	9	–
15 GENERAL HOSPITALS	55	38	17	49	33	16
7 HOSPITALS FOR SPECIAL DISEASES	8	6	2	5	2	3
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	1	1	–	7	7	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	4	4	–
19 LUNATIC ASYLUMS	6	5	1	9	5	4

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 8th May 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	45	38	63	9	30
No.*							
1–6 WEST DISTRICTS - -	376427	2	8	6	8	1	3
7–11 NORTH DISTRICTS - -	490396	-	9	3	14	1	6
12–19 CENTRAL DISTRICTS -	393256	-	2	9	13	2	5
20–25 EAST DISTRICTS - -	485522	1	13	12	13	3	9
26–36 SOUTH DISTRICTS - -	616635	-	13	8	15	2	7
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	1	-	1	-	-
2 St. John Paddington H -	29053	-	2	-	-	-	1
3 Kensington Town *W* L -	29183	-	-	1	-	-	1
4 Brompton HH - -	14870	-	-	-	1	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	1	-	-	-	-
2; 1 Chelsea South H - -	19050	1	-	2	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	2	-	-
3 Chelsea North-east L -	19819	-	-	-	1	-	-
3; 1 Hanover-square - -	20216	-	-	-	1	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	1	-	-	1	-	-
4; 1 St. John Westmr. HHHP	34295	-	3	-	1	1	-
2 St. Margaret West. *W* HP	31314	-	-	3	-	-	-
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	1
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	1	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	1	-	-	-
2 Cavendish-square - -	14687	-	1	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	2	-	1
4 St. Mary Marylebone H -	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	1	-	-	-	-
6 St. John Marylebone -	29826	-	1	-	1	-	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	-	-	1	1	-
2 Tottenham-court *w*H -	28433	-	-	1	-	-	-
3 Gray's-inn-lane H -	26523	-	-	-	1	-	-
4 Somers-town - - -	35641	-	1	1	1	-	-
5 Camden-town *W* - -	21115	-	-	-	1	-	-
6 Kentish-town - - -	23326	-	-	-	2	-	1
10; 1 Islington West† *W* HHHPP	47881	-	-	-	1	-	1
2 Islington East - - -	47448	-	2	-	1	-	1
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	2	-	2	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	1	-	1
5 South Hackney L - -	8458	-	1	-	-	-	1
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	2	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	-	-
3 St. Giles North - -	17456	-	-	-	1	-	-
13; 1 St. Anne Soho - - -	17335	-	1	-	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	1
14; 1 St. George-the-Martyr H.	18813	-	1	1	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron-hill - - -	13837	-	-	-	1	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	1	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	1	-	-
4 Goswell-street - -	15625	-	-	-	1	-	-
16; 1 Old-street H - - -	10617	-	-	1	-	-	-
2 City-road HL - -	16840	-	-	1	1	-	-
3 Whitecross-street - -	13657	-	-	-	1	-	-
4 Finsbury - - - -	12941	-	-	1	1	-	-
17; 1 St. Botolph East London	23824	-	-	-	1	-	1
2 Cripplegate P - -	20582	-	-	-	2	1	-
18; 1 West London North *W* HP	12946	-	-	3	1	-	1
2 West London South P -	15844	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	1
2 London City North-west -	11847	-	-	-	1	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	1	-	1

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	2	1	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	-	-	-
3 Hoxton New Town *w* -	23505	-	-	1	-	-	1
4 Hoxton Old Town - -	17431	-	-	-	-	2	-
5 Haggerstone West *W* -	20276	-	1	-	-	-	2
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney Road - -	23910	-	1	2	-	-	-
2 Green, Bethnal Green *W* HL	23555	-	1	-	-	-	1
3 Church, Bethnal Green -	21787	1	-	-	1	-	2
4 Town, Bethnal Green -	20941	-	-	-	1	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	2	-	1	-	1
3 Mile End New Town *W* -	14543	-	-	-	1	-	-
4 Whitechapel North *W* -	12530	-	-	-	-	-	1
5 Whitechapel Church H -	7818	-	-	-	1	-	-
6 Goodman's Fields - -	12069	-	1	-	-	-	-
7 Aldgate H - - -	10694	-	1	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	1	-	-
3 St. John St. Geo. East *W*	9990	-	3	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	1	1	1	-	-
2 Ratcliff *W* - - -	15212	-	-	-	1	-	-
3 Limehouse *W* - -	22782	-	-	1	1	-	1
24*b*; 1 Mile End Old Town, West.	29582	-	-	1	2	-	-
2 Mile End Old T., East. *Ww* H	27020	-	-	1	1	1	-
25; 1 Bow *w*LH - - -	18778	-	2	2	-	-	-
2 Poplar *W* - - -	28384	-	-	1	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	2	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	3	-	2	-	1
2 St. Mary Magdalen *W* -	13934	-	1	-	1	-	-
3 Leather Market - -	15295	-	-	-	-	-	1
29; 1 Kent Road - - -	18126	-	-	-	1	-	-
2 Borough Road *W* P -	15862	-	-	-	-	-	-
3 London Road LP - -	17836	-	-	-	-	-	-
30; 1 Trinity Newington P -	20922	-	1	-	3	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	1	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	1	-	-	1	1
2 Waterloo Road 2nd H -	18348	-	-	-	1	-	-
3 Lambeth Church 1st -	18409	-	-	1	-	-	-
4 Lambeth Church 2nd *W*	26784	-	1	1	1	-	2
5 Kennington 1st - -	24261	-	-	-	-	-	-
6 Kennington 2nd - -	18848	-	-	1	-	-	-
7 Brixton L - - -	14610	-	1	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	1	-	-
32; 1 Clapham L - - -	16290	-	-	-	1	-	-
2 Battersea *W* - - -	10560	-	-	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	-	-	-	-
4 St. George Camberwell -	15849	-	-	-	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	1	1	-	-	-
2 St. Nicholas Deptford -	7071	-	1	-	-	-	-
3 Greenwich West H -	18800	-	1	-	1	-	-
4 Greenwich East *W* H -	16228	-	-	1	-	-	1
5 Woolwich Dockyard HP	17140	-	-	-	-	-	1
6 Woolwich Arsenal HPH	15227	-	2	-	1	-	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	1	-
4 Lewisham Village *W* -	6097	-	-	-	1	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 8th May 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
May.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	2	Greatest Dec. S.	29·240	53·2	40·1	13·1	42·5	36·7	58·0	37·0	56·7	53·2	5·8	9·9	3·0	— 8·0	88	N.W. & N.E.	N.E. & N.	0·0	0·0	0·0	55	0·15
Monday . .	3	..	29·405	57·0	37·5	19·5	45·9	37·1	78·0	33·8	56·7	52·7	8·8	15·6	2·2	— 5·0	72	N.	E. & N.E.	0·0	0·0	0·0	70	0·01
Tuesday .	4	..	29·741	54·7	37·2	17·5	43·6	40·2	74·6	—	55·7	51·7	3·4	9·5	0·9	— 7·7	91	N.	N.	0·0	0·0	0·0	40	0·05
Wednesday	5	..	29·892	63·4	33·4	30·0	48·6	41·5	84·0	27·2	55·7	51·7	7·1	17·9	1·8	— 3·0	70	N.W.	N.E.	0·0	0·0	0·0	50	0·00
Thursday.	6	Last Quarter.	30·179	60·0	38·3	21·7	48·2	37·4	82·5	29·8	53·3	51·7	10·8	18·1	6·9	— 3·6	66	N.E.	N.E.	0·0	0·0	0·0	55	0·00
Friday . .	7	..	30·233	58·4	32·1	26·3	44·8	37·5	77·5	23·8	54·0	51·7	7·3	15·6	5·5	— 7·1	72	N.E.	N.E.	0·0	0·0	0·0	45	0·00
Saturday.	8	..	30·133	59·7	32·7	27·0	45·5	37·4	81·5	24·5	54·0	51·7	8·1	17·4	1·5	— 6·3	72	N.E.	E.N.E.	0·0	0·0	0·0	40	0·00
Means . .		..	29·832	58·1	35·9	22·2	45·6	38·3	76·6	29·4	55·2	52·1	7·3	14·8	3·1	— 5·8	76	N.E.		..	..	..	Sum 355	Sum 0·21
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. May.		Electricity.	Sky and Atmosphere.
Sunday . .	2	Positive, with moderate tension during the morning and afternoon.	Cloudy till the evening; occasionally clear afterwards. Showers of hail and rain fell frequently.
Monday . .	3	Positive, with variable tension.	Partially cloudy till noon; generally clear during the remainder of the day. Rain fell near noon.
Tuesday . .	4	Positive and negative alternately; during the time rain was falling volleys of sparks and galvanic currents were shown.	Cloudy for the most part till the afternoon; clear afterwards. Heavy showers of rain fell during the afternoon.
Wednesday	5	Positive, with weak tension.	Fog was prevalent early in the morning; at other times of the day the sky was partially cloudy; overcast at night. Rain fell occasionally at night.
Thursday . .	6		Generally cloudy till noon, clear for the most part afterwards.
Friday . .	7	During the remainder of the week the electrometer has been under repair.	At noon the greater portion of the sky was obscured with clouds; clear at other times of the day. A magnetic disturbance was shown during the latter portion of this day.
Saturday .	8		During the afternoon the greater portion of the sky was covered with cloud; clear for the most part at other times. A magnetic disturbance was shown during the morning.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken. Osler's anemometer is under repair.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·02 in. at the beginning of the week to 30·257 in. on the 7th at 9h. A.M.; and decreased to 30·08 in. at the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, May 15. [No. 19.

General Register Office, Somerset House,
May 17th, 1858.

The number of deaths registered in London in the week ending Saturday, May 15th, was 1057, which is almost the same as that of the previous week, which was 1056. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1050, but as the deaths of last week occurred in an increased population, they can only be compared with the average, when the latter is raised in a degree proportionate to the increase, a correction which will make it 1155. The comparison indicates a favourable state of the public health, as showing that the deaths now returned are less by about a hundred than the number estimated from former experience at this season.

As the total numbers of the last two weeks very closely agree, so the numbers assigned to the five general heads under which all the causes of death are classed exhibit no important differences. Zymotic diseases caused in the two weeks 242 and 254 deaths respectively, the corrected average for last week being 259; constitutional diseases 251 and 246, the average being 266; local diseases 407 and 394, the average being 449; developmental 126 and 130, the average being 139; and the number of violent deaths was 25 both weeks, the average being 22. The slight increase under the first head arises in part from diarrhœa, the fatal cases of which increased from 9 to 17. Whooping-cough was also more fatal last week, this complaint having carried off 81 children, a large proportion of whom were under two years of age. Six deaths occurred from it in the sub-district of St. Peter, Walworth, and 4 in that of St. John, Westminster. Of 47 deaths from measles, 6 occurred in the sub-district of Greenwich West. Scarlatina was fatal in 36 cases, and 4 of these occurred in Hoxton Old Town. Six cases of diphtheria are returned. A death from this disease having occurred in the Hackney-road sub-district, Mr. Todd, the medical attendant of the case, states that "the "effluvium from the gas-water of the adjoining gasworks, which is carried off "through the sewers, has been represented to him as at times very offensive, and "in his opinion it is very likely to deteriorate the health of persons exposed to it." Two girls, aged respectively 10 and 14 years, died of tonsillitis (quinsy) in the same family at 3 Norfolk-place, Islington. Three children of the same parents have died, within 18 days, of scarlatina in the Hyde-park barracks. The deaths of two very old persons are reported in the returns: a fish porter died in Great Trinity-lane at the age of 97 years, and the widow of a stone sawyer at 60 Pleasant-place, Lambeth, whose age is stated to have been 102 years.

Last week the births of 798 boys and 752 girls, in all 1550 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1577.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·659 in. The highest barometrical reading was 30·08 in. at the beginning of the week. The mean temperature of the week was 49·6°, which is 1·9° below the average of the same week in 43 years (as determined by Mr. Glaisher). The *highest* point attained by the thermometer in the shade was 65·5° on Thursday; the *lowest* was 36·1° on Sunday; the entire range of the week was therefore 29·4°. The mean daily range was 21·2°. The difference between

the mean dew point temperature and air temperature was 7·4°. The mean temperature of the water of the Thames was 53·3°. The mean degree of humidity of the air was 77, saturation being represented by 100. The general direction of the wind was south-west. Rain fell to the amount of 0·51 in., which chiefly fell on Thursday and Friday. A heavy storm of rain and hail occurred on the afternoon of Thursday, with strong wind and occasional claps of thunder.

KENSINGTON; *St. Mary Paddington.*—At 42 Bridge-place, on 4th May, the son of a packer, aged 4 years, "coup de soleil (2¾ years since), fever, 4 attacks (2 months), effusion into the ventricles of the brain.

KENSINGTON; *St. Peter Hammersmith.*—At 21 Trafalgar-street, on 8th May, a general labourer, aged 50 "idiopathic tetanus (22 hours)."

PANCRAS; *Kentish-town.*—At 4 Leybourne-street, on 23d April, a boy, aged 3 weeks, "death caused by a dose or two of Godfrey's cordial given medicinally." (*Inquest.*)

EAST LONDON; *St. Botolph.*—At 64 Bishopsgate-street Without, on 4th May, the widow of a baker, aged 31 years, "erysipelatous inflammation of the fauces and larynx (36 hours)."

BETHNAL GREEN; *Green.*—On 14th May, the wife of a shoemaker, aged 56 years, "diarrhœa and debility from taking laudanum daily for 10 years."

LAMBETH; *Lambeth Church* (*2d part*).—At 60 Pleasant-place, on 9th May, the widow of a stone sawyer, aged 102 years, "old age."

LAMBETH; *Kennington* (*1st part*).—At Kennington-terrace, on 9th May, the wife of a surgeon, aged 48 years, "stricture of colon, (— months), opened by Amusat's operation, death third day after. *Post mort.* No malignant disease."

BIRTHS Registered LAST WEEK, and in the NINETEENTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1386	1479	1320	1572	1401	1676	1872	1678	1701	1682	1576·7	1550
Males . .	672	756	643	791	712	870	896	909	886	873	800·8	798
Females . .	714	723	677	781	689	806	976	769	815	809	775·9	752

DEATHS Registered LAST WEEK, and in the NINETEENTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	1052	905	857	1041	1070	1099	1093	1183	1154	1050	1050·4	1057
Males . .	493	474	430	555	529	594	565	616	585	514	535·5	528
Females .	559	431	427	486	541	505	528	567	569	536	514·9	529

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.
BIRTHS	1963	1810	1644	2007	1960	1924	1735	1642	1965	1810	1717	1688	1550
DEATHS	1275	1288	1353	1487	1431	1268	1374	1221	1207	1144	1125	1056	1057
DEATHS (except from Violence) . . .	1250	1265	1330	1452	1396	1218	1261	1198	1187	1121	1093	1031	1032
Deaths (except from Violence) at 60 years and upwards . .	299	305	287	339	306	237	270	243	213	243	217	216	216
Small-pox	4	2	4	7	4	3	1	3	3	..	2	3	4
Measles	34	57	55	59	45	50	59	58	55	41	54	45	47
Scarlatina	39	53	37	41	40	29	26	33	37	40	32	38	36
Whooping-cough . .	53	53	59	69	83	72	66	78	77	81	69	63	81
Typhus	34	27	22	34	41	26	40	22	37	33	31	30	22
Diarrhœa	11	9	20	20	13	12	11	17	12	9	11	9	17
Mean Temperature .	34°·0	33°·1	31°·5	34°·7	48°·0	46°·6	44°·6	40°·3	46°·7	52°·8	47°·1	45°·6	49°·6

DEATHS in LONDON, from ALL CAUSES, Registered in the NINETEENTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 13 1848	May 12 1849	May 11 1850	May 10 1851	May 15 1852	May 14 1853	May 13 1854	May 12 1855	May 10 1856	May 16 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 15, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	62°·7	45°·5	46°·7	47°·4	52°·7	45°·3	49°·7	47°·6	44°·3	57°·6	50°·0	Mean Temp. 49°·6					
	ALL CAUSES	1052	905	857	1041	1070	1099	1093	1183	1154	1050	1050·4	1057	547	154	138	171	47
	SPECIFIED CAUSES	1044	889	826	1023	1054	1088	1082	1170	1120	1040	1033·6	1049	541	154	137	170	47
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	270	220	155	242	249	252	272	236	251	208	235·5	254	217	15	12	8	2
II.	CONSTITUTIONAL "	236	216	197	236	238	247	230	280	280	262	242·2	246	85	82	42	27	10
III.	LOCAL "	395	356	366	387	411	435	409	482	428	412	408·1	394	156	42	83	98	15
IV.	DEVELOPMENTAL "	120	90	93	129	128	138	143	156	141	136	127·4	130	68	7	..	35	20
V.	VIOLENT DEATHS	23	7	15	29	28	16	28	16	20	22	20·4	25	15	8	..	2	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	256	207	144	228	235	235	261	209	234	189	219·8	237	209	13	8	6	1
	2. ENTHETIC "	8	4	4	8	1	4	1	9	6	3	4·8	7	3	1	1	1	1
	3. DIETIC "	2	7	7	5	11	10	6	17	8	12	8·5	9	4	1	3	1	..
	4. PARASITIC "	4	2	..	1	2	3	4	1	3	4	2·4	1	1	..	..	..	..
II.	1. DIATHETIC "	46	39	38	28	38	35	47	36	46	50	40·3	56	7	5	16	19	9
	2. TUBERCULAR "	190	177	159	208	200	212	183	244	234	212	201·9	190	78	77	26	8	1
III.	1. DISEASES OF NERVOUS SYSTEM	113	98	121	119	118	112	114	128	121	103	114·7	100	43	7	20	24	6
	2. " OF ORGANS OF CIRCULATION	30	57	37	43	45	49	42	45	52	47	44·7	49	4	12	16	15	2
	3. " OF RESPIRATORY ORGANS	167	137	137	157	169	199	166	225	179	202	173·8	175	91	12	22	44	6
	4. " OF DIGESTIVE ORGANS	63	46	44	50	62	48	57	48	49	38	50·5	42	10	6	18	8	..
	5. " OF URINARY ORGANS	8	8	14	8	7	15	15	20	15	13	12·3	18	3	1	6	7	1
	6. " OF ORGANS OF GENERATION	7	5	4	4	4	6	2	8	6	3	4·9	2	..	2	..	..	..
	7. " OF ORGANS OF LOCOMOTION	6	4	6	3	2	4	7	5	1	2	4·0	5	2	2	1	..	..
	8. " OF INTEGUMENTARY SYSTEM	1	1	3	3	4	2	6	3	5	4	3·2	3	3	..	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	47	30	28	50	45	57	52	42	54	36	44·1	35	35	..	..	..	..
	2. " OF ADULTS	9	4	4	7	7	1	5	6	7	4	5·4	7	..	7	..	..	..
	3. " OF OLD PEOPLE	41	39	37	41	46	37	47	56	40	55	43·9	50	..	..	..	30	20
	4. DISEASES OF NUTRITION	23	17	24	31	30	43	39	52	40	41	34·0	38	33	..	..	5	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											20	14	4	..	2	..
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												5	1	4	..	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	23	7	15	29	28	16	28	16	20	22	20·4	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	11	..	15	3	..	5	4	7	2	4·9	4	3	..	1	..	..
	CAUSES NOT SPECIFIED	6	5	31	3	13	11	6	9	27	8	11·9	4	3	..	..	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 13 1848	May 12 1849	May 11 1850	May 10 1851	May 15 1852	May 14 1853	May 13 1854	May 12 1855	May 10 1856	May 16 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 15, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	62°·7	45°·5	46°·7	47°·4	52°·7	45°·3	49°·7	47°·6	44°·3	57°·6	50°·0	Mean Temp. 49°·6					
I.	ORDER 1.																	
	1. Small-pox	24	12	4	10	46	3	13	28	16	2	15·8	4	3	1	..	..	..
	2. Measles	34	33	14	41	15	19	40	9	27	29	26·1	47	47	..	..	..	..
	3. Scarlatina	43	40	25	11	44	36	49	35	35	14	33·2	36	33	3	..	..	..
	4. Quinsy	..	2	1	..	1	..	3	4	2	..	1·3	3	3	..	..	..	..
	5. Croup	4	9	5	5	10	4	14	10	14	8	8·3	11	11	..	..	..	..
	6. Whooping-cough	40	46	36	72	38	59	50	47	48	51	48·7	81	81	..	..	..	..
	7. Typhus (and Infantile fever)	74	33	29	43	37	74	47	38	49	41	46·5	22	16	2	2	2	..
	8. Erysipelas	12	7	7	5	8	6	8	8	7	6	7·4	5	3	1	1	..	..
	9. Metria	5	1	5	2	4	1	5	4	5	8	4·0	3	..	3	..	..	..
	10. Carbuncle	..	..	..	..	..	..	6	..	1	2	·9	..	..	..	..	..	..
	11. Influenza	..	..	4	6	4	2	5	2	3	..	2·6	..	..	..	..	..	..
	12. Dysentery	2	2	1	2	2	3	2	5	3	1	2·3	3	1	..	2	..	..
	13. Diarrhœa	10	11	8	23	16	18	10	11	15	18	14·0	17	8	2	2	4	1
	14. Cholera	1	3	..	..	..	..	..	1	..	..	·5	..	..	..	..	..	..
	15. Ague	..	..	..	2	1	1	1	..	..	1	·6	2	1	..	1	..	..
	16. Remittent fever	3	2	2	1	4	3	1	1	2	4	2·3	1	1	..	..	..	..
	17. Rheumatism	4	6	3	5	5	6	7	6	7	4	5·3	2	1	1	..	..	..
	ORDER 2.																	
	1. Syphilis	5	3	4	7	..	3	..	6	6	2	3·6	5	3	1	1	..	..
	2. Stricture of Urethra	3	1	..	1	1	1	1	3	..	1	1·2	2	..	..	..	1	1
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	..	..	1	..	1	..	..	·2	..	..	..	..	..	..
	2. Want of Breast-milk	1	4	1	1	3	4	2	9	1	6	3·2	4	4	..	..	..	..
	3. Purpura and Scurvy	1	1	2	2	2	..	1	1	2	1	1·3	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	..	..	2	2	3	3	3	5	4	2	2·4	2	..	1	1	..	..
	4. Alcoholism { *b* Intemperance	..	2	2	..	3	2	..	1	1	3	1·4	3	..	..	2	1	..
	ORDER 4.																	
	1. Thrush	4	2	..	1	2	3	4	1	3	4	2·4	1	1	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848-57 classed in this Table with *Dis. of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	4	..	1	..	3	2	2	..	..	1·2	2	..	..	1	..	1
	2. Dropsy	16	19	15	10	10	12	15	19	20	19	15·5	28	7	1	4	10	6
	3. Cancer	25	13	21	16	25	18	28	12	22	25	20·5	24	..	4	11	7	2
	4. Noma	..	..	..	..	..	..	..	..	..	2	·2	..	..	..	..	..	..
	5. Mortification	5	3	2	1	3	2	2	3	4	4	2·9	2	..	..	..	2	..
	ORDER 2.																	
	1. Scrofula	7	11	5	9	14	4	7	10	11	11	8·9	9	6	1	2	..	..
	2. Tabes Mesenterica	16	13	16	17	9	25	20	17	23	14	17·0	20	20	..	..	..	..
	3. Phthisis	117	129	116	143	142	143	128	182	173	153	142·6	134	25	76	24	8	1
	4. Hydrocephalus	50	24	22	39	35	40	28	35	27	34	33·4	27	27	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	10	15	8	9	11	14	7	24	10	8	11·6	14	10	2	2	..	..
	2. Apoplexy	15	17	27	29	30	25	20	23	27	26	23·9	20	3	1	8	6	2
	3. Paralysis	31	13	23	24	20	17	20	25	22	13	20·8	21	..	2	3	12	4
	4. Insanity	4	2	2	6	3	1	1	2	..	2	2·3	..	..	..	..	..	..
	5. Chorea	..	..	..	..	..	1	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	4	8	5	13	10	3	8	7	11	7	7·6	4	..	..	2	2	..
	7. Convulsions	40	32	41	29	32	40	42	33	31	27	34·7	29	28	..	..	1	..
	8. *Brain Disease, &c.*	9	11	15	9	12	11	16	14	20	20	13·7	12	2	2	5	3	..
	ORDER 2.																	
	1. Pericarditis	2	7	1	3	3	4	1	3	4	1	2·9	4	1	2	1	..	..
	2. Aneurism	1	1	1	2	..	3	..	1	1	1	1·1	4	..	2	2	..	..
	3. *Heart Disease, &c.*	27	49	35	38	42	42	41	41	47	45	40·7	41	3	8	13	15	2
	ORDER 3.																	
	1. Laryngitis	5	6	4	5	7	5	4	10	5	9	6·0	10	9	..	..	1	..
	2. Bronchitis	57	46	51	60	79	87	76	94	82	102	73·4	86	35	2	12	32	5
	3. Pleurisy	5	2	5	1	5	3	2	4	1	3	3·1	3	..	3	..	..	..
	4. Pneumonia	79	66	56	77	59	86	72	95	75	75	74·0	66	46	7	8	4	1
	5. Asthma	16	10	13	5	12	10	8	12	7	8	10·1	7	..	..	2	5	..
	6. *Lung Disease, &c.*	5	7	8	9	7	8	4	10	9	5	7·2	3	1	..	..	2	..
	ORDER 4.																	
	1. Gastritis	1	4	..	..	4	..	1	..	..	1	1·1	..	..	..	..	..	..
	2. Enteritis	8	9	11	5	9	4	4	3	4	2	5·9	4	1	..	2	1	..
	3. Peritonitis	6	2	2	3	3	3	2	5	7	4	3·7	3	3	..	..	..	..
	4. Ascites	2	..	2	2	6	6	3	5	5	3	3·4	3	1	1	..	1	..
	5. Ulceration of Intestines	5	2	1	3	4	5	1	1	1	2	2·5	1	1	..	..	..	..
	6. Hernia	2	2	1	3	1	2	3	4	..	1	1·9	4	..	2	1	1	..
	7. Ileus	3	2	3	4	1	2	4	2	6	1	2·8	3	..	..	1	2	..
	8. Intussusception	1	2	2	1	..	1	..	..	..	..	·7	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the NINETEENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 13 1848	May 12 1849	May 11 1850	May 10 1851	May 15 1852	May 14 1853	May 13 1854	May 12 1855	May 10 1856	May 16 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 15, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	62°·7	45°·5	46°·7	47°·4	52°·7	45°·3	49°·7	47°·6	44°·3	57°·6	50°·0	49°·6					
	9. Stricture of Intestines	..	..	..	..	..	..	..	..	3	..	·3	1	..	..	1	..	..
	10. Fistula	1	..	1	..	..	1	1	1	..	1	·6	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	7	4	4	6	8	7	9	5	10	5	6·5	7	2	1	2	2	..
	12. *Pancreas Disease, &c.*	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	13. Hepatitis	7	2	7	4	7	3	6	9	3	6	5·4	4	..	..	3	1	..
	14. Jaundice	2	4	2	7	6	2	7	2	2	3	3·7	3	2	..	1	..	..
	15. *Liver Disease, &c.*	17	13	7	11	13	12	16	10	8	8	11·5	9	..	2	7	..	..
	16. *Spleen Disease, &c.*	..	..	1	1	..	..	..	1	..	1	·4	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	..	..	..	..	1	1	..	·2	..	..	..	..	..	..
	2. Ischuria	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	2	3	3	1	3	3	4	8	5	5	3·7	7	..	1	3	3	..
	4. Diabetes	1	1	2	1	..	1	1	1	1	1	1·0	..	..	..	..	..	..
	5. Stone	1	..	..	1	1	1	2	1	..	3	1·0	1	1	..	..	..	..
	6. Cystitis	..	..	..	1	..	3	2	1	2	1	1·0	1	..	..	1	..	..
	7. *Kidney Disease, &c.*	4	4	9	4	2	7	6	8	6	3	5·3	9	2	..	2	4	1
	ORDER 6.																	
	1. Ovarian Dropsy	1	1	..	1	..	2	..	..	..	..	·5	1	..	1	..	..	..
	2. *Uterus Disease, &c.*	6	4	4	3	4	4	2	8	6	3	4·4	1	..	1	..	..	..
	ORDER 7.																	
	1. Arthritis	..	..	1	..	..	..	..	1	1	..	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	6	4	5	3	2	4	7	4	..	2	3·7	5	2	2	1	..	..
	ORDER 8.																	
	1. Phlegmon	..	1	1	3	1	1	5	2	4	2	2·0	2	2	..	..	..	..
	2. Ulcer	1	..	1	..	1	1	..	1	..	1	·6	..	..	..	..	..	..
	3. *Skin Disease, &c.*	..	..	1	..	2	..	1	..	1	1	·6	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	22	21	20	31	33	32	37	24	37	22	27·9	14	14	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	7	3	2	5	1	2	5	6	6	2	3·9	6	6	..	..	..	..
	5. Teething	18	6	6	14	11	23	10	12	11	12	12·3	13	13	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	2	..	..	..	..	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	9	4	4	7	5	1	5	6	7	4	5·2	7	..	7	..	..	..
	ORDER 3.																	
	1. Old Age	41	39	37	41	46	37	47	56	40	55	43·9	50	..	..	..	30	20
	ORDER 4.																	
	1. Atrophy and Debility	23	17	24	31	30	43	39	52	40	41	34·0	38	33	..	..	5	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	11	7	2	..	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	6	4	2	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	23	7	15	29	28	16	28	16	20	22	20·4	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	2	11	..	15	3	..	5	4	7	2	4·9	4	3	..	1	..	..
	Causes not specified or ill-defined	6	5	31	3	13	11	6	9	27	8	11·9	4	3	..	..	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the NINETEENTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, May 13 1848	May 12 1849	May 11 1850	May 10 1851	May 15 1852	May 14 1853	May 13 1854	May 12 1855	May 10 1856	May 16 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, May 15 1858.
Mean Temperature . . .			62·7°	45·5°	46·7°	47·4°	52·7°	45·3°	49·7°	47·6°	44·3°	57·6°	50·0°	49·6°
LONDON	78029	2362236	1052	905	857	1041	1070	1099	1093	1183	1154	1050	1050·4	1057
1–6. WEST DISTRICTS .	10786	376427	143	149	131	168	193	149	190	191	196	185	169·5	171
7–11. NORTH DISTRICTS .	13533	490396	197	181	155	202	178	218	212	256	240	221	206·0	223
12–19. CENTRAL DISTRICTS	1938	393256	184	134	134	181	209	190	173	175	176	154	171·0	146
20–25. EAST DISTRICTS .	6230	485522	226	200	190	216	212	237	213	241	249	198	218·2	220
26–36. SOUTH DISTRICTS .	45542	616635	302	241	247	274	278	305	305	320	293	292	285·7	297
1. Kensington* HHHH .	7374	120004	35	35	37	40	53	32	56	58	77	52	47·5	60
2. Chelsea H*w* . . .	865	56538	27	20	28	36	37	25	43	33	25	28	30·2	22
3. St. George Hanover-sq. H	1161	73230	19	28	19	31	38	35	33	44	41	40	32·8	36
4. Westminster* HHHH .	917	65609	33	39	27	31	37	31	28	31	37	39	33·3	28
5. St Martin-in-the-Fields H	305	24640	11	15	8	9	13	16	10	16	10	19	12·7	12
6. St. James Westminster .	164	36406	18	12	12	21	15	10	20	9	6	7	13·0	13
7. Marylebone HH . .	1509	157696	65	55	67	79	46	77	80	78	85	59	69·1	67
8. Hampstead	2252	11986	4	3	3	5	3	3	2	..	4	5	3·2	7
9. Pancras HH*w* . . .	2716	166956	73	66	55	64	82	75	68	88	72	70	71·3	83
10. Islington HHH . .	3127	95329	32	33	19	36	32	38	48	61	49	56	40·4	38
11. Hackney* H*w* . . .	3929	58429	23	24	11	18	15	25	14	29	30	31	22·0	28
12. St. Giles* H . . .	245	54214	36	14	17	33	22	26	29	30	26	34	26·7	23
13. Strand* H	174	44460	16	19	19	22	14	21	21	25	12	20	18·9	12
14. Holborn* H . . .	196	46621	22	23	19	23	25	19	28	19	24	21	22·3	12
15. Clerkenwell	380	64778	23	20	21	32	37	38	21	23	22	21	25·8	35
16. St. Luke HH . . .	220	54055	21	15	13	18	33	24	22	24	32	17	21·9	23
17. East London* . . .	153	44406	12	16	11	18	27	18	19	15	15	13	16·4	15
18. West London* H . .	136	28790	29	14	16	15	42	32	16	26	28	15	23·3	13
19. London City*	434	55932	25	13	18	20	9	12	17	13	17	13	15·7	13
20. Shoreditch *w* . . .	646	109257	53	53	38	55	49	57	51	48	59	55	51·8	50
21. Bethnal Green H . .	760	90193	41	28	33	30	32	28	25	25	35	33	31·0	40
22. Whitechapel* HH . .	406	79759	34	29	29	37	45	40	37	43	44	30	36·8	50
23. St. George-in-the-East .	243	48376	29	26	21	16	16	27	14	18	24	19	21·0	22
24*a*. Stepney*	576	54173	51	43	45	51	56	67	62	66	57	39	53·7	17
24*b*. Mile-end Old Town H*w*	681	56602												13
25. Poplar* H*w* . . .	2918	47162	18	21	24	27	14	18	24	41	30	22	23·9	28
26. St. Saviour Southwark* HH	250	35731	20	25	9	21	21	23	23	20	15	21	19·8	13
27. St. Olave Southwark* HH	169	19375	17	9	19	9	11	20	32	26	13	20	17·6	19
28. Bermondsey	688	48128	22	18	15	15	26	21	23	24	18	18	20·0	30
29. St. George Southwark .	282	51824	25	28	17	23	16	32	17	23	17	25	22·3	24
30. Newington	624	64816	33	23	43	33	24	27	40	28	25	34	31·0	21
31. Lambeth H	4015	139325	67	46	55	58	68	62	57	71	51	59	59·4	62
32. Wandsworth*	11695	50764	14	21	14	24	25	32	20	27	24	20	22·1	24
33. Camberwell	4342	54667	29	19	13	12	24	36	19	26	29	26	23·3	23
34. Rotherhithe	886	17805	12	4	16	17	10	4	13	11	13	9	10·9	11
35. Greenwich* HHHHH .	5367	99365	54	40	33	52	40	40	51	41	64	47	46·2	48
36. Lewisham*	17224	34835	9	8	13	10	13	8	10	23	24	13	13·1	22

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending May 8. Total.	Males.	Females.	In the Week ending May 15. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	178	120	58	170	97	73
45 WORKHOUSES	93	59	34	86	42	44
14 PRISONS . . . . . ‡	2	1	1	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	9	9	–	5	5	–
15 GENERAL HOSPITALS	49	33	16	60	39	21
7 HOSPITALS FOR SPECIAL DISEASES	5	2	3	2	1	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	7	7	–	7	7	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	4	4	–	1	1	–
19 LUNATIC ASYLUMS	9	5	4	9	2	7

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 15th May 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	47	36	81	17	22
No.*							
1-6 WEST DISTRICTS - -	376427	-	4	1	16	1	5
7-11 NORTH DISTRICTS - -	490396	1	13	6	15	5	7
12-19 CENTRAL DISTRICTS -	393256	-	1	3	3	2	2
20-25 EAST DISTRICTS - -	485522	2	8	13	21	4	5
26-36 SOUTH DISTRICTS - -	616635	-	21	13	26	5	3
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	-	-	-	1
2 St. John Paddington H -	29053	-	-	-	-	-	-
3 Kensington Town *W* L -	29183	-	-	-	-	-	1
4 Brompton HH - -	14870	-	-	-	2	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	1	-	3	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	1	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	1	-	-	1	-
3 Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1 Hanover Square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	1	-	2	-	1
4; 1 St. John Westmr. HHHP	34295	-	-	-	4	-	1
2 St. Margaret West. *W* HP	31314	-	-	1	1	-	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick Street - -	10798	-	-	-	1	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	3	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	-	-	-	2
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	2	1	1
4 St. Mary Marylebone H	22814	-	-	-	1	-	-
5 Christchurch Marylebone	33895	-	-	-	1	-	-
6 St. John Marylebone -	29826	-	-	-	-	-	-
8; 1 Hampstead *W* - -	11986	-	1	-	1	-	-
9; 1 Regent's Park Pancras -	31918	-	3	2	2	-	-
2 Tottenham-court *w*H -	28433	1	-	1	-	2	-
3 Gray's Inn Lane H -	26523	-	1	1	-	1	-
4 Somers Town - - -	35641	-	2	1	2	-	-
5 Camden Town *W* - -	21115	-	-	-	1	-	-
6 Kentish Town - -	23326	-	-	-	2	1	1
10; 1 Islington West† *W*HHHPP	47881	-	-	-	1	-	1
2 Islington East - -	47448	-	2	1	1	-	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford Hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	2	-	-	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	1	-	-
5 South Hackney L - -	8458	-	1	-	-	-	2
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	1	-	1	-
2 St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	1	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	1	-	-	-	-
4 Goswell-street - - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	-	1	-	-	-
3 Whitecross-street - -	13657	1	-	-	2	-	-
4 Finsbury - - - -	12941	-	-	-	-	-	-
17; 1 St. Botolph East London	23824	-	-	-	-	-	-
2 Cripplegate P - -	20582	-	-	-	-	-	-
18; 1 West London North *W*HP	12946	-	-	1	-	1	1
2 West London South P -	15844	-	-	-	-	-	1
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South - -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	-	-	1	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	1	-	-
3 Hoxton New Town *w* -	23505	-	-	-	-	-	1
4 Hoxton Old Town - -	17431	-	-	4	-	1	-
5 Haggerstone West *W* -	20276	-	1	2	1	-	-
6 Haggerstone East - -	11351	-	-	-	1	1	-
21; 1 Hackney-road - - -	23910	-	1	1	2	-	-
2 Green, Bethnal Green *W* HL	23555	-	3	-	-	1	-
3 Church, Bethnal Green -	21787	1	-	-	2	-	-
4 Town, Bethnal Green -	20941	-	-	-	1	-	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	1	-	-
3 Mile End New Town *W*	14543	-	-	1	1	-	-
4 Whitechapel North *W* -	12530	-	-	-	1	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	1	-	-
7 Aldgate H - - -	10694	1	1	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	1	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	3	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	1	-	-
2 Ratcliff *W* - - -	15212	-	1	-	1	-	-
3 Limehouse *W* - -	22782	-	-	-	1	1	1
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	-	1	-	1
2 Mile End Old T., East. *Ww*H	27020	-	-	1	-	-	-
25; 1 Bow *w*LH - - -	18778	-	-	3	-	-	-
2 Poplar *W* - - -	28384	-	1	1	-	-	1
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	1	-	-	1	-
2 St. Saviour Southwark HH	19709	-	-	1	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	1	-	3	-	-
28; 1 St. James Bermondsey -	18899	-	3	1	1	-	-
2 St. Mary Magdalen *W* -	13934	-	2	1	2	-	-
3 Leather Market - -	15295	-	1	-	-	-	-
29; 1 Kent-road - - -	18126	-	1	1	-	-	-
2 Borough-road *W* P -	15862	-	-	-	1	-	-
3 London-road LP - -	17836	-	-	-	-	-	-
30; 1 Trinity Newington P -	20922	-	-	-	1	-	-
2 St. Peter Walworth *W* -	29861	-	1	1	6	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	-	1	-	-
2 Waterloo-road 2nd H -	18348	-	-	1	1	1	-
3 Lambeth Church 1st -	18409	-	-	-	-	-	-
4 Lambeth Church 2nd *W*	26784	-	-	1	-	1	-
5 Kennington 1st - -	24261	-	1	-	2	-	-
6 Kennington 2nd - -	18848	-	-	-	-	-	-
7 Brixton L - - -	14610	-	-	1	-	-	-
8 Norwood *W* - - -	3977	-	1	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	-	-	-
2 Battersea *W* - - -	10560	-	-	-	1	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	1
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	1	-	-
2 Camberwell *W* LL - -	17742	-	-	1	-	1	-
3 Peckham - - - -	19444	-	-	1	-	-	-
4 St. George Camberwell -	15849	-	-	-	1	-	-
34; 1 Rotherhithe *W* - -	17805	-	2	-	1	-	-
35; 1 St. Paul Deptford - -	24899	-	-	1	2	-	-
2 St. Nicholas Deptford -	7071	-	-	-	1	-	-
3 Greenwich West H -	18800	-	6	1	-	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	-	1
5 Woolwich Dockyard HP	17140	-	-	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	-	-	-
36; 1 Plumstead - - -	13191	-	-	-	1	1	1
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	1	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 15th May 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Greatest.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Greatest.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
May.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday	9	In Equator.	29·990	62·0	36·1	25·9	46·9	35·8	87·5	—	53·8	51·7	11·1	18·4	1·8	— 4·7	68						45	0·00
Monday	10	..	29·908	65·3	41·1	24·2	52·8	41·8	87·0	33·1	53·8	51·7	11·0	20·3	5·3	+ 1·4	64						80	0·00
Tuesday	11	..	29·794	63·0	40·5	22·5	49·8	41·5	82·0	31·7	54·7	51·7	8·3	15·0	2·5	— 1·5	73						110	0·01
Wednesday	12	..	29·588	55·6	41·1	14·5	45·8	41·4	63·8	31·2	53·8	51·2	4·4	8·2	2·9	— 5·5	88						80	0·03
Thursday	13	New	29·553	65·5	36·7	28·8	49·1	43·2	85·8	29·0	55·2	52·2	5·9	18·8	1·1	— 2·3	79						95	0·21
Friday	14	Perigee	29·488	61·0	42·1	18·9	50·9	43·8	61·0	—	55·2	52·2	7·1	11·0	1·0	— 0·9	77						55	0·19
Saturday	15	..	29·290	61·0	47·5	13·5	52·2	47·7	69·7	41·0	55·7	52·7	4·5	9·3	2·4	0·0	87						205	0·07
Means		..	29·659	61·9	40·7	21·2	49·6	42·2	76·7	5 nights. 33·2	54·6	51·9	7·5	14·4	2·4	— 1·9	77	S.W.		..	..	..	Sum 670	Sum 0·51
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
May.			
Sunday	9	Till Tuesday the electrical apparatus was under repair.	Partially cloudy at all times of the day.
Monday	10		Partially cloudy till noon; clear for the most part till evening; overcast at night.
Tuesday	11	Negative and weak at noon; at other times of the day positive with variable tension.	Cloudy during the morning and afternoon; partially clear at night.
Wednesday	12	Negative and active during the morning; positive, with strong tension during the remainder of the day.	Overcast until the evening; partially clear afterwards. Rain fell frequently during the morning.
Thursday	13	Negative and weak during the morning; positive, with moderate tension at other times.	Cloudy generally until night, clear for the most part afterwards. Showers of rain fell during the morning. Between 3h. 40m. and 4h. 10m. P.M. a heavy storm of hail and rain occurred, with hard wind and occasional claps of thunder.
Friday	14	Positive, with strong tension.	Cloudy generally throughout the day. Showers of rain fell frequently.
Saturday	15	Positive, with weak tension.	Overcast till noon, during the remainder of the day the amount of cloud was very variable. Showers of rain fell during the morning.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken. Osler's anemometer was under repair during the week.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 30·08 in. at the beginning of the week to 29·26 in. by 3h. P.M. on the 15th; after which it turned to increase slowly.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, May 22. [No. 20.

General Register Office, Somerset House,
May 24th, 1858.

The deaths registered in London, which in each of the two previous weeks were about 1050, rose in the last week, ending Saturday May 22d, to 1082. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1030; but as the deaths of last week occurred in an increased population, they can only be compared with the average, after the latter is raised in a degree proportionate to the increase, a correction which will make it 1132. Hence it is seen that the actual number of deaths now returned is less by 50 than the number which would have occurred if the average rate of mortality, as calculated for the third week of May, had prevailed.

Of the deaths amounting to 251 from the order of diseases termed in the tables *miasmatic*, the largest proportion is still contributed by whooping-cough, which carried off 72 children, of whom 52 died within the first two years of life. Mr. Butterfield, the Registrar of the East sub-district of Islington, by whom 6 deaths from this complaint are returned for the week, states that it has been the fatal disease in 14 per cent. of the deaths registered by him since the 13th of April. Measles was fatal last week in the next degree, 60 children having died of it (4 of these in the sub-district of St. John Westminster). There were 48 deaths from scarlatina, 5 of which occurred in the sub-district of St. George the Martyr, Holborn. It was mentioned in last return that 3 children belonging to the same parents had died of scarlatina in Hyde-park barracks; it is now stated that the fourth, and last child in the family, has died from the same disease. The wife of a labourer in the Royal Arsenal, Woolwich, died at 34 Charlotte-street, Plumstead, of "cholera, typhoid fever," after 6 days' illness. Six persons who had attained the age of 90 years and upwards were registered in the week, the two oldest of whom were a man, aged 96 years, who died in Great Dover-street, Newington, and a woman, aged 97, in Beaumont-street, Marylebone. Besides these, a labourer's widow died at the age of 100 years at 4 Pratt-alley, Whitechapel.

Last week the births of 846 boys and 779 girls, in all 1625 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1548.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·761 in. The *highest* barometrical reading was 29·97 in. on Thursday. The mean temperature of the week was 54·9°, which is 1·6° above the average of the same week in 43 years (as determined by Mr. Glaisher). The *highest* point attained by the thermometer in the shade was 71° on Friday; the *lowest* point was 42·7° on the day previous. The range of temperature in the week was therefore 28·3°. The mean daily range was 19·3°. The difference between the mean dew point temperature and air temperature was 9·4°. The mean degree of humidity of the air was 72, complete saturation being represented by 100. The

mean temperature of the water of the Thames was 55·5°. The direction of the wind was south-west. Rain fell to the amount of 0·27 in. On Wednesday afternoon there was a very heavy squall of wind, accompanied by thunder and heavy rain.

The composition of the water supplied by eight of the water companies in the Metropolis, has been determined for the month of April by Dr. Robert Dundas Thomson, F. R. S., of St. Thomas's Hospital, and is represented in the subsequent table. It is proper to mention that the water containing the largest amount of impurity happened to be taken after a fall of rain, when a distinct alteration in the composition of water derived from the surface drainage of an agricultural country can usually be detected. In table 1° (one degree) of impurity is equivalent to 1 grain of foreign matter present dissolved in the water per gallon. For the scale of comparison water about to be supplied to Glasgow from Loch Katrine, and water supplied to Aberdeen from the Dee, are introduced into the table.

Degrees of Impurity of different Waters.

Companies.	Total Impurity.	Organic Impurity.
	grs. *or* °	grs. *or*°
Distilled Water -	0·0	—
Loch Katrine - - -	2·15	0·80
Aberdeen Water - -	4·0	1·75
East London - - -	17·08	0·96
New River - - -	17·48	1·68
Kent - - - -	27·29	3·52
Southwark - - - -	17·80	1·08
Lambeth - - -	21·60	2·52
Chelsea - - -	19·00	1·80
West Middlesex - -	19·92	1·96
Grand Junction - - -	20·12	1·72

All the specimens were derived from the main pipes, with the exception of that of the New River which was taken from a private tap in King William-street City, and the Kent Company's sample which was obtained from a house in Meeting House-lane, Peckham.

Births Registered last Week, and in the Twentieth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1367	1398	1490	1467	1460	1567	1789	1656	1654	1633	1548·1	1625
Males . .	672	709	780	752	711	791	886	820	853	885	785·9	846
Females .	695	689	710	715	749	776	903	836	801	748	762·2	779

Deaths Registered last Week, and in the Twentieth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total	969	1033	880	1002	943	1098	1188	1143	1094	948	1029·8	1082
Males . .	481	511	464	555	449	610	618	620	538	497	534·3	579
Females .	488	522	416	447	494	488	570	523	556	451	495·5	503

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTIETH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 20 1848	May 19 1849	May 18 1850	May 17 1851	May 22 1852	May 21 1853	May 20 1854	May 19 1855	May 17 1856	May 23 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 22, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·8	54°·9	49°·2	50°·9	55°·6	55°·2	51°·9	46°·0	51°·2	58°·9	53°·5	Mean Temp. 54°·9					
	ALL CAUSES	969	1033	880	1002	943	1098	1188	1143	1094	948	1029·8	1082	550	135	155	200	42
	SPECIFIED CAUSES	955	1004	835	989	931	1063	1170	1106	1066	934	1005·3	1057	540	131	147	197	42
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	285	253	163	212	240	258	318	244	256	184	241·3	269	229	14	14	12	..
II.	CONSTITUTIONAL "	217	226	196	260	223	272	250	272	249	199	236·4	210	75	54	50	28	3
III.	LOCAL "	312	394	358	385	345	394	414	452	400	403	385·7	420	157	54	76	116	17
IV.	DEVELOPMENTAL "	112	103	88	95	107	106	142	109	125	131	111·8	132	67	5	1	37	22
V.	VIOLENT DEATHS	29	28	30	37	16	33	46	29	36	17	30·1	26	12	4	6	4	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	268	237	147	200	223	245	293	224	243	166	224·6	251	218	12	11	10	..
	2. ENTHETIC "	2	2	2	2	2	3	10	4	5	8	4·0	5	2	2	..	1	..
	3. DIETIC "	10	11	11	10	13	10	11	13	7	9	10·5	10	6	..	3	1	..
	4. PARASITIC "	5	3	3	..	2	..	4	3	1	1	2·2	3	3	..	..	..	..
II.	1. DIATHETIC "	40	39	25	37	34	46	41	42	36	32	37·2	39	3	3	13	17	3
	2. TUBERCULAR "	177	187	171	223	189	226	209	230	213	167	199·2	171	72	51	37	11	..
III.	1. DISEASES OF NERVOUS SYSTEM	98	120	105	117	114	119	121	134	106	116	115·0	116	50	13	23	27	3
	2. " OF ORGANS OF CIRCULATION	28	40	35	39	33	34	41	47	39	53	38·9	55	5	11	12	25	2
	3. " OF RESPIRATORY ORGANS	113	169	145	176	131	174	164	185	178	167	160·2	167	86	12	21	41	7
	4. " OF DIGESTIVE ORGANS	48	47	52	43	54	51	64	58	55	42	51·4	58	15	7	17	16	3
	5. " OF URINARY ORGANS	8	10	8	6	7	8	15	13	11	14	10·0	14	..	8	1	4	1
	6. " OF ORGANS OF GENERATION	8	3	3	..	2	..	3	4	4	3	3·0	3	..	..	1	1	1
	7. " OF ORGANS OF LOCOMOTION	1	4	5	3	..	6	4	6	2	4	3·5	3	1	..	1	1	..
	8. " OF INTEGUMENTARY SYSTEM	8	1	5	1	4	2	2	5	5	4	3·7	4	..	3	..	1	..
IV.	1. DEV. DISEASES OF CHILDREN	43	41	41	32	36	47	55	40	45	48	42·8	32	31	..	..	1	..
	2. " OF ADULTS	8	6	2	3	5	1	2	8	5	2	4·2	4	..	4	..	..	..
	3. " OF OLD PEOPLE	42	43	31	42	44	32	43	32	43	51	40·3	49	..	..	..	27	22
	4. DISEASES OF NUTRITION	19	13	14	18	22	26	42	29	32	30	24·5	47	36	1	1	9	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											22	12	2	4	4	..
	* 3. HOMICIDE												..	..	..	..	..	..
	4. SUICIDE												4	..	2	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	29	28	30	37	16	33	46	29	36	17	30·1	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	11	10	28	7	5	11	14	15	11	2	11·4	15	5	2	6	2	..
	CAUSES NOT SPECIFIED	3	19	17	6	7	24	4	22	17	12	13·1	10	5	2	2	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 20 1848	May 19 1849	May 18 1850	May 17 1851	May 22 1852	May 21 1853	May 20 1854	May 19 1855	May 17 1856	May 23 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 22, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·8	54°·9	49°·2	50°·9	55°·6	55°·2	51°·9	46°·0	51°·2	58°·9	53°·5	54°·9					
I.	ORDER 1.																	
	1. Small-pox	29	6	5	15	44	5	7	45	12	2	17·0	4	4	..	..	..	..
	2. Measles	25	32	21	37	12	15	42	13	25	26	24·8	60	60	..	..	..	..
	3. Scarlatina	50	35	16	9	42	38	66	41	33	12	34·2	48	44	2	2	..	..
	4. Quinsy	..	3	..	1	1	1	..	1	2	3	1·2	..	..	..	..	..	..
	5. Croup	5	10	5	6	10	8	12	5	10	6	7·7	7	7	..	..	..	..
	6. Whooping-cough	40	67	36	64	42	65	72	50	48	56	54·0	72	72	..	..	..	..
	7. Typhus (and Infantile fever)	80	42	29	31	41	59	58	31	77	34	48·2	30	16	6	3	5	..
	8. Erysipelas	11	8	7	4	7	8	7	4	8	4	6·8	4	1	..	3	..	..
	9. Metria	1	5	2	2	5	2	3	4	1	2	2·7	2	..	2	..	..	..
	10. Carbuncle	1	..	1	..	..	1	..	2	..	1	·6	..	..	..	..	..	..
	11. Influenza	1	2	2	7	..	2	1	..	..	..	1·5	..	..	..	..	..	..
	12. Dysentery	1	3	2	3	2	2	1	3	2	2	2·1	2	..	..	1	1	..
	13. Diarrhœa	14	15	11	15	14	28	17	15	15	12	15·6	12	10	..	..	2	..
	14. Cholera	..	1	1	..	..	..	2	1	..	..	·5	1	..	1	..	..	..
	15. Ague	1	..	..	..	..	1	..	1	..	1	·4	2	2	..	..	..	..
	16. Remittent Fever	3	3	3	2	..	2	1	2	4	..	2·0	2	2	..	..	..	..
	17. Rheumatism	6	5	6	4	3	8	4	6	6	5	5·3	5	..	1	2	2	..
	ORDER 2.																	
	1. Syphilis	1	1	2	1	1	1	7	1	3	8	2·6	2	2	..	..	..	..
	2. Stricture of Urethra	1	1	..	1	1	1	2	3	2	..	1·2	3	..	2	..	1	..
	3. Hydrophobia	..	..	..	..	..	1	1	..	..	..	·2	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	1	..	1	1	..	1	..	..	·4	..	..	..	..	..	..
	2. Want of Breast-milk	..	4	5	5	3	5	3	5	6	7	4·3	5	5	..	..	..	..
	3. Purpura and Scurvy	1	2	..	..	2	..	..	1	..	..	·6	2	1	..	..	1	..
	4. Alcoholism { *a* Del. Tremens	7	3	4	3	6	2	6	3	..	..	3·4	2	..	..	2	..	..
	4. Alcoholism { *b* Intemperance	2	2	1	2	1	2	2	3	1	2	1·8	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	5	3	3	..	2	..	4	3	1	1	2·2	3	3	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	1	..	4	2	2	1	2	2	..	1·5	1	..	..	..	1	..
	2. Dropsy	13	17	14	13	9	17	17	13	17	16	14·6	11	1	..	2	7	1
	3. Cancer	22	18	10	18	18	23	21	23	10	12	17·5	23	1	3	11	8	..
	4. Noma	..	..	1	..	1	1	..	..	..	1	·4	..	..	..	..	..	..
	5. Mortification	4	3	..	2	4	3	2	4	7	3	3·2	4	1	..	..	1	2
	ORDER 2.																	
	1. Scrofula	10	9	9	15	9	11	9	13	18	10	11·3	6	2	3	1	..	..
	2. Tabes Mesenterica	14	18	14	19	12	22	19	22	15	13	16·8	4	4	..	..	..	..
	3. Phthisis	120	133	124	153	129	152	148	159	150	118	138·6	117	22	48	36	11	..
	4. Hydrocephalus	33	27	24	36	39	41	33	36	30	26	32·5	44	44	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	16	9	9	17	9	11	12	8	8	13	11·2	12	6	3	2	1	..
	2. Apoplexy	15	19	29	30	20	23	25	20	19	22	22·2	25	4	2	3	15	1
	3. Paralysis	24	30	19	12	22	23	26	14	15	17	20·2	23	1	2	13	6	1
	4. Insanity	1	1	1	..	1	2	4	4	1	1	1·6	..	..	..	..	..	..
	5. Chorea	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	5	3	5	8	11	9	8	12	10	8	7·9	5	..	3	..	2	..
	7. Convulsions	24	37	26	40	37	35	37	53	37	42	36·8	33	33	..	..	..	..
	8. *Brain Disease, &c.*	13	21	16	10	13	16	9	23	16	13	15·0	18	6	3	5	3	1
	ORDER 2.																	
	1. Pericarditis	2	2	2	..	2	1	2	..	1	7	1·9	1	..	1	..	..	..
	2. Aneurism	..	2	1	..	2	..	1	1	1	1	·9	2	..	1	1	..	..
	3. *Heart Disease, &c.*	26	36	32	39	29	23	38	46	37	45	36·1	52	5	9	11	25	2
	ORDER 3.																	
	1. Laryngitis	6	2	6	3	5	2	12	6	7	7	5·6	4	4	..	..	..	..
	2. Bronchitis	34	54	52	72	50	78	70	98	85	84	67·7	77	30	5	8	28	6
	3. Pleurisy	5	4	3	5	2	4	2	2	3	5	3·5	4	..	1	1	1	1
	4. Pneumonia	50	86	63	77	57	71	68	64	61	66	66·3	67	50	6	7	4	..
	5. Asthma	9	14	14	12	8	12	7	10	13	4	10·3	9	..	..	3	6	..
	6. *Lung Disease, &c.*	9	9	7	7	9	7	5	5	9	1	6·8	6	2	..	2	2	..
	ORDER 4.																	
	1 Gastritis	1	1	2	3	3	2	4	..	3	2	2·1	..	..	..	..	..	..
	2. Enteritis	5	5	6	5	7	1	9	3	10	6	5·7	8	5	1	..	1	1
	3. Peritonitis	6	3	4	3	9	3	3	8	6	4	4·9	3	2	..	1	..	..
	4. Ascites	1	2	1	1	1	4	1	3	3	3	2·0	2	..	1	..	1	..
	5. Ulceration of Intestines	2	1	4	1	3	3	4	2	1	3	2·4	7	1	2	1	3	..
	6. Hernia	9	3	1	4	1	5	2	4	8	2	3·9	2	..	..	1	1	..
	7. Ileus	2	2	7	3	..	2	2	1	5	..	2·4	4	3	..	..	1	..
	8. Intussusception	..	..	1	1	2	..	1	3	1	1	1·0	1	..	..	1	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTIETH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 20 1848	May 19 1849	May 18 1850	May 17 1851	May 22 1852	May 21 1853	May 20 1854	May 19 1855	May 17 1856	May 23 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 22, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·8	54°·9	49°·2	50°·9	55°·6	55°·2	51°·9	46°·0	51°·2	58°·9	53°·5	Mean Temp 54°·9					
	9. Stricture of Intestines	1	1	..	1	2	3	..	1	..	..	·9	1	..	..	..	1	..
	10. Fistula	2	1	1	..	1	..	4	2	1	1	1·3	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	5	7	4	7	7	3	7	9	2	6	5·7	6	2	..	2	2	..
	12. *Pancreas Disease, &c.*	2	..	..	..	..	..	..	..	..	..	·2	..	..	..	..	..	..
	13. Hepatitis	5	5	5	4	4	6	5	7	3	3	4·7	2	..	..	1	..	1
	14. Jaundice	1	1	..	1	3	4	7	7	2	3	2·9	5	1	..	3	..	1
	15. *Liver Disease, &c.*	6	15	16	9	11	15	15	8	10	8	11·3	17	1	3	7	6	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	1	..	..	1	..	..	1	·3	1	..	..	1	..	..
	2. Ischuria	..	..	..	..	..	..	..	1	..	..	·1	..	..	..	..	..	..
	3. Nephria	3	2	3	2	2	4	1	1	2	6	2·6	4	..	3	..	1	..
	4. Diabetes	..	..	1	1	..	..	1	..	1	..	·4	1	..	1	..	..	..
	5. Stone	1	..	1	..	1	..	1	1	1	..	·6	..	..	..	..	..	..
	6. Cystitis	..	..	1	..	..	..	1	2	..	1	·5	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	4	8	2	2	4	4	10	8	7	6	5·5	8	..	4	..	3	1
	ORDER 6.																	
	1. Ovarian Dropsy	1	..	..	..	..	..	..	..	1	..	·2	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	7	3	3	..	2	..	3	4	3	3	2·8	3	..	..	1	1	1
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	1	..	..	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	1	4	5	3	..	5	4	6	2	4	3·4	3	1	..	1	1	..
	ORDER 8.																	
	1. Phlegmon	4	1	3	1	2	2	1	4	3	2	2·3	4	..	3	..	1	..
	2. Ulcer	2	..	1	..	1	..	..	1	1	..	·6	..	..	..	..	..	..
	3. *Skin Disease, &c.*	2	..	1	..	1	..	1	..	1	2	·8	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	25	27	28	21	29	25	34	30	23	33	27·5	14	14	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											3	2	..	..	1	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	8	5	3	3	2	3	5	3	4	2	3·8	2	2	..	..	..	..
	5. Teething	10	9	10	8	5	10	16	7	18	13	11·5	12	12	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	2	..	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	8	6	2	3	5	1	2	6	5	2	4·0	4	..	4	..	..	..
	ORDER 3.																	
	1. Old Age	42	43	31	42	44	32	43	32	43	51	40·3	49	..	..	..	27	22
	ORDER 4.																	
	1. Atrophy and Debility	19	13	14	18	22	26	42	29	32	30	24·5	47	36	1	1	9	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	12	3	1	4	4	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	4	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	2	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	3	3	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	*In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	3	..	2	1	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	29	28	30	37	16	33	46	29	36	17	30·1	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	11	10	28	7	5	11	14	15	11	2	11·4	15	5	2	6	2	..
	Causes not specified or ill-defined	3	19	17	6	7	24	4	22	17	12	13·1	10	5	2	2	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the TWENTIETH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, May 20 1848	May 19 1849	May 18 1850	May 17 1851	May 22 1852	May 21 1853	May 20 1854	May 19 1855	May 17 1856	May 23 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, May 22 1858.
Mean Temperature . . .			60·8°	54·9°	49·2°	50·9°	55·6°	55·2°	51·9°	46·0°	51·2°	58·9°	53·5°	54·9°
LONDON	78029	2362236	969	1033	880	1002	943	1098	1188	1143	1094	948	1029·8	1082
1-6. WEST DISTRICTS .	10786	376427	130	157	140	165	154	162	190	180	179	138	159·5	165
7-11. NORTH DISTRICTS .	13533	490396	189	186	189	186	197	184	221	262	224	219	205·7	229
12-19. CENTRAL DISTRICTS	1938	393256	162	166	144	171	174	201	186	150	180	160	169·4	160
20-25. EAST DISTRICTS .	6230	485522	233	192	166	225	171	231	300	267	246	204	223·5	209
26-36. SOUTH DISTRICTS .	45542	616635	255	332	241	255	247	320	291	284	265	227	271·7	319
1. Kensington* HHHH .	7374	120004	28	38	45	43	44	56	52	43	74	37	46·0	56
2. Chelsea H*w* . . .	865	56538	24	29	20	21	21	25	35	35	23	24	25·7	18
3. St. George Hanover-sq. H	1161	73230	22	17	18	29	29	27	39	38	32	21	27·2	34
4. Westminster* HHHH .	917	65609	28	43	33	39	35	36	38	34	30	28	34·4	38
5. St. Martin-in-the-Fields H	305	24640	10	15	9	15	9	8	4	16	8	13	10·7	9
6. St. James Westminster .	164	36406	18	15	15	18	16	10	22	14	12	15	15·5	10
7. Marylebone HH . .	1509	157696	53	53	62	68	68	54	55	65	61	72	61·1	65
8. Hampstead	2252	11986	2	6	2	3	2	3	9	6	5	4	4·2	2
9. Pancras HH*w* . . .	2716	166956	74	67	84	65	71	66	82	101	61	67	73·8	91
10. Islington HHH . .	3127	95329	37	41	22	28	38	40	45	57	56	53	41·7	52
11. Hackney* H*w* . . .	3929	58429	23	19	19	22	18	21	30	33	41	23	24·9	19
12. St. Giles* H . . .	245	54214	22	31	24	29	14	36	25	29	25	30	26·5	25
13. Strand* H	174	44460	16	22	14	21	22	25	20	15	15	21	19·1	17
14. Holborn* H . . .	196	46621	24	21	15	19	26	20	24	9	25	18	20·1	22
15. Clerkenwell	380	64778	24	20	21	27	32	35	26	32	29	20	26·6	16
16. St. Luke HH . . .	220	54055	25	25	24	15	18	19	19	22	31	15	21·3	25
17. East London* . . .	153	44406	13	14	12	14	20	18	21	11	15	24	16·2	14
18. West London* H . .	136	28790	24	17	20	21	20	24	28	17	25	15	21·1	24
19. London City* . . .	434	55932	14	16	14	25	22	24	23	15	15	17	18·5	17
20. Shoreditch *w* . . .	646	109257	48	52	31	49	35	49	54	61	45	48	47·2	30
21. Bethnal Green H . .	760	90193	41	31	28	29	28	33	36	34	38	30	32·8	50
22. Whitechapel* HH . .	406	79759	49	31	34	57	41	38	83	45	47	38	46·3	41
23. St. George in the East .	243	48376	34	12	18	20	13	30	29	30	28	22	23·6	10
24*a*. Stepney*	576	54173	46	40	39	41	42	43	74	65	64	41	49·5	33
24*b*. Mile-end Old Town H*w*	681	56602												18
25. Poplar* H*w* . . .	2918	47162	15	26	16	29	12	38	24	32	24	25	24·1	27
26. St. Saviour Southwark* HH	250	35731	23	24	23	17	22	20	15	18	19	9	19·0	18
27. St. Olave Southwark* HH	169	19375	18	33	13	25	17	38	20	23	23	20	23·0	20
28. Bermondsey	688	48128	17	25	13	19	21	18	20	17	20	19	18·9	22
29. St. George Southwark .	282	51824	13	26	18	30	29	29	18	25	15	18	22·1	25
30. Newington	624	64816	26	33	17	28	14	35	29	24	32	20	25·8	39
31. Lambeth H	4015	139325	55	70	45	51	44	61	61	57	41	48	53·3	61
32. Wandsworth* . . .	11695	50764	22	27	19	17	17	15	27	18	17	16	19·5	27
33. Camberwell	4342	54667	18	25	21	17	22	30	17	26	20	19	21·5	25
34. Rotherhithe	886	17805	9	7	4	2	10	6	9	14	11	14	8·6	11
35. Greenwich* HHHHH .	5367	99365	44	53	61	42	43	60	56	48	53	33	49·3	50
36. Lewisham*	17224	34835	10	9	7	7	8	8	19	14	14	11	10·7	21

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending May 15. Total.	Males.	Females.	In the Week ending May 22. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	170	97	73	160	96	64
45 WORKHOUSES	86	42	44	95	52	43
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	5	5	–	3	3	–
15 GENERAL HOSPITALS	60	39	21	48	33	15
7 HOSPITALS FOR SPECIAL DISEASES	2	1	1	3	2	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	2	–	2
Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	7	7	–	3	3	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	–	–	–
19 LUNATIC ASYLUMS	9	2	7	6	3	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 22d May 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	4	60	48	72	12	30
No.*							
1-6 WEST DISTRICTS - -	376427	1	9	6	12	1	5
7-11 NORTH DISTRICTS - -	490396	-	9	6	19	4	8
12-19 CENTRAL DISTRICTS -	393256	2	7	14	8	1	6
20-25 EAST DISTRICTS - -	485522	1	11	10	9	1	5
26-36 SOUTH DISTRICTS - -	616635	-	24	12	24	5	6
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	1	1	1	-	-
2 St. John Paddington H -	29053	-	-	-	-	-	-
3 Kensington Town *W* L -	29183	-	1	-	-	-	1
4 Brompton HH - -	14870	-	-	-	2	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	1	1	-
7 Fulham *W* LLLL - -	11886	-	-	-	1	-	-
2; 1 Chelsea South H - -	19050	1	-	-	1	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	1
3 Chelsea North-east L -	19819	-	1	-	2	-	1
3; 1 Hanover-square - -	20216	-	-	-	-	-	1
2 May Fair *W* - - -	12980	-	-	1	-	-	-
3 Belgrave H - - -	40034	-	2	-	2	-	1
4; 1 St. John Westmr. HHHP	34295	-	4	1	1	-	-
2 St. Margaret West. *W* HP	31314	-	-	2	1	-	-
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	1	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	2	-	-	-
2 Cavendish-square - -	14687	-	1	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	2	-	-
4 St. Mary Marylebone H -	22814	-	-	-	1	-	-
5 Christchurch Marylebone	33895	-	-	-	1	1	1
6 St. John Marylebone -	29826	-	-	-	2	1	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	-	-	-	-	2
2 Tottenham-court *w*H -	28433	-	1	-	-	-	1
3 Gray's-inn-lane H -	26523	-	-	-	2	-	-
4 Somers-town - - -	35641	-	1	1	1	1	-
5 Camden-town *W* - -	21115	-	-	-	-	-	-
6 Kentish-town - - -	23326	-	-	1	1	-	1
10; 1 Islington West† *W* HHHPP	47881	-	2	-	3	1	1
2 Islington East - - -	47448	-	2	1	6	-	1
11; 1 Stoke Newington L -	4840	-	1	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	-	-	-
4 Hackney *W* H*w* - -	20850	-	-	1	-	-	1
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	1
2 St. Giles South *W* H -	19951	-	-	1	1	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - - -	17335	-	3	1	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	1	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	5	1	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron-hill - - -	13837	-	-	-	1	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	1	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	2	-	-	-	-
4 Goswell-street - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	-	2	-	-	-
3 Whitecross-street - -	13657	-	-	-	-	-	1
4 Finsbury - - - -	12941	1	-	2	1	-	-
17; 1 St. Botolph East London	23824	-	1	-	-	-	1
2 Cripplegate P - -	20582	-	-	-	1	-	2
18; 1 West London North *W* HP	12946	-	-	3	-	-	1
2 West London South P -	15844	-	-	-	-	1	-
19; 1 London City South-west -	9204	1	-	-	-	-	-
2 London City North-west -	11847	-	-	-	1	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	1	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	1	-	-	-
3 Hoxton New Town *w* -	23505	-	1	-	-	-	-
4 Hoxton Old Town - -	17431	-	-	-	-	-	-
5 Haggerstone West *W* -	20276	-	1	2	-	-	1
6 Haggerstone East - -	11351	-	1	-	1	-	-
21; 1 Hackney Road - -	23910	1	1	-	-	-	-
2 Green, Bethnal Green *W* HL	23555	-	-	1	-	-	2
3 Church, Bethnal Green -	21787	-	1	-	-	-	-
4 Town, Bethnal Green -	20941	-	-	1	2	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	-	-	-
3 Mile End New Town *W* -	14543	-	-	-	1	-	-
4 Whitechapel North *W* -	12530	-	-	-	-	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	-	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	2	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	1	-	1
3 Limehouse *W* - -	22782	-	-	2	1	1	-
24*b*; 1 Mile End Old Town, West.	29582	-	2	-	1	-	-
2 Mile End Old T., East. *Ww*H	27020	-	1	-	1	-	-
25; 1 Bow *w*LH - - -	18778	-	-	2	-	-	1
2 Poplar *W* - - -	28384	-	-	-	1	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	1	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	1	-	-
27; 1 St. Olave Southwark HH	8015	-	1	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	1	-	-
28; 1 St. James Bermondsey -	18899	-	2	-	-	-	-
2 St. Mary Magdalen *W* -	13934	-	1	-	-	-	-
3 Leather Market - -	15295	-	2	1	-	1	-
29; 1 Kent Road - - -	18126	-	3	1	-	-	-
2 Borough Road *W* P -	15862	-	1	-	2	-	-
3 London Road LP - -	17836	-	-	-	1	-	1
30; 1 Trinity Newington P -	20922	-	-	-	3	-	-
2 St. Peter Walworth *W* -	29861	-	1	1	3	-	1
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	1	1	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	1	-	-
3 Lambeth Church 1st -	18409	-	-	-	1	-	-
4 Lambeth Church 2nd *W*	26784	-	2	1	1	-	1
5 Kennington 1st - -	24261	-	1	1	1	-	-
6 Kennington 2nd - -	18848	-	-	-	-	-	-
7 Brixton L - - -	14610	-	1	1	1	-	-
8 Norwood *W* - - -	3977	-	1	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	3	-	-
2 Battersea *W* - - -	10560	-	-	-	-	1	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	1	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	2	-	-	-
4 St. George Camberwell -	15849	-	-	1	1	-	-
34; 1 Rotherhithe *W* - -	17805	-	1	-	1	-	1
35; 1 St. Paul Deptford - -	24899	-	-	-	-	2	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	3	-	-	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	-	1
5 Woolwich Dockyard HP	17140	-	2	1	-	1	1
6 Woolwich Arsenal HPH	15227	-	-	-	-	-	-
36; 1 Plumstead - - -	13191	-	-	-	1	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	1	-	-
5 Sydenham - - -	4501	-	-	1	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 22D MAY 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Greatest.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Greatest.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
MAY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
SUNDAY . .	16	..	29·576	64·2	47·0	17·2	53·0	46·7	79·8	42·7	57·2	53·2	6·3	10·5	2·7	+ 0·4	82	S.W.					195	0·07
MONDAY . .	17	..	29·833	59·6	47·3	12·3	52·5	49·3	67·4	43·3	57·2	53·2	3·2	5·8	2·0	— 0·3	91	S.W.					275	0·06
TUESDAY .	18	..	29·767	66·0	50·1	15·9	54·8	48·5	79·7	53·0	57·2	53·2	6·3	12·9	2·0	+ 1·7	83	S.W.					135	0·04
WEDNESDAY	19	First Quarter.	29·798	66·0	43·7	22·3	53·5	40·1	86·3	37·2	57·7	53·2	13·4	23·0	7·8	+ 0·2	60	W.S.W.					160	0·03
THURSDAY.	20	..	29·941	69·6	42·7	26·9	55·6	45·5	95·8	45·0	56·7	52·7	10·1	20·9	5·2	+ 2·0	67	W.S.W.					75	0·00
FRIDAY . .	21	..	29·701	71·0	47·5	23·5	59·5	43·9	88·0	—	58·7	53·2	15·6	21·6	4·0	+ 5·7	51	S.W.					135	0·00
SATURDAY.	22	In Equator.	29·708	65·7	49·0	16·7	55·3	44·8	83·7	46·0	59·7	53·2	10·5	15·4	4·8	+ 1·2	69	S.W.					150	0·07
MEANS . .		..	29·761	66·0	46·8	19·3	54·9	45·5	83·0	(6 days) 44·5	57·8	53·1	9·3	15·7	4·1	+ 1·6	72	S.W.		..	..	..	Sum 1125	Sum 0·27
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
MAY.			
SUNDAY . .	16	Positive, with variable tension.	The greater portion of the sky was covered with cloud throughout the day. Showers of hail and rain fell during the morning.
MONDAY . .	17	No electricity was shewn.	Overcast throughout the day.
TUESDAY . .	18	No electricity was shewn.	The greater portion of the sky was covered with cloud till evening; clear afterwards. Rain fell during the earlier portion of the morning; and occasionally during the afternoon.
WEDNESDAY	19	Positive and negative alternately, with very strong tension during the afternoon. Strong galvanic currents were shown.	Cloudy for the most part till the afternoon, generally clear afterwards. Near 4h. P.M. a very heavy squall of wind occurred, accompanied with thunder and heavy rain.
THURSDAY .	20	Strong positive at night.	The day was fine and the amount of cloud was small at all times; a lunar halo was seen at night.
FRIDAY . .	21	Weak positive was occasionally shown.	Partially cloudy till noon; overcast generally afterwards. Rain fell heavily at night.
SATURDAY .	22	Positive, with variable tension during the afternoon.	The sky was one half covered with cloud till evening; clear afterwards.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·29 in. at the beginning of the week to 29·85 in. by 3h. P.M. on the 17th; decreased to 29·74 in. by 3h. P.M. on the 18th; increased, with slight variation, to 29·97 in. by 9h. A.M. on the 20th; decreased to 29·61 in. by 9h. P.M. on the 21st; increased to 29·72 in. by noon on the 22d; and afterwards decreased slightly to the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, May 29. [No. 21.

General Register Office, Somerset House,
May 31*st*, 1858.

The deaths registered in London, which in the two previous weeks were successively 1057 and 1082, rose in the week ending last Saturday to 1106, of which 576 were deaths of males, and 530 those of females. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1004, but as the deaths of last week occurred in an increased population, they can only be compared with the average, after the latter is raised in proportion to the increase, a correction which will make it 1104. Hence it appears that the rate of mortality that prevailed last week agrees with the average, as calculated from ten years' experience at the end of May.

The births of last week exceed the deaths in the same period by 586.

By comparing the results of the last two weeks with reference to the causes of death, it will be seen that while zymotic diseases have decreased from 269 to 259, and local diseases from 420 to 406, those of the "constitutional" class have increased from 210 deaths to 265, and have produced the increase in the total number of deaths which is shown above. Phthisis (or consumption) is the special disease to which this result is due, for whereas it was fatal in the previous week in 117 cases, last week it was fatal in 169. The corrected average for this disease for last week is 149. Small-pox was fatal in 5 cases; measles decreased from 60 to 45, whooping-cough from 72 to 61. There were 14 deaths from diarrhœa, the corrected average being 19. No case of cholera was returned. Of four nonagenarians whose deaths were registered, the two oldest were widows, one of whom died at the age of 96 years in Fulham Workhouse, the other at 97 years in St. Luke's Workhouse.

Thirty-seven deaths are returned as having arisen from the developmental diseases of children, of which 18 are ascribed to premature birth, 2 to cyanosis, 3 to spina bifida, 3 to other malformations, and 11 to teething.

Last week the births of 904 boys and 788 girls, in all 1692 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1527.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·772 in. The lowest barometrical reading was 29·24 in. on Monday; and the highest 30·39 in. on Wednesday. The mean temperature of the week was 53·9°, which is 0·9° below the average of the same week in 43 years. The *highest* point attained by the thermometer in the shade was 75° on Saturday; the *lowest* point was 38·9° on Wednesday; the extreme range of temperature in the week was therefore 36·1°. The mean daily range was 20·2°. The mean temperature of the water of the Thames was 57·7°. The mean dew point temperature was 46·3°, and the difference between this and the mean air temperature was 7·6°. The mean degree of humidity was 78, complete saturation being represented by 100. The wind blew generally from the south-west. The amount of rain was 0·73 in., most of which fell on Sunday and Monday. Heavy showers of hail and rain fell frequently on Sunday; and thunder was heard about noon.

STRAND; *St. Mary-le-Strand.*—At Covent Garden Theatre, on 22d March, a carpenter, aged 49, "injuries by a fall from the roof when at work, in consequence of a slate breaking; instanter." *Post mort.* (*Inquest.*) Mr. Lovett, the Registrar, says: "During the re-building of Covent Garden Theatre only two males and one female met with fatal accidents. This appears to me to be a small proportion, considering the magnitude of the works, the large number of men employed, and the short space of time in which the building was completed."

NEWINGTON; *Trinity.*—At 11 Great Dover-street, on 23d May, the daughter of a shoemaker, aged 11 years, "cerebral congestion (4 days), urticaria (3 days), peritonitis (2 days)."

NEWINGTON; *St. Peter Walworth.*—At 19 Allen-street, on 26th May, the son of a general labourer, aged 2 years, "scarlatina maligna (6 days)." "There are three children in the same house suffering from the same disease."

In the same sub-district, at 22 Smyrk's-road, on 14th May, the son of a journeyman carpenter, aged 2 years, "scarlatina (10 days)." "There are four or five children in the same house suffering from the same disease."

GREENWICH; *St. Paul's Deptford.*—At 27 Torr's-terrace, Trundley's-lane, on 24th May, the son of a cooper, aged 18 days, "eczema (acute), convulsions (1 week)."

BIRTHS Registered LAST WEEK, and in the TWENTY-FIRST Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1472	1311	1342	1434	1416	1561	1647	1622	1764	1702	1527·1	1692
Males . .	763	685	676	748	776	782	860	855	869	846	786·0	904
Females . .	709	626	666	686	640	779	787	767	895	856	741·1	788

DEATHS Registered LAST WEEK, and in the TWENTY-FIRST Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	979	897	866	1000	883	1128	1143	1187	1041	915	1003·9	1106
Males . .	505	456	459	512	477	574	583	600	565	444	517·5	576
Females .	474	441	407	488	406	554	560	587	476	471	486·4	530

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.
BIRTHS	1644	2007	1960	1924	1735	1642	1965	1810	1717	1688	1550	1625	1692
DEATHS	1353	1487	1431	1268	1374	1221	1207	1144	1125	1056	1057	1082	1106
DEATHS (except from Violence) . . .	1330	1452	1396	1218	1261	1198	1187	1121	1093	1031	1032	1056	1073
Deaths (except from Violence) at 60 years and upwards . .	287	339	306	237	270	243	213	243	217	216	216	238	200
Small-pox	4	7	4	3	1	3	3	..	2	3	4	4	5
Measles	55	59	45	50	59	58	55	41	54	45	47	60	45
Scarlatina	37	41	40	29	26	33	37	40	32	38	36	48	50
Whooping-cough . .	59	69	83	72	66	78	77	81	69	63	81	72	61
Typhus	22	34	41	26	40	22	37	33	31	30	22	30	32
Diarrhœa	20	20	13	12	11	17	12	9	11	9	17	12	14
Mean Temperature .	31°·5	34°·7	48°·0	46°·6	44°·6	40°·3	46°·7	52°·8	47°·1	45°·6	49°·6	54°·9	53°·9

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTY-FIRST Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 27 1848	May 26 1849	May 25 1850	May 24 1851	May 29 1852	May 28 1853	May 27 1854	May 26 1855	May 24 1856	May 30 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 29, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°·9	56°·9	55°·5	53°·0	50°·8	59°·7	51°·5	55°·4	53°·1	56°·9	55°·3	Mean Temp. 53°·9					
	ALL CAUSES	979	897	866	1000	883	1128	1143	1187	1041	915	1003·9	1106	565	171	163	165	42
	SPECIFIED CAUSES	965	884	837	993	868	1089	1123	1159	1027	900	984·5	1096	559	170	161	164	42
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	306	242	166	208	217	244	305	270	240	190	238·8	259	218	18	10	9	4
II.	CONSTITUTIONAL "	221	199	205	238	210	267	259	276	241	222	233·8	265	94	90	53	27	1
III.	LOCAL "	280	340	340	410	319	431	418	448	403	349	373·8	406	168	50	83	90	15
IV.	DEVELOPMENTAL "	110	80	92	127	111	120	124	142	107	120	113·3	133	71	4	5	31	22
V.	VIOLENT DEATHS	48	23	34	10	11	27	17	23	36	19	24·8	33	8	8	10	7	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	289	231	153	197	208	230	276	250	224	181	223·9	236	196	18	9	9	4
	2. ENTHETIC "	4	2	4	4	2	2	11	6	4	3	4·2	8	8	..	..	..	..
	3. DIETIC "	8	7	8	6	5	11	16	11	11	5	8·8	12	11	..	1	..	..
	4. PARASITIC "	5	2	1	1	2	1	2	3	1	1	1·9	3	3	..	..	..	..
II.	1. DIATHETIC "	36	44	37	32	33	32	48	44	45	39	39·0	44	5	8	15	15	1
	2. TUBERCULAR "	185	155	168	206	177	235	211	232	196	183	194·8	221	89	82	38	12	..
III.	1. DISEASES OF NERVOUS SYSTEM	119	120	98	121	104	151	136	118	117	114	119·8	111	61	13	17	16	4
	2. " OF ORGANS OF CIRCULATION	28	20	36	39	40	45	27	46	38	36	35·5	46	4	14	9	17	2
	3. " OF RESPIRATORY ORGANS	85	139	138	176	115	162	177	194	172	139	149·7	151	85	12	23	26	5
	4. " OF DIGESTIVE ORGANS	36	41	47	49	35	45	50	61	54	42	46·0	61	13	4	23	19	2
	5. " OF URINARY ORGANS	4	11	8	10	10	13	14	14	10	11	10·5	23	2	1	8	11	1
	6. " OF ORGANS OF GENERATION	1	1	3	7	5	5	4	2	6	2	3·6	9	..	5	2	1	1
	7. " OF ORGANS OF LOCOMOTION	2	3	4	2	5	4	5	9	1	2	3·7	1	..	..	1	..	..
	8. " OF INTEGUMENTARY SYSTEM	5	5	6	6	5	6	5	4	5	3	5·0	4	3	1	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	44	29	29	60	46	50	54	50	38	50	45·0	37	37	..	..	..	..
	2. " OF ADULTS	4	5	6	5	4	4	4	7	4	2	4·5	6	..	4	2	..	..
	3. " OF OLD PEOPLE	32	27	39	40	41	34	35	45	38	44	37·5	45	..	..	..	23	22
	4. DISEASES OF NUTRITION	30	19	18	22	20	32	31	40	27	24	26·3	45	34	..	3	8	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											33	8	8	10	7	..
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												..	..	..	..	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	48	23	34	10	11	27	17	23	36	19	24·8	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	9	10	4	5	7	4	5	10	4	6·5	8	5	..	2	1	..
	CAUSES NOT SPECIFIED	7	4	19	3	10	32	16	23	4	11	12·9	2	1	1	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 27 1848	May 26 1849	May 25 1850	May 24 1851	May 29 1852	May 28 1853	May 27 1854	May 26 1855	May 24 1856	May 30 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 29, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 53°·9	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°·9	56°·9	55°·5	53°·0	50°·8	59°·7	51°·5	55°·4	53°·1	56°·9	55°·3						
I.	ORDER 1.																	
	1. Small-pox	33	8	8	18	45	5	10	29	16	1	17·3	5	4	1	..	..	..
	2. Measles	26	28	24	42	16	19	27	16	28	24	25·0	45	44	1	..	..	..
	3. Scarlatina	78	34	13	17	41	31	62	52	33	16	37·7	50	49	1	..	..	..
	4. Quinsy	2	..	1	..	2	..	..	3	1	..	·9	1	1	..	..	..	..
	5. Croup	5	7	5	1	4	7	7	12	13	7	6·8	7	7	..	..	..	..
	6. Whooping-cough	33	60	35	59	31	55	67	52	48	71	51·1	61	61	..	..	..	..
	7. Typhus (and Infantile fever)	66	43	33	19	32	54	44	43	58	30	42·2	32	16	8	3	5	..
	8. Erysipelas	7	8	8	6	9	6	11	8	4	4	7·1	5	2	2	1	..	..
	9. Metria	8	5	6	1	1	3	3	1	2	1	3·1	1	..	1	..	..	..
	10. Carbuncle	..	1	..	1	..	..	..	3	..	..	·5	..	..	..	..	..	..
	11. Influenza	4	1	2	9	..	2	2	1	..	..	2·1	4	..	..	..	4	..
	12. Dysentery	2	5	2	2	2	4	3	5	3	1	2·9	1	..	1	..	..	..
	13. Diarrhœa	14	19	11	12	13	32	31	15	11	17	17·5	14	8	1	2	..	3
	14. Cholera	..	5	..	..	2	..	..	..	..	..	·7	..	..	..	..	..	..
	15. Ague	1	1	1	..	1	1	1	..	..	1	·7	1	1	..	..	..	..
	16. Remittent fever	3	3	1	2	3	6	..	4	1	2	2·5	2	2	..	..	..	..
	17. Rheumatism	7	3	3	8	6	5	8	6	6	6	5·8	7	1	2	3	..	1
	ORDER 2.																	
	1. Syphilis	1	1	4	3	1	..	9	3	3	3	2·8	8	8	..	..	..	..
	2. Stricture of Urethra	3	1	..	1	1	2	2	3	1	..	1·4	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	..	..	..	1	1	..	..	·2	..	..	..	..	..	..
	2. Want of Breast-milk	2	2	2	3	4	5	4	8	4	1	3·5	10	10	..	..	..	..
	3. Purpura and Scurvy	..	1	..	2	1	1	1	..	..	..	·6	1	1	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	5	2	4	..	..	4	5	1	5	4	3·0	1	..	..	1	..	..
	4. Alcoholism { *b* Intemperance	1	2	2	1	..	1	5	1	2	..	1·5	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	5	2	1	1	2	1	2	3	1	1	1·9	3	3	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	2	..	1	2	..	3	3	1	3	1·7	2	..	..	1	1	..
	2. Dropsy	10	15	18	10	14	7	20	12	15	10	13·1	7	2	..	3	2	..
	3. Cancer	19	22	16	10	14	19	20	23	28	19	19·0	29	..	7	11	11	..
	4. Noma	..	1	1	2	..	..	..	1	1	..	·6	1	1	..	..	..	..
	5. Mortification	5	4	2	9	3	6	5	5	..	7	4·6	5	2	1	..	1	1
	ORDER 2.																	
	1. Scrofula	6	12	5	6	7	8	8	15	12	8	8·7	12	10	1	1	..	..
	2. Tabes Mesenterica	23	16	16	13	15	28	28	15	13	16	18·3	8	8	..	..	..	..
	3. Phthisis	124	103	125	148	119	156	149	170	135	124	135·3	169	40	80	37	12	..
	4. Hydrocephalus	32	24	22	39	36	43	26	32	36	35	32·5	32	31	1	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	16	10	6	13	9	16	19	13	8	11	12·1	7	4	2	1	..	..
	2. Apoplexy	24	23	24	32	20	24	27	34	25	27	26·0	17	2	2	4	8	1
	3. Paralysis	22	31	19	23	23	33	31	19	22	14	23·7	15	..	1	8	3	3
	4. Insanity	2	2	3	1	1	5	..	1	3	3	2·1	1	..	..	1	..	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	6. Epilepsy	6	6	4	3	11	13	11	6	7	7	7·4	9	1	4	1	3	..
	7. Convulsions	38	41	27	41	31	43	39	31	33	41	36·5	44	44	..	..	..	..
	8. *Brain Disease, &c.*	11	7	15	8	9	17	9	14	19	11	12·0	18	10	4	2	2	..
	ORDER 2.																	
	1. Pericarditis	1	1	2	2	1	2	2	1	2	2	1·6	4	2	..	1	1	..
	2. Aneurism	5	3	2	1	3	3	..	1	..	2	2·0	1	..	1	..	..	..
	3. *Heart Disease, &c.*	22	16	32	36	36	40	25	44	36	32	31·9	41	2	13	8	16	2
	ORDER 3.																	
	1. Laryngitis	6	2	5	..	6	2	6	7	9	6	4·9	8	7	1	..	..	..
	2. Bronchitis	28	55	60	71	49	81	77	91	66	67	64·5	74	37	3	12	18	4
	3. Pleurisy	4	3	2	3	4	5	8	4	3	4	4·0	1	..	..	1	..	..
	4. Pneumonia	32	61	49	80	46	57	65	76	81	56	60·3	60	41	8	5	5	1
	5. Asthma	8	9	12	17	9	12	9	8	7	4	9·5	5	..	..	2	3	..
	6. *Lung Disease, &c.*	7	9	10	5	1	5	12	8	6	2	6·5	3	..	..	3	..	..
	ORDER 4.																	
	1. Gastritis	..	3	1	6	..	3	3	8	3	..	2·7	3	2	..	..	1	..
	2. Enteritis	6	4	8	7	4	8	6	7	6	9	6·5	4	2	1	..	1	..
	3. Peritonitis	5	5	7	5	1	2	6	9	2	2	4·4	4	3	..	1	..	..
	4. Ascites	2	4	1	3	..	3	3	1	3	1	2·1	3	..	..	3	..	..
	5. Ulceration of Intestines	3	2	1	2	1	2	..	2	1	1	1·5	3	..	..	1	2	..
	6. Hernia	2	..	2	2	1	2	3	5	5	..	2·2	3	..	..	..	3	..
	7. Ileus	1	1	2	3	4	3	1	4	3	3	2·5	5	3	..	1	..	1
	8. Intussusception	..	..	..	1	..	..	..	3	3	1	·8	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTY-FIRST Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, May 27 1848	May 26 1849	May 25 1850	May 24 1851	May 29 1852	May 28 1853	May 27 1854	May 26 1855	May 24 1856	May 30 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, May 29, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°·9	56°·9	55°·5	53°·0	50°·8	59°·7	51°·5	55°·4	53°·1	56°·9	55°·3	53°·9					
	9. Stricture of Intestines	..	1	..	1	1	..	1	..	3	..	·7	..	..	..	..	..	..
	10. Fistula	..	..	1	..	..	..	1	..	..	..	·2	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	6	6	8	5	1	6	4	3	2	5	4·6	11	1	1	4	4	1
	12. *Pancreas Disease, &c.*	..	1	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	13. Hepatitis	2	1	..	1	5	6	5	6	5	3	3·4	5	..	..	3	2	..
	14. Jaundice	3	2	2	4	5	1	3	1	4	3	2·8	2	1	..	..	1	..
	15. *Liver Disease, &c.*	6	11	12	9	12	9	14	12	13	12	11·0	18	1	2	10	5	..
	16. *Spleen Disease, &c.*	..	..	2	..	..	..	..	..	1	2	·5	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	1	..	..	..	..	..	..	..	..	·1	2	..	..	1	1	..
	2. Ischuria	..	..	..	..	1	1	..	..	..	..	·2	..	..	..	..	..	..
	3. Nephria	1	3	1	2	3	1	4	4	3	4	2·6	7	..	..	3	4	..
	4. Diabetes	..	2	..	..	1	..	..	3	..	2	·8	..	..	..	..	..	..
	5. Stone	1	1	1	1	1	3	..	..	..	..	·8	2	..	..	2	..	..
	6. Cystitis	1	..	1	1	2	2	2	2	..	..	1·1	2	..	..	..	2	..
	7. *Kidney Disease, &c.*	1	4	5	6	2	6	8	5	7	5	4·9	10	2	1	2	4	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	1	..	4	4	..	1	1	3	1	1·5	1	..	..	1	..	..
	2. *Uterus Disease, &c.*	1	..	3	3	1	5	3	1	3	1	2·1	8	..	5	1	1	1
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	1	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	3	4	2	5	4	5	8	1	2	3·6	1	..	..	1	..	..
	ORDER 8.																	
	1. Phlegmon	3	4	3	3	3	5	2	2	1	2	2·8	2	1	1	..	..	..
	2. Ulcer	1	1	1	..	2	1	1	1	2	1	1·1	..	..	..	..	..	..
	3. *Skin Disease, &c.*	1	..	2	3	..	..	2	1	2	..	1·1	2	2	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	32	18	18	42	30	30	37	36	23	35	30·1	18	18	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											2	2	..	..	..	..
	3. Spina Bifida												3	3	..	..	..	..
	4. Other Malformations	1	1	1	..	3	4	3	3	1	4	2·1	3	3	..	..	..	..
	5. Teething	11	10	10	18	13	16	14	11	14	11	12·8	11	11	..	..	..	..
	ORDER 2.																	
	1. Paramenia	1	..	..	..	..	..	..	1	..	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	3	5	6	5	4	4	4	6	4	2	4·3	6	..	4	2	..	..
	ORDER 3.																	
	1. Old Age	32	27	39	40	41	34	35	45	38	44	37·5	45	..	..	..	23	22
	ORDER 4.																	
	1. Atrophy and Debility	30	19	18	22	20	32	31	40	27	24	26·3	45	34	..	3	8	..
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	21	4	4	8	5	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	2	..	2	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	6	4	1	1	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	4	..	1	1	2	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	48	23	34	10	11	27	17	23	36	19	24·8	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	7	9	10	4	5	7	4	5	10	4	6·5	8	5	..	2	1	..
	Causes not specified or ill-defined	7	4	19	3	10	32	16	23	4	11	12·9	2	1	1	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the TWENTY-FIRST WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, May 27 1848	May 26 1849	May 25 1850	May 24 1851	May 29 1852	May 28 1853	May 27 1854	May 26 1855	May 24 1856	May 30 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, May 29 1858.
Mean Temperature . . .			59·9°	56·9°	55·5°	53·0°	50·8°	59·7°	51·5°	55·4°	53·1°	56·9°	55·3°	53·9°
LONDON	78029	2362236	979	897	866	1000	883	1128	1143	1187	1041	915	1003·9	1106
1–6. WEST DISTRICTS .	10786	376427	151	151	142	140	138	169	189	177	184	137	157·8	200
7–11. NORTH DISTRICTS .	13533	490396	186	195	166	191	172	226	220	245	232	181	201·4	193
12–19. CENTRAL DISTRICTS	1938	393256	163	152	132	182	154	147	208	194	163	134	162·9	148
20–25. EAST DISTRICTS .	6230	485522	211	172	166	196	191	255	240	265	201	199	209·6	223
26–36. SOUTH DISTRICTS .	45542	616635	268	227	260	291	228	331	286	306	261	264	272·2	342
1. Kensington* HHHH .	7374	120004	44	29	51	47	49	43	51	60	69	49	49·2	67
2. Chelsea H*w* . . .	865	56538	14	24	21	27	30	36	40	28	27	35	28·2	29
3. St. George Hanover-sq. H	1161	73230	34	26	28	21	16	31	32	33	36	18	27·5	43
4. Westminster* HHHH .	917	65609	36	45	20	25	25	39	38	31	35	19	31·3	33
5. St. Martin-in-the-Fields H	305	24640	11	4	13	6	7	9	8	6	8	7	7·9	14
6. St. James Westminster .	164	36406	12	23	9	14	11	11	20	19	9	9	13·7	14
7. Marylebone HH . .	1509	157696	61	78	46	65	52	67	66	77	77	65	65·4	56
8. Hampstead	2252	11986	5	4	6	6	4	5	4	4	4	3	4·5	3
9. Pancras HH*w* . . .	2716	166956	80	58	55	70	67	88	83	87	71	60	71·9	63
10. Islington HHH . .	3127	95329	17	29	35	32	36	47	47	46	52	39	38·0	47
11. Hackney* H*w* . . .	3929	58429	23	26	24	18	13	19	20	31	28	14	21·6	24
12. St. Giles* H . . .	245	54214	26	19	31	30	15	27	18	18	22	22	22·8	21
13. Strand* H	174	44460	17	11	13	18	16	17	23	24	10	18	16·7	24
14. Holborn* H . . .	196	46621	18	18	18	19	26	14	31	23	15	14	19·6	17
15. Clerkenwell	380	64778	23	21	15	23	23	25	36	23	29	23	24·1	24
16. St. Luke HH . . .	220	54055	17	24	17	24	21	23	24	29	23	15	21·7	17
17. East London* . . .	153	44406	20	16	11	17	14	18	17	22	19	12	16·6	13
18. West London* H . .	136	28790	24	22	12	32	22	10	37	43	28	20	25·0	24
19. London City*	434	55932	18	21	15	19	17	13	22	12	17	10	16·4	8
20. Shoreditch *w* . . .	646	109257	47	44	36	37	36	59	52	48	55	42	45·6	56
21. Bethnal Green H . .	760	90193	37	35	21	31	37	60	37	47	31	44	38·0	33
22. Whitechapel* HH . .	406	79759	48	29	24	36	38	34	37	55	30	41	37·2	36
23. St. George-in-the-East .	243	48376	23	16	24	21	21	25	24	25	18	17	21·4	21
24*a*. Stepney*	576	54173	44	38	41	51	39	52	53	54	52	34	45·8	14
24*b*. Mile-end Old Town H*w*	681	56602												33
25. Poplar* H*w* . . .	2918	47162	12	10	20	20	20	25	37	36	15	21	21·6	30
26. St. Saviour Southwark* HH	250	35731	35	14	22	14	20	26	17	17	14	14	19·3	17
27. St. Olave Southwark* HH	169	19375	25	19	14	16	7	22	13	18	10	16	16·0	43
28. Bermondsey	688	48128	12	23	12	28	15	22	19	23	17	19	19·0	13
29. St. George Southwark .	282	51824	28	19	15	27	31	34	30	24	24	29	26·1	27
30. Newington	624	64816	21	16	25	26	18	28	30	43	28	26	26·1	33
31. Lambeth H	4015	139325	48	34	67	44	60	66	60	60	44	46	52·9	61
32. Wandsworth*	11695	50764	17	16	19	20	15	22	17	14	21	17	17·8	35
33. Camberwell	4342	54667	31	18	22	31	13	27	24	30	30	23	24·9	35
34. Rotherhithe	886	17805	4	13	3	9	4	4	13	10	8	7	7·5	13
35. Greenwich* HHHHH .	5367	99365	44	40	48	65	39	66	54	48	47	53	50·4	46
36. Lewisham*	17224	34835	3	15	13	11	6	14	9	19	18	14	12·2	19

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending May 22. Total.	Males.	Females.	In the Week ending May 29. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	160	96	64	209	121	88
45 WORKHOUSES	95	52	43	87	44	43
14 PRISONS . . . . . ‡	–	–	–	5	4	1
4 MILITARY AND NAVAL ASYLUMS . . . . §	3	3	–	5	5	–
15 GENERAL HOSPITALS	48	33	15	92	59	33
7 HOSPITALS FOR SPECIAL DISEASES	3	2	1	7	2	5
4 LYING-IN HOSPITALS . . . . Women .	2	–	2	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	3	3	–	3	3	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	–	–	–
19 LUNATIC ASYLUMS	6	3	3	10	4	6

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 29th May 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	5	45	50	61	14	32
No.*							
1-6 WEST DISTRICTS - -	376427	2	6	8	10	3	6
7-11 NORTH DISTRICTS - -	490396	-	12	8	21	1	4
12-19 CENTRAL DISTRICTS -	393256	1	4	6	5	2	7
20-25 EAST DISTRICTS - -	485522	2	9	14	9	3	5
26-36 SOUTH DISTRICTS - -	616635	-	14	14	16	5	10
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W*H	17252	-	-	-	-	-	1
2 St. John Paddington H -	29053	-	1	1	2	-	-
3 Kensington Town *W*L -	29183	-	-	2	-	-	-
4 Brompton HH - -	14870	-	-	-	1	-	1
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	1	-	-
7 Fulham *W*LLLL - -	11886	-	1	-	-	-	-
2; 1 Chelsea South H - -	19050	1	-	-	-	-	1
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3 Chelsea North-east L -	19819	-	1	-	-	-	-
3; 1 Hanover Square - -	20216	-	-	-	1	-	-
2 May Fair *W* - - -	12980	-	1	-	-	-	-
3 Belgrave H - - -	40034	-	1	3	-	-	3
4; 1 St. John Westmr. HHHP	34295	-	-	-	3	2	-
2 St. Margaret West. *W*HP	31314	1	-	1	-	1	-
5; 1 Charing Cross *W*H -	12587	-	-	1	1	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick Street - -	10798	-	1	-	-	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	1	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	-	1	-	-
2 Cavendish-square - -	14687	-	1	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	2	-	-
4 St. Mary Marylebone H	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	1	-	2	-	-
6 St. John Marylebone -	29826	-	-	-	-	1	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	3	-	2	-	-
2 Tottenham-court *w*H -	28433	-	-	1	1	-	-
3 Gray's Inn Lane H -	26523	-	-	-	1	-	-
4 Somers Town - - -	35641	-	1	3	-	-	1
5 Camden Town *W* - -	21115	-	-	1	2	-	1
6 Kentish Town - -	23326	-	-	1	-	-	1
10; 1 Islington West† *W*HHHPP	47881	-	3	1	3	-	1
2 Islington East - -	47448	-	2	1	3	-	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford Hill - - -	5549	-	-	-	1	-	-
3 West Hackney L - -	18732	-	-	-	1	-	-
4 Hackney *W*H*w* - -	20850	-	1	-	-	-	-
5 South Hackney L - -	8458	-	-	-	2	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	1	-	-	-
2 St. Giles South *W*H -	19951	-	-	-	-	-	-
3 St. Giles North - -	17456	-	-	-	1	1	-
13; 1 St. Anne Soho - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15510	-	-	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	1	-	-	-
2 St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	2
3 Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W*P	21529	-	1	-	-	-	1
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	1	-	-
2 City-road HL - -	16840	-	-	-	-	-	1
3 Whitecross-street - -	13657	-	-	-	-	-	-
4 Finsbury - - - -	12941	-	-	-	1	-	1
17; 1 St. Botolph East London	23824	-	3	-	-	1	-
2 Cripplegate P - -	20582	-	-	-	-	-	1
18; 1 West London North *W*HP	12946	1	-	3	1	-	-
2 West London South P -	15844	-	-	-	1	-	1
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South - -	11461	-	-	1	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	-	1	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	3	-	-	-
3 Hoxton New Town *w* -	23505	-	-	-	-	2	-
4 Hoxton Old Town - -	17431	-	-	-	1	-	-
5 Haggerstone West *W* -	20276	1	-	1	-	-	-
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney-road - - -	23910	-	-	1	-	-	-
2 Green, Bethnal Green *W*HL	23555	-	1	-	-	-	-
3 Church, Bethnal Green -	21787	-	1	-	-	-	-
4 Town, Bethnal Green -	20941	-	-	-	2	-	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	1	-	-	-	-
3 Mile End New Town *W*	14543	-	-	-	1	1	-
4 Whitechapel North *W* -	12530	-	-	-	-	-	1
5 Whitechapel Church H -	7818	-	1	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	-	-	1	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	1	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	2	-	1	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	1	-	1
3 Limehouse *W* - -	22782	-	-	-	-	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	1	-	1	-	1
2 Mile End Old T., East. *Ww*H	27020	-	1	3	-	-	-
25; 1 Bow *w*LH - - -	18778	-	1	2	-	-	1
2 Poplar *W* - - -	28384	-	-	2	1	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	1	2	-	-
2 St. Saviour Southwark HH	19709	-	1	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	3	-	1	-	-
28; 1 St. James Bermondsey -	18899	-	1	-	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	-	-	1
3 Leather Market - -	15295	-	2	-	-	-	-
29; 1 Kent-road - - -	18126	-	1	-	-	1	-
2 Borough-road *W*P -	15862	-	-	-	-	-	-
3 London-road LP - -	17836	-	1	-	-	-	-
30; 1 Trinity Newington P -	20922	-	-	-	1	-	-
2 St. Peter Walworth *W* -	29861	-	-	3	-	-	1
3 St. Mary Newington -	14033	-	-	-	-	1	1
31; 1 Waterloo-road 1st - -	14088	-	-	-	-	-	-
2 Waterloo-road 2nd H -	18348	-	-	-	2	-	-
3 Lambeth Church 1st -	18409	-	-	-	-	-	3
4 Lambeth Church 2nd *W*	26784	-	1	-	2	1	1
5 Kennington 1st - -	24261	-	-	-	1	-	-
6 Kennington 2nd - -	18848	-	1	1	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	2	-	-	-	1
32; 1 Clapham L - - -	16290	-	-	4	1	-	-
2 Battersea *W* - - -	10560	-	-	-	-	1	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W*LL - -	17742	-	-	1	-	-	-
3 Peckham - - - -	19444	-	-	2	1	-	-
4 St. George Camberwell -	15849	-	1	2	-	-	1
34; 1 Rotherhithe *W* - -	17805	-	-	-	1	-	-
35; 1 St. Paul Deptford - -	24899	-	-	-	-	-	1
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	-	1	-	-
4 Greenwich East *W*H -	16228	-	-	-	-	1	-
5 Woolwich Dockyard HP	17140	-	-	-	1	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	2	-	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 29th May 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
May.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday	23	..	29·622	62·9	47·7	15·2	53·0	48·2	84·5	—	60·2	56·2	4·8	9·5	3·6	— 1·3	85						135	0·33
Monday	24	..	29·587	62·7	45·4	17·3	55·4	44·8	84·0	39·8	60·2	56·0	10·6	14·6	0·4	+ 1·0	80						150	0·30
Tuesday	25	..	29·895	60·2	46·1	14·1	51·0	44·3	74·0	46·0	60·2	55·8	6·7	13·1	1·5	— 3·6	81						120	0·10
Wednesday	26	..	29·353	64·6	38·9	25·7	49·9	43·1	87·7	32·2	59·7	55·2	6·8	13·9	1·2	— 4·8	79						90	0·00
Thursday	27	Full	30·008	70·0	46·1	23·9	54·8	50·0	90·5	41·2	59·2	54·7	4·8	14·2	1·5	— 0·1	85						80	0·00
Friday	28	..	29·977	63·7	47·1	16·6	54·1	43·3	90·3	41·1	58·7	55·2	10·8	16·3	0·8	— 1·1	67						30	0·00
Saturday	29	Apogee Greatest Dec. S.	29·962	75·0	46·6	28·4	59·1	50·2	93·0	—	59·7	56·2	8·9	17·5	2·5	+ 3·7	72						30	0·00
Means		..	29·772	65·6	45·4	20·2	53·9	46·3	86·3	40·1	59·7	55·6	7·6	14·2	1·6	— 0·9	78	S.W.		..	..	..	Sum 635	Sum 0·73
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
May.			
Sunday	23	Negative and positive alternately, with very strong tension.	The greater part of the sky was covered with cloud throughout the day. Heavy showers of hail and rain fell frequently. Thunder was heard about noon.
Monday	24	Strong positive at all times; galvanic currents were frequent.	Cloudy throughout the day. Showers of rain fell occasionally till evening, and rain fell continuously from 6h. P.M.
Tuesday	25	Weak positive during the morning; no electricity was shown at other times.	Cloudy till noon, partially cloudy during the remainder of the day. Rain fell occasionally during the morning.
Wednesday	26	No electricity was shown at any examination.	The amount of cloud was variable throughout the day; at times the sky was clear.
Thursday	27	Positive, with strong tension.	Cloudy generally throughout the day.
Friday	28	Positive, with strong tension.	Three fourths of the sky were covered with cloud till evening; generally overcast afterwards.
Saturday	29	Positive, with variable tension.	The amount of cloud was small at all times, and the day was fine throughout.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken. Osler's anemometer was under repair during the week.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·70 in. at the beginning of the week to 29·24 in. by 11h. P.M. on the 24th; continued at this reading till the 25th at 2h. A.M., when it turned to increase, and increased to 30·39 in. by noon on the 26th; decreased to 29·95 in. by 9h. P.M. on the 27th; increased to 30·01 in. by 9h. P.M. on the 28th; and decreased to 29·95 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, June 5. [No. 22.

General Register Office, Somerset House,
June 7th, 1858.

The deaths registered in London, which rose in the previous week to 1106, declined in the week ending last Saturday, June 5th, to 1087, of which 533 are deaths of males, 554 those of females. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 964; but as the deaths returned for last week occurred in an increased population, they can only be compared with the average, when the latter has been raised in proportion to the increase, a correction which will make it 1060. The comparison shows that the mortality of last week exceeds that which is obtained by calculation from former experience at the beginning of June, but that the excess is not considerable.

Zymotic diseases increased last week, as regards the number of fatal cases, from 259 to 291 (the corrected average for last week being 261). This increase arises from measles, the deaths from which in the last two weeks were respectively 45 and 62; from whooping-cough which was fatal in 61 and 69 cases; from typhus which was fatal in 32 and 43; and from diarrhœa which was fatal in the two weeks in 14 and 18 cases. Six children died from measles in the sub-district of Greenwich West. An old man died on the 2d instant from cholera, after 6 days' illness, in Smith-square, Westminster. Twelve women died from diseases incidental to childbearing; 20 children died from having been born prematurely; 16, of whom 9 were a year old, died from teething; 44 from convulsions. Twenty violent deaths were registered, 16 of which were accidental, and 4 by suicide (all of these last by hanging). A woman, aged 90 years, and five men, aged 90 years and upwards, were returned, the two oldest having been respectively 97 and 103 years. The centenarian had been formerly a serjeant in the foot guards, and had served in the Walcheren expedition and Peninsular campaigns, and was pensioned previously to the battle of Waterloo. He possessed remarkable physical strength, and retained his mental faculties to the last. Latterly he followed the occupation of a tailor; and he died on the 25th ult. at Bridgefield-place, Wandsworth. His medical attendant, who supplies most of the above particulars, has seen the certificate of his birth now in the possession of his daughter, which runs thus:—"John Ewing, born 16th October 1754, at Carron-shore, parish of Larbert, shire of Stirling. Extracted from the Record: John Bunce, clerk."

Last week the births of 765 boys and 780 girls, in all 1545 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1465.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·894 in. The lowest barometrical reading was 29·64 in. on Thursday; the highest was 30·01 in., and occurred on the following day. The mean temperature of the week was 66·2°, which exceeds by nearly 10° the average of the same week in 43 years (as determined by Mr. Glaisher). On Monday and the three following days the mean daily temperature was from 11° to 14° in excess of the average. On Tuesday the thermometer attained its *highest* point in the shade, which was 85°, and also its *highest* in the sun, which was 119·5°. The *lowest*

temperature occurred on Sunday the 30th ult., and was 50·1°. The entire range in the week in the shade was therefore 34·9°. The mean daily range was 24·7°. The mean temperature of the water of the Thames was 62·1°. The difference between the mean dew point temperature and air temperature was 10·7°. The mean degree of humidity of the air was 68, complete saturation being represented by 100; on Monday the humidity was only 58. Rain to the amount of 1·16 in. fell on Saturday. A severe thunderstorm with vivid lightning occurred between 6 and 8 o'clock on the morning of Saturday. An oak in Greenwich-park was struck by the lightning, and stripped of a portion of its bark. Rain fell to the depth of an inch in less than an hour. Hail also fell during the storm.

Kensington; *St. John Paddington.*—On 29th May, the daughter of a merchant, aged 4 years, "diphtheria (10 days)." The medical attendant writes that "the albuminous secretion filled up the glottis. The trachea was opened with perfect success (the embarrassed respiration which threatened suffocation being entirely relieved), and remained round until a short period of her death, which was sudden, and seemed to be the result of some of the large vessels becoming obstructed by coagula. There were several patches of purpura over the surface of the chest and limbs." *Post mort. examination* not allowed.

Kensington; *Brompton.*—At 10 South-street, on 2d June, the widow of a house steward, aged 70 years, "apoplexy caused by exposure to intense heat of sun (4 hours)"

Westminster; *St. John.*—At 18 Smith-square, on 2d June, shepherd at St. James's Park, aged 74 years, "cholera (6 days)."

Births Registered last Week, and in the Twenty-second Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1344	1354	1374	1533	1556	1444	1524	1402	1578	1542	1465·1	1545
Males . .	694	705	677	764	814	758	789	714	787	774	747·6	765
Females .	650	649	697	769	742	686	735	688	791	768	717·5	780

Deaths Registered last Week, and in the Twenty-second Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	933	895	736	990	1000	1023	1090	1073	1027	868	963·5	1087
Males . .	460	448	343	507	525	521	561	542	518	447	487·2	533
Females .	473	447	393	483	475	502	529	531	509	421	476·3	554

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.
Births	2007	1960	1924	1735	1642	1965	1810	1717	1688	1550	1625	1692	1545
Deaths	1487	1431	1268	1374	1221	1207	1144	1125	1056	1057	1082	1106	1087
Deaths (except from Violence) . . .	1452	1396	1218	1261	1198	1187	1121	1093	1031	1032	1056	1073	1067
Deaths (except from Violence) at 60 years and upwards . .	339	306	237	270	243	213	243	217	216	216	238	200	185
Small-pox	7	4	3	1	3	3	..	2	3	4	4	5	2
Measles	59	45	50	59	58	55	41	54	45	47	60	45	62
Scarlatina	41	40	29	26	33	37	40	32	38	36	48	50	46
Whooping-cough . .	69	83	72	66	78	77	81	69	63	81	72	61	69
Typhus	34	41	26	40	22	37	33	31	30	22	30	32	43
Diarrhœa	20	13	12	11	17	12	9	11	9	17	12	14	18
Mean Temperature .	34°·7	48°·0	46°·6	44°·6	40°·3	46°·7	52°·8	47°·1	45°·6	49°·6	54°·9	53°·9	66°·2

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTY-SECOND WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 3 1848	June 2 1849	June 1 1850	May 31 1851	June 5 1852	June 4 1853	June 3 1854	June 2 1855	May 31 1856	June 6 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 5, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Age: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	56°·5	60°·3	58°·2	55°·6	52°·5	51°·8	52°·3	49°·4	53°·3	60°·6	55°·1	66°·2					
	ALL CAUSES	933	895	736	990	1000	1023	1090	1073	1027	868	963·5	1087	575	163	160	157	32
	SPECIFIED CAUSES	921	880	726	966	984	1008	1053	1064	1014	833	944·9	1084	573	163	160	156	32
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	291	218	140	237	271	237	325	238	240	180	237·7	291	240	24	15	9	3
II.	CONSTITUTIONAL „	205	197	182	235	229	249	233	258	229	208	222·5	257	95	77	62	19	4
III.	LOCAL „	301	352	311	348	346	379	366	427	399	327	355·6	383	154	52	80	88	9
IV.	DEVELOPMENTAL „	111	99	84	116	107	97	120	121	105	101	106·1	133	73	7	1	36	16
V.	VIOLENT DEATHS	13	14	9	30	31	46	9	20	41	17	23·0	20	11	3	2	4	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	278	205	128	221	246	220	308	220	215	164	220·5	275	229	23	12	8	3
	2. ENTHETIC „	4	5	2	2	9	1	5	6	9	3	4·6	7	6	..	..	1	..
	3. DIETIC „	6	6	8	12	14	12	10	12	11	9	10·0	8	4	1	3	..	..
	4. PARASITIC „	3	2	2	2	2	4	2	..	5	4	2·6	1	1	..	..	..	..
II.	1. DIATHETIC „	36	32	33	35	34	40	44	30	38	36	35·8	46	3	6	21	13	3
	2. TUBERCULAR „	169	165	149	200	195	209	189	228	191	172	186·7	211	92	71	41	6	1
III.	1. DISEASES OF NERVOUS SYSTEM	102	102	111	93	102	118	107	123	139	94	109·1	130	68	12	23	26	1
	2. „ OF ORGANS OF CIRCULATION	30	46	34	38	41	50	35	46	59	41	42·0	36	2	10	12	11	1
	3. „ OF RESPIRATORY ORGANS	107	127	105	136	126	129	151	190	135	125	133·1	145	69	13	25	32	6
	4. „ OF DIGESTIVE ORGANS	39	55	37	62	61	62	49	40	39	38	48·2	45	9	10	13	13	..
	5. „ OF URINARY ORGANS	13	12	11	7	7	9	11	16	15	10	11·1	13	1	5	4	2	1
	6. „ OF ORGANS OF GENERATION	1	..	1	5	2	2	2	3	3	9	2·8	3	..	..	..	3	..
	7. „ OF ORGANS OF LOCOMOTION	3	4	5	4	1	5	5	5	6	7	4·5	7	3	2	2	..	..
	8. „ OF INTEGUMENTARY SYSTEM	6	6	7	3	6	4	6	4	3	3	4·8	4	2	..	1	1	..
IV.	1. DEV. DISEASES OF CHILDREN	44	41	32	44	35	35	59	39	37	45	41·1	40	40	..	..	..	..
	2. „ OF ADULTS	6	2	2	7	7	4	3	6	1	3	4·1	7	..	7	..	..	..
	3. „ OF OLD PEOPLE	33	33	34	45	38	22	25	41	32	25	32·8	46	..	..	..	30	16
	4. DISEASES OF NUTRITION	28	23	16	20	27	36	33	35	35	28	28·1	40	33	..	1	6	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											16	11	1	1	3	..
	* 3. HOMICIDE												..	..	..	..	..	..
	4. SUICIDE												4	..	2	1	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	13	14	9	30	31	46	9	20	41	17	23·0	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	10	6	2	3	9	3	3	4	12	5·9	3	2	..	..	1	..
	CAUSES NOT SPECIFIED	5	5	4	22	13	6	34	6	9	23	12·7	..	..	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 3 1848	June 2 1849	June 1 1850	May 31 1851	June 5 1852	June 4 1853	June 3 1854	June 2 1855	May 31 1856	June 6 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 5, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 66°·2	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	56°·5	60°·3	58°·2	55°·6	52°·5	51°·8	52°·3	49°·4	53°·3	60°·6	55°·1						
I.	ORDER 1.																	
	1. Small-pox	34	6	6	23	40	5	10	24	5	1	15·4	2	1	1	..	..	..
	2. Measles	12	40	12	39	23	28	46	14	36	24	27·4	62	62	..	..	..	..
	3. Scarlatina	56	29	17	10	63	34	72	48	40	18	38·7	46	44	2	..	..	..
	4. Quinsy	2	..	2	1	6	1	1	1	3	2	1·9	..	..	..	..	..	..
	5. Croup	8	5	2	5	3	3	8	8	9	10	6·1	14	14	..	..	..	..
	6. Whooping-cough	35	51	28	64	24	64	53	41	33	47	44·0	69	69	..	..	..	..
	7. Typhus (and Infantile fever)	77	24	27	33	42	41	61	43	59	24	43·1	43	18	9	10	6	..
	8. Erysipelas	13	11	7	11	10	3	12	7	5	5	8·4	6	2	2	1	1	..
	9. Metria	9	6	3	2	2	1	8	4	2	1	3·8	5	..	4	1	..	..
	10. Carbuncle	2	..	..	1	..	3	1	1	..	..	·8	..	..	..	..	..	..
	11. Influenza	2	..	2	3	1	2	2	1	..	1	1·4	..	..	..	..	..	..
	12. Dysentery	5	3	4	6	2	4	3	..	5	..	3·2	1	1	..	..	..	..
	13. Diarrhœa	15	16	15	16	20	21	22	16	12	26	17·9	18	13	2	..	..	3
	14. Cholera	1	9	..	..	..	1	2	..	..	4	1·7	1	..	..	..	1	..
	15. Ague	..	2	1	1	..	1	..	1	..	..	·6	1	..	1	..	..	..
	16. Remittent Fever	1	1	..	1	4	4	2	5	..	1	1·9	3	3	..	..	..	..
	17. Rheumatism	6	2	2	5	6	4	5	6	6	..	4·2	4	2	2	..	..	..
	ORDER 2.																	
	1. Syphilis	2	4	2	2	7	..	3	5	7	2	3·4	6	6	..	..	..	..
	2. Stricture of Urethra	2	1	..	..	2	1	2	1	2	1	1·2	1	..	..	..	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	..	..	1	..	..	..	..	..	·2	..	..	..	..	..	..
	2. Want of Breast-milk	1	2	..	6	7	6	5	5	5	2	3·9	4	4	..	..	..	..
	3. Purpura and Scurvy	1	..	2	1	1	2	2	..	2	2	1·3	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	3	2	4	5	4	3	2	6	3	3	3·5	3	..	1	2	..	..
	4. Alcoholism { *b* Intemperance	1	1	2	..	1	1	1	1	1	2	1·1	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	3	2	2	2	2	4	2	..	5	4	2·6	1	1	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	2	1	..	1	2	3	1	2	1	1·4	2	..	..	2	..	..
	2. Dropsy	15	15	12	13	14	15	21	17	17	9	14·8	14	2	2	4	3	3
	3. Cancer	17	13	19	14	14	18	18	8	15	24	16·0	27	..	4	14	9	..
	4. Noma	1	..	..	1	1	..	..	..	..	..	·3	..	..	..	..	..	..
	5. Mortification	2	2	1	7	4	5	2	4	4	2	3·3	3	1	..	1	1	..
	ORDER 2.																	
	1. Scrofula	7	5	2	5	10	2	6	7	8	6	5·8	7	6	1	..	..	..
	2. Tabes Mesenterica	12	15	13	10	15	19	20	18	18	10	15·0	16	15	1	..	..	..
	3. Phthisis	126	118	103	159	150	152	145	170	143	122	137·9	147	30	69	41	6	1
	4. Hydrocephalus	24	27	31	35	20	36	18	33	22	34	28·0	41	41	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	8	11	10	9	8	7	14	13	7	12	9·9	17	13	1	2	1	..
	2. Apoplexy	16	18	24	13	22	25	27	18	32	22	21·7	13	1	3	3	6	..
	3. Paralysis	27	12	20	16	16	21	14	26	29	17	19·8	22	..	1	6	14	1
	4. Insanity	1	3	4	1	6	5	3	5	4	1	3·3	2	..	..	1	1	..
	5. Chorea	..	..	1	..	..	1	..	1	..	..	·3	1	1	..	..	..	..
	6. Epilepsy	6	7	6	6	4	11	7	9	7	6	6·9	12	1	4	6	1	..
	7. Convulsions	34	37	32	38	34	37	31	34	46	26	34·9	44	44	..	..	..	..
	8. *Brain Disease, &c.*	10	14	14	10	12	11	11	17	14	10	12·3	19	8	3	5	3	..
	ORDER 2.																	
	1. Pericarditis	2	2	3	4	4	2	4	6	1	1	2·9	3	..	1	1	1	..
	2. Aneurism	1	3	1	3	2	3	..	..	3	4	2·0	1	..	..	1	..	..
	3. *Heart Disease, &c.*	27	41	30	31	35	45	31	40	55	36	37·1	32	2	9	10	10	1
	ORDER 3.																	
	1. Laryngitis	3	3	5	5	1	..	8	8	5	5	4·3	5	3	..	1	1	..
	2. Bronchitis	37	49	44	51	49	63	60	76	67	53	54·9	76	33	1	12	26	4
	3. Pleurisy	6	2	1	6	1	6	2	7	2	1	3·4	2	..	1	..	1	..
	4. Pneumonia	52	56	42	64	58	42	66	81	51	57	56·9	48	32	9	4	1	2
	5. Asthma	8	10	5	7	10	13	8	8	7	4	8·0	6	..	1	3	2	..
	6. *Lung Disease, &c.*	1	7	8	3	7	5	7	10	3	5	5·6	8	1	1	5	1	..
	ORDER 4.																	
	1 Gastritis	1	2	4	..	4	1	4	1	2	2	2·1	2	..	..	..	2	..
	2. Enteritis	5	5	5	6	9	6	3	2	2	3	4·6	5	3	..	..	2	..
	3. Peritonitis	4	10	2	4	9	6	3	3	4	4	4·9	3	..	1	1	1	..
	4. Ascites	2	2	3	4	2	5	6	2	1	2	2·9	6	1	2	3	..	..
	5. Ulceration of Intestines	1	3	1	2	1	3	2	..	2	4	1·9	4	1	..	1	2	..
	6. Hernia	1	4	3	4	1	5	2	3	2	1	2·6	3	2	1	..	..	..
	7. Ileus	..	6	1	5	5	5	4	1	3	..	3·0	2	..	..	2	..	..
	8. Intussusception	..	..	1	2	1	1	..	..	..	1	·6	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTY-SECOND Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 3 1848	June 2 1849	June 1 1850	May 31 1851	June 5 1852	June 4 1853	June 3 1854	June 2 1855	May 31 1856	June 6 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 5, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	56°·5	60°·3	58°·2	55°·6	52°·5	51°·8	52°·3	49°·4	53°·3	60°·6	55°·1	66°·2					
	9. Stricture of Intestines	..	..	..	..	4	..	1	..	..	..	·5	..	..	..	..	..	..
	10. Fistula	2	..	1	..	..	2	..	..	..	..	·5	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	5	2	1	10	4	5	4	5	4	4	4·4	5	1	..	3	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	3	2	4	4	4	5	4	6	5	4	4·1	6	..	3	1	2	..
	14. Jaundice	3	5	2	2	2	2	6	5	1	3	3·1	2	..	..	1	1	..
	15. *Liver Disease, &c.*	12	14	9	19	15	15	10	12	12	9	12·7	7	1	3	1	2	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	1	..	..	1	1	·3	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Ischuria	2	..	..	..	..	2	..	..	..	..	·4	1	..	..	1	..	..
	3. Nephria	5	3	3	3	3	2	5	5	3	4	3·6	3	1	2	..	..	..
	4. Diabetes	1	2	3	..	1	1	..	1	1	2	1·2	2	..	1	1	..	..
	5. Stone	..	1	..	..	..	..	1	1	1	..	·4	..	..	..	..	..	..
	6. Cystitis	..	..	..	..	..	..	..	..	1	1	·2	1	..	..	1	..	..
	7. *Kidney Disease, &c.*	4	6	5	4	3	4	5	9	9	3	5·2	6	..	2	1	2	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	1	1	1	1	1	..	..	4	·9	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	1	..	..	4	1	1	1	3	3	5	1·9	3	..	..	..	3	..
	ORDER 7.																	
	1. Arthritis	..	..	1	..	..	..	..	..	1	1	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	3	4	4	4	1	5	5	5	5	6	4·2	7	3	2	2	..	..
	ORDER 8.																	
	1. Phlegmon	4	2	4	1	5	2	3	2	3	2	2·8	1	..	..	..	1	..
	2. Ulcer	1	1	1	1	..	1	3	2	..	..	1·0	1	..	..	1	..	..
	3. *Skin Disease, &c.*	1	3	2	1	1	1	..	..	..	1	1·0	2	2	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	25	23	19	23	22	19	41	24	22	29	24·7	20	20	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											4	4	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	6	4	4	5	4	4	4	4	2	4	4·1	..	..	..	..	..	..
	5. Teething	13	14	9	16	9	12	14	11	13	12	12·3	16	16	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	1	..	..	1	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	6	2	2	7	7	4	2	6	1	2	3·9	7	..	7	..	..	..
	ORDER 3.																	
	1. Old Age	33	33	34	45	38	22	25	41	32	25	32·8	46	..	..	..	30	16
	ORDER 4.																	
	1. Atrophy and Debility	28	23	16	20	27	36	33	35	35	28	28·1	40	33	..	1	6	..
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	7	4	1	..	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	3	..	..	1	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	2	..	1	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	4	..	2	1	1	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	13	14	9	30	31	46	9	20	41	17	23·0	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	7	10	6	2	3	9	3	3	4	12	5·9	3	2	..	..	1	..
	Causes not specified or ill-defined	5	5	4	22	13	6	34	6	9	23	12·7	..	..	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as 1.; 2; 2.

DEATHS Registered in the TWENTY-SECOND WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, June 3 1848	June 2 1849	June 1 1850	May 31 1851	June 5 1852	June 4 1853	June 3 1854	June 2 1855	May 31 1856	June 6 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, June 5 1858.
Mean Temperature . . .			56·5°	60·3°	58·2°	55·6°	52·5°	51·8°	52·3°	49·4°	53·3°	60·6°	55·1°	66·2°
LONDON	78029	2362236	933	895	736	990	1000	1023	1090	1073	1027	868	963·5	1087
1-6. WEST DISTRICTS .	10786	376427	134	156	112	153	176	158	176	162	170	132	152·9	213
7-11. NORTH DISTRICTS .	13533	490396	175	184	128	177	201	225	220	223	200	193	192·6	201
12-19. CENTRAL DISTRICTS	1938	393256	148	138	117	157	162	137	154	143	182	146	148·4	169
20-25. EAST DISTRICTS .	6230	485522	240	187	167	218	205	201	231	209	185	188	203·1	210
26-36. SOUTH DISTRICTS .	45542	616635	236	230	212	285	256	302	309	336	290	209	266·5	294
1. Kensington* HHHH .	7374	120004	30	38	37	39	55	48	32	63	63	47	45·2	72
2. Chelsea Hw . . .	865	56538	19	24	17	36	26	24	35	18	28	19	24·6	34
3. St. George Hanover-sq. H	1161	73230	21	34	15	29	47	22	45	31	24	23	29·1	42
4. Westminster* HHHH .	917	65609	29	29	25	33	23	32	42	29	31	25	29·8	45
5. St. Martin-in-the-Fields H	305	24640	15	14	8	11	9	17	7	9	8	9	10·7	8
6. St. James Westminster .	164	36406	20	17	10	5	16	15	15	12	16	9	13·5	12
7. Marylebone HH . .	1509	157696	56	54	47	74	64	79	59	64	61	56	61·4	69
8. Hampstead	2252	11986	1	5	2	2	4	2	4	8	3	5	3·6	4
9. Pancras HHw . . .	2716	166956	64	83	49	43	67	81	75	72	71	58	66·3	64
10. Islington HHH . .	3127	95329	35	27	17	39	41	44	54	51	46	54	40·8	35
11. Hackney* Hw . . .	3929	58429	19	15	13	19	25	19	28	28	19	20	20·5	29
12. St. Giles* H . . .	245	54214	17	22	12	21	19	22	18	22	25	24	20·2	25
13. Strand* H	173	44422	17	17	18	24	23	15	20	19	19	13	18·5	22
14. Holborn* H . . .	196	46621	20	17	17	17	23	13	27	22	29	17	20·2	20
15. Clerkenwell	380	64778	24	11	16	18	24	21	19	12	46	26	21·7	29
16. St. Luke HH . . .	220	54055	19	24	16	12	19	23	23	16	20	22	19·4	22
17. East London* . . .	153	44406	23	16	10	17	14	13	14	15	14	20	15·6	20
18. West London* H . .	137	28828	14	15	18	28	23	14	19	23	19	19	19·2	17
19. London City* . . .	434	55932	14	16	10	20	17	16	14	14	10	5	13·6	14
20. Shoreditch w . . .	646	109257	50	45	35	54	42	45	46	48	44	52	46·1	48
21. Bethnal Green H . .	760	90193	40	28	30	28	45	29	32	34	14	34	31·4	33
22. Whitechapel* HH . .	406	79759	40	20	25	33	46	31	47	44	38	23	34·7	46
23. St. George in the East .	243	48376	35	17	19	35	13	30	26	12	12	14	21·3	17
24a. Stepney*	576	54173	63	61	41	48	35	45	54	43	43	31	46·4	21
24b. Mile-end Old Town Hw	681	56602												23
25. Poplar* Hw . . .	2918	47162	12	16	17	20	24	21	26	28	34	34	23·2	22
26. St. Saviour Southwark* HH	250	35731	23	14	12	20	21	24	24	22	12	10	18·2	16
27. St. Olave Southwark* HH	169	19375	10	16	18	22	18	17	22	25	26	17	19·1	27
28. Bermondsey	688	48128	16	21	13	21	19	24	26	14	18	17	18·9	28
29. St. George Southwark .	282	51824	26	26	23	19	18	39	13	35	26	21	24·6	20
30. Newington	624	64816	19	19	21	27	25	30	44	33	30	17	26·5	34
31. Lambeth H	4015	139325	42	48	41	68	49	52	63	67	48	34	51·2	54
32. Wandsworth* . . .	11695	50764	16	22	16	25	20	11	24	21	32	15	20·2	17
33. Camberwell	4342	54667	17	12	18	30	22	28	24	27	31	21	23·0	31
34. Rotherhithe	886	17805	12	7	2	5	20	6	8	9	10	3	8·2	8
35. Greenwich* HHHHHH .	5367	99365	46	37	43	39	37	56	49	65	36	44	45·2	46
36. Lewisham*	17224	34835	9	8	5	9	7	15	12	18	21	10	11·4	13

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending May 29. Total.	Males.	Females.	In the Week ending June 5. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	209	121	88	168	90	78
45 WORKHOUSES	87	44	43	89	39	50
14 PRISONS . . . . . ‡	5	4	1	3	3	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	5	5	–	9	9	–
15 GENERAL HOSPITALS	92	59	33	50	27	23
7 HOSPITALS FOR SPECIAL DISEASES	7	2	5	3	2	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	1	–	1
7 MILITARY AND NAVAL HOSPITALS	3	3	–	7	7	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	–	–	–
19 LUNATIC ASYLUMS	10	4	6	6	3	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 5th June 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	2	62	46	69	18	43
No.*							
1-6 WEST DISTRICTS - -	376427	-	12	8	15	5	7
7-11 NORTH DISTRICTS - -	490396	-	9	10	13	2	10
12-19 CENTRAL DISTRICTS -	393256	-	9	8	13	1	3
20-25 EAST DISTRICTS - -	485522	1	15	10	13	6	12
26-36 SOUTH DISTRICTS - -	616635	1	17	10	15	4	11
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	-	-	-	2
2 St. John Paddington H -	29053	-	-	1	1	1	-
3 Kensington Town *W* L -	29183	-	-	-	2	1	-
4 Brompton HH - -	14870	-	-	-	3	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	1	1	-
2; 1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	1	-	2	-	1
3 Chelsea North-east L -	19819	-	3	-	1	1	-
3; 1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	1
3 Belgrave H - - -	40034	-	2	1	2	-	1
4; 1 St. John Westmr. HHHP	34295	-	1	1	-	-	1
2 St. Margaret West. *W* HP	31314	-	3	3	1	1	1
5; 1 Charing Cross *W* H -	12587	-	1	-	-	-	-
2 Long Acre - - -	12053	-	-	-	1	-	-
6; 1 Berwick-street - -	10798	-	1	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	2	1	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	3	-	1	-	2
2 Cavendish-square - -	14687	-	1	-	-	-	1
3 Rectory Marylebone *W* -	27633	-	-	-	1	-	-
4 St. Mary Marylebone H -	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	1	1	-	-	1
6 St. John Marylebone -	29826	-	-	-	-	-	1
8; 1 Hampstead *W* - -	11986	-	-	1	-	-	-
9; 1 Regent's Park Pancras -	31918	-	-	1	-	-	-
2 Tottenham-court *w*H -	28433	-	1	1	1	-	1
3 Gray's-inn-lane H -	26523	-	-	2	-	-	-
4 Somers-town - - -	35641	-	-	2	-	-	-
5 Camden-town *W* - -	21115	-	-	1	1	-	-
6 Kentish-town - - -	23326	-	1	-	2	-	1
10; 1 Islington West† *W*HHHPP	47881	-	2	-	3	1	1
2 Islington East - - -	47448	-	-	-	3	-	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	1
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	1	1	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	1	1
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	1	-	-
2 St. Giles South *W* H -	19951	-	-	1	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	1	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	-	-	-	1
14; 1 St. George-the-Martyr H.	18813	-	1	2	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	1	-	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	2	-	-
2 Amwell Clerkenwell P -	15720	-	1	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - -	15625	-	-	-	1	-	-
16; 1 Old-street H - - -	10617	-	1	-	1	-	-
2 City-road HL - -	16840	-	1	2	1	-	-
3 Whitecross-street - -	13657	-	-	-	-	-	-
4 Finsbury - - - -	12941	-	1	-	-	-	-
17; 1 St. Botolph East London	23824	-	3	-	2	-	-
2 Cripplegate P - -	20582	-	-	-	1	-	-
18; 1 West London North *W*HP	12946	-	1	3	-	1	1
2 West London South P -	15882	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	1
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	1	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	1	1	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	-	-	1
3 Hoxton New Town *w* -	23505	-	2	-	-	-	1
4 Hoxton Old Town - -	17431	-	-	1	-	1	-
5 Haggerstone West *W* -	20276	-	2	1	1	-	1
6 Haggerstone East - -	11351	-	-	1	-	-	-
21; 1 Hackney Road - -	23910	-	1	1	-	-	1
2 Green, Bethnal Green *W* HL	23555	-	-	-	-	-	-
3 Church, Bethnal Green -	21787	-	1	-	1	1	2
4 Town, Bethnal Green -	20941	-	-	2	1	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	3	-	1	-	1
3 Mile End New Town *W* -	14543	-	1	1	-	-	2
4 Whitechapel North *W* -	12530	-	1	-	-	1	-
5 Whitechapel Church H -	7818	-	-	-	1	1	-
6 Goodman's Fields - -	12069	-	1	-	-	-	-
7 Aldgate H - - -	10694	-	-	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	1
2 St. Paul St. Geo. East -	20319	-	-	1	1	-	-
3 St. John St. Geo. East *W*	9990	-	1	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	1	1
2 Ratcliff *W* - - -	15212	-	1	-	-	-	1
3 Limehouse *W* - -	22782	-	-	-	2	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	-	1	-	-
2 Mile End Old T., East. *Ww*H	27020	-	-	1	3	-	-
25; 1 Bow *w*LH - - -	18778	1	1	-	-	1	-
2 Poplar *W* - - -	28384	-	-	-	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	1	-	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	2	-	-	1
28; 1 St. James Bermondsey -	18899	-	-	-	-	1	1
2 St. Mary Magdalen *W* -	13934	-	1	1	2	-	-
3 Leather Market - -	15295	-	-	1	-	-	-
29; 1 Kent Road - - -	18126	-	-	-	-	-	-
2 Borough Road *W* P -	15862	-	-	-	-	1	-
3 London Road LP - -	17836	-	-	-	-	-	-
30; 1 Trinity Newington P -	20922	-	2	-	1	-	-
2 St. Peter Walworth *W* -	29861	1	2	2	-	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	3	-	-
3 Lambeth Church 1st -	18409	-	-	-	-	1	2
4 Lambeth Church 2nd *W*	26784	-	1	-	1	1	-
5 Kennington 1st - -	24261	-	-	-	-	-	-
6 Kennington 2nd - -	18848	-	-	-	-	-	-
7 Brixton L - - -	14610	-	-	-	1	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	1	-	-
2 Battersea *W* - - -	10560	-	-	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	1
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	1	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	1	-	-	-	-
3 Peckham - - - -	19444	-	-	1	-	-	1
4 St. George Camberwell -	15849	-	-	1	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	1	-	3	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	1
3 Greenwich West H -	18800	-	6	-	-	-	1
4 Greenwich East *W* H -	16228	-	-	-	1	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	-	-	1
36; 1 Plumstead - - -	13191	-	2	-	-	-	2
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	1	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	1	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 5th June 1858.

[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Greatest.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Greatest.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
May.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	30	..	29·949	76·7	50·1	26·6	63·2	51·7	101·4	45·0	61·7	58·4	11·5	22·3	4·6	+ 7·5	64						40	0·00
Monday . .	31	..	29·903	81·2	54·0	27·2	67·7	53·2	103·8	45·4	61·5	59·0	14·5	23·0	4·4	+11·6	58						25	0·00
June.																								
Tuesday .	1	..	29·903	85·0	58·5	26·5	70·7	56·5	119·5	44·0	62·7	60·2	14·2	27·9	8·6	+14·3	62	..	W. & N.	0·0	0·0	0·0	15	0·00
Wednesday	2	..	29·888	84·4	54·0	30·4	68·1	57·6	104·5	53·7	64·0	60·5	10·5	25·5	7·9	+11·5	65	Calm & S.E.	S.	0·0	0·0	0·0	25	0·00
Thursday .	3	..	29·735	81·7	59·3	22·4	70·0	60·6	116·4	55·0	65·2	62·2	9·4	16·5	1·7	+13·2	69	S. & Var.	E. & S.W.	0·0	0 0	0 0	40	0·00
Friday . .	4	Last Quarter.	29·992	77·0	54·1	22·9	64·2	52·0	105·5	50·5	63·7	61·2	12·2	21·4	3·0	+ 7·1	62	S.W.	S.W.	0·0	0·0	0·0	35	0·00
Saturday .	5	In Equator.	29·888	70·6	53·5	17·1	59·4	56·7	81·2	45·7	65·3	63·2	2·7	8·5	1·9	+ 2·3	95	S.W.	Variable.	0·0	0·0	0·0	15	1·16
Means . .		..	29·894	79·5	54·8	24·7	66·2	55·5	104·6	48·5	63·4	60·7	10·7	20·7	4·6	+ 9·6	68			..	..	..	Sum 195	Sum 1·16
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
May.			
Sunday . .	30	Positive, with variable tension.	The day was very fine and the amount of cloud was small at all times.
Monday . .	31	Positive, with strong tension at all times.	Generally cloudless throughout the day. Lightning was seen occasionally at night.
June.			
Tuesday . .	1	No electricity was shown at any examination.	Generally cloudless throughout the day.
Wednesday	2	Weak positive electricity was shown occasionally.	Generally clear till noon, partially cloudy during the remainder of the day. Rain fell near 5h. P.M.
Thursday .	3	Weak positive during the morning and evening; no electricity was shown at any other time.	Light clouds were prevalent at all times. A solar halo was visible during the morning. Lightning was frequent at night.
Friday . .	4	Weak positive at each examination.	Clear for the most part until evening, partially cloudy afterwards.
Saturday .	5	Positive and negative alternately, with very strong tension. Volleys of sparks and galvanic currents were very frequent.	Cloudy generally throughout the day. A severe thunderstorm occurred between 6h. and 8h. A.M.; the lightning was very vivid and the thunder loud; rain fell very heavily throughout the duration of the storm. A little after 7h. A.M. an oak tree was struck by lightning in the park, and stripped of a portion of its bark. Rain fell to the depth of an inch in less than one hour, and there were showers at different times during the day. Some hail fell during the storm.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken. Osler's anemometer was replaced on June 1st.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·95 in. at the beginning of the week to 29·89 in. by 3h. P.M. on the 31st; increased to 29·95 in. by 9h. P.M. on June 1st; decreased to 29·64 in. by 9h. P.M. on the 3d; increased to 30·01 in. by 9h. P.M. on the 4th; decreased to 29·86 in. by 9h. A.M. on the 5th (the readings having been very variable during the thunderstorm between 6h. and 8h. on this day); and was 29·91 in. at the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, June 12. [No. 23.

General Register Office, Somerset House,
June 14th, 1858.

The population of London now appears to be in a very healthy condition. In a metropolis which in a few years more will be able to count its third million of inhabitants, the deaths in a week do not often fall below a thousand; for a reduction of the weekly deaths below this point occurred only nine times in 1857, though the total mortality of that year was less than the average. At this season of the year the mortality has been observed to be least, and last week, ending June 12th, the deaths, which had been about 1100, fell to 963. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 982, but as the present return is for a population which has annually increased, for the purpose of comparison the average should be raised in proportion to this increase, and it will then appear that the deaths of last week were less by 117 than would have occurred under the average rate of mortality for the early part of June.

The births of last week exceeded the deaths in the same period by 663.

The deaths of children from measles declined in the last two weeks from 62 to 56; those from whooping-cough from 69 to 58; while deaths of persons at all ages from typhus and common fever decreased from 43 to 21; and fatal cases of zymotic diseases in the aggregate from 291 to 253. Eighteen persons died of diarrhœa last week, which is just the average for this season; and 4 of cholera. With one exception, the cases of cholera occurred to children not above 7 years of age, and are described as "English cholera." Of 14 deaths that occurred in the sub-district of Somers Town, 5 were from scarlatina, 3 from whooping-cough, and one from measles,—that is 9 from diseases of the zymotic character. In the sub-district of All Souls, Marylebone, 3 children died of measles, one of whooping-cough, one of diarrhœa, one of influenza, one of diphtheria, one of inflammation of the throat, one of remittent fever, and one of croup; the registrar states that measles and inflammation of the throat are very prevalent in his locality. It is stated that frequent cases of fever have occurred in Highbury-vale, and that they are supposed to owe their origin to a large open sewer which runs near the dwellings, and to which public attention has been repeatedly called, but hitherto without effect. The nuisance is not to be abated till it can be included in the general drainage of the north of London.

The two oldest persons who died in the week were women, aged respectively 94 and 95 years.

Last week the births of 854 boys and 772 girls, in all 1626 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1507.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·846 in. The highest barometrical reading was 30·04 in. on Sunday (the 6th), which decreased to 29·71 in. on Tuesday. The mean temperature of the week was 63·8°, which is 6·2° above the average of the same week in 43 years (as determined by Mr. Glaisher). Wednesday was the warmest day, and on it the thermometer in the sun rose to 105·7°, and that in the shade to 82·9°; the lowest point was 55·6°, and the mean temperature 68·5°, which is 11° above the average. The *lowest* temperature of the week was 49·1° on Tuesday, and the entire range was therefore 33·8°. The mean daily range was 24·5°. The

difference between the mean dew point temperature and air temperature was 8·1°. The mean degree of humidity of the air was 74, complete saturation being 100. The mean degree of temperature of the water of the Thames was 65·8°. The direction of the wind, which was north-east on the first two days, was afterwards generally south-west. No rain fell, except a few drops, on the evening of Tuesday, when there was a thunder-storm of short duration.

Kensington; *St. Mary, Paddington.*—At 13 Church-place, on 6th June, the son of a police constable, aged 3 years, "choleraic diarrhœa; an acute and rapid case resembling English cholera."

St. Luke; *Finsbury.*—At 54 Cowper-street, on 5th June, the son of an ostler, aged 7 years, "English cholera (24 hours)."

East London; *St. Botolph.*—At 5 White Rose-court, on 7th June, the wife of a general dealer, aged 39 years, "diarrhœa (54 hours); sporadic cholera (12 hours)."

Whitechapel; *Aldgate.*—At 3 Parson's-court, on 5th June, the daughter of a dock labourer, aged 5 years, "English cholera, diarrhœa, debility."

Births Registered last Week, and in the Twenty-third Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1371	1391	1358	1446	1314	1508	1625	1710	1747	1602	1507·2	1626
Males . . .	712	689	720	735	692	740	822	870	866	824	767·0	854
Females . .	659	702	638	711	622	768	803	840	881	778	740·2	772

Deaths Registered last Week, and in the Twenty-third Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	941	971	844	961	893	1007	1110	1087	1068	934	982·1	963
Males . .	492	523	420	510	449	518	567	565	539	519	510·2	481
Females .	449	448	424	451	449	489	543	522	529	415	471·9	482

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.
Births	1960	1924	1735	1642	1965	1810	1717	1688	1550	1625	1692	1545	1626
Deaths	1431	1268	1374	1221	1207	1144	1125	1056	1057	1082	1106	1087	963
Deaths (except from Violence) . . .	1396	1218	1261	1198	1187	1121	1093	1031	1032	1056	1073	1067	940
Deaths (except from Violence) at 60 years and upwards . .	306	237	270	243	213	243	217	216	216	238	200	185	153
Small-pox	4	3	1	3	3	..	2	3	4	4	5	2	2
Measles	45	50	59	58	55	41	54	45	47	60	45	62	56
Scarlatina	40	29	26	33	37	40	32	38	36	48	50	46	47
Whooping-cough . .	83	72	66	78	77	81	69	63	81	72	61	69	58
Typhus	41	26	40	22	37	33	31	30	22	30	32	43	21
Diarrhœa	13	12	11	17	12	9	11	9	17	12	14	18	18
Mean Temperature .	48°·0	46°·6	44°·6	40°·3	46°·7	52°·8	47°·1	45°·6	49°·6	54°·9	53°·9	66°·2	63°·8

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTY-THIRD Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 10 1848	June 9 1849	June 8 1850	June 7 1851	June 12 1852	June 11 1853	June 10 1854	June 9 1855	June 7 1856	June 13 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 12, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	57°·1	59°·7	59°·3	55°·2	54°·9	60°·8	52°·3	58°·5	56°·7	56°·0	57°·1	63°·8					
	ALL CAUSES	941	971	844	961	898	1007	1110	1087	1068	934	982·1	963	522	158	127	126	30
	SPECIFIED CAUSES	927	950	826	947	881	994	1081	1057	1051	909	962·3	953	516	158	125	124	30
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	311	267	184	218	223	247	334	253	261	178	247·6	253	214	21	11	6	1
II.	CONSTITUTIONAL "	214	209	209	236	217	253	226	241	247	254	230·6	227	69	90	48	18	2
III.	LOCAL "	280	333	305	375	318	354	396	417	373	341	349·2	323	140	42	61	74	6
IV.	DEVELOPMENTAL "	93	99	103	95	106	125	101	117	146	105	109·0	127	79	2	2	24	20
V.	VIOLENT DEATHS	29	42	25	23	17	15	24	29	24	31	25·9	23	14	3	3	2	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	292	248	171	208	206	225	309	227	245	161	229·2	237	203	18	9	6	1
	2. ENTHETIC "	4	6	2	1	3	5	6	6	6	6	4·5	6	5	1	..	..	..
	3. DIETIC "	9	10	10	8	10	15	16	14	9	11	11·2	10	6	2	2	..	..
	4. PARASITIC "	6	3	1	1	4	2	3	6	1	..	2·7	..	..	..	..	..	..
II.	1. DIATHETIC "	34	26	25	39	36	47	46	41	47	46	38·7	38	3	5	16	13	1
	2. TUBERCULAR "	180	183	184	197	181	206	180	200	200	208	191·9	189	66	85	32	5	1
III.	1. DISEASES OF NERVOUS SYSTEM	102	117	111	103	109	100	135	135	109	93	111·4	113	59	11	16	25	2
	2. " OF ORGANS OF CIRCULATION	21	43	36	37	35	44	41	45	62	44	40·8	34	5	7	10	12	..
	3. " OF RESPIRATORY ORGANS	95	102	94	161	110	136	149	152	119	119	123·7	107	60	8	16	22	1
	4. " OF DIGESTIVE ORGANS	44	47	48	45	45	43	43	51	48	54	46·8	48	12	13	8	13	2
	5. " OF URINARY ORGANS	10	14	3	17	9	12	18	13	20	16	13·2	8	1	1	4	1	1
	6. " OF ORGANS OF GENERATION	1	1	7	3	4	9	3	7	7	5	4·7	5	..	1	4	..	..
	7. " OF ORGANS OF LOCOMOTION	2	8	4	2	3	6	2	7	1	2	3·7	2	1	1	..	..	..
	8. " OF INTEGUMENTARY SYSTEM	5	1	2	7	3	4	5	7	7	8	4·9	6	2	..	3	1	..
IV.	1. DEV. DISEASES OF CHILDREN	30	37	38	34	39	45	39	56	58	41	41·7	46	46	..	..	..	..
	2. " OF ADULTS	3	4	11	3	3	3	7	2	4	6	4·6	3	..	2	1	..	..
	3. " OF OLD PEOPLE	37	34	32	37	41	35	37	33	43	36	36·5	37	..	..	..	17	20
	4. DISEASES OF NUTRITION	23	24	22	21	23	42	18	26	41	22	26·2	41	33	..	1	7	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											18	12	2	2	1	1
	3. HOMICIDE *												2	2	..	..	..	..
	4. SUICIDE												3	..	1	1	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	29	42	25	23	17	15	24	29	24	31	25·9	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	9	10	3	6	4	3	10	12	16	7·7	7	3	..	2	2	..
	CAUSES NOT SPECIFIED	10	12	8	11	11	9	26	20	5	9	12·1	3	3	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 10 1848	June 9 1849	June 8 1850	June 7 1851	June 12 1852	June 11 1853	June 10 1854	June 9 1855	June 7 1856	June 13 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 12, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 63°·8	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	57°·1	59°·7	59°·3	55°·2	54°·9	60°·8	52°·3	58°·5	56°·7	56°·0	57°·1						
I.	ORDER 1.																	
	1. Small-pox	30	9	9	16	36	6	11	22	10	..	14·9	2	1	1	..	..	..
	2. Measles	22	21	26	39	24	25	31	10	41	28	26·7	56	56	..	..	..	..
	3. Scarlatina	77	40	19	15	45	30	68	53	42	14	40·3	47	44	3	..	..	..
	4. Quinsy	2	1	1	1	..	1	1	1	1	..	·9	2	2	..	..	..	..
	5. Croup	10	5	8	7	4	5	8	11	13	3	7·4	10	10	..	..	..	..
	6. Whooping-cough	27	58	25	47	31	58	63	43	44	48	44·4	58	58	..	..	..	..
	7. Typhus (and Infantile fever)	68	38	40	48	30	53	64	43	60	29	47·3	21	10	7	2	2	..
	8. Erysipelas	14	12	10	7	9	6	7	11	7	2	8·5	5	1	..	2	2	..
	9. Metria	4	5	1	..	3	5	3	2	3	1	2·7	2	..	2	..	..	..
	10. Carbuncle	..	..	..	..	1	..	3	..	..	2	·6	..	..	..	..	..	..
	11. Influenza	2	..	1	6	..	..	6	2	1	..	1·8	2	1	..	1	..	..
	12. Dysentery	8	5	3	4	2	3	3	3	4	4	3·9	3	1	1	1	..	..
	13. Diarrhœa	17	20	19	11	10	23	31	16	10	20	17·7	18	15	1	..	1	1
	14. Cholera	2	22	2	..	..	..	1	..	1	1	2·9	4	3	1	..	..	..
	15. Ague	1	..	..	..	..	..	..	1	1	..	·3	1	..	..	..	1	..
	16. Remittent fever	4	2	3	3	3	4	1	2	..	3	2·5	1	1	..	..	..	..
	17. Rheumatism	4	10	4	4	8	6	8	7	7	6	6·4	5	..	2	3	..	..
	ORDER 2.																	
	1. Syphilis	1	6	1	1	3	4	4	4	5	5	3·4	6	5	1	..	..	..
	2. Stricture of Urethra	3	..	1	..	..	1	2	2	1	1	1·1	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	..	..	2	4	..	..	..	..	·7	..	..	..	..	..	..
	2. Want of Breast-milk	4	5	1	2	4	5	8	5	5	2	4·1	6	6	..	..	..	..
	3. Purpura and Scurvy	1	..	2	1	2	2	..	2	2	4	1·6	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	3	3	5	3	1	4	6	5	..	3	3·3	4	..	2	2	..	..
	4. Alcoholism { *b* Intemperance	1	1	2	2	1	..	2	2	2	2	1·5	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	6	3	1	1	4	2	3	6	1	..	2·7	..	..	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	1	..	2	1	..	1	1	1	1	1·0	..	..	..	..	..	..
	2. Dropsy	17	11	7	17	13	16	24	12	18	13	14·8	13	3	2	5	2	1
	3. Cancer	13	11	15	16	21	23	21	23	24	25	19·2	24	..	3	11	10	..
	4. Noma	..	..	..	1	1	..	..	1	1	1	·5	..	..	..	..	..	..
	5. Mortification	2	3	3	3	..	8	..	4	3	6	3·2	1	..	..	..	1	..
	ORDER 2.																	
	1. Scrofula	4	6	7	10	9	8	6	8	5	13	7·6	6	5	..	1	..	..
	2. Tabes Mesenterica	13	13	8	12	13	12	18	16	12	19	13·6	12	12	..	..	..	..
	3. Phthisis	144	128	141	146	122	163	131	145	151	141	141·2	151	29	85	31	5	1
	4. Hydrocephalus	19	36	28	29	37	23	25	31	32	35	29·5	20	20	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	8	15	9	8	15	10	11	16	12	12	11·6	10	7	1	1	1	..
	2. Apoplexy	22	24	25	24	23	19	27	31	23	20	23·8	17	3	3	6	4	1
	3. Paralysis	20	21	22	17	17	14	27	28	10	10	18·6	22	..	2	5	14	1
	4. Insanity	3	..	4	1	2	3	1	5	1	2	2·2	1	..	1	..	..	..
	5. Chorea	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	6. Epilepsy	6	7	7	3	6	7	7	6	14	7	7·0	5	1	2	1	1	..
	7. Convulsions	32	41	30	36	32	32	49	32	33	30	34·7	46	46	..	..	..	..
	8. *Brain Disease, &c.*	11	9	14	14	14	15	13	17	15	12	13·4	12	2	2	3	5	..
	ORDER 2.																	
	1. Pericarditis	1	4	2	1	5	1	2	5	8	3	3·2	..	..	..	..	..	..
	2. Aneurism	1	2	1	1	..	1	2	1	5	..	1·4	3	..	2	1	..	..
	3. *Heart Disease, &c.*	19	37	33	35	30	42	37	39	49	41	36·2	31	5	5	9	12	..
	ORDER 3.																	
	1. Laryngitis	2	5	4	7	4	3	7	4	3	6	4·5	3	3	..	..	..	..
	2. Bronchitis	33	38	35	64	49	54	55	62	51	64	50·5	59	27	1	11	20	..
	3. Pleurisy	3	6	3	6	2	4	4	5	..	1	3·4	3	..	2	..	1	..
	4. Pneumonia	40	39	45	71	43	62	72	70	53	38	53·3	39	29	5	4	..	1
	5. Asthma	7	7	1	9	7	8	5	9	4	4	6·1	1	..	..	1	..	..
	6. *Lung Disease, &c.*	10	7	6	4	5	5	6	2	8	6	5·9	2	1	..	..	1	..
	ORDER 4.																	
	1. Gastritis	..	..	1	1	..	..	1	1	..	1	·5	1	1	..	..	..	..
	2. Enteritis	6	8	6	9	6	6	7	4	2	4	5·8	6	4	..	1	1	..
	3. Peritonitis	4	4	6	6	2	4	2	3	6	4	4·1	8	2	4	1	1	..
	4. Ascites	2	..	1	2	3	3	2	4	4	4	2·5	1	..	1	..	..	..
	5. Ulceration of Intestines	4	1	2	..	2	..	3	4	3	2	2·1	4	1	..	1	2	..
	6. Hernia	2	6	3	2	3	4	1	2	3	7	3·3	1	..	1	..	..	..
	7. Ileus	2	2	5	3	3	..	1	3	2	6	2·7	3	..	1	..	1	1
	8. Intussusception	1	2	..	..	..	..	1	1	1	2	·8	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTY-THIRD Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 10 1848	June 9 1849	June 8 1850	June 7 1851	June 12 1852	June 11 1853	June 10 1854	June 9 1855	June 7 1856	June 13 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 12, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	57°·1	59°·7	59°·3	55°·2	54°·9	60°·8	52°·3	58°·5	56°·7	56°·0	57°·1	63°·8					
	9. Stricture of Intestines	..	1	..	1	3	3	1	2	1	2	1·4	..	..	..	..	..	..
	10. Fistula	1	..	..	..	2	..	..	..	..	1	·4	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	7	6	6	4	5	5	7	8	7	6	6·1	6	2	..	1	3	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	1	..	·1	1	..	..	..	1	..
	13. Hepatitis	1	5	4	3	4	4	2	3	3	3	3·2	2	..	2	..	..	..
	14. Jaundice	2	3	2	2	2	4	3	6	2	3	2·9	4	1	1	..	1	1
	15. *Liver Disease, &c.*	12	8	11	12	9	9	12	10	13	9	10·5	11	1	3	4	3	..
	16. *Spleen Disease, &c.*	..	1	1	..	1	1	..	..	..	..	·4	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	..	..	1	1	1	2	..	·5	1	..	..	1	..	..
	2. Ischuria	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	1	3	..	5	4	4	6	6	6	6	4·1	5	1	..	3	1	..
	4. Diabetes	..	..	..	1	..	1	..	1	1	3	·7	..	..	..	..	..	..
	5. Stone	..	1	1	1	1	..	..	1	..	2	·7	..	..	..	..	..	..
	6. Cystitis	3	2	..	2	..	..	2	1	1	1	1·2	1	..	..	..	..	1
	7. *Kidney Disease, &c.*	5	8	2	8	4	6	9	3	10	4	5·9	1	..	1	..	..	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	2	..	..	2	..	1	1	1	·7	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	1	1	5	3	4	7	3	6	6	4	4·0	5	..	1	4	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	1	..	1	..	..	·2	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	8	4	2	3	5	2	6	1	2	3·5	2	1	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	3	..	2	4	..	3	2	6	6	6	3·2	4	1	..	3	..	..
	2. Ulcer	1	1	..	3	1	..	..	1	1	1	·9	1	..	..	..	1	..
	3. *Skin Disease, &c.*	1	..	..	..	2	1	3	..	..	1	·8	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	22	22	23	21	23	29	26	30	30	23	24·9	22	22	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	3	3	5	2	3	2	1	6	9	1	3·5	3	3	..	..	..	..
	5. Teething	5	12	10	11	13	14	12	20	19	17	13·3	20	20	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	1	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	3	4	10	3	3	3	7	2	4	6	4·5	3	..	2	1	..	..
	ORDER 3.																	
	1. Old Age	37	34	32	37	41	35	37	33	43	36	36·5	37	..	..	..	17	20
	ORDER 4.																	
	1. Atrophy and Debility	23	24	22	21	23	42	18	26	41	22	26·2	41	33	..	1	7	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	9	5	1	2	1	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	3	..	..	..	1
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	2	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											2	2	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	2	[illegible]	1	..	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	[illegible]	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	29	42	25	23	17	15	24	29	24	31	25·9	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	4	9	10	3	6	4	3	10	12	16	7·7	7	3	..	2	2	..
	Causes not specified or ill-defined	10	12	8	11	11	9	26	20	5	9	12·1	3	3	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the TWENTY-THIRD WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, June 10 1848	June 9 1849	June 8 1850	June 7 1851	June 12 1852	June 11 1853	June 10 1854	June 9 1855	June 7 1856	June 13 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, June 12 1858.
Mean Temperature . . .			57·1°	59·7°	59·3°	55·2°	54·9°	60·8°	52·3°	58·5°	56·7°	56·0°	57·1°	63·8°
LONDON	78029	2362236	941	971	844	961	898	1007	1110	1087	1068	934	982·1	963
1–6. WEST DISTRICTS .	10786	376427	136	140	138	146	146	166	192	171	175	112	152·2	138
7–11. NORTH DISTRICTS .	13533	490396	190	184	179	202	181	198	225	222	182	170	193·3	194
12–19. CENTRAL DISTRICTS	1938	393256	140	171	132	147	169	154	180	174	165	161	159·3	140
20–25. EAST DISTRICTS .	6230	485522	234	197	163	208	167	212	227	224	222	258	211·2	232
26–36. SOUTH DISTRICTS .	45542	616635	241	279	232	258	235	277	286	296	324	233	266·1	259
1. Kensington* HHHH .	7374	120004	35	34	35	37	53	60	47	48	60	42	45·1	53
2. Chelsea H*w* . . .	865	56538	20	15	17	26	17	29	43	39	29	16	25·1	21
3. St. George Hanover-sq. H	1161	73230	27	20	30	25	22	25	34	27	36	21	26·7	34
4. Westminster* HHHH .	917	65609	36	41	32	32	23	27	42	26	25	16	30·0	15
5. St. Martin-in-the-Fields H	305	24640	10	13	12	11	18	12	9	13	8	6	11·2	7
6. St. James Westminster .	164	36406	8	17	12	15	13	13	17	18	17	11	14·1	8
7. Marylebone HH . .	1509	157696	56	46	63	59	72	65	81	68	61	64	63·5	63
8. Hampstead	2252	11986	3	6	3	5	2	5	1	5	2	4	3·6	5
9. Pancras HH*w* . . .	2716	166956	83	72	70	78	50	63	74	67	57	52	66·6	65
10. Islington HHH . .	3127	95329	30	34	28	35	44	37	41	54	44	28	37·5	37
11. Hackney* H*w* . . .	3929	58429	18	26	15	25	13	28	28	28	18	22	22·1	24
12. St. Giles* H . . .	245	54214	29	16	16	21	23	27	21	26	23	20	22·2	24
13. Strand* H	173	44422	15	20	16	22	13	21	19	23	18	19	18·6	10
14. Holborn* H . . .	196	46621	16	22	19	17	24	23	22	20	24	18	20·5	15
15. Clerkenwell	380	64778	15	28	19	18	30	18	41	28	29	19	24·5	18
16. St. Luke HH . . .	220	54055	18	24	15	18	19	21	26	29	23	25	21·8	20
17. East London* . . .	153	44406	12	15	13	11	17	19	12	13	10	19	14·1	18
18. West London* H . .	137	28828	22	29	16	16	28	15	26	21	23	23	21·9	26
19. London City*	434	55932	13	17	18	24	15	10	13	14	15	18	15·7	9
20. Shoreditch *w* . . .	646	109257	56	46	35	47	35	36	49	53	48	61	46·6	45
21. Bethnal Green H . .	760	90193	37	33	32	25	32	30	34	32	33	39	32·7	41
22. Whitechapel* HH . .	406	79759	47	40	29	31	39	33	35	42	44	42	38·2	54
23. St. George-in-the-East .	243	48376	25	14	14	21	15	25	23	17	23	15	19·2	29
24*a*. Stepney*	576	54173	49	43	28	60	32	63	61	55	49	62	50·2	26
24*b*. Mile-end Old Town H*w*	681	56602												20
25. Poplar* H*w* . . .	2918	47162	20	21	25	24	14	25	25	25	25	39	24·3	17
26. St. Saviour Southwark* HH	250	35731	27	16	19	12	17	16	11	21	20	13	17·2	12
27. St. Olave Southwark* HH	169	19375	14	29	11	13	15	28	20	36	24	14	20·4	17
28. Bermondsey	688	48128	16	26	17	15	18	25	25	26	17	15	20·0	31
29. St. George Southwark .	282	51824	13	22	22	19	22	31	24	27	30	22	23·2	21
30. Newington	624	64816	11	36	27	25	20	19	22	22	26	19	22·7	21
31. Lambeth H	4015	139325	54	46	47	52	64	40	68	57	58	40	52·6	54
32. Wandsworth*	11695	50764	19	16	8	15	18	20	32	32	27	32	21·9	16
33. Camberwell	4342	54667	16	17	31	31	13	34	20	19	16	26	22·3	19
34. Rotherhithe	886	17805	4	6	5	5	3	9	4	7	8	2	5·3	8
35. Greenwich* HHHHH .	5367	99365	54	53	32	57	39	48	48	40	70	36	48·2	38
36. Lewisham*	17224	34835	13	7	13	14	6	7	12	9	28	14	12·3	22

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending June 5. Total.	Males.	Females.	In the Week ending June 12. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	168	90	78	157	83	74
45 WORKHOUSES	89	39	50	76	35	41
14 PRISONS . . . . . ‡	3	3	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	9	9	–	3	3	–
15 GENERAL HOSPITALS	50	27	23	56	29	27
7 HOSPITALS FOR SPECIAL DISEASES	3	2	1	9	6	3
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	1	–	1	–	–	–
7 MILITARY AND NAVAL HOSPITALS	7	7	–	6	6	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	–	–	–
19 LUNATIC ASYLUMS	6	3	3	7	4	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 12th June 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	2	56	47	58	18	21
1-6	WEST DISTRICTS - -	376427	-	6	2	9	2	1
7-11	NORTH DISTRICTS - -	490396	1	10	13	10	7	5
12-19	CENTRAL DISTRICTS -	393256	1	9	7	6	1	2
20-25	EAST DISTRICTS - -	485522	-	15	13	12	6	6
26-36	SOUTH DISTRICTS - -	616635	-	16	12	21	2	7
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	-	-	1	-	-
2	St. John Paddington H -	29053	-	1	-	1	-	-
3	Kensington Town *W* L -	29183	-	-	1	-	-	-
4	Brompton HH - -	14870	-	1	-	1	-	1
5	St. Peter Hammersmith -	4467	-	-	-	-	-	-
6	St. Paul Hammersmith -	13293	-	-	-	1	-	-
7	Fulham *W* LLLL - -	11886	-	1	-	-	-	-
2; 1	Chelsea South H - -	19050	-	1	-	-	1	-
2	Chelsea North-west *Ww*	17669	-	-	-	-	1	-
3	Chelsea North-east L -	19819	-	2	-	-	-	-
3; 1	Hanover Square - -	20216	-	-	-	1	-	-
2	May Fair *W* - - -	12980	-	-	-	1	-	-
3	Belgrave H - - -	40034	-	-	1	1	-	-
4; 1	St. John Westmr. HHHP	34295	-	-	-	2	-	-
2	St. Margaret West. *W* HP	31314	-	-	-	-	-	-
5; 1	Charing Cross *W* H -	12587	-	-	-	-	-	-
2	Long Acre - - -	12053	-	-	-	-	-	-
6; 1	Berwick Street - -	10798	-	-	-	-	-	-
2	St. James's Square -	11469	-	-	-	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	3	1	1	1	-
2	Cavendish-square - -	14687	-	-	-	-	-	-
3	Rectory Marylebone *W* -	27633	-	-	-	-	-	-
4	St. Mary Marylebone H	22814	-	-	2	1	1	-
5	Christchurch Marylebone	33895	-	-	-	2	-	-
6	St. John Marylebone -	29826	-	-	-	-	-	-
8; 1	Hampstead *W* - -	11986	-	-	-	-	-	1
9; 1	Regent's Park Pancras -	31918	-	2	-	-	-	-
2	Tottenham-court *w*H -	28433	-	-	-	-	1	1
3	Gray's Inn Lane H -	26523	-	-	2	-	1	-
4	Somers Town - - -	35641	-	1	5	3	-	-
5	Camden Town *W* - -	21115	1	1	-	-	-	-
6	Kentish Town - -	23326	-	-	-	1	-	-
10; 1	Islington West† *W*HHHPP	47881	-	-	2	1	1	-
2	Islington East - -	47448	-	-	-	1	2	1
11; 1	Stoke Newington L -	4840	-	1	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	2	-	-	-	1
4	Hackney *W* H*w* - -	20850	-	-	-	-	-	1
5	South Hackney L - -	8458	-	-	1	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	1	-	-	-	-	-
2	St. Giles South *W* H -	19951	-	-	1	-	-	-
3	St. Giles North - -	17456	-	-	-	-	-	-
13; 1	St. Anne Soho - -	17335	-	-	-	-	-	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15472	-	-	-	-	-	1
14; 1	St. George-the-Martyr H.	18813	-	1	2	-	-	-
2	St. Andrew, East. Holb. *W*	13971	-	1	-	-	-	-
3	Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1	St. James Clerkenwell *W*P	21529	-	-	-	-	-	-
2	Amwell Clerkenwell P -	15720	-	-	-	1	-	-
3	Pentonville - - -	11904	-	-	-	-	1	-
4	Goswell-street - - -	15625	-	-	-	-	-	-
16; 1	Old-street H - - -	10617	-	-	-	1	-	-
2	City-road HL - -	16840	-	-	-	1	-	-
3	Whitecross-street - -	13657	-	2	-	-	-	-
4	Finsbury - - - -	12941	-	-	1	-	-	-
17; 1	St. Botolph East London	23824	-	3	-	-	-	-
2	Cripplegate P - -	20582	-	1	-	1	-	-
18; 1	West London North *W*HP	12946	-	1	2	-	-	1
2	West London South P -	15882	-	-	1	1	-	-
19; 1	London City South-west -	9204	-	-	-	-	-	-
2	London City North-west -	11847	-	-	-	-	-	-
3	London City South - -	11461	-	-	-	1	-	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	-	-	-	-

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	-	-	1	-
2	St. Leonard Shoreditch L	19449	-	-	-	1	-	1
3	Hoxton New Town *w* -	23505	-	1	2	-	-	-
4	Hoxton Old Town - -	17431	-	-	1	2	1	-
5	Haggerstone West *W* -	20276	-	-	1	1	1	1
6	Haggerstone East - -	11351	-	-	-	-	-	-
21; 1	Hackney-road - - -	23910	-	-	-	2	-	-
2	Green, Bethnal Green *W* HL	23555	-	1	-	-	-	-
3	Church, Bethnal Green -	21787	-	3	-	-	-	-
4	Town, Bethnal Green -	20941	-	-	1	3	-	1
22; 1	Artillery Whitechapel -	6769	-	2	-	-	-	-
2	Spitalfields - - -	15336	-	-	-	-	-	-
3	Mile End New Town *W*	14543	-	-	1	-	-	1
4	Whitechapel North *W* -	12530	-	1	-	-	-	-
5	Whitechapel Church H -	7818	-	1	-	-	-	-
6	Goodman's Fields - -	12069	-	2	2	-	1	-
7	Aldgate H - - -	10694	-	-	-	-	-	-
23; 1	St. Mary St. Geo. East -	18067	-	1	-	-	2	1
2	St. Paul St. Geo. East -	20319	-	-	-	1	-	-
3	St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1	Shadwell *W* - - -	16179	-	-	-	-	-	-
2	Ratcliff *W* - - -	15212	-	-	-	1	-	-
3	Limehouse *W* - -	22782	-	-	-	-	-	-
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	-	1	-	-
2	Mile End Old T., East. *Ww*H	27020	-	-	2	-	-	1
25; 1	Bow *w*LH - - -	18778	-	3	2	-	-	-
2	Poplar *W* - - -	28384	-	-	1	-	-	-
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	-	-	-	-
2	St. Saviour Southwark HH	19709	-	1	1	-	-	-
27; 1	St. Olave Southwark HH	8015	-	1	-	-	-	-
2	St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1	St. James Bermondsey -	18899	-	1	1	1	-	-
2	St. Mary Magdalen *W* -	13934	-	1	2	-	-	-
3	Leather Market - -	15295	-	3	1	1	-	-
29; 1	Kent-road - - -	18126	-	2	-	-	-	-
2	Borough-road *W* P -	15862	-	-	1	-	-	-
3	London-road LP - -	17836	-	-	-	1	-	-
30; 1	Trinity Newington P -	20922	-	-	1	1	-	-
2	St. Peter Walworth *W* -	29861	-	-	-	2	1	-
3	St. Mary Newington -	14033	-	-	-	-	-	-
31; 1	Waterloo-road 1st - -	14088	-	-	1	2	-	-
2	Waterloo-road 2nd H -	18348	-	-	-	2	1	1
3	Lambeth Church 1st -	18409	-	1	-	-	-	-
4	Lambeth Church 2nd *W*	26784	-	-	-	5	-	-
5	Kennington 1st - -	24261	-	1	-	-	-	-
6	Kennington 2nd - -	18848	-	-	1	-	-	-
7	Brixton L - - -	14610	-	-	-	-	-	-
8	Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1	Clapham L - - -	16290	-	1	-	-	-	1
2	Battersea *W* - - -	10560	-	-	-	-	-	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	-	-	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	-	-	-	-	-
3	Peckham - - - -	19444	-	1	-	-	-	-
4	St. George Camberwell -	15849	-	-	2	-	-	-
34; 1	Rotherhithe *W* - -	17805	-	-	-	1	-	1
35; 1	St. Paul Deptford - -	24899	-	-	-	1	-	-
2	St. Nicholas Deptford -	7071	-	-	-	-	-	-
3	Greenwich West H -	18800	-	1	-	-	-	1
4	Greenwich East *W* H -	16228	-	-	1	1	-	-
5	Woolwich Dockyard HP	17140	-	-	-	-	-	1
6	Woolwich Arsenal HPH	15227	-	-	-	-	-	-
36; 1	Plumstead - - -	13191	-	2	-	-	-	-
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	-	-	2	-	1
4	Lewisham Village *W* -	6097	-	-	-	1	-	1
5	Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 12TH JUNE 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
JUNE.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
SUNDAY .	6	..	30·026	73·0	54·5	18·5	60·3	51·7	91·6	49·4	66·2	63·5	8·6	19·4	6·2	+ 3·1	76	N.E.	N.E.	2·0	0·0	0·0	55	0·00
MONDAY .	7	..	29·922	72·0	51·7	20·3	59·3	49·8	90·0	—	65·9	63·2	9·5	19·4	6·2	+ 2·0	72	N.E.	N.E.	0·0	0·0	0·0	15	0·00
TUESDAY .	8	..	29·735	79·8	49·1	30·7	63·8	57·1	100·6	51·7	66·0	63·7	6·7	18·3	..	+ 6·4	76	N.E.	S.W.	0·0	0·0	0·0	15	0·01
WEDNESDAY	9	..	29·737	82·9	55·6	27·3	68·5	59·0	105·7	—	66·7	64·2	9·5	18·2	1·8	+11·0	67	S.W.	Calm	0·0	0·0	0·0	10	0·00
THURSDAY .	10	..	29·846	80·0	54·8	25·2	63·7	59·0	98·0	54·0	67·7	65·2	4·7	19·6	2·5	+ 6·0	82	E.	N.E. & Calm	0·0	0·0	0·0	5	0·00
FRIDAY . .	11	New Perigee.	29·856	79·8	52·5	27·3	65·1	56·1	101·5	45·0	68·2	65·5	9·0	17·9	7·2	+ 7·1	70	S.	Calm	0·0	0·0	0·0	5	0·00
SATURDAY .	12	Greatest Dec. N.	29·799	79·0	57·0	22·0	66·1	57·2	105·0	52·0	68·7	66·2	8·9	19·4	5·1	+ 7·8	73	Calm	S.W.	0·0	0·0	0·0	25	0·00
MEANS . .		..	29·846	78·1	53·6	24·5	63·3	55·7	98·9	5 nights. 50·4	67·1	64·5	8·1	18·9	4·1	+ 6·2	74	N.E. & S.W.		..	..	..	Sum 130	Sum 0·01
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
JUNE.			
SUNDAY . .	6	Positive, with moderate tension.	Light clouds, to a large amount, prevailed generally throughout the day.
MONDAY. .	7	Positive, with weak tension.	Partially cloudy till evening, clear sky afterwards.
TUESDAY .	8	Positive, with weak tension.	Generally clear till evening, partially cloudy afterwards. A thunder-storm, of short duration, occurred between 9h. and 10h. P.M.
WEDNESDAY	9	Positive, with strong tension.	Partially cloudy till noon; clear for the most part afterwards. Lightning was seen occasionally at night.
THURSDAY .	10	Positive, with variable tension.	Cloudy until noon, the day was very fine and clear afterwards.
FRIDAY . .	11	Positive, with variable tension; volleys of sparks were shown at night.	The greater part of the sky was obscured with thin clouds throughout the day.
SATURDAY .	12	Positive, with weak tension.	Partially cloudy till evening, clear for the most part afterwards.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·91 in. at the beginning of the week to 30·04 in. by 9h. P.M. on the 6th; decreased to 29·71 in. by 3h. P.M. on the 8th; increased very slowly to 29·73 in. by noon on the 9th; continued at this reading till after 3h. P.M.; then still further increased to 29·88 in. by 9h. A.M. on the 11th; and decreased to 29·79 in. by the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, June 19. [No. 24.

General Register Office, Somerset House,
June 21st, 1858.

The deaths in London, which in the previous week had fallen so low as 963, rose in the week ending Saturday, June 19th, to 1160. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 958; but as the present return is for a population which has annually increased, it can only be compared with the average when the latter has been raised in proportion to the increase, a correction which will make it 1053. The result of the comparison is that the deaths of last week exceeded by about a hundred the number which the average rate of mortality for the middle of June would have produced.

Taking the results of the last two weeks, it appears that deaths from zymotic diseases rose from 253 to 286; those from "local diseases" from 323 to 422; the "developmental" from 127 to 142; violent deaths from 23 to 70; while deaths from "constitutional diseases" (comprising phthisis, scrofula, hydrocephalus, dropsy, cancer, &c.) exhibited in the two weeks the same number, viz., 227. The increase under *violence* is due to casual irregularity in the registration of deaths of this description; the increase in the zymotic class of diseases, and probably to some extent under other heads, is the effect of the late extreme heat of the weather. Measles, scarlatina, whooping-cough showed but slight change, while typhus (including common fever) rose from 21 to 41, and diarrhœa from 18 to 31. Diarrhœa, however, exceeds the corrected average only in a trifling degree. Two young children died of cholera. Deaths from disease of the heart increased from 31 to 49; those from pneumonia from 39 to 51; disease of the liver from 11 to 21; those of the kidneys from 8 to 24. Five deaths from scarlatina occurred in the sub-district of St. Peter, Walworth; 4 in that of Lambeth Church (2d part). Of four nonagenarians who died in the week, the oldest was a man, aged 98 years.

Last week the births of 729 boys and 752 girls, in all 1481 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1448.

Composition of the Water supplied by Eight of the Metropolitan Water Companies in May 1858.

The amount of impurity is expressed in degrees, each degree being equivalent to 1 grain of foreign matter present per gallon. The analyses were made by Dr. Thomson, F.R.S., of St. Thomas' Hospital.

Companies.	Total Impurity.	Organic Impurity.
	grs. *or* °	grs. *or* °
Distilled Water -	0·0	—
Kent - - - -	25·36	2·40
New River - - -	17·16	1·80
Grand Junction - - -	17·08	1·80
Southwark - - - -	16·84	1·76
Chelsea - - -	18·20	1·68
Lambeth - - -	18·48	1·60
East London - - -	15·92	1·48
West Middlesex - - -	16·36	1·12

All the samples were taken from the mains, with the exception of the Lambeth specimen, which was procured from a service pipe at Champion-hill. The present table, when compared with that for the preceding month, exhibits a greater equality in the composition of the waters generally, in consequence of the absence of rain which has a tendency to augment the impurity.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·803 in. The highest barometrical reading was 29·99 in. on Saturday. The mean temperature of the week was 67·7°, which is 8·5° above the average of the same week in 43 years (as determined by Mr. Glaisher). On Monday, Tuesday, and Wednesday the mean daily temperature was from 13° to 17° in excess of the average. On Wednesday, which was the hottest day, the thermometer in the shade rose to 94·5°; the lowest point was 61·5°. The *lowest* temperature

in the week was 48·5° on Saturday, and the extreme range was therefore 46°. The mean daily range was 27·1°. The difference between the mean dew-point temperature and air temperature was 10·1°; the mean degree of humidity of the air was 69; on Wednesday it was only 56, complete saturation being represented by 100. On that day the wind was in the east; during the rest of the week it was in the south-west. The mean temperature of the water of the Thames was 69·6°, or about 2° higher than that of the air, and so far favourable to evaporation. Some rain fell on the afternoon of Friday.

The medical officer of the Dreadnought Hospital Ship appends the following note to his report :—

The water of the Thames stinks most abominably, I cannot but think that the foul air has a deleterious effect generally on the health of the patients of this Hospital, and I know that it has had something to do with the induction of fever in two instances on the orlop deck, the ports of which are only a few feet from the surface of the water. Several men on board, myself among the number, have suffered slightly from diarrhœa.

Some particulars relating to the very high temperature of Wednesday, June 16th, 1858, are communicated to the Registrar General by the Astronomer Royal :—

Early in the morning the temperature of the air in the shade was 61·5°, this increased to 82·7° by 9h. A.M., to 87·5° by 10h. A.M., to 89·0° by 11h. A.M., to 90·0° by noon, to 91·6° by 0h·45m. P.M., and to 94·5° by 1h. P.M.; decreased to 93·3° by 1h. 20m. P.M., to 91·8° by 2h. P.M., to 90·4° by 3h. P.M., to 72·2° by 9h. P.M., and to 62·0° during the night.

The mean temperature of the day was 76·9°, exceeding the average for the day by 17·6°, being a greater departure from the average than Mr. Glaisher has ever experienced.

In the year 1818 the mean temperature of June 13th was 76·1, and there is no instance since of so high a mean temperature in the month of June.

In the year 1818 on July 24th the mean temperature of the day was 79·2°, in 1825 on July 15, 18, and 19, the mean temperatures were 79·1°, 78·2°, and 78·6° respectively, and in 1830, on July 30th, it was 76·3°, and this is the most recent instance of a mean daily temperature exceeding 76° till that of last Wednesday, June 16th.

In these several instances of high mean temperature the nights were very warm, having all been of a temperature much higher than that of June 16th, but it is believed that there is no instance of so high a maximum as 94·5° before last week. In 1846, on July 5th, the temperature rose to 93°, and on June 28th, 1857, it was as high as 92·7°.

The reading of the thermometer, whose indications are usually referred to as the highest in the sun, at 9h. A.M. was 106·8°, at noon was 115·5°, and at 1h. P.M. was 117·7. The reading of a blackened bulb thermometer with its bulb in a glass globe, placed beside the ordinary sun thermometer, at 9h. A.M. read 127·2°, at 10h. A.M. 133·0°, at noon 135·7°, at 1h. P.M. 136·0°, and at 3h. P.M. 133·0°.

A similar thermometer to the last, and placed on grass, read at 9h. A.M. 134·7°, at 10h. A.M. 144°, at 11h. A.M. 144°, at noon 144·6°, at 1h. P.M. 145·0°, at 3h. P.M. 143°.

The lowest reading on grass early in the morning was 47·8°; the highest temperature of the air as recorded at Lewisham was 94°.

KENSINGTON; *Kensington Town.*—At 11 Princes-road, on 18th June, the son of a mercantile clerk, aged 4 months, "cholera (48 hours)."

SHOREDITCH; *St. Leonard.*—At 21 Worship-street, on 14th June, the son of a bricklayer, aged one year and 11 months, "cholera, congestion of lungs and brain (24 hours)."

CITY OF LONDON; *North-east.*—At 2 White Lion-court, Little Bell-alley, on 15th June, the daughter of a journeyman bootmaker, aged 4 years, "fever, caused by opening the drain and emptying the closet."

WHITECHAPEL; *Artillery.*—At 3 Montague-street, on 16th June, a general dealer, aged 64 years, "coup de soleil (9 hours)."

POPLAR; *Poplar.*—At Workhouse, on 14th June, a cabman, aged 57 years, "spontaneous salivation."

BIRTHS Registered LAST WEEK, and in the TWENTY-FOURTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1268	1443	1260	1292	1586	1409	1652	1474	1572	1527	1448·3	1481
Males . .	625	720	688	659	774	742	824	718	823	764	733·7	729
Females .	643	723	572	633	812	667	828	756	749	763	714·6	752

DEATHS Registered LAST WEEK, and in the TWENTY-FOURTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1009	912	800	931	903	924	1085	999	1027	987	957·7	1160
Males . .	542	513	405	517	455	477	576	529	505	526	504·5	618
Females .	467	399	395	414	448	447	509	470	522	461	453·2	542

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTY-FOURTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 17 1848	June 16 1849	June 15 1850	June 14 1851	June 19 1852	June 18 1853	June 17 1854	June 16 1855	June 14 1856	June 20 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 19, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	60°·8	53°·5	58°·0	55°·9	55°·2	58°·3	55°·1	55°·5	59°·1	60°·3	57°·2	Mean Temp. 67°·7					
	ALL CAUSES . . .	1009	912	800	931	903	924	1085	999	1027	987	957·7	1160	600	143	186	193	38
	SPECIFIED CAUSES .	981	885	782	913	888	904	1048	979	1007	968	935·5	1147	594	143	183	189	38
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	304	265	175	214	211	225	287	225	258	217	238·1	286	242	17	14	11	2
II.	CONSTITUTIONAL „ .	226	190	194	211	224	209	246	246	238	218	220·2	227	70	73	56	25	3
III.	LOCAL „ .	312	297	290	346	326	320	389	335	367	357	333·9	422	176	43	93	100	10
IV.	DEVELOPMENTAL „ .	93	98	92	111	107	124	108	124	107	113	107·7	142	71	4	3	41	23
V.	VIOLENT DEATHS . .	46	35	31	31	20	26	18	49	37	63	35·6	70	35	6	17	12	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	288	246	166	196	194	211	273	203	250	196	222·3	275	234	17	11	11	2
	2. ENTHETIC „ . .	3	1	1	3	3	3	4	6	1	5	3·0	..	..	..	..	..	..
	3. DIETIC „ . .	9	16	5	14	12	10	9	15	5	15	11·0	9	6	..	3	..	..
	4. PARASITIC „ . .	4	2	3	1	2	1	1	1	2	1	1·8	2	2	..	..	..	..
II.	1. DIATHETIC „ . .	35	25	31	27	35	30	46	32	44	29	33·4	42	4	3	15	17	3
	2. TUBERCULAR „ . .	191	165	163	184	189	179	200	214	194	189	186·8	185	66	70	41	8	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	119	114	91	102	106	104	123	100	117	106	108·2	135	73	10	21	29	2
	2. „ OF ORGANS OF CIRCULATION .	31	24	39	32	37	29	37	33	44	43	34·9	51	2	13	12	22	2
	3. „ OF RESPIRATORY ORGANS . .	97	88	92	139	104	127	162	132	124	119	118·4	129	73	3	21	26	6
	4. „ OF DIGESTIVE ORGANS . . .	49	52	44	47	49	45	43	52	50	61	49·2	61	17	9	24	11	..
	5. „ OF URINARY ORGANS . . .	10	12	11	12	19	6	17	10	14	13	12·4	24	2	6	7	9	..
	6. „ OF ORGANS OF GENERATION .	1	2	10	4	5	1	3	..	5	6	3·7	8	..	1	5	2	..
	7. „ OF ORGANS OF LOCOMOTION .	3	3	2	5	3	3	2	5	8	3	3·7	8	5	..	3	..	..
	8. „ OF INTEGUMENTARY SYSTEM .	2	2	1	5	3	5	2	3	5	6	3·4	6	4	1	..	1	..
IV.	1. DEV. DISEASES OF CHILDREN	34	37	43	46	42	41	29	51	32	47	40·2	38	38	..	..	..	..
	2. „ OF ADULTS .	3	9	5	3	7	4	5	4	7	4	5·1	5	..	4	1	..	..
	3. „ OF OLD PEOPLE	32	31	35	35	43	39	41	35	37	35	36·3	55	..	..	..	32	23
	4. DISEASES OF NUTRITION .	24	21	9	27	15	40	33	34	31	27	26·1	44	33	..	2	9	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											56	31	2	13	10	..
	* 3. HOMICIDE												5	3	2	..	..	..
	4. SUICIDE												9	1	2	4	2	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	46	35	31	31	20	26	18	49	37	63	35·6	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	15	19	13	8	7	6	11	15	6	11	11·1	10	4	..	2	4	..
	CAUSES NOT SPECIFIED . .	13	8	5	10	8	14	26	5	14	8	11·1	3	2	..	1	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 17 1848	June 16 1849	June 15 1850	June 14 1851	June 19 1852	June 18 1853	June 17 1854	June 16 1855	June 14 1856	June 20 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 19, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·8	53°·5	58°·0	55°·9	55°·2	58°·3	55°·1	55°·5	59°·1	60°·3	57°·2	67°·7					
I.	ORDER 1.																	
	1. Small-pox	44	3	9	19	35	2	6	27	9	4	15·8	2	2	..	..	..	..
	2. Measles	18	15	20	33	12	20	39	18	41	34	25·0	58	58	..	..	..	..
	3. Scarlatina	76	34	19	24	41	39	47	45	33	20	37·8	55	53	2	..	..	..
	4. Quinsy	2	..	..	..	2	1	1	1	1	2	1·0	2	2	..	..	..	..
	5. Croup	4	7	5	6	5	8	3	10	10	10	6·8	7	6	..	1	..	..
	6. Whooping-cough	27	45	30	40	30	67	51	26	54	42	41·2	54	54	..	..	..	..
	7. Typhus (and Infantile fever)	69	46	43	35	25	31	62	34	49	34	42·8	41	26	6	4	4	1
	8. Erysipelas	8	10	5	8	10	7	9	12	10	3	8·2	4	1	..	1	2	..
	9. Metria	6	2	6	3	4	1	6	5	9	..	4·2	6	..	4	2	..	..
	10. Carbuncle	..	..	1	..	..	2	..	..	5	..	·8	2	..	..	1	1	..
	11. Influenza	..	..	2	3	2	..	5	2	..	..	1·4	1	..	..	..	..	1
	12. Dysentery	5	2	1	3	3	1	4	1	2	4	2·6	3	1	..	..	2	..
	13. Diarrhœa	21	36	17	13	19	24	31	17	14	35	22·7	31	26	2	1	2	..
	14. Cholera	5	42	1	1	2	..	1	2	..	..	5·4	2	2	..	..	..	..
	15. Ague	1	..	1	1	..	..	..	..	..	..	·3	1	..	..	1	..	..
	16. Remittent Fever	..	2	2	3	1	1	3	..	3	1	1·6	2	2	..	..	..	..
	17. Rheumatism	2	2	4	4	3	7	5	3	10	7	4·7	4	1	3	..	..	..
	ORDER 2.																	
	1. Syphilis	1	..	1	2	2	1	4	5	1	4	2·1	..	..	..	..	..	..
	2. Stricture of Urethra	2	1	..	1	1	2	..	1	..	1	·9	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	2	3	..	..	1	1	..	1	..	..	·8	..	..	..	..	..	..
	2. Want of Breast-milk	4	6	1	6	2	2	3	8	2	6	4·0	6	6	..	..	..	..
	3. Purpura and Scurvy	..	4	1	1	3	2	3	1	..	2	1·7	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	3	3	3	3	4	2	3	4	3	4	3·2	1	..	..	1	..	..
	4. Alcoholism { *b* Intemperance	..	..	..	4	2	3	..	1	..	3	1·3	2	..	..	2	..	..
	ORDER 4.																	
	1. Thrush	4	2	3	1	2	1	1	1	2	1	1·8	2	2	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	1	1	..	..	1	..	1	1	..	·6	1	..	..	..	1	..
	2. Dropsy	11	8	15	15	18	10	19	10	14	10	13·0	15	3	1	4	7	..
	3. Cancer	20	14	12	10	17	16	22	20	27	16	17·4	20	1	2	11	6	..
	4. Noma	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	5. Mortification	3	2	3	2	..	3	4	1	2	3	2·3	6	..	..	..	3	3
	ORDER 2.																	
	1. Scrofula	6	5	6	11	8	3	6	9	7	5	6·6	11	9	2	..	..	..
	2. Tabes Mesenterica	16	16	15	17	13	18	22	15	18	20	17·0	9	9	..	..	..	..
	3. Phthisis	143	118	129	127	141	131	137	162	150	141	137·9	143	26	68	41	8	..
	4. Hydrocephalus	26	26	13	29	27	27	35	28	19	23	25·3	22	22	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	10	11	16	12	2	11	13	11	6	12	10·4	12	10	1	1	..	..
	2. Apoplexy	26	18	13	29	19	24	31	23	19	26	22·8	22	5	2	5	9	1
	3. Paralysis	16	23	13	17	20	22	17	15	22	12	17·7	27	1	2	7	16	1
	4. Insanity	1	1	3	1	3	1	3	3	1	3	2·0	..	..	..	..	..	..
	5. Chorea	..	..	..	..	..	..	..	..	..	1	·1	..	..	..	..	..	..
	6. Epilepsy	2	11	3	4	11	9	6	3	13	7	6·9	7	2	2	2	1	..
	7. Convulsions	45	35	34	32	36	31	34	28	42	32	34·9	47	47	..	..	..	..
	8. *Brain Disease, &c.*	19	15	9	7	15	6	19	17	14	13	13·4	20	8	3	6	3	..
	ORDER 2.																	
	1. Pericarditis	1	..	3	4	1	..	..	..	2	..	1·1	1	..	..	..	1	..
	2. Aneurism	2	2	3	..	2	2	3	1	..	..	1·5	1	..	1	..	..	..
	3. *Heart Disease, &c.*	28	22	33	28	34	27	34	32	42	43	32·3	49	2	12	12	21	2
	ORDER 3.																	
	1. Laryngitis	5	4	3	2	5	2	7	..	3	4	3·5	5	5	..	..	..	..
	2. Bronchitis	29	35	39	51	46	59	63	48	63	54	48·7	58	25	1	13	15	4
	3. Pleurisy	2	5	1	3	2	1	5	6	4	4	3·3	3	..	..	2	1	..
	4. Pneumonia	42	34	39	68	39	45	73	61	45	47	49·3	51	42	2	..	5	2
	5. Asthma	10	2	4	7	2	9	6	7	3	2	5·2	5	..	..	3	2	..
	6. *Lung Disease, &c.*	9	8	6	8	10	11	8	10	6	8	8·4	7	1	..	3	3	..
	ORDER 4.																	
	1 Gastritis	2	4	3	5	2	..	1	1	2	2	2·2	2	1	..	..	1	..
	2. Enteritis	10	11	12	7	9	5	2	8	1	15	8·0	4	2	..	2	..	..
	3. Peritonitis	7	5	2	3	8	5	4	4	2	4	4·4	7	2	2	2	1	..
	4. Ascites	..	2	..	4	2	2	1	5	3	2	2·1	3	2	..	..	1	..
	5. Ulceration of Intestines	3	..	1	4	3	5	3	2	5	2	2·8	1	..	..	1	..	..
	6. Hernia	2	1	5	..	3	4	2	4	1	5	2·7	2	..	1	1	..	..
	7. Ileus	1	2	3	2	2	4	1	2	1	2	2·0	3	..	..	2	1	..
	8. Intussusception	1	3	..	1	1	..	1	1	3	1	1·2	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTY-FOURTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 17 1848	June 16 1849	June 15 1850	June 14 1851	June 19 1852	June 18 1853	June 17 1854	June 16 1855	June 14 1856	June 20 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 19, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·8	53°·5	58°·0	55°·9	55°·2	58°·3	55°·1	55°·5	59°·1	60°·3	57°·2	67°·7					
	9. Stricture of Intestines	..	..	1	..	1	..	1	1	..	..	·4	..	..	..	..	..	..
	10. Fistula	..	..	..	1	..	..	..	1	1	1	·4	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	10	5	4	4	3	3	2	8	7	5	5·1	8	4	..	3	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	1	4	3	4	2	2	7	1	4	5	3·3	6	1	2	..	3	..
	14. Jaundice	3	6	3	3	2	6	7	3	2	4	3·9	4	2	..	2	..	..
	15. *Liver Disease, &c.*	9	9	7	9	11	9	9	11	18	13	10·5	21	3	4	11	3	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	2	..	..	..	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	..	1	..	1	1	..	..	·3	2	..	1	..	1	..
	2. Ischuria	..	..	..	..	..	..	1	..	..	1	·2	..	..	..	..	..	..
	3. Nephria	2	2	2	2	6	1	3	3	6	5	3·2	9	1	..	5	3	..
	4. Diabetes	2	..	1	2	1	1	1	..	..	1	·9	2	..	1	1	..	..
	5. Stone	1	..	1	1	3	..	1	..	1	1	·9	1	1	..	..	..	..
	6. Cystitis	..	3	..	..	..	..	..	..	1	1	·5	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	5	7	7	7	8	4	10	6	6	4	6·4	10	..	4	1	5	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	4	1	1	..	..	..	1	2	·9	4	..	1	2	1	..
	2. *Uterus Disease, &c.*	1	2	6	3	4	1	3	..	4	4	2·8	4	..	..	3	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	1	..	..	..	..	1	..	·2	..	..	..	..	..	..
	2. *Joint Disease, &c.*	3	3	2	4	3	3	2	5	7	3	3·5	8	5	..	3	..	..
	ORDER 8.																	
	1. Phlegmon	1	1	1	4	1	2	2	3	4	3	2·2	5	3	1	..	1	..
	2. Ulcer	..	1	..	1	2	3	..	..	1	2	1·0	..	..	..	..	..	..
	3. *Skin Disease, &c.*	1	..	..	..	..	..	..	..	..	1	·2	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	21	23	29	31	23	24	12	33	23	24	24·3	14	14	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	6	3	3	3	5	4	3	7	1	4	3·9	1	1	..	..	..	..
	5. Teething	7	11	11	12	14	13	14	11	8	19	12·0	22	22	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	1	1	..	..	..	..	..	..	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	3	8	4	3	7	4	5	4	7	4	4·9	5	..	4	1	..	..
	ORDER 3.																	
	1. Old Age	32	31	35	35	43	39	41	35	37	35	36·3	55	..	..	..	32	23
	ORDER 4.																	
	1. Atrophy and Debility	24	21	9	27	15	40	33	34	31	27	26·1	44	33	..	2	9	..
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	24	7	1	7	9	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	7	6	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	4	2	..	1	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	20	15	..	5	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											5	3	2	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	3	..	1	1	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	2	1	..	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	46	35	31	31	20	26	18	49	37	63	35·6	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	15	19	13	8	7	6	11	15	6	11	11·1	10	4	..	2	4	..
	Causes not specified or ill-defined	13	8	5	10	8	14	26	5	14	8	11·1	3	2	..	1	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the TWENTY-FOURTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, June 17 1848	June 16 1849	June 15 1850	June 14 1851	June 19 1852	June 18 1853	June 17 1854	June 16 1855	June 14 1856	June 20 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, June 19 1858.
Mean Temperature . . .			60°·8	53°·5	58°·0	55°·9	55°·2	58°·3	55°·1	55°·5	59°·1	60°·3	57°·2	67°·7
LONDON	78029	2362236	1009	912	800	931	903	924	1085	999	1027	987	957·7	1160
1-6. WEST DISTRICTS .	10786	376427	163	153	126	143	133	136	188	149	200	159	155·0	186
7-11. NORTH DISTRICTS .	13533	490396	163	158	175	178	189	195	191	193	206	212	186·0	242
12-19. CENTRAL DISTRICTS	1938	393256	169	163	115	164	148	143	169	177	157	177	158·2	184
20-25. EAST DISTRICTS .	6230	485522	262	181	166	181	187	203	206	209	206	207	200·8	249
26-36. SOUTH DISTRICTS .	45542	616635	252	257	218	265	246	247	331	271	258	232	257·7	299
1. Kensington* HHHH .	7374	120004	38	26	32	38	53	46	43	54	64	55	44·9	62
2. Chelsea H*w*	865	56538	31	21	21	24	25	24	32	19	24	25	24·6	23
3. St. George Hanover-sq. H	1161	73230	35	45	15	40	20	11	34	25	48	20	29·3	39
4. Westminster* HHHH .	917	65609	38	37	32	24	24	30	52	32	30	31	33·0	33
5. St. Martin-in-the-Fields H	305	24640	10	9	8	8	6	14	16	9	12	12	10·4	13
6. St. James Westminster .	164	36406	11	15	18	9	5	11	11	10	22	16	12·8	16
7. Marylebone HH . .	1509	157696	49	51	69	55	63	66	56	59	57	74	59·9	67
8. Hampstead	2252	11986	2	13	1	2	6	5	2	6	2	5	4·4	4
9. Pancras HH*w* . . .	2716	166956	67	48	59	70	73	68	64	58	64	67	63·8	90
10. Islington HHH . .	3127	95329	37	31	35	39	27	34	44	47	61	41	39·6	53
11. Hackney* H*w* . . .	3929	58429	8	15	11	12	20	22	25	23	22	25	18·3	28
12. St. Giles* H . . .	245	54214	23	23	19	23	14	16	26	20	22	25	21·1	31
13. Strand* H	173	44422	27	22	17	19	12	10	24	23	16	22	19·2	19
14. Holborn* H . . .	196	46621	16	22	18	12	26	22	23	23	23	14	19·9	19
15. Clerkenwell	380	64778	21	20	14	25	27	31	27	38	19	18	24·0	27
16. St. Luke HH . . .	220	54055	25	18	13	29	24	13	18	23	23	23	20·9	13
17. East London* . . .	153	44406	19	18	10	18	18	25	18	14	21	17	17·8	15
18. West London* H . .	137	28828	27	26	13	19	15	16	19	18	23	40	21·6	39
19. London City* . . .	434	55932	11	14	11	19	12	10	14	18	10	18	13·7	21
20. Shoreditch *w* . . .	646	109257	55	28	31	45	43	37	48	44	39	52	42·2	61
21. Bethnal Green H . .	760	90193	31	28	43	30	31	37	18	28	35	36	31·7	54
22. Whitechapel* HH . .	406	79759	53	51	30	38	45	34	36	35	25	38	38·5	34
23. St. George in the East .	243	48376	34	18	16	17	17	25	22	22	27	12	21·0	15
24*a*. Stepney*	576	54173	72	36	34	44	33	42	54	60	57	42	47·4	28
24*b*. Mile-end Old Town H*w*	681	56602												29
25. Poplar* H*w* . . .	2918	47162	17	20	12	7	18	28	28	20	23	27	20·0	28
26. St. Saviour Southwark* HH	250	35731	28	17	14	26	18	14	27	24	14	12	19·4	20
27. St. Olave Southwark* HH	169	19375	11	21	23	13	16	18	26	10	10	29	17·7	23
28. Bermondsey	688	48128	24	29	14	18	15	21	29	16	21	23	21·0	30
29. St. George Southwark .	282	51824	19	20	14	22	22	15	30	24	25	18	20·9	23
30. Newington	624	64816	16	29	21	40	18	38	33	34	29	17	27·5	23
31. Lambeth H	4015	139325	48	48	51	59	56	48	46	44	49	43	49·2	74
32. Wandsworth* . . .	11695	50764	8	11	14	18	23	19	24	20	20	19	17·6	27
33. Camberwell	4342	54667	18	20	18	20	26	19	35	24	22	19	22·1	23
34. Rotherhithe	886	17805	14	13	..	5	6	7	5	10	5	7	7·2	4
35. Greenwich* HHHHH .	5367	99365	48	37	34	39	38	38	62	52	45	37	43·0	44
36. Lewisham*	17224	34835	18	12	15	5	8	10	14	13	18	8	12·1	8

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending June 12. Total.	Males.	Females.	In the Week ending June 19. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	157	83	74	202	118	84
45 WORKHOUSES	76	35	41	107	61	46
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	3	3	–	7	7	–
15 GENERAL HOSPITALS	56	29	27	69	38	31
7 HOSPITALS FOR SPECIAL DISEASES	9	6	3	6	4	2
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	6	6	–	5	5	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	2	–	2
19 LUNATIC ASYLUMS	7	4	3	6	3	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—Deaths from Small-pox, Measles, Scarlatina, Whooping-cough, Diarrhœa, and Typhus registered in each Sub-district during the Week ending Saturday, 19th June 1858.

Registrars' Sub-districts.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	2	58	55	54	31	41
No.*							
1–6 West Districts - -	376427	-	8	7	10	2	7
7–11 North Districts - -	490396	-	15	12	15	10	5
12–19 Central Districts -	393256	1	4	1	7	4	6
20–25 East Districts - -	485522	-	11	14	10	12	10
26–36 South Districts - -	616635	1	20	21	12	3	13
West Districts.							
1; 1 St. Mary Paddington *W* H	17252	-	1	-	-	-	-
2 St. John Paddington H -	29053	-	-	-	1	-	-
3 Kensington Town *W* L -	29183	-	3	-	2	-	3
4 Brompton HH - -	14870	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	1
2; 1 Chelsea South H - -	19050	-	1	-	-	1	-
2 Chelsea North-west *Ww*	17669	-	-	-	1	-	-
3 Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	2	1	3	-	2
4; 1 St. John Westmr. HHHP	34295	-	-	1	2	-	-
2 St. Margaret West. *W* HP	31314	-	-	3	-	-	-
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	1	1	1	1
6; 1 Berwick-street - -	10798	-	1	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	1	-	-	-
North Districts.							
7; 1 All Souls Marylebone H -	28841	-	2	1	-	-	-
2 Cavendish-square - -	14687	-	-	1	-	1	-
3 Rectory Marylebone *W* -	27633	-	3	-	-	-	1
4 St. Mary Marylebone H -	22814	-	-	1	-	1	-
5 Christchurch Marylebone	33895	-	-	-	2	2	-
6 St. John Marylebone -	29826	-	-	-	1	1	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	1	-
9; 1 Regent's Park Pancras -	31918	-	4	2	-	-	-
2 Tottenham-court *w*H -	28433	-	3	-	1	-	1
3 Gray's-inn-lane H -	26523	-	1	-	1	-	-
4 Somers-town - - -	35641	-	2	2	-	1	-
5 Camden-town *W* - -	21115	-	-	-	1	1	-
6 Kentish-town - - -	23326	-	-	1	-	-	-
10; 1 Islington West† *W*HHHPP	47881	-	-	1	3	1	2
2 Islington East - - -	47448	-	-	1	2	1	1
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	1	3	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5 South Hackney L - -	8458	-	-	1	1	-	-
Central Districts.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	2	1
2 St. Giles South *W* H -	19951	-	-	-	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	1	1	1
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	-	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	1	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	1	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - -	15625	-	-	-	-	-	1
16; 1 Old-street H - - -	10617	-	-	-	1	1	1
2 City-road HL - -	16840	-	-	-	-	-	-
3 Whitecross-street - -	13657	-	1	-	-	-	-
4 Finsbury - - - -	12941	1	-	-	-	-	-
17; 1 St. Botolph East London	23824	-	1	-	1	-	-
2 Cripplegate P - -	20582	-	1	-	1	-	-
18; 1 West London North *W*HP	12946	-	1	1	1	-	1
2 West London South P -	15882	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	1

Registrars' Sub-districts.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
East Districts.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	-	1	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	-	-	1
3 Hoxton New Town *w* -	23505	-	-	3	-	-	-
4 Hoxton Old Town - -	17431	-	-	-	3	1	1
5 Haggerstone West *W* -	20276	-	-	1	-	1	3
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney Road - -	23910	-	1	-	1	1	-
2 Green, Bethnal Green *W* HL	23555	-	-	-	-	2	-
3 Church, Bethnal Green -	21787	-	-	1	-	1	-
4 Town, Bethnal Green -	20941	-	1	1	2	-	-
22; 1 Artillery Whitechapel -	6769	-	1	-	1	-	-
2 Spitalfields - - -	15336	-	-	-	-	-	-
3 Mile End New Town *W* -	14543	-	2	-	1	-	-
4 Whitechapel North *W* -	12530	-	-	2	-	1	-
5 Whitechapel Church H -	7818	-	1	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	-	-	-	1	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	1	-	-	-	-
2 Ratcliff *W* - - -	15212	-	1	-	-	1	-
3 Limehouse *W* - -	22782	-	1	-	-	1	2
24*b*; 1 Mile End Old Town, West.	29582	-	-	3	-	1	-
2 Mile End Old T., East. *Ww*H	27020	-	-	2	1	1	1
25; 1 Bow *w*LH - - -	18778	-	2	1	-	-	2
2 Poplar *W* - - -	28384	-	-	-	-	-	-
South Districts.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	-
2 St. Saviour Southwark HH	19709	-	1	1	-	-	1
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	2	-	-	-	1
28; 1 St. James Bermondsey -	18899	-	3	-	1	-	-
2 St. Mary Magdalen *W* -	13934	-	1	-	1	-	-
3 Leather Market - -	15295	-	4	1	1	-	-
29; 1 Kent Road - - -	18126	-	-	1	1	-	-
2 Borough Road *W* P -	15862	-	3	-	-	1	-
3 London Road LP - -	17836	-	-	-	-	-	-
30; 1 Trinity Newington P -	20922	-	2	-	-	-	-
2 St. Peter Walworth *W* -	29861	-	-	5	-	-	1
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	1	-	1	-
2 Waterloo Road 2nd H -	18348	-	-	-	1	-	-
3 Lambeth Church 1st -	18409	-	-	1	2	1	1
4 Lambeth Church 2nd *W*	26784	-	-	4	2	-	-
5 Kennington 1st - -	24261	1	-	-	-	-	1
6 Kennington 2nd - -	18848	-	-	3	1	-	-
7 Brixton L - - -	14610	-	-	1	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	-	-
2 Battersea *W* - - -	10560	-	1	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	1
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	-	-	1
3 Peckham - - - -	19444	-	-	-	-	-	1
4 St. George Camberwell -	15849	-	-	1	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	-	-	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	2	1	1	-	2
4 Greenwich East *W* H -	16228	-	1	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	-	2
6 Woolwich Arsenal HPH	15227	-	-	-	-	-	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	1
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	1	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

Note.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

Outlying Workhouses:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 19th June 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
June.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	13	..	29·792	82·5	51·9	30·6	66·9	56·7	108·5	44·0	68·7	66·2	10·2	20·7	1·0	+ 8·4	65	S.W.	S.W.	0·0	0·0	0·0	40	0·00
Monday . .	14	..	29·758	88·5	59·4	29·1	72·0	61·0	109·7	47·7	69·7	67·2	11·0	23·0	5·1	+13·2	66	S.W.	S.S.W.	2·0	0·0	0·1	—	0·00
Tuesday .	15	..	29·833	88·5	60·5	28·0	73·8	62·1	111·2	47·0	71·4	68·2	11·7	22·1	4·2	+14·8	64	SW.&SE.	E.	1·5	0·0	0·3	30	0·00
Wednesday	16	..	29·709	94·5	61·5	33·0	76·9	62·3	117·7	47·8	72·4	69·2	14·6	31·5	4·9	+17·6	56	E.	Calm	1·0	0·0	0·1	35	0·00
Thursday.	17	..	29·663	78·6	59·2	19·4	64·9	58·2	100·5	51·8	71·4	69·2	6·7	14·6	5·9	+ 5·5	82	Calm	S.W.	3·0	0·0	0·4	65	0·00
Friday . .	18	First Quarter.	29·885	70·1	50·3	19·8	56·7	53·0	80·0	42·4	71·4	69·7	3·7	9·2	1·8	— 2·8	91	S.W.	Calm	0·0	0·0	0·0	5	0·01
Saturday.	19	In Equator.	29·980	78·0	48·5	29·5	62·6	49·9	103·0	41·5	70·4	68·2	12·7	22·5	1·6	+ 3·0	60	S.	S.W.	0·0	0·0	0·0	30	0·00
Means . .		..	29·803	83·0	55·9	27·1	67·7	57·6	104·4	46·0	70·8	68·3	10·1	20·5	3·5	+ 8·5	69			..	..	..	Sum 205	Sum 0·01
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. June.		Electricity.	Sky and Atmosphere.
Sunday . .	13	Positive, with weak tension.	The day was very fine; light clouds to a small amount occasionally prevailed till evening, after which time the sky was for the most part overcast. Lightning was frequent at night.
Monday . .	14	Positive, with strong tension.	Light clouds prevailed during the morning, clear at other times of the day.
Tuesday . .	15	Positive, with weak tension.	Clear for the most part throughout the day. Lightning was seen at night.
Wednesday	16	Positive, with weak tension.	Partially cloudy at night, clear at other times of the day. Much lightning at 10h. and 11h. P.M. See special note on this day on very high temperatures (page 190.)
Thursday .	17	Positive, with strong tension.	Cloudy till evening, clear afterwards.
Friday . .	18	Positive, with weak tension.	Cloudy till evening, clear afterwards. Rain fell during the afternoon.
Saturday .	19	No electricity was shown till evening, weak positive afterwards.	Partially cloudy till evening, clear for the most part afterwards.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer differed but little from 29·79 in. from the beginning of the week till the afternoon of the 13th; it then decreased slowly to 29·75 in. by 3h. P.M. on the 14th; increased to 29·86 in. by 9h. A.M. on the 15th; decreased to 29·60 in. by 9h. A.M. on the 17th; increased, with one slight check on the 18th, to 29·99 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, June 26. [No. 25.

General Register Office, Somerset House,
June 28th, 1858.

The deaths in London in the week ending Saturday, June 26th, were 1092. In the ten years 1848–57 the average number of deaths was 984; but as the deaths of last week occurred in an increased population, the average should be raised in proportion to the increase, when the comparison will show that the mortality of last week approximated very closely to the calculated amount.

Diarrhœa was fatal last week in 54 cases, which is double the average for corresponding weeks; its recent increase is evident, the numbers of the two previous weeks having been 18 and 31. There were also 8 deaths from cholera or "choleraic diarrhœa."

In the above statement the mortality of the population of London in the last week is compared with its own average mortality in previous weeks; and it shows whether the mortality is higher or lower than it is usually in London.

The method does not show whether the average mortality of London is relatively higher or lower than it should be; and if it were employed in the most unhealthy city in Europe, the mortality would appear to be often below as well as above the average.

An absolute standard is required, applicable, like other measures, under all circumstances. Man was made to live a definite time, and to experience an average rate of mortality. But the natural lifetime has not been revealed to us, and the circumstances of no city are such as to give us an opportunity of determining the average mortality of a people living under the most favourable circumstances. We cannot, like the ancient writers, refer to a model republic: we cannot point to a single town in England on the slope of some of her hills, looking southward over fertile fields or distant seas; bathed in a pure atmosphere; supplied with "a river of water of life, clear as crystal;" with no impurities resting in its houses or streets for a single day; occupied by a people fed on fruits, grain, meat from healthy places, and leading an active, good, intellectual life. No such city has ever even been projected, and is certainly not shadowed out by the watering-places of our own and still less of other countries.

Hence, the only standard to which we can resort is derived from the least unhealthy districts of England. The mean lifetime of the people in those districts is 49 years; and the mean annual rate of mortality would be 20 in 1,000, were it not that the increasing population gives them an undue proportion of young and middle-aged people, by which the proportional number of deaths is reduced to 17 in 1,000.

To apply the standard to London. The population consists now of about 2,721,000 persons; they are of all ages; but, upon comparing them with the comparatively Healthy Districts the *proportion* of young children under five years of age is the same; before the age of 15 is attained the London children are greatly reduced in number by untimely deaths; at 15 to 25 immigrants restore the lost numbers, and from the same source the men and women of the ages from 25 to 45 grow into a great excess; at the ages 45 to 55 the proportions are the same; after the age of 55 the excessive mortality in London speedily reduces the numbers: the old people, who naturally experience everywhere a high rate of mortality, are not in due proportion in the population of London. By applying the ascertained rates of mortality in the sixty-three comparatively Healthy Districts it is found that the annual deaths—if the chances of life were the same in London—would be 41,668 on the above population, or at the rate of 15·32 in 1,000 annually.

The weekly deaths in London on the above population in such a state of health as is actually experienced in those districts would be 799 on an average.

The actual rate of mortality in London during the last ten years exceeded 24 (it was exactly 24·46) in 1,000, which implies 1,275 weekly deaths, or 476 above the healthy average.

In the last week 1092 persons died in London, or 293 persons in excess of the healthy average. That 293 persons died unnatural deaths during the week is the finding of this great inquest.

What were the causes of these unnatural deaths? The people of London live as well as the people of the sixty-three districts; and they now suffer nothing from cold. Many drink spirits to excess. Too many sleep in the same rooms; and as in our barracks this destroys large numbers. Crowding in ball-rooms, in theatres, in churches and chapels to hear popular preachers, where no adequate ventilation is carried on, propagates zymotic diseases. Impure water is the cause of several deaths; but the companies have of late years supplied water infinitely superior in quality to the water which

they drew previously from the parts of the Thames, now admitted by everybody, even their retained chemists, to be offensive. The impurity of the air was unquestionably the cause of a large number of the 293 deaths. This impurity is most noxious in the houses where the people sleep. The cesspools are still numerous; half a million waterclosets and sinks discharge large quantities of impure air into the 353,326 inhabited houses. This incommodity is lessened in London by the system of drains, which however are badly constructed, and emit their volatile impurities under the faces of the people. The drains again pour their contents into the Thames; from which in its course through London in ordinary times more than four million gallons of water are evaporated daily, carrying with the vapor, and diffusing all over the town, impurities which are breathed by the whole population.

The mortality of London has been already reduced by the purification of the water; cholera will be less fatal than it has been; and if the air the people breathe be cleansed the happy results will soon appear, and the registers will less frequently record the untimely deaths of husbands, wives, children, and "youths intombed before their fathers' eyes."

The deaths of two centenarians were registered in the week. Three children in a family in Gloucester-terrace, Belgrave sub-district, died within three days of typhoid diphtheria, all after six days' illness.

Last week the births of 823 boys and 839 girls, in all 1662 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1525.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 30·091 in. The highest reading was 30·21 in., and occurred on Wednesday. The mean temperature of the week was 64·5°, which is 4·3° above the average of the same week in 43 years (as determined by Mr. Glaisher). The thermometers in the sun and the shade attained their highest points on Tuesday, which were 112·4° and 86° respectively. The lowest temperature was 48·9° on Friday. The mean daily range was 27·2. The difference between the mean dew-point temperature and air temperature, showing the dryness of the air, was so much as 11·5°. The mean degree of humidity was only 65. The mean temperature of the water of the Thames was 69·7°. The rain measured was only 0·06 in.

Whitechapel; *Aldgate.*—At 5 Farthing-alley, on 20th June, a waterman, aged 59 years, "natural death from Asiatic cholera." (*Inquest.*)

Whitechapel; *Church.*—At 1 Brownson's-court, on 23d June, a gentleman, aged 108 years, "diarrhœa, senectus." The registrar says: "The medical certificate states the age at 108 years. I am hardly able to say whether that was his exact age. I have seen the relatives, and there appears a little confusion about dates; some say he is a little older, and others that he is not so old, but all agree that he is several years beyond his hundredth. From what I can gather, he has retained his faculties to the last, has been through life a most temperate and abstemious man, and possessed in an extraordinary degree a cheerful flow of spirits."

Lewisham; *Lee.*—At Millward-cottage, Blackheath, on 17th June, the widow of a livery stable keeper, aged 101 years, "old age, congestion of the lungs (a few days)." The registrar writes: "This old lady retained all her faculties to the last. A few days before her death she walked on Blackheath. When she attained her hundredth year she led off a country dance at the Literary Institution to commemorate the event."

Births Registered last Week, and in the Twenty-fifth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1354	1255	1430	1482	1554	1545	1632	1751	1570	1672	1524·5	1662
Males . .	691	663	740	728	818	805	829	882	812	867	783·5	823
Females . .	663	592	690	754	736	740	803	869	758	805	741·0	839

Deaths Registered last Week, and in the Twenty-fifth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	935	985	775	968	990	990	1153	1075	963	1005	983·9	1092*
Males . .	473	509	394	492	490	529	563	548	515	543	505·6	581
Females .	462	476	381	476	500	461	590	527	448	462	478·3	511

* The Deaths in London City, North-east Sub-district, are not inserted above. Instead thereof an average of 4, derived from the returns of six previous weeks, is inserted. The true number has been ascertained to be 3.

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTY-FIFTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 24 1848	June 23 1849	June 22 1850	June 21 1851	June 26 1852	June 25 1853	June 24 1854	June 23 1855	June 21 1856	June 27 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 26, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·4	59°·2	62°·1	60°·2	58°·6	57°·4	58°·7	52°·9	55°·6	67°·3	59°·2	64°·5					
	ALL CAUSES	935	985	775	968	990	990	1153	1075	963	1005	983·9	1092†	600	132	145	174	37
	SPECIFIED CAUSES	908	956	761	939	972	972	1135	1049	924	982	959·8	1059	582	128	140	173	36
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	326	290	173	220	236	230	330	271	252	218	254·6	301	256	13	17	14	1
II.	CONSTITUTIONAL „	179	206	195	218	241	225	256	252	216	233	222·1	228	106	50	49	21	2
III.	LOCAL „	281	335	287	342	337	340	394	369	325	349	335·9	339	122	38	63	106	10
IV.	DEVELOPMENTAL „	105	87	89	115	103	115	130	111	104	116	107·5	126	76	6	..	25	19
V.	VIOLENT DEATHS	17	38	17	44	55	62	25	46	27	66	39·7	65	22	21	11	7	4
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	310	272	162	204	216	215	302	251	234	199	236·5	280	243	10	14	12	1
	2. ENTHETIC „	2	4	1	3	5	2	7	3	7	3	3·7	6	5	1	..	..	..
	3. DIETIC „	7	10	7	11	13	9	17	13	9	15	11·1	12	5	2	3	2	..
	4. PARASITIC „	7	4	3	2	2	4	4	4	2	1	3·3	3	3	..	..	..	..
II.	1. DIATHETIC „	26	29	46	29	37	35	45	31	36	43	35·7	34	2	2	13	15	2
	2. TUBERCULAR „	153	177	149	189	204	190	211	221	180	190	186·4	194	104	48	36	6	..
III.	1. DISEASES OF NERVOUS SYSTEM	100	117	87	107	111	109	139	121	103	131	112·5	109	48	13	17	27	4
	2. „ OF ORGANS OF CIRCULATION	34	31	27	58	41	41	37	42	42	46	39·9	46	5	6	13	21	1
	3. „ OF RESPIRATORY ORGANS	84	119	106	112	110	116	154	138	113	112	116·4	109	55	9	15	28	2
	4. „ OF DIGESTIVE ORGANS	41	52	47	41	44	50	45	39	47	41	44·7	50	10	7	10	21	2
	5. „ OF URINARY ORGANS	17	6	10	12	14	10	9	14	15	11	11·8	14	..	..	6	7	1
	6. „ OF ORGANS OF GENERATION	2	2	5	4	8	2	3	7	1	4	3·8	3	..	2	1	..	..
	7. „ OF ORGANS OF LOCOMOTION	1	3	2	4	4	7	4	3	2	..	3·0	2	1	1	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM	2	5	3	4	5	5	3	5	2	4	3·8	6	3	..	1	2	..
IV.	1. DEV. DISEASES OF CHILDREN	37	34	32	50	42	40	46	42	43	49	41·5	28	28	..	..	..	..
	2. „ OF ADULTS	3	3	3	5	5	4	2	4	4	4	3·7	5	..	5	..	..	..
	3. „ OF OLD PEOPLE	40	27	34	37	31	32	42	31	35	33	34·2	38	..	..	..	19	19
	4. DISEASES OF NUTRITION	25	23	20	23	25	39	40	34	22	30	28·1	55	48	1	..	6	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											56	22	17	8	6	3
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												9	..	4	3	1	1
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	17	38	17	44	55	62	25	46	27	66	39·7	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	15	16	7	8	6	8	11	17	7	13	10·8	20	10	4	5	1	..
	CAUSES NOT SPECIFIED	12	13	7	21	12	10	7	9	32	10	13·3	13†	8	..	..	..	1

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 4 is added for London City North-east, instead of 3 the true number.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 24 1848	June 23 1849	June 22 1850	June 21 1851	June 26 1852	June 25 1853	June 24 1854	June 23 1855	June 21 1856	June 27 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 26, 1858. ALL AGES.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·4	59°·2	62°·1	60°·2	58°·6	57°·4	58°·7	52°·9	55°·6	67°·3	59°·2	Mean Temp. 64°·5					
I.	ORDER 1.																	
	1. Small-pox	33	10	16	22	24	3	13	28	10	5	16·4	3	3	..	..	..	..
	2. Measles	10	29	16	39	10	15	25	16	32	36	22·8	44	44	..	..	..	..
	3. Scarlatina	107	38	19	19	58	27	63	54	26	22	43·3	65	64	1	..	..	..
	4. Quinsy	1	1	..	2	1	1	5	2	2	2	1·7	2	2	..	..	..	..
	5. Croup	3	4	6	5	3	2	8	6	12	8	5·7	7	7	..	..	..	..
	6. Whooping-cough	26	55	28	48	31	56	57	41	44	46	43·2	47	47	..	..	..	..
	7. Typhus (and Infantile fever)	67	46	40	36	47	52	65	49	63	28	49·3	29	16	4	4	5	..
	8. Erysipelas	6	10	4	7	4	7	7	8	5	3	6·1	5	2	..	2	1	..
	9. Metria	5	5	2	4	5	1	3	6	3	2	3·6	1	..	1	..	..	..
	10. Carbuncle	1	..	..	..	1	3	5	2	1	..	1·3	1	..	..	1	..	..
	11. Influenza	3	1	1	..	2	..	3	1	..	..	1·1	1	1	..	..	..	..
	12. Dysentery	2	2	4	..	5	6	1	..	2	1	2·3	3	1	..	2	..	..
	13. Diarrhœa	35	17	18	16	13	33	38	25	25	33	25·3	54	47	1	3	2	1
	14. Cholera	..	49	..	1	2	3	1	..	..	3	5·9	8	7	..	1	..	..
	15. Ague	..	1	..	..	1	..	..	..	1	2	·5	1	..	..	..	1	..
	16. Remittent fever	2	2	2	1	2	1	4	3	2	3	2·2	2	2	..	..	..	..
	17. Rheumatism	9	2	6	4	7	5	4	10	6	5	5·8	7	..	3	1	3	..
	ORDER 2.																	
	1. Syphilis	2	2	..	3	4	2	5	3	7	2	3·0	6	5	1	..	..	..
	2. Stricture of Urethra	..	2	1	..	1	..	2	..	..	1	·7	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	2	..	..	..	..	1	..	1	1	·5	1	..	..	..	1	..
	2. Want of Breast-milk	4	3	2	6	4	4	5	7	2	5	4·2	5	5	..	..	..	..
	3. Purpura and Scurvy	..	1	..	1	..	1	3	2	..	..	·8	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	4	4	2	4	4	6	4	4	6	3·9	5	..	2	2	1	..
	4. Alcoholism { *b* Intemperance	2	..	1	2	5	..	2	..	2	3	1·7	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	7	4	3	2	2	4	4	4	2	1	3·3	3	3	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	3	4	3	..	1	..	4	1	2	2	2·0	1	..	..	..	1	..
	2. Dropsy	14	10	18	9	18	17	23	11	8	13	14·1	12	1	1	2	7	1
	3. Cancer	5	11	23	17	13	15	18	17	23	23	16·5	18	1	1	10	5	1
	4. Noma	..	..	1	1	..	..	..	..	..	..	·2	..	..	..	..	..	..
	5. Mortification	4	4	1	2	5	3	..	2	3	5	2·9	3	..	..	1	2	..
	ORDER 2.																	
	1. Scrofula	11	12	3	8	13	15	14	11	6	12	10·5	9	9	..	..	..	..
	2. Tabes Mesenterica	15	11	20	18	22	19	19	14	12	17	16·7	16	16	..	..	..	..
	3. Phthisis	107	127	102	124	140	130	153	164	142	131	132·0	122	32	48	36	6	..
	4. Hydrocephalus	20	27	24	39	29	26	25	32	20	30	27·2	47	47	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	9	9	5	10	10	15	11	12	11	11	10·3	9	7	2	..	..	..
	2. Apoplexy	19	23	21	19	27	32	26	31	18	24	24·0	28	5	4	6	11	2
	3. Paralysis	17	18	14	14	16	10	24	19	15	20	16·7	18	..	2	3	11	2
	4. Insanity	2	3	4	..	4	2	7	3	2	1	2·8	..	..	..	..	..	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	6. Epilepsy	5	7	2	5	4	6	8	9	12	17	7·5	10	1	2	3	4	..
	7. Convulsions	35	44	29	46	37	34	53	29	32	41	38·0	31	31	..	..	..	..
	8. *Brain Disease, &c.*	13	13	12	13	13	10	10	18	13	17	13·2	13	4	3	5	1	..
	ORDER 2.																	
	1. Pericarditis	2	3	1	3	2	4	3	1	1	..	2·0	1	..	..	..	1	..
	2. Aneurism	..	2	..	3	2	2	1	5	2	1	1·8	3	..	..	2	1	..
	3. *Heart Disease, &c.*	32	26	26	52	37	35	33	36	39	45	36·1	42	5	6	11	19	1
	ORDER 3.																	
	1. Laryngitis	5	1	4	2	6	3	6	5	5	3	4·0	6	6	..	..	..	..
	2. Bronchitis	21	40	43	39	29	52	50	56	50	52	43·2	47	16	4	6	20	1
	3. Pleurisy	3	2	2	1	4	4	3	1	1	3	2·4	1	..	..	..	1	..
	4. Pneumonia	38	57	47	55	54	41	73	57	47	41	51·0	43	31	4	3	4	1
	5. Asthma	2	11	8	6	8	9	17	6	5	4	7·6	4	..	..	3	1	..
	6. *Lung Disease, &c.*	15	8	2	9	9	7	5	13	5	9	8·2	8	2	1	3	2	..
	ORDER 4.																	
	1. Gastritis	2	2	1	2	..	2	1	1	2	1	1·4	2	..	..	1	1	..
	2. Enteritis	7	12	7	3	9	12	7	2	9	..	6·8	5	3	2	..	..	..
	3. Peritonitis	5	2	3	3	1	2	6	5	4	4	3·5	4	1	1	..	2	..
	4. Ascites	1	1	1	4	1	2	2	2	3	2	1·9	1	..	..	..	1	..
	5. Ulceration of Intestines	3	4	2	1	3	1	2	2	..	2	2·0	2	2	..	..	..	..
	6. Hernia	1	2	1	2	2	2	1	3	3	1	1·8	3	..	..	2	1	..
	7. Ileus	..	4	1	2	1	3	2	1	2	2	1·8	2	..	1	..	..	1
	8. Intussusception	1	2	4	..	3	..	2	..	1	4	1·7	2	1	..	..	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTY-FIFTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, June 24 1848	June 23 1849	June 22 1850	June 21 1851	June 26 1852	June 25 1853	June 24 1854	June 23 1855	June 21 1856	June 27 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, June 26, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·4	59°·2	62°·1	60°·2	58°·6	57°·4	58°·7	52°·9	55°·6	67°·3	59°·2	Mean Temp. 64°·5					
	9. Stricture of Intestines	..	..	1	1	1	..	..	1	1	..	·5	..	..	..	..	..	..
	10. Fistula	..	1	1	..	..	..	..	1	..	..	·3	1	..	..	..	1	..
	11. *Stomach Disease, &c.*	7	5	5	4	4	3	4	8	6	6	5·2	5	1	..	1	2	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	13. Hepatitis	5	4	6	2	4	3	3	3	5	4	3·9	2	..	1	1	..	..
	14. Jaundice	3	4	2	5	4	5	5	2	1	2	3·3	3	2	..	1	..	..
	15. *Liver Disease, &c.*	6	9	12	11	10	15	10	8	9	13	10·3	18	..	2	4	12	..
	16. *Spleen Disease, &c.*	..	..	..	1	1	..	..	..	..	..	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	2	..	..	2	..	..	..	1	..	1	·6	..	..	..	..	..	..
	2. Ischuria	..	..	1	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	5	4	3	2	1	1	2	6	5	4	3·3	5	..	..	4	1	..
	4. Diabetes	1	..	1	..	..	..	1	2	3	1	·9	..	..	..	..	..	..
	5. Stone	2	..	..	1	..	1	..	1	1	..	·6	2	..	..	..	1	1
	6. Cystitis	..	..	..	1	1	..	..	1	..	2	·5	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	7	2	5	6	12	8	6	3	6	3	5·8	7	..	..	2	5	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	..	1	2	..	..	2	..	1	·6	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	2	2	5	3	6	2	3	5	1	3	3·2	3	..	2	1	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	1	1	..	..	..	..	·2	..	..	..	..	..	..
	2. *Joint Disease, &c.*	1	3	2	4	3	6	4	3	2	..	2·8	2	1	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	2	3	2	3	2	1	1	4	1	2	2·1	4	1	..	1	2	..
	2. Ulcer	..	2	1	..	2	2	2	1	..	1	1·1	..	..	..	..	..	..
	3. *Skin Disease, &c.*	..	..	..	1	1	2	..	..	1	1	·6	2	2	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	26	24	24	31	30	20	28	29	28	39	27·9	14	14	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	4	4	..	3	2	2	3	5	5	1	2·9	1	1	..	..	..	..
	5. Teething	7	6	8	16	10	18	15	8	10	9	10·7	12	12	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	1	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	3	3	3	5	5	3	2	4	4	4	3·6	5	..	5	..	..	..
	ORDER 3.																	
	1. Old Age	40	27	34	37	31	32	42	31	35	33	34·2	38	..	..	..	19	19
	ORDER 4.																	
	1. Atrophy and Debility	25	23	20	23	25	39	40	34	22	30	28·1	55	48	1	..	6	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	22	6	7	4	3	2
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	3	1	1	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	6	2	1	2	..	1
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	3	2	..	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	17	6	8	..	3	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	5	5	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	2	..	2	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	6	..	1	3	1	1
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	17	38	17	44	55	62	25	46	27	66	39·7	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	15	16	7	8	6	8	11	17	7	13	10·8	20	10	4	5	1	..
	Causes not specified or ill-defined	12	13	7	21	12	10	7	9	32	10	13·3	13†	8	..	..	..	1

wth the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urthra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 4 is added for the sub-district of London City North-east, instead of 3 the true number.

DEATHS Registered in the TWENTY-FIFTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, June 24 1848	June 23 1849	June 22 1850	June 21 1851	June 26 1852	June 25 1853	June 24 1854	June 23 1855	June 21 1856	June 27 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, June 26 1858.
Mean Temperature . . .			60°·4	59°·2	62°·1	60°·2	58°·6	57°·4	58°·7	52°·9	55°·6	67°·3	59°·2	64°·5
LONDON	78029	2362236	935	985	775	968	990	990	1153	1075	963	1005	983·9	1092
1–6. WEST DISTRICTS .	10786	376427	150	163	133	169	147	179	159	155	147	134	153·6	159
7–11. NORTH DISTRICTS .	13533	490396	168	173	164	188	205	173	217	200	184	218	189·0	242
12–19. CENTRAL DISTRICTS	1938	393256	153	161	128	165	190	176	182	195	166	149	166·5	156
20–25. EAST DISTRICTS .	6230	485522	223	180	140	186	210	207	281	224	205	254	211·0	235
26–36. SOUTH DISTRICTS .	45542	616635	241	308	210	260	238	255	314	301	261	250	263·8	300
1. Kensington* HHHH .	7374	120004	35	39	32	57	55	40	44	60	52	34	44·8	52
2. Chelsea H*w* . . .	865	56538	20	25	20	19	16	27	29	28	18	30	23·2	23
3. St. George Hanover-sq. H	1161	73230	28	26	30	25	19	48	24	27	44	24	29·5	36
4. Westminster* HHHH .	917	65609	37	31	33	44	29	36	36	21	18	25	31·0	32
5. St. Martin-in-the-Fields H	305	24640	17	18	10	12	16	16	16	6	6	8	12·5	9
6. St. James Westminster .	164	36406	13	24	8	12	12	12	10	13	9	13	12·6	7
7. Marylebone HH . .	1509	157696	47	49	54	66	94	63	73	69	52	48	61·5	66
8. Hampstead	2252	11986	1	3	3	1	4	2	4	3	1	3	2·5	10
9. Pancras HH*w* . . .	2716	166956	58	72	57	61	59	56	74	59	51	89	63·6	80
10. Islington HHH . .	3127	95329	33	34	32	33	28	37	38	39	56	55	38·5	57
11. Hackney* H*w* . . .	3929	58429	29	15	18	27	20	15	28	30	24	23	22·9	29
12. St. Giles* H . . .	245	54214	23	23	16	21	34	27	26	26	29	24	24·9	21
13. Strand* H	173	44422	13	18	10	22	14	27	25	24	16	19	18·8	14
14. Holborn* H . . .	196	46621	17	24	19	23	27	21	15	17	25	18	20·6	15
15. Clerkenwell	380	64778	28	31	24	26	29	35	28	34	30	19	28·4	19
16. St. Luke HH . . .	220	54055	24	13	17	20	23	21	24	25	16	21	20·4	28
17. East London* . . .	153	44406	16	12	15	19	22	19	17	20	14	11	16·5	18
18. West London* H . .	137	28828	9	25	17	19	24	15	26	35	23	25	21·8	31
19. London City*	434	55932	23	15	10	15	17	11	21	14	13	12	15·1	10†
20. Shoreditch *w* . . .	646	109257	49	32	34	34	38	41	45	67	41	64	44·5	46
21. Bethnal Green H . .	760	90193	48	27	18	35	37	36	95	39	37	40	41·2	45
22. Whitechapel* HH . .	406	79759	36	46	28	41	39	41	39	27	33	46	37·6	39
23. St. George-in-the-East .	243	48376	35	18	7	24	31	20	23	19	25	21	22·3	16
24*a*. Stepney*	576	54173	44	47	37	38	50	49	58	43	44	62	47·2	33
24*b*. Mile-end Old Town H*w*	681	56602												25
25. Poplar* H*w* . . .	2918	47162	11	10	16	14	15	20	21	29	25	21	18·2	31
26. St. Saviour Southwark* HH	250	35731	20	28	17	26	13	14	18	22	15	20	19·3	16
27. St. Olave Southwark* HH	169	19375	13	22	14	8	20	19	27	25	14	12	17·4	20
28. Bermondsey	688	48128	19	22	20	28	22	19	36	26	13	15	22·0	21
29. St. George Southwark .	282	51824	24	16	17	20	16	18	26	19	20	20	19·6	21
30. Newington	624	64816	34	26	27	25	23	21	30	32	23	22	26·3	29
31. Lambeth H	4015	139325	37	61	33	45	50	46	60	49	48	50	48·4	69
32. Wandsworth*	11695	50764	20	13	24	29	22	30	16	19	24	26	22·3	20
33. Camberwell	4342	54667	21	36	12	29	26	19	26	22	16	17	22·4	22
34. Rotherhithe	886	17805	6	13	5	10	8	9	13	10	6	9	8·9	14
35. Greenwich* HHHHH .	5367	99365	37	58	27	29	31	52	54	66	70	44	46·8	49
36. Lewisham*	17224	34835	10	13	9	11	7	8	8	11	12	15	10·4	19

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† An average of 4 is inserted for the North-east sub-district, instead of 3 the true number.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending June 19. Total.	Males.	Females.	In the Week ending June 26. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	202	118	84	155	96	59
45 WORKHOUSES	107	61	46	78	44	34
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	7	7	–	8	8	–
15 GENERAL HOSPITALS	69	38	31	61	39	22
7 HOSPITALS FOR SPECIAL DISEASES	6	4	2	4	4	–
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	5	5	–	–	–	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	2	–	2	–	–	–
19 LUNATIC ASYLUMS	6	3	3	4	1	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 26th June 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	44	65	47	54	29
No.*							
1-6 WEST DISTRICTS - -	376427	-	4	3	7	6	8
7-11 NORTH DISTRICTS - -	490396	1	7	14	8	11	5
12-19 CENTRAL DISTRICTS -	393256	-	4	4	7	9	2
20-25 EAST DISTRICTS - -	485522	2	13	13	9	17	9
26-36 SOUTH DISTRICTS - -	616635	-	16	31	16	11	5
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	-	-	-	-
2 St. John Paddington H -	29053	-	-	1	-	-	2
3 Kensington Town *W* L -	29183	-	-	-	1	-	1
4 Brompton HH - -	14870	-	-	-	-	1	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	1	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	1	1	-
2; 1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	1	-	-
3 Chelsea North-east L -	19819	-	-	-	2	-	-
3; 1 Hanover Square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	2	-	-	-	3
4; 1 St. John Westmr. HHHP	34295	-	-	-	1	4	1
2 St. Margaret West. *W* HP	31314	-	2	2	-	-	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick Street - -	10798	-	-	-	-	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	-	-	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	-	-	-
4 St. Mary Marylebone H	22814	-	1	-	1	-	-
5 Christchurch Marylebone	33895	-	-	-	1	1	-
6 St. John Marylebone -	29826	-	-	2	-	1	-
8; 1 Hampstead *W* - -	11986	-	-	2	1	1	-
9; 1 Regent's Park Pancras -	31918	-	-	2	-	-	-
2 Tottenham-court *w* H -	28433	-	-	2	1	1	-
3 Gray's Inn Lane H -	26523	-	-	1	1	-	-
4 Somers Town - - -	35641	-	2	1	1	-	-
5 Camden Town *W* - -	21115	1	-	-	-	-	1
6 Kentish Town - -	23326	-	-	-	-	-	-
10; 1 Islington West† WHHHPP	47881	-	1	1	2	1	2
2 Islington East - -	47448	-	1	2	-	4	1
11; 1 Stoke Newington L -	4840	-	1	1	-	-	-
2 Stamford Hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	1	-	-	2	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	1
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	2	-
3 St. Giles North - -	17456	-	-	1	-	1	-
13; 1 St. Anne Soho - -	17335	-	1	-	-	-	-
2 St. Mary-le-Strand -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	-	1	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	-	-	-	-
2 St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	-	1
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	1	-	-
4 Goswell-street - - -	15625	-	-	-	-	-	1
16; 1 Old-street H - - -	10617	-	-	-	1	1	-
2 City-road HL - -	16840	-	1	-	1	-	-
3 Whitecross-street - -	13657	-	1	-	-	1	-
4 Finsbury - - - -	12941	-	-	-	-	-	-
17; 1 St. Botolph East London	23824	-	-	-	1	-	-
2 Cripplegate P - -	20582	-	-	-	1	-	-
18; 1 West London North *W* HP	12946	-	-	3	-	2	-
2 West London South P -	15882	-	-	-	1	1	-
19; 1 London City South-west -	9204	-	1	-	-	-	-
2 London City North-west -	11847	-	-	-	-	1	-
3 London City South - -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	‡	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	1	-	1	-	-
2 St. Leonard Shoreditch L	19449	-	-	1	-	4	-
3 Hoxton New Town *w* -	23505	-	1	1	-	1	-
4 Hoxton Old Town - -	17431	-	2	1	-	2	-
5 Haggerstone West *W* -	20276	-	-	-	1	-	1
6 Haggerstone East - -	11351	-	1	-	1	-	1
21; 1 Hackney-road - - -	23910	1	-	-	1	1	-
2 Green, Bethnal Green *W* HL	23555	-	-	-	-	1	-
3 Church, Bethnal Green -	21787	-	-	1	-	-	-
4 Town, Bethnal Green -	20941	-	-	2	-	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	1
2 Spitalfields - - -	15336	-	-	-	1	1	1
3 Mile End New Town *W*	14543	-	-	-	-	2	-
4 Whitechapel North *W* -	12530	-	-	-	-	-	-
5 Whitechapel Church H -	7818	-	-	-	-	1	-
6 Goodman's Fields - -	12069	-	3	1	-	-	-
7 Aldgate H - - -	10694	-	-	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	1	-	1	-	1
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	1	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	-	-
2 Ratcliff *W* - - -	15212	-	1	1	1	2	-
3 Limehouse *W* - -	22782	-	-	2	1	-	1
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	1	-	1	-
2 Mile End Old T., East. *Ww* H	27020	-	1	2	1	-	-
25; 1 Bow *w* LH - - -	18778	1	2	-	-	-	-
2 Poplar *W* - - -	28384	-	-	-	-	-	3
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	1	1	-
2 St. Saviour Southwark HH	19709	-	1	1	1	-	-
27; 1 St. Olave Southwark HH	8015	-	1	-	-	-	-
2 St. John Horsleydown *W*	11360	-	1	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	1	1	1	-
2 St. Mary Magdalen *W* -	13934	-	1	-	1	1	-
3 Leather Market - -	15295	-	3	-	-	1	-
29; 1 Kent-road - - -	18126	-	1	1	1	-	-
2 Borough-road *W* P -	15862	-	1	1	1	-	-
3 London-road LP - -	17836	-	-	-	1	-	-
30; 1 Trinity Newington P -	20922	-	1	1	-	-	-
2 St. Peter Walworth *W* -	29861	-	1	1	-	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	-	-	-	-
2 Waterloo-road 2nd H -	18348	-	-	2	2	1	1
3 Lambeth Church 1st -	18409	-	-	1	-	-	-
4 Lambeth Church 2nd *W*	26784	-	1	4	1	-	1
5 Kennington 1st - -	24261	-	-	1	-	-	-
6 Kennington 2nd - -	18848	-	-	4	-	-	-
7 Brixton L - - -	14610	-	1	3	-	-	1
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	-	-
2 Battersea *W* - - -	10560	-	1	-	-	2	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL - -	17742	-	-	1	2	1	-
3 Peckham - - - -	19444	-	-	-	-	-	-
4 St. George Camberwell -	15849	-	-	-	-	1	-
34; 1 Rotherhithe *W* - -	17805	-	-	3	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	-	-	-	-
2 St. Nicholas Deptford -	7071	-	1	-	1	1	-
3 Greenwich West H -	18800	-	1	1	-	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	1	1
5 Woolwich Dockyard HP	17140	-	-	-	1	-	-
6 Woolwich Arsenal HPH	15227	-	-	1	2	-	-
36; 1 Plumstead - - -	13191	-	-	2	-	-	1
2 Eltham - - - -	2568	-	-	1	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	1	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ The return was received too late for insertion above. It includes one death from whooping-cough.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 26th June 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Great-est.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Great-est.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
June.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday .	20	..	30·012	77·7	53·1	24·6	62·7	56·1	98·8	45·0	70·4	68·2	6·6	20·1	5·1	+ 2·9	80	S.W.	S.W. & E.	0·0	0·0	0·0	15	0·02
Monday .	21	..	30·166	80·8	51·6	29·2	63·3	50·8	105·5	46·0	70·1	67·2	12·5	25·8	1·2	+ 3 4	63	N.E.	N.E. & S.E.	0·0	0·0	0·0	10	0·04
Tuesday .	22	..	30·180	86·0	55·0	31·0	68·4	55·9	112·4	45·5	71·1	69·2	12·5	27·9	9·2	+ 8·4	62	S.W.	N.N.E. & E.S.E.	0·0	0·0	0·0	25	0·00
Wednesday	23	..	30·155	84·0	54·0	30·0	68·3	58·4	105·7	—	71·1	69·7	9·9	24·8	3·6	+ 8·1	66	Calm	N.E. & S.E.	0·0	0·0	0·0	20	0·00
Thursday .	24	..	30·110	73·2	53·9	19·3	60·9	49·6	88·5	—	71·4	69·7	11·3	19·6	8·4	+ 0·5	67	Calm & N.	N.E.	3·0	0·0	0·6	60	0·00
Friday .	25	Apogee Greatest Dec. S.	30·129	74·2	48·9	25·3	61·1	46·9	99·5	50·0	70·4	69·2	14·2	23·4	4·8	+ 0·5	57	Calm	N.W.	1·0	0·0	0·0	45	0·00
Saturday .	26	Full	29·887	82·5	51·7	30·8	66·9	53·2	110·0	—	69·9	68·2	13·7	24·8	4·2	+ 6·1	57	S.W.	W. & NW.	3·0	0·0	0·8	105	0·00
Means . .		..	30·091	79·8	52·6	27·2	64·5	53·0	102·9	4 nights. 46·6	70·6	68·8	11·5	23·8	5·2	+ 4·3	65			..	..	..	Sum 280	Sum 0·06
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. June.		Electricity.	Sky and Atmosphere.
Sunday . .	20	Positive, with very weak tension, was occasionally shown during the last two days of the week. No electricity was shown at any other times of observation.	Cloudy for the most part throughout the day. Showers of rain fell during the evening.
Monday. .	21		Overcast early in the morning; at other times of the day the amount of cloud was small. Rain fell early in the morning.
Tuesday .	22		Partially cloudy during the afternoon, clear at other times of the day.
Wednesday	23		Cloudy during the afternoon, clear at other times of the day.
Thursday .	24		Light clouds prevailed till evening, clear afterwards. A magnetic disturbance was shown to small amount, almost continuously.
Friday . .	25		The day was fine, and the sky was for the most part clear. A magnetic disturbance was shown.
Saturday .	26		Generally clear until evening, cloudy for the most part afterwards.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·99 in. at the beginning of the week to 30·21 in. on the 23d at 9h. A.M., with the exception of a slight check on the 22d, between the hours of 9h. A.M. and 3h. P.M., during which interval the readings decreased slightly; decreased to 30·04 in. by 9h. A.M. on the 24th; increased to 30·18 in. by 9h. P.M. on the same day; remained nearly stationary for some hours; and decreased to 29·85 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, July 3. [No. 26.

General Register Office, Somerset House,
July 5th, 1858.

The deaths registered in London, which had been 1092 in the previous week, were 1241 in the week ending Saturday, July 3d. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1111; but as the deaths of last week occurred in an increased population, they should be compared with the average after the latter is raised in proportion to the increase, a correction which will make it 1222. The comparison shows that the mortality as returned for last week is rather in excess of the average as calculated for the end of June.

The deaths in London during the week would have amounted at the healthy rate to 799; the deaths in excess of this number are 442. The violent deaths produced by evident mechanical, chemical, and physical causes are 108; they are registered in more than their due weekly proportion, as is usual at the end of the quarter, and they constitute part of the excess; but a large majority of the 442 deaths are *unnatural*, and caused by impure air and other imperfect sanitary conditions. The cesspools, sewers, and gullyholes, the dirt in the streets, and the dirt in the Thames, are the chief sources of the poison in the atmosphere, which might be maintained comparatively pure by arrangements adequate to the occasion.

The progress of diarrhœa is seen in the deaths from this disease during the last four weeks; they were successively 18, 31, 54, and (last week) 94. This last number has not been attained in previous years so early in the season, for the average of corresponding weeks is 34. The present return contains also 11 deaths from cholera, only 4 of which occurred amongst adults. One of these cases is returned as "cholera gravior," and occurred in the Christchurch sub-district of Marylebone; another as Asiatic cholera in Holloway. Scarlatina, including diphtheria and "malignant sore throat," was fatal in 61 cases, all except 4 amongst children. The disease has attacked with great severity the family of an unbeneficed clergyman in Gloucester-terrace, Pimlico, whose wife and four children have fallen under its violence. The deaths of three of the children were recorded in the previous week.

The following note is from Mr. Croft, assistant surgeon of the Dreadnought Hospital ship:—"The two cases of fever reported by me on the 19th as having "occurred on board rapidly recovered, and no fresh case has arisen. The health "of the patients generally is very satisfactory. However I learn from residents "on board, and others passing a large portion of each day on the water, that they "are affected at times with nausea, loss of appetite, and inclination to diarrhœa, "though none of them have been so severely affected as to require medical aid."

Since the 15th ult. four persons have died in London from sunstroke.

The deaths of two men, aged respectively 94 and 96 years, and of two women, aged 95 and 96, were registered last week.

Last week the births of 828 boys and 775 girls, in all 1603 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1605.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·954 in. The barometrical readings rose from 29·85 in. at the beginning of the week to 30·07 in. at the end of it. The mean temperature of the week was 58·6°, which is 2·8° below the average of the same week in 43 years

(as determined by Mr. Glaisher). The mean daily temperature was below the average on every day except Wednesday, and on the last two days it was 6° below the average. The *highest* points in the sun and the shade were attained on Wednesday, the former 104·5°, the latter 79° ; the *lowest* point 45·3° on Monday. The range of temperature in the shade was therefore 33·7°. The mean daily range was 21·5°. The mean temperature of the water of the Thames was 66·6°, which exceeds the mean temperature of the air by so much as 8°. The difference between the mean dew point temperature and air temperature was also great, viz. 13·5° ; it shows the dryness of the air. The mean degree of humidity of the air was 62 ; on Monday the humidity was only 54, complete saturation being represented by 100. On five days the wind was generally in the north-west ; on the last two it blew from the north. No rain was measured by the gauge, though a few drops fell on Friday and Saturday.

St. George, Hanover Square ; *Belgrave.*—At 6 Brewer-street-place, on 29th June, the wife of a carpenter, aged 65 years, " summer cholera (15 hours)."

Westminster ; *St. John.*—At 7 Page-street, on 30th June, the son of a marine-store shopkeeper, aged 1 month, " apthæ (2 weeks), cholera infantum (4 days)."

St. James Westminster ; *Berwick-street.*—At 11 Great Crown-court, on 1st July, the son of a bootmaker, aged 5 months, " cholera infantum."

Marylebone ; *Christchurch.*—At 3 Claremont-place, on 29th June, the widow of a policeman, aged 58 years, " cholera gravior."

Pancras ; *Camden Town.*—At 14 Dorset-place, on 25th June, the son of a gas labourer, aged 14 months, " English cholera (6 days)."

Islington ; *East.*—At 15 Ingram-place, Holloway, on 27th June, railway labourer, aged 28 years, " cholera Asiatic (14 hours)."

Strand ; *St. Anne, Soho.*—At 7 St. Anne's-court, on 24th June, the daughter of a seaman, aged 7 months, " choleraic diarrhœa (16 hours)."

Strand ; *St. Clement Danes.*—At 6 Church Passage, Liberty of the Rolls, on 30th June, widow of a coach trimmer, aged 71 years, " choleraic diarrhœa (7 days)."

Clerkenwell ; *Pentonville.*—At 29 Hermes-street, on 30th June, the son of a railway porter, aged 6 months, " cholera infantum (8 days)."

Mile End Old Town ; *Western.*—At 81 Greenfield-street, on 29th June, the daughter of a journeyman circular sawyer, aged 13 weeks, " cholera Anglica (18 hours)."

St. Saviour ; *St. Saviour.*—At 4 White Hind-alley, on 30th June, the son of a labourer at gas works, aged 16 months, " cerebral effusion, convulsions (12 hours), after English cholera."

Kensington ; *St. Mary Paddington.*—At 19 Westbury-road, on 26th June, a mercantile clerk, aged 28 years, " coup de soleil (13 days), effusion of brain (7 days)."

Lambeth ; *Waterloo 1st part.*—At 14 College-place, Commercial-road, on 16th June, the son of a deal porter, aged 11 years, " natural, suddenly of an affection of the brain." (*Inquest.*) The death was caused by sunstroke.

Lambeth ; *Kennington 1st part.*—At 20 Chichester-place, Wandsworth-road, on 27th June, a boy, aged 6 years, " inflammation of brain from exposure to sun (4 days), diphtheria (18 hours)."

Births Registered last Week, and in the Twenty-sixth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1552	1551	1447	1439	1513	1711	1764	1732	1737	1604	1605·0	1603
Males . .	783	801	748	716	789	856	920	879	884	826	820·2	828
Females .	769	750	699	723	724	855	844	853	853	778	784·8	775

Deaths Registered last Week, and in the Twenty-sixth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1100	1217	965	1032	987	1103	1290	1273	1118	1029	1111·4	1241
Males . .	548	680	536	519	516	620	703	669	594	541	592·6	690
Females .	552	537	429	513	471	483	587	604	524	488	518·8	551

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTY-SIXTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 1 1848	June 30 1849	June 29 1850	June 28 1851	July 3 1852	July 2 1853	July 1 1854	June 30 1855	June 28 1856	July 4 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 3, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	57°·4	60°·2	64°·2	62°·3	59°·7	59°·1	57°·9	63°·0	63°·4	62°·4	61°·0	58°·6					
	ALL CAUSES . . .	1100	1217	965	1032	987	1103	1290	1273	1118	1029	1111·4	1241	673	175	183	169	41
	SPECIFIED CAUSES .	1053	1163	911	997	961	1061	1196	1175	1077	1007	1060·1	1224	667	174	178	164	41
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	363	367	177	231	213	225	271	235	242	255	257·9	364	312	19	15	17	1
II.	CONSTITUTIONAL „ .	213	240	201	231	231	255	242	249	239	210	231·1	253	97	85	52	17	2
III.	LOCAL „ .	301	367	337	355	338	354	416	420	384	305	357·7	365	128	50	82	92	13
IV.	DEVELOPMENTAL „ .	94	103	90	101	92	125	108	126	135	121	109·5	134	80	7	..	23	24
V.	VIOLENT DEATHS . .	82	86	106	79	87	102	159	145	77	116	103·9	108	50	13	29	15	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	343	352	159	215	195	200	244	214	225	235	238·2	345	297	17	14	16	1
	2. ENTHETIC „ . .	3	4	2	3	3	6	7	4	4	4	4·0	7	6	..	..	1	..
	3. DIETIC „ . .	15	10	12	9	10	17	16	16	12	15	13·2	11	8	2	1	..	..
	4. PARASITIC „ . .	2	1	4	4	5	2	4	1	1	1	2·5	1	1	..	..	..	..
II.	1. DIATHETIC „ . .	42	50	29	42	48	38	42	29	41	31	39·2	39	8	3	13	14	1
	2. TUBERCULAR „ . .	171	190	172	189	183	217	200	220	198	179	191·9	214	89	82	39	3	1
III.	1. DISEASES OF NERVOUS SYSTEM . .	123	143	126	126	129	99	148	136	136	118	128·4	139	55	16	29	36	3
	2. „ OF ORGANS OF CIRCULATION .	27	37	46	30	44	52	57	72	41	23	42·9	46	3	11	13	15	4
	3. „ OF RESPIRATORY ORGANS . .	76	105	91	124	91	121	136	137	130	101	111·2	104	57	9	16	19	3
	4. „ OF DIGESTIVE ORGANS . . .	62	64	53	51	49	54	48	57	52	48	53·8	51	10	6	14	18	3
	5. „ OF URINARY ORGANS . . .	5	5	12	13	11	16	16	5	16	9	10·8	14	1	4	5	4	..
	6. „ OF ORGANS OF GENERATION .	7	6	4	3	4	6	4	6	5	2	4·7	7	..	3	4	..	..
	7. „ OF ORGANS OF LOCOMOTION .	..	3	3	6	6	4	2	3	3	2	3·2	2	1	1	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM .	1	4	2	2	4	2	5	4	1	2	2·7	2	1	..	1	..	..
IV.	1. DEV. DISEASES OF CHILDREN	36	45	29	32	30	50	31	44	51	47	39·5	31	31	..	..	..	..
	2. „ OF ADULTS .	5	5	6	5	8	2	11	6	2	5	5·5	6	..	6	..	..	..
	3. „ OF OLD PEOPLE	34	37	32	39	44	33	35	31	43	35	36·3	43	..	..	..	19	24
	4. DISEASES OF NUTRITION .	19	16	23	25	10	40	31	45	39	34	28·2	54	49	1	..	4	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											86	49	9	19	8	1
	* 3. HOMICIDE												2	1	1	..	..	..
	4. SUICIDE												20	..	3	10	7	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	82	86	106	79	87	102	159	145	77	116	103·9	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	32	46	37	29	20	22	79	50	24	17	35·6	15	5	1	4	5	..
	CAUSES NOT SPECIFIED . .	15	8	17	6	6	20	15	48	17	5	15·7	2	1	..	1	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 1 1848	June 30 1849	June 29 1850	June 28 1851	July 3 1852	July 2 1853	July 1 1854	June 30 1855	June 28 1856	July 4 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 3, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	57·4°	60·2°	64·2°	62·3°	59·7°	59·1°	57·9°	63·0°	63·4°	62·4°	61·0°	Mean Temp. 58·6°					
I.	ORDER 1.																	
	1. Small-pox	37	3	10	24	31	3	10	24	9	5	15·6	1	1	..	..	..	..
	2. Measles	23	28	17	41	18	22	22	9	41	25	24·6	54	54	..	..	..	..
	3. Scarlatina	88	34	14	14	33	31	72	39	30	19	37·4	61	58	2	1	..	..
	4. Quinsy	1	..	..	..	2	..	1	3	1	..	·8	1	1	..	..	..	..
	5. Croup	1	10	8	5	9	5	4	4	16	4	6·6	7	7	..	..	..	..
	6. Whooping-cough	37	53	19	46	19	47	35	36	36	58	38·6	60	60	..	..	..	..
	7. Typhus (and Infantile fever)	75	45	35	40	41	40	47	44	49	36	45·2	35	19	8	4	3	1
	8. Erysipelas	10	6	6	5	3	7	11	7	7	7	6·9	4	1	..	1	2	..
	9. Metria	5	2	4	5	2	2	2	3	3	2	3·0	2	..	2	..	..	..
	10. Carbuncle	2	1	1	..	3	2	2	1	2	2	1·6	2	..	..	1	1	..
	11. Influenza	2	1	1	1	..	..	1	2	1	..	·9	..	..	..	..	..	..
	12. Dysentery	6	3	1	2	3	6	1	1	3	2	2·8	4	2	..	1	1	..
	13. Diarrhœa	42	30	33	19	17	28	25	33	16	65	30·8	94	82	2	3	7	..
	14. Cholera	3	124	2	1	..	..	..	..	4	5	13·9	11	7	1	1	2	..
	15. Ague	2	1	..	1	..	2	1	..	..	..	·7	1	1	..	..	..	..
	16. Remittent Fever	6	1	..	4	2	2	6	2	3	3	2·9	1	1	..	..	..	..
	17. Rheumatism	3	10	8	7	12	3	4	6	4	2	5·9	7	3	2	2	..	..
	ORDER 2.																	
	1. Syphilis	1	4	2	3	2	4	6	3	3	1	2·9	6	6	..	..	..	..
	2. Stricture of Urethra	2	..	..	..	1	2	..	1	1	3	1·0	1	..	..	..	1	..
	3. Hydrophobia	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	2	2	2	..	1	..	1	1	1	1·0	..	..	..	..	..	..
	2. Want of Breast-milk	7	3	2	2	5	7	8	7	4	9	5·4	6	6	..	..	..	..
	3. Purpura and Scurvy	3	1	1	2	..	1	..	1	2	..	1·1	2	2	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	2	2	1	2	2	2	2	3	3	2·1	1	..	1	..	..	..
	4. Alcoholism { *b* Intemperance	3	2	5	2	3	6	6	5	2	2	3·6	2	..	1	1	..	..
	ORDER 4.																	
	1. Thrush	2	1	4	4	5	2	4	1	1	1	2·5	1	1	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	3	1	2	1	2	2	..	1	2	1·4	1	..	..	..	1	..
	2. Dropsy	15	33	15	15	17	15	14	14	15	6	15·9	17	5	..	6	5	1
	3. Cancer	24	13	11	18	20	17	21	13	20	21	17·8	16	..	3	6	7	..
	4. Noma	2	..	..	..	1	..	..	1	3	..	·7	2	2	..	..	..	..
	5. Mortification	1	1	2	7	9	4	5	1	2	2	3·4	3	1	..	1	1	..
	ORDER 2.																	
	1. Scrofula	5	8	6	6	12	12	17	8	10	4	8·8	6	5	1	..	..	..
	2. Tabes Mesenterica	13	10	8	14	7	18	16	16	12	18	13·2	21	21	..	..	..	..
	3. Phthisis	129	133	132	145	134	158	134	164	131	128	138·8	159	35	81	39	3	1
	4. Hydrocephalus	24	39	26	24	30	29	33	32	45	29	31·1	28	28	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	14	10	16	11	15	6	11	17	17	7	12·4	15	10	4	1	..	..
	2. Apoplexy	20	42	28	19	34	23	32	42	31	31	30·2	39	5	5	11	16	2
	3. Paralysis	22	18	20	16	20	13	27	18	21	11	18·6	29	1	5	6	16	1
	4. Insanity	1	2	2	5	1	2	3	1	3	4	2·4	1	..	..	1	..	..
	5. Chorea	..	..	..	2	..	..	..	1	1	..	·4	..	..	..	..	..	..
	6. Epilepsy	8	6	7	12	12	6	12	15	9	8	9·5	7	2	..	3	2	..
	7. Convulsions	38	46	39	48	34	41	54	34	40	42	41·6	29	29	..	..	..	..
	8. *Brain Disease, &c.*	20	19	14	13	13	8	9	8	14	15	13·3	19	8	2	7	2	..
	ORDER 2.																	
	1. Pericarditis	2	2	..	1	2	..	2	..	1	..	1·0	2	..	2	..	..	..
	2. Aneurism	5	3	5	1	3	3	3	8	6	..	3·7	4	..	1	3	..	..
	3. *Heart Disease, &c.*	20	32	41	28	39	49	52	64	34	23	38·2	40	3	8	10	15	4
	ORDER 3.																	
	1. Laryngitis	2	2	1	7	3	2	4	3	4	9	3·7	8	7	1	..	..	..
	2. Bronchitis	21	46	39	45	23	47	51	53	59	46	43·0	40	19	..	9	10	2
	3. Pleurisy	5	4	..	3	3	3	1	4	6	3	3·2	..	..	..	..	..	..
	4. Pneumonia	26	39	35	56	48	54	63	65	55	30	47·1	42	29	5	5	2	1
	5. Asthma	11	5	10	6	7	3	9	6	4	7	6·8	4	..	1	..	3	..
	6. *Lung Disease, &c.*	11	9	6	7	7	12	8	6	2	6	7·4	10	2	2	2	4	..
	ORDER 4.																	
	1 Gastritis	1	5	2	3	1	3	1	1	..	2	1·9	3	1	1	..	1	..
	2. Enteritis	9	3	8	5	6	5	7	7	6	4	6·0	5	4	..	..	1	..
	3. Peritonitis	4	9	6	6	3	3	3	3	2	3	4·2	..	..	..	..	..	..
	4. Ascites	1	1	1	3	3	5	2	2	10	3	3·1	3	..	..	..	2	1
	5. Ulceration of Intestines	5	..	3	1	2	3	2	4	1	..	2·1	2	..	..	1	1	..
	6. Hernia	6	6	5	1	1	3	3	2	1	4	3·2	3	..	..	1	1	1
	7. Ileus	2	4	3	6	1	5	4	2	2	2	3·1	2	..	..	..	2	..
	8. Intussusception	1	1	2	..	..	..	1	2	1	2	1·0	3	..	..	2	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTY-SIXTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 1 1848	June 30 1849	June 29 1854	June 28 1851	July 3 1852	July 2 1853	July 1 1854	June 30 1855	June 28 1856	July 4 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 3, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	57°·4	60°·2	64°·2	62°·3	59°·7	59°·1	57°·9	63°·0	63°·4	62°·4	61°·0	58°·6					
	9. Stricture of Intestines	..	2	2	..	1	..	1	..	..	1	·7	2	..	..	1	..	1
	10. Fistula	1	2	..	2	..	1	..	..	1	..	·7	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	8	3	5	2	6	7	6	4	4	4	4·9	8	1	3	1	3	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	7	2	7	6	3	2	2	8	3	1	4·1	5	..	1	3	1	..
	14. Jaundice	3	5	4	6	3	4	4	6	12	6	5·3	5	4	..	..	1	..
	15. *Liver Disease, &c.*	14	21	5	10	19	13	12	16	9	16	13·5	10	..	1	5	4	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	1	2	1	..	..	..	..	..	·4	..	..	..	..	..	..
	2. Ischuria	..	..	1	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	..	1	5	3	5	4	6	1	4	2	3·1	3	1	..	2	..	..
	4. Diabetes	1	1	..	..	1	2	3	..	1	..	·9	1	..	..	..	1	..
	5. Stone	..	1	..	2	1	..	1	1	2	..	·8	1	..	1	..	..	..
	6. Cystitis	1	2	1	..	..	3	1	..	..	..	·8	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	3	..	4	6	3	7	5	3	9	7	4·7	9	..	3	3	3	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	2	1	..	1	1	1	3	1	..	1·0	1	..	..	1	..	..
	2. *Uterus Disease, &c.*	7	4	3	3	3	5	3	3	4	2	3·7	6	..	3	3	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	1	..	1	·2	..	..	..	..	..	..
	2. *Joint Disease, &c.*	..	3	3	6	6	4	2	2	3	1	3·0	2	1	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	1	2	1	..	1	2	1	2	1	2	1·3	1	..	..	1	..	..
	2. Ulcer	..	2	..	1	1	..	3	1	..	..	·8	..	..	..	..	..	..
	3. *Skin Disease, &c.*	..	..	1	1	2	..	1	1	..	..	·6	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	22	36	20	27	17	39	19	30	36	24	27·0	17	17	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											2	2	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	6	1	3	..	5	4	3	4	4	7	3·7	1	1	..	..	..	..
	5. Teething	8	8	6	5	8	7	9	10	11	16	8·8	11	11	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	1	..	..	..	..	1	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	5	5	6	4	8	2	11	6	1	5	5·3	6	..	6	..	..	..
	ORDER 3.																	
	1. Old Age	34	37	32	39	44	33	35	31	43	35	36·3	43	..	..	..	19	24
	ORDER 4.																	
	1. Atrophy and Debility	19	16	23	25	10	40	31	45	39	34	28·2	54	49	1	..	4	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	40	17	6	12	4	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	15	11	..	2	2	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	3	..	1	2	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	17	12	1	2	2	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	9	8	1	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											2	1	1	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	2	..	1	..	1	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	3	..	..	2	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	..	..	1	1	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	11	..	2	6	3	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	82	86	106	79	87	102	159	145	77	116	103·9	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	32	46	37	29	20	22	79	50	24	17	35·6	15	5	1	4	5	..
	Causes not specified or ill-defined	15	8	17	6	6	20	15	48	17	5	15·7	2	1	..	1	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the TWENTY-SIXTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, July 1 1848	June 30 1849	June 29 1850	June 28 1851	July 3 1852	July 2 1853	July 1 1854	June 30 1855	June 28 1856	July 4 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, July 3 1858.
Mean Temperature . . .			57·4°	60·2°	64·2°	62·3°	59·7°	59·1°	57·9°	63·0°	63·4°	62·4°	61·0°	58·6°
LONDON	78029	2362236	1100	1217	965	1032	987	1103	1290	1273	1118	1029	1111·4	1241
1-6. WEST DISTRICTS .	10786	376427	165	190	165	152	152	134	214	178	177	152	167·9	189
7-11. NORTH DISTRICTS .	13533	490396	215	205	200	201	183	205	233	244	218	210	211·4	248
12-19. CENTRAL DISTRICTS	1938	393256	188	246	164	169	158	170	195	231	229	177	192·7	172
20-25. EAST DISTRICTS .	6230	485522	248	251	201	244	241	286	320	243	226	240	250·0	271
26-36. SOUTH DISTRICTS .	45542	616635	284	325	235	266	253	308	328	377	268	250	289·4	361
1. Kensington* HHHH .	7374	120004	33	42	31	33	54	42	43	28	67	43	41·6	61
2. Chelsea H*w* . . .	865	56538	19	26	33	20	14	21	31	19	25	18	22·6	38
3. St. George Hanover-sq. H	1161	73230	40	33	35	28	20	23	53	54	29	37	35·2	36
4. Westminster* HHHH .	917	65609	41	50	33	29	37	25	58	42	32	16	35·8	26
5. St. Martin-in-the-Fields H	305	24640	12	22	23	29	15	9	19	15	8	28	18·0	9
6. St. James Westminster .	164	36406	20	17	10	13	12	14	15	20	16	10	14·7	19
7. Marylebone HH . .	1509	157696	90	59	72	72	50	64	59	71	65	66	66·8	82
8. Hampstead	2252	11986	..	8	3	4	4	8	3	2	4	5	4·1	4
9. Pancras HH*w* . . .	2716	166956	73	87	65	69	68	65	89	112	78	92	79·8	87
10. Islington HHH . .	3127	95329	34	32	43	37	43	43	58	44	52	33	41·9	53
11. Hackney* H*w* . . .	3929	58429	18	19	17	19	18	25	24	15	19	14	18·8	22
12. St. Giles* H . . .	245	54214	20	30	32	36	18	37	33	42	27	33	30·8	18
13. Strand* H	173	44422	20	24	18	22	17	16	19	33	48	8	22·5	28
14. Holborn* H . . .	196	46621	20	18	16	16	20	23	27	28	24	26	21·8	22
15. Clerkenwell	380	64778	27	31	18	17	19	26	19	36	27	33	25·3	24
16. St. Luke HH . . .	220	54055	20	21	20	24	18	26	12	25	30	27	22·3	23
17. East London* . . .	153	44406	23	25	20	18	21	18	28	22	19	11	20·5	19
18. West London* H . .	137	28828	34	55	20	21	26	8	30	25	36	22	27·7	21
19. London City* . . .	434	55932	24	42	20	15	19	16	27	20	18	17	21·8	17
20. Shoreditch *w* . . .	646	109257	51	41	38	46	32	54	52	39	48	47	44·8	67
21. Bethnal Green H . .	760	90193	33	43	26	28	31	36	46	46	34	40	36·3	63
22. Whitechapel* HH . .	406	79759	67	59	42	69	83	85	75	65	49	42	63·6	43
23. St. George in the East .	243	48376	24	23	18	24	13	29	31	18	21	22	22·3	25
24*a*. Stepney*	576	54173	55	60	52	52	50	48	71	52	33	61	53·4	27
24*b*. Mile-end Old Town H*w*	681	56602												26
25. Poplar* H*w* . . .	2918	47162	18	25	25	25	32	34	45	23	41	28	29·6	20
26. St. Saviour Southwark* HH	250	35731	26	24	17	26	23	18	28	28	17	16	22·3	26
27. St. Olave Southwark* HH	169	19375	18	17	12	28	27	31	16	29	11	18	20·7	28
28. Bermondsey	688	48128	16	23	13	25	13	29	19	21	26	14	19·9	20
29. St. George Southwark .	282	51824	31	29	26	16	20	20	22	27	14	20	22·5	25
30. Newington	624	64816	39	42	29	18	34	21	39	36	27	26	31·1	38
31. Lambeth H	4015	139325	45	69	50	48	50	54	53	80	56	54	55·9	81
32. Wandsworth* . . .	11695	50764	15	23	11	24	21	17	28	19	23	19	20·0	35
33. Camberwell	4342	54667	28	21	31	26	21	25	26	27	12	19	23·6	18
34. Rotherhithe	886	17805	13	8	5	6	2	5	7	11	11	6	7·4	8
35. Greenwich* HHHHH .	5367	99365	43	56	28	40	36	74	76	83	54	47	53·7	68
36. Lewisham*	17224	34835	10	13	13	9	6	14	14	16	17	11	12·3	14

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending June 26. Total.	Males.	Females.	In the Week ending July 3. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	155	96	59	227	152	75
45 WORKHOUSES	78	44	34	110	72	38
14 PRISONS . . . . . ‡	–	–	–	7	6	1
4 MILITARY AND NAVAL ASYLUMS . . . . §	8	8	–	9	9	–
15 GENERAL HOSPITALS	61	39	22	75	48	27
7 HOSPITALS FOR SPECIAL DISEASES	4	4	–	5	2	3
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
Children .	–	–	–	1	1	–
7 MILITARY AND NAVAL HOSPITALS	–	–	–	7	7	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	2	1	1
19 LUNATIC ASYLUMS	4	1	3	11	6	5

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 3d July 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	1	54	61	60	94	35
No.*							
1-6 WEST DISTRICTS - -	376427	-	11	11	15	13	6
7-11 NORTH DISTRICTS - -	490396	-	7	12	6	19	12
12-19 CENTRAL DISTRICTS -	393256	-	3	3	6	23	9
20-25 EAST DISTRICTS - -	485522	1	14	16	15	22	5
26-36 SOUTH DISTRICTS - -	616635	-	19	19	18	17	3
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	1	-	-	1	-
2 St. John Paddington H -	29053	-	-	1	2	-	-
3 Kensington Town *W* L -	29183	-	3	1	4	1	1
4 Brompton HH - -	14870	-	-	1	2	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	1	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	-	-	1	1	-
2 Chelsea North-west *Ww*	17669	-	2	1	-	-	1
3 Chelsea North-east L -	19819	-	-	-	-	-	1
3; 1 Hanover-square - -	20216	-	-	-	-	1	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	2	2	4	5	2
4; 1 St. John Westmr. HHHP	34295	-	-	1	-	1	-
2 St. Margaret West. *W* HP	31314	-	2	2	2	3	-
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	1
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	1	-	-	-
2 St. James's-square - -	11469	-	-	1	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	-	-	1	-
2 Cavendish-square - -	14687	-	-	1	-	-	1
3 Rectory Marylebone *W* -	27633	-	-	-	-	2	-
4 St. Mary Marylebone H -	22814	-	-	-	2	1	-
5 Christchurch Marylebone	33895	-	1	-	1	5	2
6 St. John Marylebone -	29826	-	-	2	-	4	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	1	-
9; 1 Regent's Park Pancras -	31918	-	-	4	-	-	-
2 Tottenham-court *w* H -	28433	-	-	-	-	1	-
3 Gray's-inn-lane H -	26523	-	-	1	-	-	-
4 Somers-town - - -	35641	-	4	2	1	-	-
5 Camden-town *W* - -	21115	-	-	-	1	-	1
6 Kentish-town - - -	23326	-	-	-	-	-	1
10; 1 Islington West† *W* HHHPP	47881	-	-	-	-	-	2
2 Islington East - - -	47448	-	1	1	1	3	3
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	1	1	-	1	2
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	1	-	2	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	-	1	1
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	-	-	1	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	2	1
3 Saffron-hill - - -	13837	-	-	-	2	2	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	1	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	2	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - -	15625	-	-	-	-	-	2
16; 1 Old-street H - - -	10617	-	-	-	-	1	1
2 City-road HL - -	16840	-	-	-	-	1	-
3 Whitecross-street - -	13657	-	-	-	1	1	1
4 Finsbury - - - -	12941	-	-	-	-	2	-
17; 1 St. Botolph East London	23824	-	-	-	-	2	-
2 Cripplegate P - -	20582	-	1	1	2	1	-
18; 1 West London North *W* HP	12946	-	2	1	-	2	1
2 West London South P -	15882	-	-	-	-	1	1
19; 1 London City South-west -	9204	-	-	-	-	1	-
2 London City North-west -	11847	-	-	-	-	-	1
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	-	1
2 St. Leonard Shoreditch L	19449	-	-	1	-	1	1
3 Hoxton New Town *w* -	23505	-	-	2	1	-	-
4 Hoxton Old Town - -	17431	-	1	1	-	5	-
5 Haggerstone West *W* -	20276	-	-	-	-	-	-
6 Haggerstone East - -	11351	-	-	-	1	-	-
21; 1 Hackney Road - -	23910	1	1	-	1	2	-
2 Green, Bethnal Green *W* HL	23555	-	1	3	3	1	1
3 Church, Bethnal Green -	21787	-	-	1	3	3	-
4 Town, Bethnal Green -	20941	-	2	-	-	-	2
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	2	-	-	-	-
3 Mile End New Town *W* -	14543	-	-	-	-	1	-
4 Whitechapel North *W* -	12530	-	-	-	-	2	-
5 Whitechapel Church H -	7818	-	-	1	-	-	-
6 Goodman's Fields - -	12069	-	-	-	1	-	-
7 Aldgate H - - -	10694	-	-	-	1	-	-
23; 1 St. Mary St. Geo. East -	18067	-	1	-	-	1	-
2 St. Paul St. Geo. East -	20319	-	-	-	1	-	-
3 St. John St. Geo. East *W*	9990	-	1	-	-	1	-
24*a*; 1 Shadwell *W* - - -	16179	-	2	-	1	2	-
2 Ratcliff *W* - - -	15212	-	1	-	-	-	-
3 Limehouse *W* - -	22782	-	1	1	1	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	1	-	3	-
2 Mile End Old T., East. *Ww* H	27020	-	1	1	1	-	-
25; 1 Bow *w* LH - - -	18778	-	-	2	-	-	-
2 Poplar *W* - - -	28384	-	-	2	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	1
2 St. Saviour Southwark HH	19709	-	-	-	1	-	-
27; 1 St. Olave Southwark HH	8015	-	1	-	-	-	-
2 St. John Horsleydown *W*	11360	-	1	-	1	-	-
28; 1 St. James Bermondsey -	18899	-	-	-	-	-	1
2 St. Mary Magdalen *W* -	13934	-	1	-	-	-	-
3 Leather Market - -	15295	-	3	2	1	-	-
29; 1 Kent Road - - -	18126	-	4	-	-	-	-
2 Borough Road *W* P -	15862	-	3	1	1	-	-
3 London Road LP - -	17836	-	2	1	-	2	-
30; 1 Trinity Newington P -	20922	-	1	1	1	1	-
2 St. Peter Walworth *W* -	29861	-	-	-	1	1	-
3 St. Mary Newington -	14033	-	-	-	1	1	-
31; 1 Waterloo Road 1st - -	14088	-	1	1	-	1	-
2 Waterloo Road 2nd H -	18348	-	-	-	1	-	-
3 Lambeth Church 1st -	18409	-	-	1	1	-	-
4 Lambeth Church 2nd *W*	26784	-	-	1	4	3	-
5 Kennington 1st - -	24261	-	-	1	1	-	-
6 Kennington 2nd - -	18848	-	-	3	-	1	1
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	-	1	-
2 Battersea *W* - - -	10560	-	-	-	1	2	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	1	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	1	-	-
3 Peckham - - - -	19444	-	-	3	-	-	-
4 St. George Camberwell -	15849	-	-	-	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	1	-	-	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	1	-	2	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	1	-
5 Woolwich Dockyard HP	17140	-	-	1	-	1	-
6 Woolwich Arsenal HPH	15227	-	-	-	-	2	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 3d July 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
June.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	27	..	29·928	72·4	55·5	16·9	59·6	42·3	91·7	50·4	68·7	64·6	17·3	26·6	10·2	— 1·4	56	N.W.	N.N.W.	1·5	0·0	0·3	65	0·00
Monday . .	28	..	29·963	76·5	45·3	31·2	60·8	44·9	103·5	35·0	69·9	68·2	15·9	25·7	6·4	— 0·5	54	Calm	W.	2·0	0·0	0·3	90	0·00
Tuesday .	29	..	29·987	73·0	50·1	22·9	59·6	46·7	98·0	43·2	67·7	66·2	12·9	21·6	3·4	— 1·9	61	SW&NW	N.N.W.	1·5	0·0	0·1	40	0·00
Wednesday	30	..	29·978	79·0	51·8	27·2	63·4	49·8	104·5	40·8	67·7	64·2	13·6	23·8	5·8	+ 1·9	59	SW&NW	NW. & N.	1·3	0·0	0·2	75	0·00
July.																								0·00
Thursday.	1	..	29·914	69·6	50·5	19·1	56·9	41·5	85·0	49·0	67·2	65·7	15·4	24·7	8·6	— 4·6	67	N.W.	N.W.	2·5	0·0	0·8	110	0·00
Friday . .	2	..	29·885	71·0	48·3	22·7	54·8	46·0	84·0	47·0	66·0	65·2	8·8	16·0	7·4	— 6·6	68	N.	N.	2·0	0·0	0·3	105	
Saturday.	3	In Equator.	30·024	62·7	52·2	10·5	55·0	44·6	74·0	43·8	65·7	64·4	10·4	16·2	9·2	— 6·4	71	N.	N.	2·5	0·0	0·8	85	0·00
Means . .		..	29·954	72·0	50·5	21·5	58·6	45·1	91·5	44·2	67·6	65·5	13·5	22·1	7·3	— 2·8	62	N.W.		..	..	..	Sum 570	Sum 0·00
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
June.			
Sunday . .	27	Positive, with weak tension.	Partially cloudy at all times of the day.
Monday . .	28	Positive, and at times negative, with very weak tension.	Partially cloudy during the afternoon; clear for the most part at other times of the day.
Tuesday . .	29	No electricity was shown at any examination.	Cloudy early in the morning; clear at other times of the day.
Wednesday	30	Strong positive during the morning; weak positive at night.	Cloudy for the most part till evening; clear afterwards.
July. Thursday .	1	Negative, with weak tension, was occasionally shown.	Cloudy, with slight exceptions, till evening; clear afterwards.
Friday . .	2	During the remainder of the week the electrometer was under repair.	Cloudy for the most part throughout the day. Rain fell between 8h. and 9h. A.M.
Saturday .	3		Cloudy throughout the day. A few drops of rain fell occasionally.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.: 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·85 in. at the beginning of the week to 30·02 in. by 9h. A.M. on the morning of the 28th; decreased to 29·93 in. by 3h. P.M. on the same day, and continued at this reading till after 9h. P.M.; increased to 30·02 in. by 9h. P.M. on the 29th; decreased to 29·87 in. by 3h. P.M. on July 2d; and increased to 30·07 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, July 10. [No. 27.

General Register Office, Somerset House,
July 12th, 1858.

In the week ending Saturday, July 10th, the deaths registered in London were 1191. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 977; but as the present return is for a population which has annually increased, it can only be compared with the average when the latter has been raised in proportion to the increase, a correction which will make it 1074. The comparison shows that the mortality of last week was much higher than the average mortality in the beginning of July, for the actual result exceeded the estimated number by 117 deaths.

If the rate of mortality in London, with its population of 2,721,000 persons, were the same as that which is ascertained to rule in the healthiest districts of England, the deaths in the week would have been 799. The excess, which is the result of what may be termed the unhealthy rate, is equal to 392; and to reduce, if it be impossible to extinguish, this excess, is the problem of sanitary science.

The deaths from measles last week were numerous; they rose from 54 to 71. Diarrhœa continues to make progress, the weekly deaths from it, since it began to increase, having been 31, 54, 94, and 129. Of these 129 deaths, all except 10 occurred amongst children, most of whom were infants. It may be added that 9 deaths from this complaint occurred in the sub-district of St. John, Westminster. Thirteen deaths were also caused by the cholera, which is usual in summer. Three of these cases occurred to adu'ts, and are returned as follows:—A widow, aged 45 years, on 6th July, at 25 New-street, St. Martin's-lane, cholera (after 32 hours' illness). A widow, aged 85 years, on 2d July, at 5 Berkley-street, Clerkenwell, senectus, cholera (5 days). A widow, aged 61 years, on 6th July, at the Workhouse, Mile-end, New Town, English cholera (10 hours).

Last week the births of 721 boys and 749 girls, in all 1470 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1414.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·653 in. The highest reading was 30·07 in. at the beginning of the week. The mean temperature of the week was 55·9°, which is less by 5·7° than the average of the same week in 43 years (as determined by Mr. Glaisher). The mean temperature was below the average on every day. The *highest* point attained by the thermometer in the shade was 73° on Sunday the 4th inst.; the *lowest* was 47·3° on Wednesday; the range of the week was therefore 25·7°. The mean daily range was 20·4°. The difference between the mean dew-point temperature and air temperature was 7·2°. The mean degree of humidity of the air was 79. The mean temperature of the water of the Thames was 63·3°, which is 7·4° above the mean temperature of the air. The wind, which had been previously in the south-west, blew generally from a northerly point on the last three days. Rain fell on every day, and the total amount measured was 1·37 in. There was thunder on Wednesday and Thursday.

In the thirteen Weeks ending July 3d the deaths in London were 14,541, of which more than half were those of persons under 20 years of age. A rise of nearly 17 degrees, from 38° which was the mean temperature of the first or winter quarter of the year, to 54·7°, that of last quarter, was accompanied by a decrease of deaths, equal to 2767, or an average of 213 weekly. The heat of last quarter was unusual; the mean temperature was higher by 2·7° than the average of nine previous spring quarters, and in none of these was it so high as that which has been now attained. The meteorological conditions of the season have not hitherto been unusually unfavourable to health, and the mortality has been below the London average, notwithstanding the prevalence of measles and whooping-cough, which were very fatal, and also of scarlatina and diarrhœa, the latter of which has been excited to premature activity. If the deaths in the quarter had been at the rate derived from the *least unhealthy* districts in England, they would have been 10,387, or less by 4,154 than the number actually registered.

Births Registered last Week, and in the Twenty-seventh Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1282	1277	1247	1530	1314	1444	1470	1356	1554	1666	1414·0	1470
Males . .	675	635	640	746	676	709	752	680	774	855	714·2	721
Females . .	607	642	607	784	638	735	718	676	780	811	699·8	749

Deaths Registered last Week, and in the Twenty-seventh Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	970	1070	794	1003	1080	925	984	926	1027	988	976·7	1191
Males . .	492	566	406	534	555	478	516	493	547	508	509·5	589
Females . .	478	504	388	469	525	447	468	433	480	480	467·2	602

Deaths Registered in the Twenty-seventh Week of each of the Eleven Years 1848–58.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population in 1851.	Deaths in Districts, &c. in the Week ending Saturday, July 8 1848	July 7 1849	July 6 1850	July 5 1851	July 10 1852	July 9 1853	July 8 1854	July 7 1855	July 5 1856	July 11 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, July 10 1858.
Mean Temperature . . .			63·0°	62·7°	59·6°	62·9°	70·9°	64·1°	56·9°	62·9°	59·2°	59·6°	62·2°	55·9°
LONDON	78029	2362236	970	1070	794	1003	1080	925	984	926	1027	988	976·7	1191
1–6. West Districts .	10786	376427	160	130	136	167	169	129	152	155	171	137	150·6	208
7–11. North Districts .	13533	490396	191	196	146	194	220	193	161	178	216	208	190·3	234
12–19. Central Districts	1938	393256	161	183	119	176	182	157	182	138	153	174	162·5	172
20–25. East Districts .	6230	485522	220	194	166	186	220	207	207	188	206	203	199·7	269
26–36. South Districts .	45542	616635	238	367	227	280	289	239	282	267	281	266	273·6	308
1. Kensington* HHHH .	7374	120004	39	36	38	41	54	50	38	51	63	55	46·5	67
2. Chelsea H*w* . . .	865	56538	26	20	22	34	21	16	26	25	20	17	22·7	33
3. St. George Hanover-sq. H	1161	73230	25	17	31	28	27	19	30	24	27	21	24·9	43
4. Westminster* HHHH .	917	65609	39	35	27	49	31	21	35	25	36	28	32·6	45
5. St. Martin-in-the-Fields H	305	24640	14	11	11	5	11	6	15	11	14	10	10·8	9
6. St. James Westminster .	164	36406	17	11	7	10	25	17	8	19	11	6	13·1	11
7. Marylebone HH . .	1509	157696	73	59	44	65	67	59	46	50	55	70	58·8	79
8. Hampstead	2252	11986	4	1	2	6	6	6	4	3	7	4	4·3	4
9. Pancras HH*w* . . .	2716	166956	65	92	51	63	74	65	57	61	85	63	67·6	74
10. Islington HHH . .	3127	95329	31	22	28	40	53	41	33	41	47	43	37·9	50
11. Hackney* H*w* . . .	3929	58429	18	22	21	20	20	22	21	23	22	28	21·7	27
12. St. Giles* H . . .	245	54214	25	23	19	40	27	27	18	25	19	24	24·7	23
13. Strand* H	173	44422	8	19	14	19	15	10	24	22	15	34	18·0	11
14. Holborn* H . . .	196	46621	16	30	16	21	23	20	26	14	15	28	20·9	28
15. Clerkenwell	380	64778	26	24	20	20	26	16	31	18	26	21	22·8	25
16. St. Luke HH . . .	220	54055	28	14	11	13	29	24	23	16	21	22	20·1	34
17. East London* . . .	153	44406	18	16	14	16	17	15	20	13	10	16	15·5	17
18. West London* H . .	137	28828	25	44	10	24	33	35	20	20	25	15	25·1	22
19. London City*	434	55932	15	13	15	23	12	10	20	10	22	14	15·4	12
20. Shoreditch *w* . . .	646	109257	44	44	46	35	52	30	45	35	50	53	43·4	62
21. Bethnal Green H . .	760	90193	36	28	22	40	39	35	28	38	26	41	33·3	47
22. Whitechapel* HH . .	406	79759	40	37	31	36	52	47	41	41	35	19	37·9	44
23. St. George-in-the-East .	243	48376	28	15	22	25	17	28	21	10	23	17	20·6	24†
24*a*. Stepney*	576	54173	55	49	34	34	37	42	44	40	55	45	43·5	33
24*b*. Mile-end Old Town H*w*	681	56602												28
25. Poplar* H*w* . . .	2918	47162	17	21	11	16	23	25	28	24	17	28	21·0	31
26. St. Saviour Southwark* HH	250	35731	22	36	18	15	26	16	12	23	24	22	21·4	25
27. St. Olave Southwark* HH	169	19375	24	22	10	33	14	17	25	22	12	22	20·1	25
28. Bermondsey	688	48128	24	35	12	8	21	22	30	18	18	15	20·3	28
29. St. George Southwark .	282	51824	19	21	16	28	22	19	21	25	22	21	21·4	25
30. Newington	624	64816	25	28	29	25	25	24	23	30	23	26	25·8	27
31. Lambeth H	4015	139325	37	89	60	51	66	45	55	38	59	44	54·4	61
32. Wandsworth*	11695	50764	13	14	19	19	35	20	30	22	14	17	20·3	16
33. Camberwell	4342	54667	21	23	14	20	23	21	21	16	18	16	19·3	25
34. Rotherhithe	886	17805	2	32	9	1	6	7	6	4	7	10	8·4	11
35. Greenwich* HHHHH .	5367	99365	36	52	31	63	38	36	46	51	68	60	48·1	45
36. Lewisham*	17224	34835	15	15	9	17	13	12	13	18	16	13	14·1	20

* See Return, No. 26, page 210.

† An average of 8 is inserted for St. Mary (St. George-in-the-East) instead of the true number, which is 2.

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTY-SEVENTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 8 1848	July 7 1849	July 6 1850	July 5 1851	July 10 1852	July 9 1853	July 8 1854	July 7 1855	July 5 1856	July 11 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 10, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	63°·0	62°·7	59°·6	62°·9	70°·9	64°·1	56°·9	62°·9	59°·2	59°·6	62°·2	Mean Temp. 55°·9					
	ALL CAUSES	970	1070	794	1003	1080	925	984	926	1027	988	976·7	1191†	703	137	143	164	36
	SPECIFIED CAUSES	962	1046	778	980	1042	902	976	916	985	979	956·6	1174	698	137	140	163	36
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	350	409	181	226	225	235	280	264	251	318	273·9	445	386	21	17	16	5
II.	CONSTITUTIONAL „	254	206	197	243	263	234	213	225	228	204	226·7	242	94	69	45	32	2
III.	LOCAL „	272	310	277	353	363	284	365	315	322	317	317·8	319	120	37	69	82	11
IV.	DEVELOPMENTAL „	80	90	103	102	151	122	103	104	117	126	109·8	144	87	4	4	31	18
V.	VIOLENT DEATHS	6	31	20	56	40	27	15	8	67	14	28·4	24	11	6	5	2	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	333	390	169	212	216	208	252	239	223	295	253·7	417	365	18	13	16	5
	2. ENTHETIC „	..	3	1	2	2	7	6	4	7	3	3·5	6	5	..	1	..	..
	3. DIETIC „	9	13	11	9	5	14	17	16	18	16	12·8	17	11	3	3	..	..
	4. PARASITIC „	8	3	..	3	2	6	5	5	3	4	3·9	5	5	..	..	..	..
II.	1. DIATHETIC „	38	33	29	41	42	44	36	35	39	32	36·9	41	3	1	13	23	1
	2. TUBERCULAR „	216	173	168	202	221	190	177	190	189	172	189·8	201	91	68	32	9	1
III.	1. DISEASES OF NERVOUS SYSTEM	93	110	106	129	129	91	124	102	112	102	109·8	113	50	14	22	24	3
	2. „ OF ORGANS OF CIRCULATION	28	38	38	33	49	30	35	36	42	46	37·5	37	3	7	12	14	1
	3. „ OF RESPIRATORY ORGANS	76	87	70	114	122	84	126	108	105	94	98·6	93	52	6	15	17	3
	4. „ OF DIGESTIVE ORGANS	59	58	47	57	48	55	50	44	36	50	50·4	46	12	6	12	14	2
	5. „ OF URINARY ORGANS	11	7	8	10	9	10	18	9	12	13	10·7	18	1	3	7	6	1
	6. „ OF ORGANS OF GENERATION	2	7	2	2	3	5	4	5	2	2	3·4	3	..	..	..	3	..
	7. „ OF ORGANS OF LOCOMOTION	..	1	3	4	1	4	2	2	4	2	2·3	4	..	1	1	2	..
	8. „ OF INTEGUMENTARY SYSTEM	3	2	3	4	2	5	6	9	9	8	5·1	5	2	..	..	2	1
IV.	1. DEV. DISEASES OF CHILDREN	30	28	42	38	55	52	40	42	44	45	41·6	36	36	..	..	..	..
	2. „ OF ADULTS	3	4	6	1	8	5	4	4	7	3	4·5	7	1	4	2	..	..
	3. „ OF OLD PEOPLE	25	32	30	40	61	36	19	35	29	34	34·1	43	..	..	..	25	18
	4. DISEASES OF NUTRITION	22	26	25	23	27	29	40	23	37	44	29·6	58	50	..	2	6	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											19	11	3	3	2	..
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												5	..	3	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	6	31	20	56	40	27	15	8	67	14	28·4	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	17	7	16	2	4	7	2	23	4	8·3	6	2	..	3	1	..
	CAUSES NOT SPECIFIED	7	7	9	7	36	19	1	8	19	5	11·8	11†	3	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.
† An average of 8 is inserted for St. Mary (St. George-in-the-East) instead of 2, the true number.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 8 1848	July 7 1849	July 6 1850	July 5 1851	July 10 1852	July 9 1853	July 8 1854	July 7 1855	July 5 1856	July 11 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 10, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	63°·0	62°·7	59°·6	62°·9	70°·9	64°·1	56°·9	62°·9	59°·2	59°·6	62°·2	55°·9					
I.	ORDER 1.																	
	1. Small-pox	35	3	6	16	24	6	8	22	8	7	13·5	4	4	..	..	..	..
	2. Measles	15	20	17	29	12	24	27	11	28	15	19·8	71	71	..	..	..	..
	3. Scarlatina	100	43	20	22	59	25	55	56	27	20	42·7	64	61	2	1	..	..
	4. Quinsy	1	..	3	3	..	4	2	..	..	3	1·6	1	1	..	..	..	..
	5. Croup	3	5	4	5	6	7	9	3	14	9	6·5	17	17	..	..	..	..
	6. Whooping-cough	25	47	23	38	25	44	39	34	48	40	36·3	63	63	..	..	..	..
	7. Typhus (and Infantile fever)	66	47	36	46	38	43	44	55	38	41	45·4	43	19	12	5	6	1
	8. Erysipelas	7	8	5	11	3	7	13	6	7	6	7·3	2	..	..	1	..	1
	9. Metria	4	..	2	1	5	2	5	1	5	2	2·7	1	..	1	..	..	..
	10. Carbuncle	..	..	..	..	1	2	2	1	..	..	·6	1	..	..	..	1	..
	11. Influenza	1	2	..	1	..	1	..	..	..	..	·5	..	..	..	..	..	..
	12. Dysentery	5	8	4	4	4	5	3	3	4	5	4·5	1	..	..	1	..	..
	13. Diarrhœa	57	46	40	23	31	34	32	28	29	133	45·3	129	119	..	2	6	2
	14. Cholera	7	152	1	5	..	..	1	6	1	9	18·2	13	10	..	1	1	1
	15. Ague	..	..	..	..	..	1	..	1	1	..	·3	1	..	1	..	..	..
	16. Remittent fever	2	2	..	4	4	3	5	3	3	..	2·6	..	..	..	..	..	..
	17. Rheumatism	5	7	8	4	4	..	7	9	10	5	5·9	6	..	2	2	2	..
	ORDER 2.																	
	1. Syphilis	..	2	..	1	..	3	5	3	7	2	2·3	5	5	..	..	..	..
	2. Stricture of Urethra	..	1	1	1	2	4	..	1	..	1	1·1	1	..	..	1	..	..
	3. Hydrophobia	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	..	1	..	..	..	..	..	1	..	·3	..	..	..	..	..	..
	2. Want of Breast-milk	6	6	2	2	1	6	8	9	9	14	6·3	10	10	..	..	..	..
	3. Purpura and Scurvy	1	1	..	2	1	..	..	..	2	..	·7	1	1	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	5	6	3	2	4	7	7	6	..	4·1	5	..	3	2	..	..
	4. Alcoholism { *b* Intemperance	..	1	2	2	1	4	2	..	..	2	1·4	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	8	3	..	3	2	6	5	5	3	4	3·9	5	5	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	1	2	1	1	1	..	..	..	1	·9	..	..	..	..	..	..
	2. Dropsy	10	11	13	17	11	19	13	9	12	11	12·6	15	1	..	2	12	..
	3. Cancer	20	16	12	18	26	22	19	22	24	16	19·5	20	..	1	11	8	..
	4. Noma	..	2	..	2	..	..	1	..	..	2	·7	..	..	..	..	..	..
	5. Mortification	6	3	2	3	4	2	3	4	3	2	3·2	6	2	..	..	3	1
	ORDER 2.																	
	1. Scrofula	11	6	6	9	8	9	15	6	10	10	9·0	15	10	2	2	1	..
	2. Tabes Mesenterica	18	14	16	15	21	17	21	12	14	19	16·7	26	25	1	..	..	..
	3. Phthisis	152	126	121	142	145	138	111	142	145	119	134·1	127	23	65	30	8	1
	4. Hydrocephalus	35	27	25	36	47	26	30	30	20	24	30·0	33	33	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	7	17	12	10	9	11	22	10	15	11	12·4	5	3	2	..	..	..
	2. Apoplexy	15	16	20	33	37	22	16	20	26	21	22·6	25	4	3	8	9	1
	3. Paralysis	16	18	19	24	23	20	27	19	20	15	20·1	18	..	3	4	10	1
	4. Insanity	1	2	1	2	2	2	3	2	1	2	1·8	3	..	1	2	..	..
	5. Chorea	..	..	1	..	..	..	..	..	1	..	·2	..	..	..	..	..	..
	6. Epilepsy	7	6	5	8	8	5	9	10	13	3	7·4	6	..	2	2	2	..
	7. Convulsions	40	41	38	34	40	23	32	31	25	32	33·6	39	39	..	..	..	..
	8. *Brain Disease, &c.*	7	10	10	18	10	8	15	10	11	18	11·7	17	4	3	6	3	1
	ORDER 2.																	
	1. Pericarditis	4	1	2	..	..	3	2	2	..	2	1·6	1	..	..	..	1	..
	2. Aneurism	..	3	2	1	1	1	3	3	3	1	1·8	..	..	..	..	..	..
	3. *Heart Disease, &c.*	24	34	34	32	48	26	30	31	39	43	34·1	36	3	7	12	13	1
	ORDER 3.																	
	1. Laryngitis	2	3	3	4	4	2	2	7	6	6	3·9	4	4	..	..	..	..
	2. Bronchitis	35	35	31	36	50	34	50	39	45	51	40·6	42	20	3	7	9	3
	3. Pleurisy	2	3	1	2	2	1	4	5	..	2	2·2	1	..	..	1	..	..
	4. Pneumonia	27	38	28	54	48	41	61	49	46	28	42·0	37	26	3	5	3	..
	5. Asthma	3	4	5	11	7	4	4	3	3	3	4·7	4	..	..	1	3	..
	6. *Lung Disease, &c.*	7	4	2	7	11	2	5	5	5	4	5·2	5	2	..	1	2	..
	ORDER 4.																	
	1. Gastritis	3	2	5	1	..	..	..	3	3	1	1·8	3	1	..	..	2	..
	2. Enteritis	14	11	4	12	7	16	8	6	3	5	8·6	3	3	..	..	..	..
	3. Peritonitis	7	3	7	3	2	1	2	3	4	7	3·9	4	3	1	..	..	..
	4. Ascites	1	1	3	..	3	1	2	2	2	1	1·6	2	..	2	..	..	..
	5. Ulceration of Intestines	1	3	..	3	4	..	3	3	2	6	2·5	4	1	..	2	1	..
	6. Hernia	2	3	4	3	2	2	4	2	4	2	2·8	1	..	..	..	1	..
	7. Ileus	2	8	1	..	2	4	7	3	3	2	3·2	2	..	..	..	1	1
	8. Intussusception	1	1	1	2	1	..	1	1	..	1	·9	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTY-SEVENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 8 1848	July 7 1849	July 6 1850	July 5 1851	July 10 1852	July 9 1853	July 8 1854	July 7 1855	July 5 1856	July 11 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 10, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	63°·0	62°·7	59°·6	62°·9	70°·9	64°·1	56°·9	62°·9	59°·2	59°·6	62°·2	55°·9					
	9. Stricture of Intestines	1	..	..	..	..	2	1	..	..	..	·4	..	..	..	..	..	..
	10. Fistula	..	1	..	1	..	..	2	..	..	1	·5	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	3	2	3	9	8	7	5	8	3	4	5·2	5	3	1	1	..	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	7	3	2	5	6	2	1	2	2	4	3·4	4	..	..	..	3	1
	14. Jaundice	4	7	6	1	1	2	8	5	2	3	3·9	2	1	..	..	1	..
	15. *Liver Disease, &c.*	13	13	11	17	12	18	6	6	7	13	11·6	16	..	2	9	5	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	2	..	1	..	..	1	1	1	1	..	·7	..	..	..	..	..	..
	2. Ischuria	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	2	3	..	1	2	2	4	3	4	3	2·4	6	..	1	3	2	..
	4. Diabetes	1	..	1	3	..	..	2	..	..	..	·7	1	..	..	..	1	..
	5. Stone	2	..	1	..	..	..	..	1	1	..	·5	..	..	..	..	..	..
	6. Cystitis	..	..	..	..	2	1	2	..	1	1	·7	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	3	4	5	6	5	6	9	4	5	9	5·6	11	1	2	4	3	1
	ORDER 6.																	
	1. Ovarian Dropsy	1	..	..	..	..	..	1	2	..	2	·6	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	1	7	2	2	3	5	3	3	2	..	2·8	3	..	..	..	3	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. *Joint Disease, &c.*	..	1	3	4	1	4	2	2	4	2	2·3	4	..	1	1	2	..
	ORDER 8.																	
	1. Phlegmon	2	1	2	1	1	5	4	5	5	5	3·1	1	1	..	..	..	..
	2. Ulcer	..	..	1	1	..	..	2	2	4	2	1·2	2	..	..	..	2	..
	3. *Skin Disease, &c.*	1	1	..	2	1	..	..	2	..	1	·8	2	1	..	..	..	1
IV.	ORDER 1.																	
	1. Premature Birth	17	16	32	27	24	35	26	22	34	32	26·5	24	24	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	3	1	3	2	5	4	2	6	5	3	3·4	..	..	..	..	..	..
	5. Teething	10	11	7	9	26	13	12	14	5	10	11·7	11	11	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	2	..	..	..	..	..	·2	1	1	..	..	..	..
	2. Childbirth (*see* Metria)	3	4	6	1	6	5	4	4	7	3	4·3	6	..	4	2	..	..
	ORDER 3.																	
	1. Old Age	25	32	30	40	61	36	19	35	29	34	34·1	43	..	..	..	25	18
	ORDER 4.																	
	1. Atrophy and Debility	22	26	25	23	27	29	40	23	37	44	29·6	58	50	..	2	6	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	9	4	..	3	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	1	2	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	5	5	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	2	..	..	2	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	6	31	20	56	40	27	15	8	67	14	28·4	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	1	17	7	16	2	4	7	2	23	4	8·3	6	2	..	3	1	..
	Causes not specified or ill-defined	7	7	9	7	36	19	1	8	19	5	11·8	11†	3	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† See Note, page 215.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 10th July 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	4	71	64	63	129	43
No.*							
1-6 WEST DISTRICTS - -	376427	1	9	9	5	31	7
7-11 NORTH DISTRICTS - -	490396	2	15	9	16	33	10
12-19 CENTRAL DISTRICTS -	393256	-	5	3	7	18	9
20-25 EAST DISTRICTS - -	485522	-	16	18	18	28	6
26-36 SOUTH DISTRICTS - -	616635	1	26	25	17	19	11
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	1	-	-	-	-
2 St. John Paddington H -	29053	-	1	-	-	2	2
3 Kensington Town *W* L -	29183	-	-	1	-	-	-
4 Brompton HH - -	14870	-	-	-	-	2	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	2	2	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	2	-
2; 1 Chelsea South H - -	19050	-	2	-	-	3	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	1	-
3 Chelsea North-east L -	19819	-	-	2	-	2	1
3; 1 Hanover Square - -	20216	-	-	-	1	-	-
2 May Fair *W* - - -	12980	-	-	-	-	1	1
3 Belgrave H - - -	40034	1	1	1	1	5	1
4; 1 St. John Westmr. HHHP	34295	-	2	1	1	9	1
2 St. Margaret West. *W* HP	31314	-	2	3	-	1	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	1	-	-	-
6; 1 Berwick Street - -	10798	-	-	-	-	1	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	-	-	2	1
2 Cavendish-square - -	14687	-	-	1	1	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	3	3	1
4 St. Mary Marylebone H	22814	-	-	-	1	1	-
5 Christchurch Marylebone	33895	-	-	-	2	2	-
6 St. John Marylebone -	29826	-	1	1	-	5	1
8; 1 Hampstead *W* - -	11986	-	-	1	-	-	-
9; 1 Regent's Park Pancras -	31918	-	1	-	-	2	1
2 Tottenham-court *w* H -	28433	-	-	1	1	3	-
3 Gray's Inn Lane H -	26523	-	-	1	-	1	1
4 Somers Town - - -	35641	-	2	1	-	3	-
5 Camden Town *W* - -	21115	-	3	-	1	-	2
6 Kentish Town - -	23326	-	-	1	2	1	-
10; 1 Islington West† *W* HHHPP	47881	2	1	1	-	5	1
2 Islington East - -	47448	-	4	1	3	3	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford Hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	2	1	1
4 Hackney *W* H*w* - -	20850	-	2	-	-	1	1
5 South Hackney L - -	8458	-	-	-	2	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	1
2 St. Giles South *W* H -	19951	-	1	-	1	-	1
3 St. Giles North - -	17456	-	-	-	-	-	2
13; 1 St. Anne Soho - -	17335	-	-	-	-	1	-
2 St. Mary-le-Strand -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	-	-	1	-
14; 1 St. George-the-Martyr H.	18813	-	1	1	-	1	-
2 St. Andrew, East. Holb. *W*	13971	-	-	-	-	2	-
3 Saffron Hill - - -	13837	-	1	-	1	1	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	-	-
2 Amwell Clerkenwell P -	15720	-	1	-	1	2	-
3 Pentonville - - -	11904	-	-	-	-	1	-
4 Goswell-street - - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	-	1	1
2 City-road HL - -	16840	-	-	-	1	3	2
3 Whitecross-street - -	13657	-	-	-	-	1	1
4 Finsbury - - - -	12941	-	-	-	1	1	-
17; 1 St. Botolph East London	23824	-	1	-	1	1	-
2 Cripplegate P - -	20582	-	-	2	-	-	-
18; 1 West London North *W* HP	12946	-	-	-	-	-	1
2 West London South P -	15882	-	-	-	-	2	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South - -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	1	-	-
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	-	-	1	-	-
2 St. Leonard Shoreditch L	19449	-	-	1	-	1	-
3 Hoxton New Town *w* -	23505	-	4	-	-	4	1
4 Hoxton Old Town - -	17431	-	1	2	1	3	-
5 Haggerstone West *W* -	20276	-	-	1	1	-	2
6 Haggerstone East - -	11351	-	-	-	1	-	-
21; 1 Hackney-road - - -	23910	-	-	1	2	4	-
2 Green, Bethnal Green *W* HL	23555	-	-	1	-	1	-
3 Church, Bethnal Green -	21787	-	1	1	-	-	-
4 Town, Bethnal Green -	20941	-	-	2	-	-	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	1	1
2 Spitalfields - - -	15336	-	4	-	-	1	-
3 Mile End New Town *W*	14543	-	-	-	1	3	-
4 Whitechapel North *W* -	12530	-	-	-	1	2	-
5 Whitechapel Church H -	7818	-	-	-	1	1	-
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	-	-	1	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	1	-
24*a*; 1 Shadwell *W* - - -	16179	-	3	-	-	1	-
2 Ratcliff *W* - - -	15212	-	-	1	2	1	-
3 Limehouse *W* - -	22782	-	-	2	2	-	1
24*b*; 1 Mile End Old Town, Westn.	29582	-	1	-	-	-	-
2 Mile End Old T., East. *Ww* H	27020	-	-	2	2	2	-
25; 1 Bow *w* LH - - -	18778	-	2	3	1	1	-
2 Poplar *W* - - -	28384	-	-	1	1	1	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	2	3	-
2 St. Saviour Southwark HH	19709	-	5	2	-	1	-
27; 1 St. Olave Southwark HH	8015	-	2	-	-	-	1
2 St. John Horsleydown *W*	11360	-	1	1	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	-	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3 Leather Market - -	15295	1	3	1	1	3	-
29; 1 Kent-road - - -	18126	-	-	-	2	1	2
2 Borough-road *W* P -	15862	-	1	-	-	1	-
3 London-road LP - -	17836	-	1	-	-	-	1
30; 1 Trinity Newington P -	20922	-	-	1	-	2	-
2 St. Peter Walworth *W* -	29861	-	2	1	1	1	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	-	-	-	1
2 Waterloo-road 2nd H -	18348	-	-	1	-	1	-
3 Lambeth Church 1st -	18409	-	1	-	2	-	-
4 Lambeth Church 2nd *W*	26784	-	5	1	2	-	1
5 Kennington 1st - -	24261	-	-	2	2	-	-
6 Kennington 2nd - -	18848	-	-	2	1	-	1
7 Brixton L - - -	14610	-	-	2	1	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	-	3	-
2 Battersea *W* - - -	10560	-	-	1	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL - -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	1	2	-	-	-
4 St. George Camberwell -	15849	-	-	2	1	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	2	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	2	-	1	1
2 St. Nicholas Deptford -	7071	-	1	1	-	1	-
3 Greenwich West H -	18800	-	1	-	-	1	2
4 Greenwich East *W* H -	16228	-	1	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	1	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	1	-	-
36; 1 Plumstead - - -	13191	-	1	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	1

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 10th July 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
June.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday .	4	..	29·958	73·0	48·7	24·3	58·4	46·4	93·4	46·4	65·7	64·2	12·0	26·3	6·0	— 3·1	64	N.	S.W.	3·0	0·0	0·3	110	0·01
Monday .	5	..	29·604	66·0	49·5	16·5	56·1	49·6	74·6	50·0	65·0	63·2	6·5	13·3	2·7	— 5·5	79	S.W.	N.W. & S.W.	1·5	0·0	0·3	60	0·12
Tuesday .	6	..	29·500	70·7	49·9	20·8	56·5	45·9	93·2	43·8	64·2	62·7	10·6	23·2	3·4	— 5·2	71	S.W.	Calm	1·0	0·0	0·0	20	0·00
Wednesday	7	..	29·516	66·9	47·3	19·6	54·2	47·6	80·2	39·0	64·2	62·7	6·6	19·8	4·4	— 7·6	80	Calm	S.W.	0·0	0·0	0·0	20	0·20
Thursday .	8	..	29·589	69·6	48·7	20·9	55·4	49·3	94·3	44·0	63·2	62·4	6·1	18·9	4·2	— 6·3	83	S.W.	N.E.	2·0	0·0	0·1	55	0·07
Friday .	9	Greatest Dec. N.	29·695	66·0	47·5	18·5	54·4	49·6	82·0	—	63·7	61·7	4·8	14·6	1·4	— 7·1	85	N.N.E.	N.E.	2·5	0·0	0·5	150	0·40
Saturday .	10	Perigee New.	29·707	70·6	48·5	22·1	56·2	52·7	83·0	48·0	62·2	60·5	3·5	12·6	2·2	— 5·3	91	N.N.W.	N.	4·0	0·0	0·8	125	0·57
Means . .		..	29·653	69·0	48·6	20·4	55·9	48·7	85·8	6 days. 45·2	64·0	62·5	7·2	18·4	3·5	— 5·7	79	S.W. & N.E.		..	..	..	Sum 540	Sum 1·37
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
July.			
Sunday . .	4	Till Monday afternoon the electrometer was under repair.	Partially cloudy till evening; generally overcast afterwards. Rain fell during the evening.
Monday. .	5	Weak positive at night.	Cloudy for the most part throughout the day. Rain fell early in the morning. A great gloom prevailed between 11h. A.M. and noon.
Tuesday .	6	Weak positive during the morning and at night. Negative, with variable tension, during the afternoon.	Cloudy for the most part throughout the day. Rain fell near noon.
Wednesday	7	Weak negative at noon. Positive, with variable tension at other times.	Overcast throughout the day. Thunder was heard at frequent intervals during the afternoon, and again between 9h. and 10h. P.M. Lightning was also seen frequently after 8h. 30m. P.M. Rain fell during the afternoon and evening in light showers.
Thursday .	8	Strong positive during the morning. Negative and strong during the afternoon; sparks and galvanic currents were shown. Weak positive at night.	Partially cloudy till near noon, overcast during the afternoon, and partially clear at night. Rain fell heavily during the afternoon, and thunder was heard.
Friday . .	9	No electricity was shown till after noon. Strong positive during the afternoon; sparks and galvanic currents were shown. Moderate negative at night.	Cloudy throughout the day. Rain fell from 1h. 30m. P.M. till the end of the day.
Saturday .	10	No electricity was shown at any examination.	Cloudy, with slight exceptions, throughout the day. Rain fell frequently, and during the afternoon it fell very heavily.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 30·07 in. at the beginning of the week to 29·59 in. by 9h. A.M. on the 5th; increased to 29·61 in. by 3h. P.M., decreased to 29·47 in. by 9h. P.M. on the 6th; increased to 29·74 in. by 9h. P.M. on the 9th; decreased to 29·64 in. by 9h. A.M. on the 10th; and increased to 29·79 in. by the end of the week.

DEATHS in LONDON from ALL CAUSES *Registered in the Thirteen Weeks forming the Second for the same Thirteen*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, July 1 1854	June 30 1855	June 28 1856	June 27 1857	In the Quarter ending Saturday, July 3, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 54°·7	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	51°·7	50°·5	52°·3	53°·8						
	ALL CAUSES . . .	15055	14997	14069	13252	14541‡	7060	1991	2074	2305	507
	SPECIFIED CAUSES .	14651	14655	13735	12978	14376	7568	1978	2045	2279	506
	(CLASSES.)										
I.	ZYMOTIC DISEASES .	3931	3203	3181	2614	3604	3041	213	178	147	25
II.	CONSTITUTIONAL „ .	3214	3418	3135	3059	3187	1163	995	705	289	35
III.	LOCAL „ .	5415	5765	5378	5250	5377	2204	621	1027	1371	154
IV.	DEVELOPMENTAL „ .	1667	1773	1580	1606	1715	945	57	24	404	285
V.	VIOLENT DEATHS . .	424	496	461	449	493	215	92	111	68	7
	(ORDERS.)										
I.	1. MIASMATIC DISEASES . .	3659	2939	2952	2393	3358	2874	187	145	128	24
	2. ENTHETIC „ . .	77	60	67	64	77	54	8	4	10	1
	3. DIETIC „ . .	155	176	135	136	140	84	18	29	9	..
	4. PARASITIC „ . .	40	28	27	21	29	29	..	..	..	..
II.	1. DIATHETIC „ . .	567	496	525	519	537	61	55	197	193	31
	2. TUBERCULAR „ . .	2647	2922	2610	2540	2650	1102	940	508	96	4
III.	1. DISEASES OF NERVOUS SYSTEM . .	1650	1610	1615	1456	1572	763	146	253	371	39
	2. „ OF ORGANS OF CIRCULATION .	538	606	603	588	554	46	123	151	216	18
	3. „ OF RESPIRATORY ORGANS . .	2271	2552	2217	2259	2226	1190	158	315	492	71
	4. „ OF DIGESTIVE ORGANS . . .	632	671	618	601	632	136	100	195	187	14
	5. „ OF URINARY ORGANS . . .	179	164	169	189	217	16	49	64	80	8
	6. „ OF ORGANS OF GENERATION .	43	50	48	58	60	..	24	26	7	3
	7. „ OF ORGANS OF LOCOMOTION .	47	58	41	44	56	25	12	14	5	..
	8. „ OF INTEGUMENTARY SYSTEM .	55	54	67	55	60	28	9	9	13	1
IV.	1. DEV. DISEASES OF CHILDREN	626	638	588	630	464	463	..	..	1	..
	2. „ OF ADULTS .	56	82	58	44	62	1	52	9	..	..
	3. „ OF OLD PEOPLE	533	565	516	532	598	..	..	..	313	285
	4. DISEASES OF NUTRITION .	452	488	418	400	591	481	5	15	90	..
V.	1. ACCIDENT OR NEGLIGENCE .	*	*	*	*	413	206	63	84	54	6
	†										
	3. HOMICIDE	*	*	*	*	10	6	4	..	..	..
	4. SUICIDE	*	*	*	*	69	3	24	27	14	1
	5. EXECUTION	*	*	*	*	1	..	1	..	..	..
	VIOLENT DEATHS NOT CLASSED	424	496	461	449	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	183	151	122	124	113	58	8	25	22	..
	CAUSES NOT SPECIFIED . .	221	191	212	150	52‡	34	5	4	4	1

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers,

† Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

‡ Average of 4 inserted for late return.

Quarter of each of the Five Years 1854 *to* 1858; *and also the Deaths in Five Periods of Life Weeks of* 1858.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, July 1 1854	June 30 1855	June 28 1856	June 27 1857	In the Quarter ending Saturday, July 3, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	51·7°	50·5°	52·3°	53·8°	54·7°					
I.	ORDER 1.										
	1. Small-pox	122	328	146	27	34	30	4	..	..	..
	2. Measles	476	182	415	374	679	676	3	..	..	..
	3. Scarlatina	747	589	412	241	588	560	22	5	1	..
	4. Quinsy	18	21	16	15	19	17	..	1	1	..
	5. Croup	114	121	157	95	130	129	..	1	..	..
	6. Whooping-cough	779	626	572	707	870	870	..	..	..	..
	7. Typhus (and Infantile fever)	711	518	752	451	406	222	72	56	53	3
	8. Erysipelas	115	100	85	65	69	26	9	23	11	..
	9. Metria	47	47	42	27	32	2	26	4	..	..
	10. Carbuncle	25	11	17	12	13	..	..	6	7	..
	11. Influenza	37	19	9	8	16	3	..	2	9	2
	12. Dysentery	26	24	32	27	33	10	6	10	5	2
	13. Diarrhœa	315	222	177	243	316	254	14	12	24	12
	14. Cholera	11	8	7	8	33	23	4	2	4	..
	15. Ague	5	5	3	6	14	6	2	4	2	..
	16. Remittent fever	31	30	29	19	26	23	..	..	..	..
	17. Rheumatism	80	88	81	68	80	20	25	19	11	5
	ORDER 2.										
	1. Syphilis	58	41	58	55	62	54	6	2	..	..
	2. Stricture of Urethra	17	19	9	9	15	..	2	2	10	1
	3. Hydrophobia	2	..	..	..	..	..	..	..	..	..
	4. Glanders	*	*	*	*	..	..	..	..	..	..
	ORDER 3.										
	1. Privation	3	11	4	2	1	..	..	..	1	..
	2. Want of Breast-milk	58	90	57	63	78	78	..	..	..	..
	3. Purpura and Scurvy	20	15	19	10	10	6	1	..	3	..
	4. Alcoholism { *a* Del. Tremens	50	38	35	30	33	..	16	16	1	..
	4. Alcoholism { *b* Intemperance	24	22	20	31	18	..	1	13	4	..
	ORDER 4.										
	1. Thrush	40	28	27	21	27	27	..	..	..	..
	2. Worms, &c.	*	*	*	*	2	2	..	..	..	..
II.	ORDER 1.										
	1. Gout	24	17	14	17	16	..	..	6	8	2
	2. Dropsy	228	193	191	157	198	44	15	58	66	15
	3. Cancer	262	239	275	282	269	4	36	130	96	3
	4 Noma	7	5	7	8	6	6	..	..	..	..
	5. Mortification	46	42	38	55	48	7	4	3	23	11
	ORDER 2.										
	1. Scrofula	126	132	110	103	105	83	12	10	..	..
	2. Tabes Mesenterica	268	223	203	196	190	188	2	..	..	..
	3. Phthisis	1867	2126	1906	1850	1909	387	924	498	96	4
	4. Hydrocephalus	386	441	391	391	446	444	2	..	..	..
III.	ORDER 1.										
	1. Cephalitis	144	158	132	149	159	119	23	14	3	..
	2. Apoplexy	342	347	344	327	303	51	31	78	128	15
	3. Paralysis	313	269	286	213	279	6	27	66	161	19
	4. Insanity	30	40	30	25	11	..	3	5	3	..
	5. Chorea	1	6	2	2	1	1	..	..	..	..
	6. Epilepsy	103	106	129	103	106	17	29	34	24	2
	7. Convulsions	540	481	499	448	501	493	..	1	2	..
	8. *Brain Disease, &c.*	177	203	193	189	212	71	33	55	50	3
	ORDER 2.										
	1. Pericarditis	30	33	31	27	22	4	9	3	6	..
	2. Aneurism	21	25	29	19	26	..	9	15	2	..
	3. *Heart Disease, &c.*	487	548	543	542	506	42	105	133	208	18
	ORDER 3.										
	1. Laryngitis	87	85	82	74	87	75	5	4	3	..
	2. Bronchitis	962	1175	1027	1131	1085	435	44	183	334	59
	3. Pleurisy	40	59	31	31	36	5	10	9	11	1
	4. Pneumonia	951	1012	897	854	850	657	74	67	42	10
	5. Asthma	130	126	104	100	85	..	8	26	50	1
	6. *Lung Disease, &c.*	101	95	76	69	83	18	17	26	22	..
	ORDER 4.										
	1. Gastritis	26	25	19	19	24	6	2	3	13	..
	2. Enteritis	75	60	64	67	60	31	9	7	12	1
	3. Peritonitis	44	57	49	45	58	15	19	14	10	..
	4. Ascites	31	48	50	34	31	4	6	10	9	2
	5. Ulceration of Intestines	31	31	24	31	37	10	4	9	14	..
	6. Hernia	30	40	34	39	30	3	5	7	14	1
	7. Ileus	28	34	33	28	47	12	5	14	13	3
	8. Intussusception	12	14	15	17	8	3	..	3	2	..

under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess" with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS in LONDON, from ALL CAUSES, *Registered in the Thirteen Weeks forming the Second Quarter of each of the Five Years* 1854 *to* 1858; *and also the Deaths in Five Periods of Life for the same Thirteen Weeks of* 1858—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, July 1 1854	June 30 1855	June 28 1856	June 27 1857	In the Quarter ending Saturday, July 3, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	51°·7	50°·5	52°·3	53°·8	54°·7					
	9. Stricture of Intestines	9	7	12	5	5	..	..	3	1	1
	10. Fistula	8	10	4	6	2	..	1	..	1	..
	11. *Stomach Disease, &c.*	70	81	70	74	82	21	9	20	29	3
	12. *Pancreas Disease, &c.*	2	..	1	1	1	..	..	..	1	..
	13. Hepatitis	58	61	46	46	43	2	11	19	10	1
	14. Jaundice	57	47	44	43	39	19	1	10	7	2
	15. *Liver Disease, &c.*	149	155	150	140	163	9	27	76	51	..
	16. *Spleen Disease, &c.*	2	1	3	6	2	1	1	..	..	..
	ORDER 5.										
	1. Nephritis	8	8	6	7	8	..	2	4	2	..
	2. Ischuria	2	6	1	5	1	..	..	1	..	..
	3. Nephria	45	48	50	68	72	5	18	32	17	..
	4. Diabetes	19	10	11	14	11	1	5	4	1	..
	5. Stone	10	8	6	12	9	3	1	2	2	1
	6. Cystitis	12	11	6	11	11	..	..	2	8	1
	7. *Kidney Disease, &c.*	83	73	89	72	105	7	23	19	50	6
	ORDER 6.										
	1. Ovarian Dropsy	9	9	9	15	14	..	4	9	1	..
	2. *Uterus Disease, &c.*	34	41	39	43	46	..	20	17	6	3
	ORDER 7.										
	1. Arthritis	1	4	3	5	2	2	..	..	..	..
	2. *Joint Disease, &c.*	46	54	38	39	54	23	12	14	5	..
	ORDER 8.										
	1. Phlegmon	28	39	45	32	39	15	8	7	9	..
	2. Ulcer	14	11	14	13	7	..	1	2	3	1
	3. *Skin Disease, &c.*	13	4	8	10	14	13	..	..	1	..
IV.	ORDER 1.										
	1. Premature Birth	404	397	366	387	217	217	..	..	..	..
	2. Cyanosis	*	*	*	*	18	17	..	..	1	..
	3. Spina Bifida	*	*	*	*	9	9	..	..	..	..
	4. Other Malformations	52	62	54	43	24	24	..	..	..	..
	5. Teething	170	179	168	200	196	196	..	..	..	..
	ORDER 2.										
	1. Paramenia	1	4	2	1	1	..	..	1	..	..
	2. Childbirth (*see* Metria)	55	78	56	43	61	1	52	8	..	..
	ORDER 3.										
	1. Old Age	533	565	516	532	598	..	..	..	313	285
	ORDER 4.										
	1. Atrophy and Debility	452	488	418	400	591	481	5	15	90	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)										
	1. Fractures and Contusions	*	*	*	*	188	64	29	56	36	3
	2. Wounds	*	*	*	*	13	1	6	4	2	..
	3. Burns and Scalds	*	*	*	*	62	45	6	6	3	2
	4. Poison	*	*	*	*	11	5	1	5	..	..
	5. Drowning	*	*	*	*	68	33	18	8	9	..
	6. Suffocation	*	*	*	*	65	56	2	5	2	..
	7. Otherwise	*	*	*	*	6	2	1	..	2	1
	ORDER 3. (HOMICIDE.)										
	1. Murder and Manslaughter	*	*	*	*	10	6	4	..	..	..
	ORDER 4. (SUICIDE.)										
	1. Wounds { Gunshot	*	*	*	*	3	..	1	..	2	..
	1. Wounds { Cut, Stab	*	*	*	*	14	..	4	6	4	..
	2. Poison	*	*	*	*	7	2	3	2	..	..
	3. Drowning	*	*	*	*	5	..	1	3	1	..
	4. Hanging	*	*	*	*	37	1	13	16	6	1
	5. Otherwise	*	*	*	*	3	..	2	..	1	..
	ORDER 5. (EXECUTION.)										
	1. Hanging	*	*	*	*	1	..	1	..	..	..
	Violent Deaths (not classed)	424	496	461	449	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	183	151	122	124	113	58	8	25	22	..
	Causes not specified or ill-defined	221	191	212	150	52‡	34	5	4	4	1

‡ Average of 4 inserted for late return.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the 13 Weeks ending Saturday, 3d July 1858.

No.	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	34	679	588	870	316	406
1-6	WEST DISTRICTS - -	376427	7	98	68	160	46	62
7-11	NORTH DISTRICTS -	490396	4	126	115	179	71	81
12-19	CENTRAL DISTRICTS -	393256	6	78	75	108	50	62
20-25	EAST DISTRICTS - -	485522	13	156	141	170	82	101
26-36	SOUTH DISTRICTS -	616635	4	221	189	253	67	100
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W*H	17252	-	8	1	4	1	4
2	St. John Paddington H -	29053	-	4	4	13	1	3
3	Kensington Town *W*L -	29183	-	10	7	19	3	12
4	Brompton HH - -	14870	-	1	1	14	1	3
5	St. Peter Hammersmith -	4467	-	-	-	-	1	1
6	St. Paul Hammersmith -	13293	-	6	-	10	1	1
7	Fulham *W*LLLL - -	11886	-	3	-	6	2	2
2; 1	Chelsea South H - -	19050	4	6	3	2	4	1
2	Chelsea North-west *Ww*	17669	-	4	5	8	5	3
3	Chelsea North-east L -	19819	-	8	1	10	3	2
3; 1	Hanover-square - -	20216	1	1	1	3	1	2
2	May Fair *W* - - -	12980	-	1	2	1	-	1
3	Belgrave H - - -	40034	1	14	10	27	7	14
4; 1	St. John Westmr. HHHP	34295	-	19	4	23	9	4
2	St. Margaret West. *W*HP	31314	1	8	20	7	6	6
5; 1	Charing Cross *W*H -	12587	-	1	1	1	-	1
2	Long Acre - - -	12053	-	-	2	2	1	2
6; 1	Berwick-street - -	10798	-	3	1	4	-	-
2	St. James's-square - -	11469	-	-	1	-	-	-
3	Golden-square *W* - -	14139	-	1	4	6	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	10	5	5	3	5
2	Cavendish-square - -	14687	-	7	2	1	1	2
3	Rectory Marylebone *W* -	27633	-	5	3	10	3	3
4	St. Mary Marylebone H -	22814	-	3	4	8	3	1
5	Christchurch Marylebone	33895	-	8	7	12	9	5
6	St. John Marylebone -	29826	-	1	4	7	9	1
8; 1	Hampstead *W* - -	11986	-	1	3	5	3	1
9; 1	Regent's Park Pancras -	31918	-	15	13	7	2	3
2	Tottenham-court *w*H -	28433	1	5	6	6	6	4
3	Gray's-inn-lane H -	26523	1	3	9	11	3	-
4	Somers-town - - -	35641	-	19	22	12	3	1
5	Camden-town *W* - -	21115	2	3	5	12	2	4
6	Kentish-town - - -	23326	-	1	5	11	1	7
10; 1	Islington West *W*HHHPP*	47881	-	11	8	26	6	17
2	Islington East *W* - -	47448	-	17	9	27	11	10
11; 1	Stoke Newington L -	4840	-	3	1	-	-	1
2	Stamford-hill - - -	5549	-	-	2	2	-	-
3	West Hackney L - -	18732	-	11	3	8	4	4
4	Hackney *W*H*w* - -	20850	-	1	2	6	2	9
5	South Hackney L - -	8458	-	2	2	3	-	3
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	1	1	4	2	2	2
2	St. Giles South *W*H -	19951	-	-	5	1	4	1
3	St. Giles North - -	17456	-	1	4	4	3	2
13; 1	St. Anne Soho - - -	17335	-	6	1	5	2	3
2	St. Mary-le-Strand - -	11615	-	-	-	-	-	1
3	St. Clement Danes H -	15472	-	1	1	1	1	4
14; 1	St. George-the-Martyr H	18813	-	6	16	1	2	4
2	St. Andrew East., Holb. *W*	13971	-	3	1	2	2	3
3	Saffron-hill - - -	13837	-	-	-	6	2	1
15; 1	St. James Clerkenwell *W*P	21529	-	5	1	7	2	3
2	Amwell Clerkenwell P -	15720	-	2	-	2	4	-
3	Pentonville - - -	11904	-	3	-	2	1	-
4	Goswell-street - - -	15625	-	-	-	4	-	5
16; 1	Old-street H - - -	10617	-	1	1	8	3	3
2	City-road HL - -	16840	-	3	6	4	1	1
3	Whitecross-street - -	13657	1	5	2	7	4	3
4	Finsbury - - - -	12941	2	5	8	4	2	1
17; 1	St. Botolph, East London	23824	-	12	-	8	4	4
2	Cripplegate P - -	20582	-	8	1	19	2	4
18; 1	West London North *W*HP	12946	1	13	21	6	6	8
2	West London South P -	15882	-	-	1	3	3	3
19; 1	London City South-west -	9204	1	1	-	-	1	2
2	London City North-west -	11847	-	-	-	5	1	1
3	London City South -	11461	-	-	1	2	-	-
4	London City South-east -	10594	-	2	-	1	-	1
5	London City North-east -	12826	-	-	1	4	-	2

No.	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	3	6	10	1	3
2	St. Leonard Shoreditch L	19449	-	3	7	6	6	6
3	Hoxton New Town *w* -	23505	-	8	10	4	4	3
4	Hoxton Old Town - -	17431	-	3	11	7	13	2
5	Haggerstone West *W* -	20276	1	7	10	6	4	13
6	Haggerstone East - -	11351	-	2	1	6	1	1
21; 1	Hackney Road - -	23910	3	7	5	8	4	2
2	Green, Bethnal Green *W*HL	23555	-	9	5	4	5	5
3	Church, Bethnal Green -	21787	3	7	3	9	5	5
4	Town, Bethnal Green -	20941	1	5	8	17	-	7
22; 1	Artillery Whitechapel -	6769	-	3	2	2	-	1
2	Spitalfields - - -	15336	-	9	-	6	1	5
3	Mile End New Town *W* -	14543	-	4	3	7	4	8
4	Whitechapel North *W* -	12530	-	3	2	3	4	5
5	Whitechapel Church H -	7818	-	3	1	3	2	1
6	Goodman's Fields - -	12069	-	10	3	4	1	-
7	Aldgate H - - -	10694	1	5	-	2	2	-
23; 1	St. Mary, St. Geo. East -	18067	-	6	3	4	3	3
2	St. Paul, St. Geo. East -	20319	1	2	1	8	-	-
3	St. John, St. Geo. East *W*	9990	-	14	-	7	3	-
24*a*; 1	Shadwell *W* - - -	16179	-	6	3	3	4	1
2	Ratcliff *W* - - -	15212	-	5	2	8	3	3
3	Limehouse *W* - -	22782	-	5	6	9	4	5
24*b*; 1	Mile End Old Town, West -	29582	-	3	7	11	5	5
2	Mile End Old T., East *Ww*H	27020	-	6	17	11	2	4
25; 1	Bow *w*LH - - -	18778	2	15	14	1	1	7
2	Poplar *W* - - -	28384	1	3	11	4	-	6
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	6	5	5	2	3
2	St. Saviour Southwark HH	19709	-	4	4	3	-	1
27; 1	St. Olave Southwark HH	8015	-	5	-	-	-	2
2	St. John Horsleydown *W*	11360	-	8	2	7	-	3
28; 1	St. James Bermondsey -	18899	-	24	5	18	2	5
2	St. Mary Magdalen *W* -	13934	-	13	5	9	3	2
3	Leather Market - -	15295	-	21	7	11	2	2
29; 1	Kent Road - - -	18126	1	13	4	12	2	2
2	Borough Road *W*P -	15862	-	8	3	6	3	-
3	London Road LP - -	17836	-	3	2	5	2	1
30; 1	Trinity Newington P -	20922	-	8	5	16	1	-
2	St. Peter Walworth *W* -	29861	1	6	16	20	2	5
3	St. Mary Newington -	14033	-	-	1	1	2	1
31; 1	Waterloo Road 1st - -	14088	-	5	5	5	3	1
2	Waterloo Road 2nd H -	18348	-	1	4	15	3	2
3	Lambeth Church 1st -	18409	-	3	8	5	3	7
4	Lambeth Church 2nd *W*	26784	-	14	14	24	6	5
5	Kennington 1st - -	24261	1	3	8	6	1	3
6	Kennington 2nd - -	18848	-	1	14	2	2	3
7	Brixton L - - -	14610	-	5	8	3	1	1
8	Norwood *W* - - -	3977	-	8	-	1	-	2
32; 1	Clapham L - - -	16290	1	2	6	7	1	2
2	Battersea *W* - - -	10560	-	2	1	4	8	1
3	Wandsworth PL - -	9611	-	-	-	-	-	2
4	Putney - - - -	5280	-	1	1	-	-	1
5	Streatham - - -	9023	-	2	1	1	-	1
33; 1	Dulwich - - - -	1632	-	-	1	1	-	-
2	Camberwell *W*LL -	17742	-	1	4	4	2	2
3	Peckham - - -	19444	-	1	9	3	-	2
4	St. George Camberwell -	15849	-	1	8	5	1	2
34; 1	Rotherhithe *W* - -	17805	-	5	13	6	-	3
35; 1	St. Paul Deptford - -	24899	-	4	2	8	2	2
2	St. Nicholas Deptford -	7071	-	2	-	2	1	1
3	Greenwich West H -	18800	-	27	6	7	-	9
4	Greenwich East *W*H -	16228	-	1	2	2	4	5
5	Woolwich Dockyard HP	17140	-	3	3	4	3	6
6	Woolwich Arsenal HPH	15227	-	3	2	8	2	1
36; 1	Plumstead - - -	13191	-	5	6	4	1	5
2	Eltham - - - -	2568	-	-	1	-	-	-
3	Lee - - - -	8478	-	-	-	6	2	2
4	Lewisham Village *W* -	6097	-	-	1	7	-	1
5	Sydenham - - -	4501	-	2	2	-	-	1

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Han. Sq. in 2; 2. Chelsea North-west sub-district.
The Strand - - 9; 2. Tottenham-court sub-district.
East London - - 11; 4. Hackney sub-district.
St. Luke, Middlesex - 20; 3. Hoxton New Town sub-district.
London City - { 24*b*; 2. Mile End Old Town Eastern sub-district. 25; 1. Bow sub-district.

* Islington West contains the Small-pox and Fever Hospitals.

LONDON.—DEATHS in 117 PUBLIC INSTITUTIONS, registered in the 13 Weeks ending Saturday 3d July 1858.

—	DEATHS. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS	2326	1385	941
45 WORKHOUSES	1227	649	578
14 PRISONS	20	16	4
4 MILITARY AND NAVAL ASYLUMS	86	86	–
15 GENERAL HOSPITALS	758	474	284
7 HOSPITALS FOR SPECIAL DISEASES	59	37	22
4 LYING-IN HOSPITALS – Women	2	–	2
4 LYING-IN HOSPITALS – Children	3	2	1
7 MILITARY AND NAVAL HOSPITALS	68	68	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS	11	8	3
19 LUNATIC ASYLUMS	92	45	47

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
WORKHOUSES.				
	No.			
Paddington	1; 1. St. Mary Paddington	13	6	7
Kensington	1; 3. Kensington Town	22	18	4
Fulham	1; 7. Fulham	24	13	11
Chelsea	2; 2. Chelsea North-west	28	18	10
St. George Hanover Square	2; 2. *Chelsea North-west*	6	2	4
St. George Hanover Square	3; 2. May Fair	14	11	3
Westminster	4; 2. St. Margaret Westminster	42	22	20
St. Martin-in-the-Fields	5; 1. Charing Cross	13	6	7
St. James Westminster	6; 3. Golden Square	28	14	14
Marylebone	7; 3. Rectory, Marylebone	95	43	52
Hampstead	8; 1. Hampstead	3	1	2
Strand	9; 2. *Tottenham Court*	26	14	12
Pancras	9; 5. Camden Town	95	54	41
Islington	10; 1. Islington West	27	11	16
Islington (*for children*)	10; 2. Islington East	1	–	1
Hackney	11; 4. Hackney	15	3	12
East London	11; 4. *Hackney*	28	14	14
St. Giles	12; 2. St. Giles South	36	16	20
Holborn	14; 2. St. Andrew Eastern	27	12	15
Clerkenwell	15; 1. St. James Clerkenwell	33	18	15
West London	18; 1. West London North	24	13	11
Shoreditch	20; 5. Haggerstone West	55	31	24
St. Luke	20; 3. *Hoxton New Town*	32	18	14
Bethnal Green	21; 2. The Green	65	39	26
Whitechapel	22; 3. Mile End New Town	32	26	6
Whitechapel	22; 4. Whitechapel North	24	6	18
St. George-in-the-East	23; 3. St. John	38	20	18
Stepney	24*a*; 1. Shadwell	8	–	8
Stepney	24*a*; 2. Ratcliff	12	12	–
Stepney	24*a*; 3. Limehouse	3	3	–
Mile End Old Town	24*b*; 2. Eastern	7	3	4
London City	24*b*; 2. *Mile End Old Town Eastern*	8	–	8
	25; 1. *Bow*	21	13	8
Poplar	25; 2. Poplar	14	11	3
St. Saviour	26; 1. Christchurch	23	13	10
St. Olave	27; 2. St. John Horsleydn.	18	14	4
Bermondsey	28; 2. St. Mary Magdalen	27	14	13
St. George Southwark	29; 2. Borough Road	28	12	16
Newington	30; 2. St. Peter Walworth	26	14	12
Lambeth	31; 4. Lambeth Church 2d	70	34	36
Lambeth (*for children*)	31; 8. Norwood	10	3	7
Wandsworth	32; 2. Battersea	20	13	7
Camberwell	33; 2. Camberwell	21	11	10
Rotherhithe	34; 1. Rotherhithe	12	8	4
Greenwich	35; 4. East Greenwich	42	14	28
Lewisham	36; 4. Lewisham Village	11	8	3
PRISONS.*				
Westminster House of Correction, Tothill-fields.	4; 2. St. Margaret Westminster	3	1	2
Millbank Prison	4; 1. St. John Westmr.	3	3	–
Pentonville Prison	10; 1. Islington West	–	–	–
City Prison, Holloway	10; 1. Islington West	4	3	1
Middlesex House of Detention.	15; 1. St. James Clerkenwell	1	1	–
Middlesex House of Correction, Coldbath-fields.	15; 2. Amwell Clerkenwell	3	3	–
Whitecross Street Prison	17; 2. Cripplegate	–	–	–
Newgate	18; 1. West London North	1	1	–
Bridewell	18; 2. West London South	–	–	–
Queen's Bench Prison	29; 2. Borough Road	–	–	–
House of Occupations	29; 3. London Road	–	–	–
Surrey County Gaol, Horsemonger-lane.	30; 1. Trinity Newington	5	4	1
Surrey House of Correction	32; 3. Wandsworth	–	–	–
Convict Hulks – Hospital Ship, Unité	35; 5 & 6. Woolwich Dockyard; & Arsenal	–	–	–

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
HOSPITALS, &c.				
Military and Naval Asylums. †	No.			
Royal Hospital Greenwich, *In-Pensioners.*	35; 4. East Greenwich	69	69	–
Naval School, Royal Hospital, Greenwich, *Boys.*	35; 4. East Greenwich	1	1	–
Royal Hospital Chelsea, *In-Pensioners.*	2; 1. Chelsea South	15	15	–
Royal Military Asylum, Chelsea, *Boys.*	2; 1. Chelsea South	1	1	–
General Hospitals.				
St. Mary's	1; 2. St. John Paddington	42	25	17
St. George's	3; 3. Belgrave	92	55	37
Westminster	4; 2. St. Margaret Westminster	28	18	10
Charing Cross	5; 1. Charing Cross	14	8	6
Middlesex	7; 1. All Souls Marylebone	59	31	28
University College	9; 2. Tottenham Court	33	26	7
Royal Free Hospital	9; 3. Gray's-inn Lane	21	11	10
Great Northern	10; 1. Islington West	3	3	–
King's College	13; 3. St. Clement Danes	36	22	14
Hospital for Sick Children	14; 1. St. George the Martyr Holborn	15	7	8
St. Bartholomew's	18; 1. West London, North	145	86	59
London	22; 5. Whitechapel Church	71	48	23
Poplar	25; 1. Bow	7	7	–
Guy's	26; 2. St. Saviour	2	1	1
	27; 1. St. Olave	108	79	29
St. Thomas's	26; 2. St. Saviour	27	–	27
	27; 1. St. Olave	55	47	8
Hospitals for Special Diseases.				
Cancer	1; 4. Brompton	5	3	2
Small-pox	10; 1. Islington West	1	1	–
London Fever	10; 1. Islington West	25	14	11
St. Mark's	16; 1. Old Street	2	2	–
Lock	1; 1. St. Mary Paddington	1	–	1
Consumption	1; 4. Brompton	21	15	6
City of London, for Diseases of Chest.	21; 2. The Green, Bethnal Green	4	2	2
Lying-in Hospitals.				
Queen Charlotte's	7; 4. St. Mary Marylebone – Women	1	–	1
	Children	2	1	1
British	12; 2. St. Giles South – Women	–	–	–
	Children	–	–	–
City of London	16; 2. City Road – Women	–	–	–
	Children	1	1	–
Hospital, York Road	31; 2. Waterloo, 2d Part – Women	1	–	1
	Children	–	–	–
Military and Naval Hospitals.				
Grenadier Guards Hospital.	4; 1. St. John Westminster	6	6	–
Coldstream Guards Hospital.	4; 1. St. John Westminster	1	1	–
Scots Fusileer Guards Hospital.	4; 1. St. John Westminster	3	3	–
Tower	22; 7. Aldgate	2	2	–
Royal Marine Infirmary	35; 5. Woolwich Dockyard	–	–	–
Royal Artillery Hospital	35; 6. Woolwich Arsenal	19	19	–
Dreadnought Ship for Seamen.	35; 3. Greenwich West	37	37	–
Hospitals and Asylums for Foreigners.				
German Hospital	11; 4. Hackney	11	8	3
Portuguese Jews Hospital	24*b*; 2. Mile End Old Town Eastern	–	–	–
Lunatic Asylums.				
Kensington House	1; 3. Kensington Town	–	–	–
Normand House	1; 7. Fulham	–	–	–
Munster House	1; 7. Fulham	3	3	–
Otto House	1; 7. Fulham	–	–	–
Sussex and Brandenburgh House.	1; 7. Fulham	–	–	–
Blacklands House	2; 3. Chelsea North-east	1	1	–
Northumberland House	11; 1. Stoke Newington	–	–	–
Whitmore House	11; 3. West Hackney	–	–	–
Pembroke House	11; 5. South Hackney	–	–	–
St. Luke	16; 2. City Road	4	2	2
Hoxton House ‡	20; 2. St. Leonard	7	3	4
Bethnal House ‡	21; 2. Bethnal Green	14	4	10
Grove Hall ‡	25; 1. Bow	8	5	3
Bethlehem	29; 3. London Road	3	2	1
Effra Hall	31; 7. Brixton	–	–	–
Retreat	32; 1. Clapham	–	–	–
Surrey County ‡	32; 3. Wandsworth	24	11	13
Peckham House ‡	33; 2. Camberwell	14	6	8
Camberwell House ‡	33; 2. Camberwell	14	8	6

* The deaths of infant children of prisoners are not included.
† The deaths of *out-pensioners* of Greenwich and Chelsea Hospitals are not included. ‡ Asylums in which paupers are received.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, July 17. [No. 28.

General Register Office, Somerset House,
July 19th, 1858.

The deaths in London in the week ending July 17th were 1173. The tendency of the mortality to increase, caused by the heat, appears to have been temporarily checked by the fall of the temperature, together with the timely rains. The mean temperature of the air was in the four weeks ending June 26th, 66°; in the two subsequent weeks it fell to 57°; and last week it rose again to 66°.

In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 976; but as the deaths now returned occurred in a population which has annually increased, they can only be compared with the average after it has been raised in proportion to the increase, a correction which will make it 1073. From the comparison it appears that a hundred deaths were placed on the registers last week, above the number which would have been registered if the mortality had not exceeded the average for the second week of July.

According to the "healthy rate" of mortality, as obtained from those districts in England where men live under the least unfavourable conditions, the deaths in London would be 799; and the excess over this standard, which is shown by the number actually returned, is 374.

The deaths from the zymotic class of diseases, which were in the previous week 445, declined last week to 403. Amongst these the disease most fatal at the present time is diarrhœa, the deaths from which in the two weeks were 129 and 126; those from cholera decreased from 13 to 4; and 3 of these 4 occurred to children, and were caused by summer cholera; the fourth case was that of a young woman who died at Woolwich after three days' illness. All of the 126 cases of diarrhœa occurred amongst infants, with the exception of nine. This complaint was prevalent, apparently, in two of the North Districts, Marylebone and St. Pancras, especially the former. Measles and scarlatina were most fatal in the East Districts and in those on the South side of the river. The deaths from scarlatina were 73, or double the average number. Three deaths from diphtheria are returned by the Registrar of St. George Holborn, who mentions with regard to one case in Lamb's Conduit-street, that it is the second death in the family from diphtheria within a fortnight; and with regard to another in Old North-street, that three members of the family where it occurred are now suffering from the same complaint.

Four widows died last week at the following advanced ages: 90, 94, 95, and 96 years.

Last week the births of 788 boys and 796 girls, in all 1584 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1408.

Chemical Composition of Metropolitan Waters during June.

	Total Impurity.	Organic Impurity.
	grs. *or* °	grs. *or* °
Distilled Water -	0·0	—
Thames Water Companies.		
Southwark - - - -	18·10	2·36
Chelsea - - -	19·24	2·16
Grand Junction - - -	16·76	1·20
West Middlesex - - -	15·76	·92
Lambeth - - -	17·08	·56
Other Companies.		
New River - - -	15·92	·80
East London - - -	15·36	1·00
Kent - - - -	24·16	2·96

The numerical amounts of impurity denote the quantity of foreign matter in each gallon of water in degrees or grains. The Thames waters containing the greatest amount of impurity were taken at the beginning of the month after a fall of rain, while those exhibiting the smaller quantities of foreign matter in solution were procured towards the end of the month after a protracted period of dry weather. The analyses were made by Dr. Robert Dundas Thomson, F.R.S., of St. Thomas's Hospital.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·834 in. The highest barometrical reading was 29·97 in. on Monday. The mean temperature of the week was 66·4°, which is 4·7° above that of the same week on an average of 43 years (as determined by Mr. Glaisher). The mean daily temperature was above the average throughout the week, and on Thursday the excess was equal to 11·8°. On that day the highest temperatures in the sun and the shade were obtained, the former having been 111·1°, the latter 88·2°. The *lowest* temperature in the week was 51·5° on Monday; and the whole range of the week was therefore 36·7°. The difference between the mean dew point temperature and air temperature was 9·4°. The mean degree of humidity of the air was 72. The mean temperature of the water of the Thames was 64°. The wind was generally in the south-west. Rain fell on Friday to the amount of 0·61 in., most of which fell early in the morning during a thunder-storm of much violence and long duration.

Kensington; *Fulham.*—At 10 Willow-place, North End, on 10th July, the daughter of a coal porter, aged 4 months, "cholera infantum (2 days)."

Bethnal Green; *Hackney Road.*—At 10 Kittesford-place, on 9th July, the son of a news agent, aged 6 months, "choleraic diarrhœa (6 days)."

St. Saviour; *St. Saviour.*—At 18 St. Margaret's-court, on 8th July, the daughter of a wharf labourer, aged 6 years, "English cholera (3 days)."

Greenwich; *Woolwich Arsenal.*—At Castle Inn, Edward-street, on 13th July, the daughter of a tailor, aged 16 years, "cholera (3 days)."

Greenwich; *East.*—At Union Workhouse, on 12th July, a spinster, aged 60 years, "destitution, low fever (6 weeks)."

Births Registered last Week, and in the Twenty-eighth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1326	1226	1299	1346	1438	1367	1495	1370	1525	1686	1407·8	1584
Males . .	674	634	662	700	781	716	752	679	774	860	723·2	788
Females .	652	592	637	646	657	651	743	691	751	826	684·6	796

Deaths Registered last Week, and in the Twenty-eighth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	930	1369	781	881	921	904	1015	941	959	1061	976·2	1173
Males . .	462	702	395	436	481	457	496	515	508	550	500·2	593
Females .	468	667	386	445	440	447	519	426	451	511	476·0	580

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.
Births	1810	1717	1688	1550	1625	1692	1545	1626	1481	1662	1603	1470	1584
Deaths	1144	1125	1056	1057	1082	1106	1087	963	1160	1092	1241	1191	1173
Deaths (except from Violence) . . .	1121	1093	1031	1032	1056	1073	1067	940	1090	1027	1133	1167	1158
Deaths (except from Violence) at 60 years and upwards . .	243	217	216	216	238	200	185	153	219	200	194	198	208
Small-pox	..	2	3	4	4	5	2	2	2	3	1	4	3
Measles	41	54	45	47	60	45	62	56	58	44	54	71	47
Scarlatina	40	32	38	36	48	50	46	47	55	65	61	64	73
Whooping-cough . .	81	69	63	81	72	61	69	58	54	47	60	63	61
Typhus	33	31	30	22	30	32	43	21	41	29	35	43	35
Diarrhœa	9	11	9	17	12	14	18	18	31	54	94	129	126
Mean Temperature .	52°·8	47°·1	45°·6	49°·6	54°·9	53°·9	66°·2	63°·8	67°·7	64°·5	58°·6	55°·9	66°·4

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTY-EIGHTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 15 1848	July 14 1849	July 13 1850	July 12 1851	July 17 1852	July 16 1853	July 15 1854	July 14 1855	July 12 1856	July 18 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 17, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	64°·6	66°·8	59°·5	59°·6	67°·3	58°·7	56°·4	64°·5	57°·6	68°·0	62°·3	66°·4					
	ALL CAUSES . . .	930	1369	781	881	921	904	1015	941	959	1061	976·2	1173	677	125	160	172	39
	SPECIFIED CAUSES .	913	1351	760	861	899	889	988	920	952	1051	958·4	1168	674	124	159	172	39
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	334	645	182	232	224	232	283	239	283	343	299·7	403	362	12	14	13	2
II.	CONSTITUTIONAL „ .	216	240	195	205	226	241	240	231	246	239	227·9	255	94	71	61	26	3
III.	LOCAL „ .	257	308	275	287	313	282	306	318	298	301	294·5	353	134	32	80	96	11
IV.	DEVELOPMENTAL „ .	94	110	98	125	115	117	143	120	111	150	118·3	142	79	5	1	35	22
V.	VIOLENT DEATHS . .	12	48	10	12	21	17	16	12	14	18	18·0	15	5	4	3	2	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	314	628	163	218	214	217	266	218	260	316	281·4	377	342	12	10	12	1
	2. ENTHETIC „ . .	5	1	4	1	4	4	8	6	4	9	4·6	5	4	..	..	..	1
	3. DIETIC „ . .	9	11	8	9	4	7	9	10	17	14	9·8	18	13	..	4	1	..
	4. PARASITIC „ . .	6	5	7	4	2	4	..	5	2	4	3·9	3	3	..	..	..	..
II.	1. DIATHETIC „ . .	34	36	33	37	34	32	33	43	39	45	36·6	45	3	7	17	15	3
	2. TUBERCULAR „ . .	182	204	162	168	192	209	207	188	207	194	191·3	210	91	64	44	11	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	109	102	99	81	125	91	89	115	89	105	100·5	119	58	6	21	28	6
	2. „ OF ORGANS OF CIRCULATION .	23	28	21	32	31	31	31	40	44	33	31·4	45	5	6	12	22	..
	3. „ OF RESPIRATORY ORGANS . .	58	108	87	109	98	87	116	94	104	83	94·4	110	51	11	20	27	1
	4. „ OF DIGESTIVE ORGANS . . .	49	46	47	41	38	43	39	45	37	49	43·4	51	16	7	17	9	2
	5. „ OF URINARY ORGANS . . .	5	10	10	10	8	15	22	12	13	19	12·4	18	2	2	5	7	2
	6. „ OF ORGANS OF GENERATION .	5	6	6	5	4	3	3	2	3	2	3·9	3	..	..	2	1	..
	7. „ OF ORGANS OF LOCOMOTION .	2	3	4	4	5	5	3	6	2	7	4·1	4	1	..	2	1	..
	8. „ OF INTEGUMENTARY SYSTEM .	6	5	1	5	4	7	3	4	6	3	4·4	3	1	..	1	1	..
IV.	1. DEV. DISEASES OF CHILDREN	19	37	33	58	47	47	49	46	50	58	44·4	29	29	..	..	..	..
	2. „ OF ADULTS .	5	4	5	4	4	2	10	5	7	4	5·0	4	..	4	..	..	..
	3. „ OF OLD PEOPLE	32	36	36	31	38	35	37	28	29	35	33·7	48	..	..	..	26	22
	4. DISEASES OF NUTRITION .	38	33	24	32	26	33	47	41	25	53	35·2	61	50	1	1	9	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											15	5	4	3	2	1
	* 3. HOMICIDE												..	..	..	..	..	..
	4. SUICIDE												..	..	..	..	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	12	48	10	12	21	17	16	12	14	18	18·0	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	8	13	7	5	3	4	4	2	2	2	5·0	4	2	1	1	..	..
	CAUSES NOT SPECIFIED . .	9	5	14	15	19	11	23	19	5	8	12·8	1	1	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 15 1848	July 14 1849	July 13 1850	July 12 1851	July 17 1852	July 16 1853	July 15 1854	July 14 1855	July 12 1856	July 18 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 17, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	64°·6	66°·8	59°·5	59°·6	67°·3	58°·7	56°·4	64°·5	57°·6	68°·0	62°·3	66°·4					
I.	ORDER 1.																	
	1. Small-pox	34	9	9	27	25	2	11	18	8	1	14·4	3	3	..	..	..	..
	2. Measles	8	30	16	31	17	26	30	5	50	21	23·4	47	47	..	..	..	..
	3. Scarlatina	72	25	23	13	31	27	57	44	25	17	33·4	73	71	1	1	..	..
	4. Quinsy	2	1	1	..	1	..	1	..	1	2	·9	1	1	..	..	..	..
	5. Croup	7	13	2	2	..	8	7	3	10	8	6·0	4	4	..	..	..	..
	6. Whooping-cough	32	37	23	36	19	37	36	32	43	42	33·7	61	61	..	..	..	..
	7. Typhus (and Infantile fever)	59	50	31	29	53	48	51	51	51	33	45·6	35	26	4	2	2	1
	8. Erysipelas	7	11	2	6	5	7	7	5	7	6	6·3	7	3	1	3	..	..
	9. Metria	3	3	2	3	3	..	3	4	1	1	2·3	2	..	2	..	..	..
	10. Carbuncle	..	1	1	..	..	..	1	1	1	4	·9	..	..	..	..	..	..
	11. Influenza	1	..	..	..	..	1	1	..	..	..	·3	..	..	..	..	..	..
	12. Dysentery	6	11	3	..	2	..	5	1	2	6	3·6	5	..	1	1	3	..
	13. Diarrhœa	64	89	37	53	48	54	46	45	48	150	63·4	126	119	1	1	5	..
	14. Cholera	9	339	7	9	4	3	5	2	2	14	39·4	4	4	..	..	..	..
	15. Ague	3	1	..	..	..	..	..	1	1	1	·7	..	..	..	..	..	..
	16. Remittent Fever	1	2	..	6	..	..	1	1	4	..	1·5	7	3	2	1	1	..
	17. Rheumatism	6	6	6	3	6	4	4	5	6	10	5·6	2	..	..	1	1	..
	ORDER 2.																	
	1. Syphilis	3	1	3	1	3	3	7	3	4	7	3·5	4	4	..	..	..	..
	2. Stricture of Urethra	2	..	1	..	1	1	1	3	..	2	1·1	1	..	..	..	..	1
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	..	..	..	..	1	..	1	·2	1	..	..	..	1	..
	2. Want of Breast-milk	1	3	2	4	2	4	2	5	10	9	4·2	12	12	..	..	..	..
	3. Purpura and Scurvy	1	2	1	2	..	2	1	1	1	1	1·2	1	1	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	5	4	5	2	1	..	2	3	4	3	2·9	3	..	..	3	..	..
	4. Alcoholism { *b* Intemperance	2	2	..	1	1	1	4	..	2	..	1·3	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	6	5	7	4	2	4	..	5	2	4	3·9	2	2	..	..	..	..
	2. Worms, &c.	Deaths in 1848-57 classed in this Table with *Dis. of Stomach.*											1	1	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	..	1	2	2	1	..	1	1	1	·9	3	..	..	..	3	..
	2. Dropsy	18	17	7	7	11	10	14	15	14	18	13·1	16	..	3	6	6	1
	3. Cancer	13	17	23	23	19	17	17	22	22	23	19·6	23	2	4	11	5	1
	4. Noma	2	..	..	1	..	..	..	..	..	..	·3	..	..	..	..	..	..
	5. Mortification	1	2	2	4	2	4	2	5	2	3	2·7	3	1	..	..	1	1
	ORDER 2.																	
	1. Scrofula	5	7	9	10	12	17	8	11	10	6	9·5	9	6	2	1	..	..
	2. Tabes Mesenterica	10	26	11	14	16	25	14	14	17	24	17·1	20	20	..	..	..	..
	3. Phthisis	132	146	116	127	126	133	151	141	154	127	135·3	144	28	62	43	11	..
	4. Hydrocephalus	35	25	26	17	38	34	34	22	26	37	29·4	37	37	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	13	11	12	11	12	10	10	14	6	14	11·3	11	8	2	..	1	..
	2. Apoplexy	18	21	29	13	13	12	13	21	15	19	17·4	23	4	1	6	10	2
	3. Paralysis	19	17	18	10	18	8	19	16	16	13	15·4	21	..	1	7	11	2
	4. Insanity	..	..	1	4	8	1	1	5	1	2	2·3	2	..	..	..	1	1
	5. Chorea	1	..	..	..	1	..	..	1	..	..	·3	..	..	..	..	..	..
	6. Epilepsy	6	7	4	6	4	4	8	9	6	11	6·5	5	..	..	2	3	..
	7. Convulsions	40	30	27	29	44	46	28	38	35	33	35·0	41	40	1	..	..	..
	8. *Brain Disease, &c.*	12	16	8	8	25	10	10	11	10	13	12·3	16	6	1	6	2	1
	ORDER 2.																	
	1. Pericarditis	3	..	1	1	1	4	1	2	3	1	1·7	3	..	..	1	2	..
	2. Aneurism	1	..	1	2	..	..	..	..	3	3	1·0	1	..	1	..	..	..
	3. *Heart Disease, &c.*	19	28	19	29	30	27	30	38	38	29	28·7	41	5	5	11	20	..
	ORDER 3.																	
	1. Laryngitis	3	3	2	1	4	2	2	2	4	3	2·6	3	3	..	..	..	..
	2. Bronchitis	24	38	29	47	28	31	53	39	45	43	37·7	53	18	3	9	22	1
	3. Pleurisy	1	3	3	5	2	2	3	4	1	..	2·4	4	1	1	1	1	..
	4. Pneumonia	22	52	42	49	45	38	51	43	44	28	41·4	42	26	6	7	3	..
	5. Asthma	4	6	7	3	11	6	1	3	7	6	5·4	5	1	..	3	1	..
	6. *Lung Disease, &c.*	4	6	4	4	8	8	6	3	3	3	4·9	3	2	1	..	..	..
	ORDER 4.																	
	1 Gastritis	1	2	1	4	3	1	2	2	1	2	1·9	2	2	..	..	..	..
	2. Enteritis	13	7	10	6	4	4	5	4	4	9	6·6	4	4	..	..	..	..
	3. Peritonitis	1	5	3	5	3	4	3	5	3	2	3·4	2	..	2	..	..	..
	4. Ascites	..	2	1	1	3	1	1	3	..	7	1·9	2	..	..	2	..	..
	5. Ulceration of Intestines	3	1	..	2	1	2	3	1	1	2	1·6	4	1	2	1	..	..
	6. Hernia	2	2	2	1	2	1	..	5	3	..	1·8	4	..	..	1	2	1
	7. Ileus	4	2	2	3	4	4	6	4	2	4	3·5	2	1	1	..	..	..
	8. Intussusception	1	4	..	..	..	..	..	1	2	..	·8	1	1	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTY-EIGHTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 15 1848	July 14 1849	July 13 1850	July 12 1851	July 17 1852	July 16 1853	July 15 1854	July 14 1855	July 12 1856	July 18 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 17, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	64°·6	66°·8	59°·5	59°·6	67°·3	58°·7	56°·4	64°·5	57°·6	68°·0	62°·3	66°·4					
	9. Stricture of Intestines	2	..	..	..	..	..	..	1	..	..	·3	1	1	..	..	..	..
	10. Fistula	..	..	..	1	..	..	..	..	1	1	·3	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	6	2	6	5	5	3	3	4	7	9	5·0	5	2	..	1	2	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	13. Hepatitis	1	4	4	2	3	5	4	5	..	1	2·9	6	2	..	3	1	..
	14. Jaundice	4	3	2	1	3	4	2	2	2	2	2·5	5	2	2	..	1	..
	15. *Liver Disease, &c.*	11	12	16	10	7	13	9	7	10	10	10·5	13	..	..	9	3	1
	16. *Spleen Disease, &c.*	..	..	..	..	..	1	1	1	..	..	·3	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	1	2	..	1	1	..	..	1	·6	3	1	..	2	..	..
	2. Ischuria	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	1	4	2	1	1	3	7	6	5	7	3·7	2	..	..	1	..	1
	4. Diabetes	1	..	..	3	1	..	1	2	1	5	1·4	1	..	..	1	..	..
	5. Stone	..	..	..	..	..	1	2	1	1	..	·5	1	1	..	..	..	..
	6. Cystitis	1	1	..	1	1	2	2	..	..	..	·8	1	..	1	..	..	..
	7. *Kidney Disease, &c.*	2	5	7	3	5	8	8	3	6	6	5·3	10	..	1	1	7	1
	ORDER 6.																	
	1. Ovarian Dropsy	3	2	1	1	2	1	..	..	1	1	1·2	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	2	4	5	4	2	2	3	2	2	1	2·7	3	..	..	2	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	1	..	..	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	3	4	4	5	4	3	6	2	7	4·0	4	1	..	2	1	..
	ORDER 8.																	
	1. Phlegmon	3	3	..	4	2	4	3	2	4	1	2·6	1	1	..	..	..	..
	2. Ulcer	2	2	1	1	..	2	..	1	1	2	1·2	2	..	..	1	1	..
	3. *Skin Disease, &c.*	1	..	..	..	2	1	..	1	1	..	·6	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	13	21	19	41	34	31	32	28	33	38	29·0	22	22	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												2	2	..	..	..	..
	4. Other Malformations	3	3	3	6	5	1	1	4	3	7	3·6	..	..	..	..	..	..
	5. Teething	3	13	11	11	8	15	16	14	14	13	11·8	5	5	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	5	4	5	4	4	2	10	5	6	4	4·9	4	..	4	..	..	..
	ORDER 3.																	
	1. Old Age	32	36	36	31	38	35	37	28	29	35	33·7	48	..	..	..	26	22
	ORDER 4.																	
	1. Atrophy and Debility	38	33	24	32	26	33	47	41	25	53	35·2	61	50	1	1	9	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	6	1	2	1	1	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	5	1	2	1	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	12	48	10	12	21	17	16	12	14	18	18·0	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	8	13	7	5	3	4	4	2	2	2	5·0	4	2	1	1	..	..
	Causes not specified or ill-defined	9	5	14	15	19	11	23	19	5	8	12·8	1	1	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the TWENTY-EIGHTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, July 15 1848	July 14 1849	July 13 1850	July 12 1851	July 17 1852	July 16 1853	July 15 1854	July 14 1855	July 12 1856	July 18 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, July 17 1858.
Mean Temperature . . .			64·6°	66·8°	59·5°	59·6°	67·3°	58·7°	56·4°	64·5°	57·6°	68·0°	62·3°	66·4°
LONDON	78029	2362236	930	1369	781	881	921	904	1015	941	959	1061	976·2	1173
1-6. WEST DISTRICTS .	10786	376427	144	206	118	161	146	128	155	131	179	167	153·5	172
7-11. NORTH DISTRICTS .	13533	490396	168	211	161	165	175	161	194	186	212	186	181·9	236
12-19. CENTRAL DISTRICTS	1938	393256	168	225	128	134	156	155	148	153	151	189	160·7	169
20-25. EAST DISTRICTS .	6230	485522	202	257	171	193	209	198	217	204	186	257	209·4	302
26-36. SOUTH DISTRICTS .	45542	616635	248	470	203	228	235	262	301	267	231	262	270·7	294
1. Kensington* HHHH .	7374	120004	38	56	22	42	56	35	40	40	56	52	43·7	54
2. Chelsea H*w* . . .	865	56538	21	36	15	26	18	21	34	29	13	28	24·1	43
3. St. George Hanover-sq. H	1161	73230	17	41	25	28	19	22	22	15	39	28	25·6	35
4. Westminster* HHHH .	917	65609	43	48	34	34	30	33	37	26	44	29	35·8	24
5. St. Martin-in-the-Fields H	305	24640	15	13	7	16	10	8	8	7	13	16	11·3	9
6. St. James Westminster .	164	36406	10	12	15	15	13	9	14	14	14	14	13·0	7
7. Marylebone HH . .	1509	157696	62	85	58	54	71	48	71	56	66	59	63·0	78
8. Hampstead	2252	11986	2	3	2	2	4	1	1	7	2	7	3·1	5
9. Pancras HH*w* . . .	2716	166956	55	52	58	65	55	53	52	55	72	50	56·7	88
10. Islington HHH . .	3127	95329	29	49	33	30	33	41	42	50	47	48	40·2	40
11. Hackney* H*w* . . .	3929	58429	20	22	10	14	12	18	28	18	25	22	18·9	25
12. St. Giles* H . . .	245	54214	29	31	16	26	21	19	26	17	21	19	22·5	22
13. Strand* H	173	44422	16	25	19	22	17	19	13	20	20	21	19·2	15
14. Holborn* H . . .	196	46621	17	26	15	16	23	20	18	16	17	19	18·7	22
15. Clerkenwell	380	64778	32	28	20	17	27	27	24	21	26	42	26·4	34
16. St. Luke HH . . .	220	54055	19	22	23	20	19	24	21	30	26	23	22·7	21
17. East London* . . .	153	44406	11	16	10	16	21	15	21	18	9	24	16·1	23
18. West London* H . .	137	28828	26	50	21	9	17	24	11	20	21	19	21·8	22
19. London City* . . .	434	55932	18	27	4	8	11	7	14	11	11	22	13·3	10
20. Shoreditch *w* . . .	646	109257	58	47	41	41	39	44	42	46	41	65	46·4	77
21. Bethnal Green H . .	760	90193	31	44	32	32	40	40	28	34	29	44	35·4	70
22. Whitechapel* HH . .	406	79759	35	54	34	35	42	34	44	28	30	51	38·7	56
23. St. George in the East .	243	48376	19	28	17	19	24	24	21	25	25	57	25·9	29
24*a*. Stepney*	576	54173	47	51	37	47	39	38	52	46	48	22	42·7	22
24*b*. Mile-end Old Town H*w*	681	56602												21
25. Poplar* H*w* . . .	2918	47162	12	33	10	19	25	18	30	25	13	18	20·3	27
26. St. Saviour Southwark* HH	250	35731	30	31	13	16	19	18	23	21	17	19	20·7	23
27. St. Olave Southwark* HH	169	19375	12	22	15	12	23	23	20	23	20	16	18·6	18
28. Bermondsey	688	48128	17	40	17	27	25	24	33	27	18	14	24·2	26
29. St. George Southwark .	282	51824	20	41	24	18	24	23	21	24	26	20	24·1	27
30. Newington	624	64816	18	33	19	16	25	28	22	25	19	32	23·7	28
31. Lambeth H	4015	139325	54	112	46	51	50	51	54	49	38	62	56·7	61
32. Wandsworth* . . .	11695	50764	19	35	9	25	14	15	26	17	16	25	20·1	22
33. Camberwell	4342	54667	21	29	19	24	11	25	22	23	20	17	21·1	23
34. Rotherhithe	886	17805	9	47	2	10	5	5	14	9	11	7	11·9	12
35. Greenwich* HHHHH .	5367	99365	41	64	32	20	28	38	52	35	29	36	37·5	46
36. Lewisham*	17224	34835	7	16	7	9	11	12	14	14	17	14	12·1	8

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending July 10. Total.	Males.	Females.	In the Week ending July 17. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	162	95	67	162	88	74
45 WORKHOUSES	87	41	46	95	41	54
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	6	6	–	12	12	–
15 GENERAL HOSPITALS	51	34	17	46	29	17
7 HOSPITALS FOR SPECIAL DISEASES	5	2	3	1	1	–
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
Children .	–	–	–	1	1	–
7 MILITARY AND NAVAL HOSPITALS	6	6	–	–	–	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	2	2	–	–	–	–
19 LUNATIC ASYLUMS	5	4	1	7	4	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 17th July 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	47	73	61	126	35
No.*							
1-6 WEST DISTRICTS - -	376427	-	4	9	8	16	5
7-11 NORTH DISTRICTS - -	490396	-	6	5	11	35	8
12-19 CENTRAL DISTRICTS -	393256	-	5	9	4	23	6
20-25 EAST DISTRICTS - -	485522	3	17	25	20	23	8
26-36 SOUTH DISTRICTS - -	616635	-	15	25	18	29	8
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	2	2	1	-
2 St. John Paddington H -	29053	-	-	-	-	-	-
3 Kensington Town *W* L -	29183	-	-	2	2	-	1
4 Brompton HH -	14870	-	-	1	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	2	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	3	-
2; 1 Chelsea South H - -	19050	-	1	-	-	1	-
2 Chelsea North-west *Ww*	17669	-	1	-	1	2	-
3 Chelsea North-east L -	19819	-	-	-	1	1	2
3; 1 Hanover-square - -	20216	-	-	-	1	1	1
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	1	1	-	-
4; 1 St. John Westmr. HHHP	34295	-	2	1	-	2	-
2 St. Margaret West. *W* HP	31314	-	-	2	-	1	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	1	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	1	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	-	1	1	-
2 Cavendish-square - -	14687	-	-	1	-	-	1
3 Rectory Marylebone *W* -	27633	-	-	-	3	5	-
4 St. Mary Marylebone H -	22814	-	-	-	-	1	-
5 Christchurch Marylebone	33895	-	-	-	1	6	1
6 St. John Marylebone -	29826	-	-	2	-	4	1
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	-	-	-	3	1
2 Tottenham-court *w*H -	28433	-	-	-	1	2	-
3 Gray's-inn-lane H -	26523	-	-	-	2	-	-
4 Somers-town - - -	35641	-	-	1	-	4	1
5 Camden-town *W* - -	21115	-	1	-	-	2	-
6 Kentish-town - - -	23326	-	-	-	-	-	-
10; 1 Islington West† *W* HHHPP	47881	-	-	-	1	3	1
2 Islington East - - -	47448	-	2	1	1	2	1
11; 1 Stoke Newington L -	4840	-	1	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	1	-	1	2	1
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	2	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	2	1
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	-	-	-	1
14; 1 St. George-the-Martyr H.	18813	-	-	3	-	3	-
2 St. Andrew East. Holb. *W*	13971	-	-	1	-	2	1
3 Saffron-hill - - -	13837	-	-	1	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	1	-
2 Amwell Clerkenwell P -	15720	-	-	1	-	2	-
3 Pentonville - - -	11904	-	-	-	-	1	-
4 Goswell-street - -	15625	-	-	-	-	3	-
16; 1 Old-street H - - -	10617	-	-	-	-	1	-
2 City-road HL - -	16840	-	1	-	1	3	-
3 Whitecross-street - -	13657	-	-	-	-	1	-
4 Finsbury - - - -	12941	-	-	-	-	2	-
17; 1 St. Botolph East London	23824	-	2	-	1	1	-
2 Cripplegate P - -	20582	-	-	-	-	1	1
18; 1 West London North *W* HP	12946	-	-	3	1	-	2
2 West London South P -	15882	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	3	1	-	3	-
2 St. Leonard Shoreditch L	19449	-	1	-	3	1	2
3 Hoxton New Town *w* -	23505	-	2	1	-	2	1
4 Hoxton Old Town - -	17431	-	-	1	-	3	-
5 Haggerstone West *W* -	20276	-	-	2	2	-	-
6 Haggerstone East - -	11351	-	1	-	-	-	-
21; 1 Hackney Road - -	23910	1	-	-	-	1	-
2 Green, Bethnal Green *W* HL	23555	-	-	5	1	-	-
3 Church, Bethnal Green -	21787	-	-	3	-	2	1
4 Town, Bethnal Green -	20941	1	1	1	1	2	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	1	-
2 Spitalfields - - -	15336	-	1	-	-	1	-
3 Mile End New Town *W* -	14543	-	-	-	1	1	1
4 Whitechapel North *W* -	12530	-	1	-	-	2	-
5 Whitechapel Church H -	7818	-	1	-	-	-	-
6 Goodman's Fields - -	12069	-	1	1	2	-	-
7 Aldgate H - - -	10694	-	-	-	1	-	-
23; 1 St. Mary St. Geo. East -	18067	-	1	-	-	-	1
2 St. Paul St. Geo. East -	20319	-	-	-	1	-	-
3 St. John St. Geo. East *W*	9990	-	-	1	1	1	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	2	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	1	-
3 Limehouse *W* - -	22782	-	3	1	1	1	-
24*b*; 1 Mile End Old Town, West.	29582	-	1	-	4	-	-
2 Mile End Old T., East. *Ww* H	27020	-	-	2	1	-	1
25; 1 Bow *w*LH - - -	18778	1	-	2	1	-	-
2 Poplar *W* - - -	28384	-	-	2	-	1	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	1	-	2	-
2 St. Saviour Southwark HH	19709	-	2	2	1	1	1
27; 1 St. Olave Southwark HH	8015	-	-	-	-	2	-
2 St. John Horsleydown *W*	11360	-	-	1	-	-	-
28; 1 St. James Bermondsey -	18899	-	2	2	-	1	1
2 St. Mary Magdalen *W* -	13934	-	1	-	1	-	1
3 Leather Market - -	15295	-	2	1	-	2	-
29; 1 Kent Road - - -	18126	-	2	-	-	2	-
2 Borough Road *W* P -	15862	-	-	-	2	1	-
3 London Road LP - -	17836	-	-	-	2	1	1
30; 1 Trinity Newington P -	20922	-	1	-	-	1	1
2 St. Peter Walworth *W* -	29861	-	-	4	-	-	-
3 St. Mary Newington -	14033	-	-	-	1	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	1	-	1	-
2 Waterloo Road 2nd H -	18348	-	-	1	1	3	-
3 Lambeth Church 1st -	18409	-	-	1	-	2	-
4 Lambeth Church 2nd *W*	26784	-	1	1	1	1	1
5 Kennington 1st - -	24261	-	1	1	1	1	-
6 Kennington 2nd - -	18848	-	-	1	-	-	-
7 Brixton L - - -	14610	-	-	-	1	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	2	2	3	-
2 Battersea *W* - - -	10560	-	-	-	-	1	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	1	-	1	1
3 Peckham - - - -	19444	-	-	2	1	-	-
4 St. George Camberwell -	15849	-	-	1	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	1	-	-	-	-
35; 1 St. Paul Deptford - -	24899	-	1	-	-	1	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	1
3 Greenwich West H -	18800	-	-	1	1	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	1	-	-
6 Woolwich Arsenal HPH	15227	-	1	1	2	-	-
36; 1 Plumstead - - -	13191	-	-	-	-	1	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	1	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 17th July 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
July.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	11	..	29·937	77·6	54·9	22·7	64·7	52·2	102·3	52·3	63·2	61·5	12·5	21·4	3·0	+ 3·1	63	N.	NW. & N.	0·5	0·0	0·0	40	0·00
Monday . .	12	..	29·937	79·5	51·5	28·0	65·2	57·4	102·5	43·0	63·7	61·8	7·8	17·1	2·2	+ 3·5	73	N. & NW.	S.W.	0·0	0·0	0·0	85	0·00
Tuesday .	13	..	29·865	73·5	59·0	14·5	64·1	57·0	84·7	54·5	64·2	61·7	7·1	17·9	2·7	+ 2·3	79	S.W.	S.W.	1·0	0·0	0·0	160	0·00
Wednesday	14	..	29·803	80·7	57·5	23·2	66·7	58·5	102·4	57·0	64·5	62·4	8·2	19·0	4·0	+ 5·0	76	S.W.	S.	0·0	0·0	0·0	45	0·00
Thursday.	15	In Equator.	29·672	88·2	58·5	29·7	73·5	59·5	111·1	51·0	66·2	63·4	14·0	25·3	1·0	+11·8	58	S.E.	S. & Calm	3·5	0·0	0·0	60	0·00
Friday . .	16	..	29·750	75·2	60·5	14·7	64·5	59·8	83·0	45·0	67·0	64·5	4·7	13·3	0·7	+ 2·6	89	Calm & N.	W.	3·0	0·0	0·0	15	0·61
Saturday.	17	First Quarter.	29·872	79·7	57·0	22·7	66·1	54·8	90·0	—	67·0	64·2	11·3	25·8	5·2	+ 4·4	67	Calm	S.W.	0·0	0·0	0·0	35	0·00
Means . .		..	29·834	79·2	57·0	22·2	66·4	57·0	96·6	6 nights 50·5	65·1	62·8	9·4	20·0	2·7	+ 4·7	72	S.W.		..	..	..	Sum 440	Sum 0·61
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. July.		Electricity.	Sky and Atmosphere.
Sunday . .	11	Positive, with weak tension.	The amount of cloud was small, and the day was fine throughout.
Monday . .	12	Positive, with variable tension.	Generally cloudy throughout the day.
Tuesday . .	13	No electricity was shown till noon. Positive, with variable tension afterwards.	Cloudy till noon; partially cloudy during the remainder of the day.
Wednesday	14	Positive, with variable tension.	Overcast early in the morning; the day was afterwards fine, and the amount of cloud was small.
Thursday .	15	Positive, with weak tension was shown occasionally.	Partially cloudy till the afternoon; overcast afterwards. Near midnight there was a severe thunder-storm.
Friday . .	16	Strong positive generally throughout the day. Volleys of sparks and galvanic currents were frequent.	Till 2h. A.M. a thunder-storm, during which the lightning was remarkably vivid. At three different times the storm was very violent. Between midnight and 3h. A.M. rain, to the depth of 0·5 in., fell, of which 0·25 in. fell between 2h. 0m. and 2h. 5m. A.M.; an additional fall of 0·11 in. took place by 4h. P.M. The sky was overcast throughout the day.
Saturday .	17	No electricity was shown till evening; weak positive afterwards.	Cloudy and hazy early in the morning; afterwards the day was fine and almost free from cloud.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 19h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·79 in. at the beginning of the week to 29·97 in. by 9h. A.M. on the 12th; decreased to 29·66 in. by 3h. P.M. on the 15th; and increased to 29·89 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL.

1858. Vol. XIX.] Week ending Saturday, July 24. [No. 29.

General Register Office, Somerset House,
July 26th, 1858.

In the last Weekly Report it was shown that the public health of London had undergone some improvement in consequence of the fall of temperature; and it will be seen from the present return that that favourable result was maintained, and was more decided, in the week ending last Saturday, July 24th. In the first week of the present month the deaths were 1191, in the next 1173, and last week they were 1132. The mean weekly temperatures were in the same periods 55·9°, 66·4°, and 62·9°, which are on the average less by 2·5° than those of the five weeks preceding.

In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1061; but as the deaths now returned occurred in a population which has annually increased, they can only be compared with the average after it has been raised in proportion to the increase, a correction which will make it 1167. The deaths of last week were, therefore, less by 35 than the estimated number.

The deaths referred to cholera in the third week of July 1849 were 678, in the corresponding week of 1854 they were 26, in that of last year 28, and in the week ending last Saturday 10. It will be evident that if the average mortality were derived from seasons as free as is the present from epidemic cholera, the present state of the public health would not appear relatively so good as might be inferred from the above comparison.

If the deaths of last week had been according to that which may be termed "the healthy rate," derived from those districts in England where the mortality is least, they would have been 799. The excess arising from circumstances that constitute the comparative insalubrity of London is 333.

The mortality from zymotic diseases in the aggregate shows no increase on that of the previous week, but rather a slight diminution; the deaths under this head were in the two weeks respectively 403 and 393. The mortality from diarrhœa has been remarkably constant for three weeks, the numbers having been 129, 126, and 127. This complaint was much more fatal at this period last year, when the number in the week rose to 259. Sixteen fatal cases of diarrhœa occurred in Marylebone, of which 6 were in the sub-district of Christchurch, and 5 in St. John. Of the 10 deaths referred to cholera, only one occurred to an adult, a woman in Newnham-street, Marylebone, who is stated to have died of "Asiatic cholera" on the 19th inst. The daughter of a stableman, aged 7 months, in May's-buildings, May-fair, died from the same disease. The death of a woman is recorded as having been caused by fever, which was directly attributed to the inhaling of the stench of the river during a short excursion between Pimlico and London Bridge.

Of five nonagenarians whose deaths are in the present return, the three oldest were a widow, aged 96 years; a widow in High-street, Clapham, 98; and a Greenwich pensioner 97 years.

Last week the births of 804 boys and 851 girls, in all 1655 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1456.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·782 in. The highest reading was 30 in. and was obtained on Monday. The mean temperature of the air in the week was 62·9°, which is

1·3° above the mean temperature of the same week on an average of 43 years (as determined by Mr. Glaisher). The thermometer fell to its *lowest* point on Thursday, when it was 49·3°, and it rose to its *highest* point on the next day when it attained 79·2°. The range of the week was therefore 29·9°; the mean daily range was 22·8°. The difference between the mean dew-point temperature and air temperature was 9·4°; the mean degree of humidity of the air was 71. The mean temperature of the water of the Thames was 67·4°, which is nearly 5° higher than that of the air. The wind blew generally from the south-west; on Saturday it blew when strongest with a pressure of 4·5 lbs. on the square foot, and its horizontal movement on that day was 255 miles. Rain fell to the amount of 0·37 in., most of which fell on Saturday.

St. George, Hanover Square; *May Fair.*—At 4 May's-buildings, on 19th July, the daughter of a stableman, aged 7 months, "diarrhœa, Asiatic cholera (24 hours)."

Marylebone; *St. Mary.*—At 25 Newnham-street, on 19th July, the wife of a cab driver, aged 42 years, "Asiatic cholera."

St. Pancras; *Grays-inn-lane.*—At 10 Pakenham-street, on 16th July, the son of a builder, aged 2 months, "choleraic diarrhœa (48 hours)."

St. Luke; *Old-street.*—At 9 Goswell-road, on 19th July, the daughter of a lever escapement maker, aged 2 years, "cholera (20 hours)." Seized while on a visit at Lambeth, on the banks of the Thames.

City of London; *North-west.*—At 5 Cock-court, Philip-lane, on 15th July, the son of a tailor (deceased), aged 1 year, "cholera (12 hours)."

Shoreditch; *Haggerstone, West.*—At 40 Princes Street, on 21st July, the son of a printer (pressman), aged 6 years, "English cholera (2 days)."

Whitechapel; *Aldgate.*—At 2 Crown-court, Blue Anchor-yard, on 17th July, the son of a dock labourer, aged 1 year, "cholera, diarrhœa (30 hours)."

Mile End Old Town; *Eastern.*—At King Harry-yard, on 17th July, the son of a carpenter, aged 1 year, "choleraic diarrhœa."

St. Saviour; *St. Saviour.*—At 66 Great Guildford-street, on 16th July, the son of a stoker at a factory, aged 7 months, "English cholera."

Bermondsey; *St. James.*—At 41 John-street, on 21st July, the son of a labourer in a tan yard, aged 15 months, "infantile cholera (24 hours)."

Kensington; *Town.*—At Lambton-mews, on 18th July, the son of a blacksmith, aged 9 days, "tetanus (3 days), lock jaw after natural separation of navel."

St. George Hanover Square; *Belgrave.*—At 62 Upper Ebury-street, on 18th July, the wife of a tailor, aged 40 years, "fever, after inhaling the stench of the River Thames from Pimlico to London Bridge and back (16 days)."

St. Pancras; *Tottenham.*—At University College Hospital, on 13th July, the wife of a tailor, aged 36 years, "cæsarian section, low peritonitis (40 hours)."

Strand; *St. Mary-le-Strand.*—At 38 Wych-street, St. Clement Danes, on 16th July, wife of a bootmaker, aged 65 years, "rupture? syncope occurring during thunderstorm."

Strand; *St. Clement Danes.*—At 1 Blackmoor-street, on 18th July, a grocer's apprentice, aged 20 years, "obstruction of the bowels and peritonitis consequent on the impaction of a cherry stone in the appendix vermiformis (8 days)." *Post mort.*

Clerkenwell; *Goswell-street.*—At 99 Goswell-road, on 22d July, a greengrocer, aged 71 years, "lupus faciei (about 15 years), exhaustion."

Stepney; *Shadwell.*—At 5 Pope's Hill Shadwell, on 22d July, the son of a miller, aged 4 months, "died from an overdose of Godfrey's cordial administered as a sedative and not to destroy life." (*Inquest.*)

Births Registered last Week, and in the Twenty-ninth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1309	1213	1193	1407	1568	1560	1597	1522	1564	1631	1456·3	1655
Males . .	695	619	592	719	795	819	821	798	798	779	743·5	804
Females . .	614	594	601	688	773	741	776	724	765	852	712·8	851

Deaths Registered last Week, and in the Twenty-ninth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	1096	1741	863	873	912	971	1008	915	1019	1209	1060·6	1132
Males . .	567	903	424	425	458	504	509	476	551	645	546·2	554
Females . .	529	838	439	448	454	467	499	439	467	564	514·4	578

DEATHS in LONDON, from ALL CAUSES, Registered in the TWENTY-NINTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 22 1848	July 21 1849	July 20 1850	July 19 1851	July 24 1852	July 23 1853	July 22 1854	July 21 1855	July 19 1856	July 25 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 24, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	62°·5	60°·5	65°·6	58°·1	65°·0	59°·6	63°·2	59°·6	60°·1	63°·3	62°·3	62°·9					
	ALL CAUSES	1096	1741	863	873	912	971	1008	915	1018	1209	1060·6	1132	678	121	140	156	37
	SPECIFIED CAUSES	1081	1714	845	862	901	940	989	899	1010	1193	1043·4	1120	674	119	137	153	37
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	407	1022	198	223	282	244	316	245	290	484	371·1	393	351	11	14	14	3
II.	CONSTITUTIONAL „	249	237	211	197	213	268	237	248	232	238	233·0	222	80	64	50	24	4
III.	LOCAL „	295	320	314	316	283	311	320	288	328	298	307·3	337	141	33	64	88	11
IV.	DEVELOPMENTAL „	105	116	107	106	107	91	101	104	121	151	110·9	141	90	5	2	26	18
V.	VIOLENT DEATHS	25	19	15	20	16	26	15	14	39	22	21·1	27	12	6	7	1	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	380	1003	175	209	264	224	298	229	267	452	350·1	362	326	9	11	13	3
	2. ENTHETIC „	2	1	3	2	3	6	5	4	8	4	3·8	4	4	..	..	..	..
	3. DIETIC „	16	14	17	10	12	12	11	9	10	22	13·3	23	17	2	3	1	..
	4. PARASITIC „	9	4	3	2	3	2	2	3	5	6	3·9	4	4	..	..	..	..
II.	1. DIATHETIC „	47	31	49	40	31	42	38	44	37	42	40·1	49	6	5	18	17	3
	2. TUBERCULAR „	202	206	162	157	182	226	199	204	195	196	192·9	173	74	59	32	7	1
III.	1. DISEASES OF NERVOUS SYSTEM	108	114	111	83	108	93	109	88	86	111	101·1	119	60	9	19	26	5
	2. „ OF ORGANS OF CIRCULATION	34	36	31	42	28	38	47	30	43	33	36·2	35	6	2	11	15	1
	3. „ OF RESPIRATORY ORGANS	65	87	89	112	64	102	102	90	106	80	89·7	102	58	7	16	19	2
	4. „ OF DIGESTIVE ORGANS	58	54	56	43	60	58	38	48	66	54	53·5	61	12	11	16	20	2
	5. „ OF URINARY ORGANS	13	17	10	13	6	8	14	17	12	13	12·3	9	1	1	2	5	..
	6. „ OF ORGANS OF GENERATION	7	4	7	8	5	6	3	9	1	3	5·3	3	..	2	..	1	..
	7. „ OF ORGANS OF LOCOMOTION	5	4	6	6	6	2	2	4	8	2	4·5	5	2	1	..	2	..
	8. „ OF INTEGUMENTARY SYSTEM	5	4	4	9	6	4	5	2	6	2	4·7	3	2	..	..	..	1
IV.	1. DEV. DISEASES OF CHILDREN	41	43	44	34	45	36	39	43	38	48	41·1	33	33	..	..	..	..
	2. „ OF ADULTS	3	4	2	7	1	5	4	5	5	8	4·4	5	..	5	..	..	..
	3. „ OF OLD PEOPLE	34	34	37	35	34	20	25	23	45	40	32·7	34	..	..	..	16	18
	4. DISEASES OF NUTRITION	27	35	24	30	27	30	33	33	33	55	32·7	69	57	..	2	10	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											22	12	4	4	1	1
	3. HOMICIDE *												1	..	1	..	..	..
	4. SUICIDE												4	..	1	3	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	25	19	15	20	16	26	15	14	39	22	21·1	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	19	6	4	2	6	4	3	1	5	5·7	9	3	2	1	3	..
	CAUSES NOT SPECIFIED	8	8	12	7	9	25	15	13	7	11	11·5	3	1	..	2	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 22 1848	July 21 1849	July 20 1850	July 19 1851	July 24 1852	July 23 1853	July 22 1854	July 21 1855	July 19 1856	July 25 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 24, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	62°·5	60°·5	65°·6	58°·1	65°·0	59°·6	63°·2	59°·6	60°·1	68°·3	62°·3	62°·9					
I.	ORDER 1.																	
	1. Small-pox	31	4	3	21	33	2	16	10	8	..	12·8	6	6	..	..	..	..
	2. Measles	15	27	16	21	10	11	12	11	45	40	20·8	50	50	..	..	..	..
	3. Scarlatina	90	27	15	6	45	26	80	35	32	13	36·9	58	56	1	1	..	..
	4. Quinsy	..	3	1	1	1	1	2	1	3	2	1·5	..	..	..	..	..	..
	5. Croup	7	9	5	2	3	5	2	5	6	7	5·1	7	7	..	..	..	..
	6. Whooping-cough	24	38	22	34	10	30	27	37	44	37	30·3	55	55	..	..	..	..
	7. Typhus (and Infantile fever)	73	54	31	32	43	51	43	37	45	45	45·4	35	22	4	2	6	1
	8. Erysipelas	5	7	6	4	6	7	8	5	6	3	5·7	4	1	1	1	1	..
	9. Metria	6	3	3	4	1	5	2	6	3	3	3·6	2	..	1	1	..	..
	10. Carbuncle	1	1	2	..	..	2	1	1	2	3	1·3	1	..	..	1	..	..
	11. Influenza	1	..	1	..	..	..	2	1	..	..	·5	..	..	..	..	..	..
	12. Dysentery	9	15	5	3	4	1	5	2	1	3	4·8	3	1	..	..	1	1
	13. Diarrhœa	94	131	51	64	94	73	58	67	62	259	95·3	127	118	1	3	4	1
	14. Cholera	21	678	5	8	10	6	26	4	3	28	78·9	10	9	..	1	..	..
	15. Ague	1	..	2	..	..	..	..	..	1	1	·5	..	..	..	..	..	..
	16. Remittent fever	1	3	2	4	..	1	1	3	2	1	1·8	..	..	..	..	..	..
	17. Rheumatism	1	3	5	5	4	3	13	4	4	7	4·9	4	1	1	1	1	..
	ORDER 2.																	
	1. Syphilis	1	1	3	1	2	4	1	2	7	4	2·6	4	4	..	..	..	..
	2. Stricture of Urethra	1	..	..	1	1	2	2	1	1	..	·9	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	2	1	..	..	·3	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	2	..	..	..	..	2	..	1	..	·5	..	..	..	..	..	..
	2. Want of Breast-milk	10	6	7	6	10	8	5	4	3	14	7·3	16	16	..	..	..	..
	3. Purpura and Scurvy	1	..	2	2	..	1	1	..	..	1	·8	2	1	..	..	1	..
	4. Alcoholism { *a* Del. Tremens	4	3	6	2	2	1	2	4	4	5	3·3	3	..	1	2	..	..
	4. Alcoholism { *b* Intemperance	1	3	2	..	..	2	1	1	2	2	1·4	2	..	1	1	..	..
	ORDER 4.																	
	1. Thrush	9	4	3	2	3	2	2	3	5	6	3·9	4	4	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848-57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	2	1	..	2	1	2	2	2	1	1·3	1	..	..	..	1	..
	2. Dropsy	27	12	20	13	7	22	13	17	17	9	15·7	11	4	1	2	4	..
	3. Cancer	16	15	22	17	18	18	21	23	16	28	19·4	33	1	4	16	10	2
	4. Noma	1	..	..	1	..	..	..	..	..	1	·3	1	1	..	..	..	..
	5. Mortification	3	2	6	9	4	1	2	2	2	3	3·4	3	..	..	..	2	1
	ORDER 2.																	
	1. Scrofula	9	9	6	3	6	15	6	5	8	11	7·8	7	6	..	..	1	..
	2. Tabes Mesenterica	29	20	13	20	22	26	16	21	20	17	20·4	20	20	..	..	..	..
	3. Phthisis	140	149	107	110	123	148	146	154	138	140	135·5	122	24	59	32	6	1
	4. Hydrocephalus	24	28	36	24	31	37	31	24	29	28	29·2	24	24	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	8	9	11	12	12	6	13	12	4	12	9·9	11	8	..	2	1	..
	2. Apoplexy	25	21	11	14	16	23	20	17	17	21	18·5	23	7	3	3	8	2
	3. Paralysis	10	15	27	15	22	16	27	12	17	18	17·9	25	1	2	7	13	2
	4. Insanity	..	..	2	5	1	2	3	..	..	5	1·8	2	..	..	1	1	..
	5. Chorea	..	..	..	1	..	..	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	1	9	7	1	7	3	8	5	4	6	5·1	6	2	1	3	..	..
	7. Convulsions	51	43	34	22	39	28	30	31	35	39	35·2	40	40	..	..	..	..
	8. *Brain Disease, &c.*	13	17	19	13	11	15	8	11	9	10	12·6	12	2	3	3	3	1
	ORDER 2.																	
	1. Pericarditis	3	2	3	6	1	..	3	2	6	1	2·7	3	2	..	..	1	..
	2. Aneurism	2	1	..	..	1	3	1	1	1	2	1·2	3	..	1	1	..	1
	3. *Heart Disease, &c.*	29	33	28	36	26	35	43	27	36	30	32·3	29	4	1	10	14	..
	ORDER 3.																	
	1. Laryngitis	3	1	3	2	2	4	..	2	1	3	2·1	2	2	..	..	..	..
	2. Bronchitis	28	29	35	39	22	46	44	38	38	31	35·0	46	21	2	8	14	1
	3. Pleurisy	1	2	1	2	2	2	3	4	4	5	2·6	2	..	1	..	1	..
	4. Pneumonia	18	43	45	55	26	32	45	34	53	36	38·7	42	34	2	6	..	..
	5. Asthma	5	5	1	3	3	6	7	5	6	1	4·2	6	..	..	2	3	1
	6. *Lung Disease, &c.*	10	7	4	11	9	12	3	7	4	4	7·1	4	1	2	..	1	..
	ORDER 4.																	
	1. Gastritis	..	2	5	2	3	1	3	2	2	3	2·3	4	..	..	..	3	1
	2. Enteritis	17	8	15	6	11	9	3	4	6	5	8·4	9	5	3	1	..	..
	3. Peritonitis	3	5	3	2	1	7	2	7	3	6	3·9	6	1	1	3	1	..
	4. Ascites	2	4	2	3	6	3	4	2	5	4	3·5	1	..	..	..	1	..
	5. Ulceration of Intestines	4	3	1	4	3	2	1	1	2	1	2·2	3	..	1	1	1	..
	6. Hernia	4	1	2	2	2	1	2	4	5	2	2·5	6	1	1	2	2	..
	7. Ileus	1	3	4	2	3	4	4	3	3	3	3·0	1	..	..	..	1	..
	8. Intussusception	1	3	3	1	3	1	2	..	3	2	1·9	2	2	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the TWENTY-NINTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 22 1848	July 21 1849	July 20 1850	July 19 1851	July 24 1852	July 23 1853	July 22 1854	July 21 1855	July 19 1856	July 25 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 24, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	62°·5	60°·5	65°·6	58°·1	65°·0	59°·6	63°·2	59°·6	60°·1	68°·3	62°·3	62°·9					
	9. Stricture of Intestines	..	..	2	2	1	..	1	..	1	..	·7	..	..	..	..	..	..
	10. Fistula	..	..	..	..	1	1	..	..	1	..	·3	1	..	1	..	..	..
	11. *Stomach Disease, &c.*	6	5	5	8	5	4	5	6	9	8	6·1	8	1	2	2	3	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	3	3	1	3	2	3	5	3	3	..	2·6	4	..	..	2	2	..
	14. Jaundice	2	4	5	1	5	4	..	2	9	4	3·6	3	2	..	..	..	1
	15. *Liver Disease, &c.*	15	11	8	7	14	18	5	14	14	16	12·2	13	..	2	5	6	..
	16. *Spleen Disease, &c.*	..	2	..	..	..	..	1	..	..	..	·3	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	1	..	1	2	..	2	3	..	1	1	1·1	..	..	..	..	..	..
	2. Ischuria	..	1	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	3	4	1	2	..	4	3	6	5	2	3·0	2	..	..	1	1	..
	4. Diabetes	1	1	..	1	2	1	5	..	1	2	1·4	1	1	..	..	..	..
	5. Stone	..	1	1	1	..	1	..	1	..	..	·5	..	..	..	..	..	..
	6. Cystitis	3	2	..	..	..	..	1	..	1	1	·8	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	5	8	7	7	4	..	2	10	4	7	5·4	6	..	1	1	4	..
	ORDER 6.																	
	1. Ovarian Dropsy	2	2	3	3	..	2	2	1	..	..	1·5	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	5	2	4	5	5	4	1	8	1	3	3·8	3	..	2	..	1	..
	ORDER 7.																	
	1. Arthritis	..	1	..	1	..	..	..	..	..	..	·2	2	1	..	..	1	..
	2. *Joint Disease, &c.*	5	3	6	5	6	2	2	4	8	2	4·3	3	1	1	..	1	..
	ORDER 8.																	
	1. Phlegmon	3	2	1	6	4	3	2	..	3	1	2·5	..	..	..	..	..	..
	2. Ulcer	2	2	2	1	1	1	1	1	1	..	1·2	1	1	..	..	..	..
	3. *Skin Disease, &c.*	..	..	1	2	1	..	2	1	2	1	1·0	2	1	..	..	..	1
IV.	ORDER 1.																	
	1. Premature Birth	26	29	25	25	33	22	26	33	25	36	28·0	16	16	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	8	4	4	2	3	2	2	2	2	2	3·1	4	4	..	..	..	..
	5. Teething	7	10	15	7	9	12	11	8	11	10	10·0	13	13	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	3	4	2	7	1	5	4	5	5	8	4·4	5	..	5	..	..	..
	ORDER 3.																	
	1. Old Age	34	34	37	35	34	20	25	23	45	40	32·7	34	..	..	..	16	18
	ORDER 4.																	
	1. Atrophy and Debility	27	35	24	30	27	30	33	33	33	55	32·7	69	57	..	2	10	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	5	2	1	2	..	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	3	3	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	8	3	2	2	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	1	..	..	..	1
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	..	1	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	25	19	15	20	16	26	15	14	39	22	21·1	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	7	19	6	4	2	6	4	3	1	5	5·7	9	3	2	1	3	..
	Causes not specified or ill-defined	8	8	12	7	9	25	15	13	7	11	11·5	3	1	..	2	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

Deaths Registered in the Twenty-ninth Week of each of the following Years, with the Mean Temperature for the same periods.

Superintendent Registrars' Districts.	Area in Statute Acres.	Population in 1851.	Deaths in Districts, &c. in the Week ending Saturday, July 22 1848	July 21 1849	July 20 1850	July 19 1851	July 24 1852	July 23 1853	July 22 1854	July 21 1855	July 19 1856	July 25 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, July 24 1858.
Mean Temperature . . .			62·5°	60·5°	65·6°	58·1°	65·0°	59·6°	63·2°	59·6°	60·1°	68·3°	62·3°	62·9°
LONDON	78029	2362236	1096	1741	863	873	912	971	1008	915	1018	1209	1060·6	1132
1–6. West Districts .	10786	376427	152	228	138	148	121	177	150	132	169	241	165·6	192
7–11. North Districts .	13533	490396	232	235	168	180	198	175	192	170	200	279	202·9	238
12–19. Central Districts	1938	393256	227	250	140	130	137	158	155	126	122	158	160·3	139
20–25. East Districts .	6230	485522	242	295	179	195	216	209	213	202	255	280	228·6	246
26–36. South Districts .	45542	616635	243	733	238	220	240	252	298	285	272	251	303·2	317
1. Kensington* HHHH .	7374	120004	32	64	54	46	37	68	42	40	53	95	53·1	75
2. Chelsea H*w* . . .	865	56538	22	33	12	26	17	26	35	22	28	32	25·3	28
3. St. George Hanover-sq. H	1161	73230	29	26	21	18	17	24	24	31	32	49	27·1	41
4. Westminster* HHHH .	917	65609	38	69	28	40	22	38	29	21	35	36	35·6	23
5. St. Martin-in-the-Fields H	305	24640	15	17	12	8	17	9	8	8	10	15	11·9	15
6. St. James Westminster .	164	36406	16	19	11	10	11	12	12	10	11	14	12·6	10
7. Marylebone HH . .	1509	157696	77	75	52	61	62	57	49	58	65	85	64·1	70
8. Hampstead	2252	11986	4	3	2	3	7	3	5	4	5	6	4·2	4
9. Pancras HH*w* . . .	2716	166956	87	114	59	72	58	60	77	53	60	79	71·9	86
10. Islington HHH . .	3127	95329	39	27	32	33	46	34	44	40	47	74	41·6	51
11. Hackney* H*w* . . .	3929	58429	25	16	23	11	25	21	17	15	23	35	21·1	27
12. St. Giles* H . . .	245	54214	38	47	20	19	18	31	29	13	20	23	25·8	23
13. Strand* H	173	44422	16	26	15	15	14	16	14	23	17	24	18·0	18
14. Holborn* H . . .	196	46621	19	33	12	16	19	22	20	18	19	21	19·9	25
15. Clerkenwell	380	64778	17	26	24	23	21	18	28	15	13	22	20·7	25
16. St. Luke HH . . .	220	54055	32	29	17	14	14	20	20	13	10	25	19·4	14
17. East London* . . .	153	44406	21	17	16	15	16	23	14	13	18	15	16·8	7
18. West London* H . .	137	28828	52	33	17	16	23	11	17	17	17	15	21·8	11
19. London City*	434	55932	32	39	19	12	12	17	13	14	8	13	17·9	16
20. Shoreditch *w* . . .	646	109257	60	42	41	46	44	61	43	55	60	83	53·5	56
21. Bethnal Green H . .	760	90193	31	36	16	30	40	44	36	41	32	51	35·7	34
22. Whitechapel* HH . .	406	79759	50	43	29	48	41	31	34	25	46	33	38·0	44
23. St. George-in-the-East .	243	48376	28	22	22	20	21	21	20	19	30	18	22·1	27
24*a*. Stepney*	576	54173	55	79	46	39	46	37	54	36	56	65	51·3	22
24*b*. Mile-end Old Town H*w*	681	56602												33
25. Poplar* H*w* . . .	2918	47162	18	73	25	12	24	15	26	26	31	30	28·0	30
26. St. Saviour Southwark* HH	250	35731	18	32	19	20	23	20	15	20	16	19	20·2	25
27. St. Olave Southwark* HH	169	19375	21	42	16	14	11	5	27	14	31	13	19·4	15
28. Bermondsey	688	48128	15	79	21	20	21	17	32	23	24	14	26·6	28
29. St. George Southwark .	282	51824	24	88	22	15	21	19	26	30	20	18	28·3	29
30. Newington	624	64816	22	83	28	17	27	29	24	25	32	23	31·0	32
31. Lambeth H	4015	139325	48	169	52	48	52	53	60	49	46	43	62·0	67
32. Wandsworth*	11695	50764	21	21	20	18	16	19	22	21	22	20	20·0	18
33. Camberwell	4342	54667	12	60	18	7	17	26	25	31	22	28	24·6	32
34. Rotherhithe	886	17805	7	52	4	5	5	6	7	7	10	5	10·8	8
35. Greenwich* HHHHH .	5367	99365	45	78	29	50	37	46	49	48	40	52	47·4	53
36. Lewisham*	17224	34835	10	29	9	6	10	12	11	17	9	16	12·9	10

Note.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—Deaths registered in 117 Public Institutions.

	In the Week ending July 17. Total.	Males.	Females.	In the Week ending July 24. Total.	Males.	Females.
Total Deaths in 117 Public Institutions .	162	88	74	150	79	71
45 Workhouses	95	41	54	89	42	47
14 Prisons . . . . . ‡	–	–	–	–	–	–
4 Military and Naval Asylums . . . . §	12	12	–	7	7	–
15 General Hospitals	46	29	17	44	24	20
7 Hospitals for Special Diseases	1	1	–	3	2	1
4 Lying-in Hospitals . . . . Women .	–	–	–	1	–	1
4 Lying-in Hospitals . . . . Children .	1	1	–	–	–	–
7 Military and Naval Hospitals	–	–	–	–	–	–
2 Hospitals and Asylums for Foreigners . .	–	–	–	1	1	–
19 Lunatic Asylums	7	4	3	5	3	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 24th July 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	6	50	58	55	127	35
1-6	WEST DISTRICTS - -	376427	1	5	11	9	18	5
7-11	NORTH DISTRICTS - -	490396	2	9	11	7	26	7
12-19	CENTRAL DISTRICTS -	393256	1	5	5	7	15	5
20-25	EAST DISTRICTS - -	485522	2	7	8	11	33	7
26-36	SOUTH DISTRICTS - -	616635	-	24	23	21	35	11
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	-	-	1	1	-
2	St. John Paddington H -	29053	-	-	2	-	1	-
3	Kensington Town *W* L -	29183	-	-	1	-	4	-
4	Brompton HH - -	14870	-	-	-	1	1	-
5	St. Peter Hammersmith -	4467	-	-	-	-	1	-
6	St. Paul Hammersmith -	13293	-	-	1	1	-	-
7	Fulham *W* LLLL - -	11886	-	-	-	-	2	-
2; 1	Chelsea South H - -	19050	1	1	1	-	-	-
2	Chelsea North-west *Ww*	17669	-	-	-	-	-	1
3	Chelsea North-east L -	19819	-	-	-	1	1	1
3; 1	Hanover Square - -	20216	-	-	1	-	1	1
2	May Fair *W* - - -	12980	-	-	1	-	-	1
3	Belgrave H - - -	40034	-	2	2	3	2	1
4; 1	St. John Westmr. HHHP	34295	-	2	1	-	1	-
2	St. Margaret West. *W* HP	31314	-	-	-	-	1	-
5; 1	Charing Cross *W* H -	12587	-	-	1	-	1	-
2	Long Acre - - -	12053	-	-	-	1	1	-
6; 1	Berwick Street - -	10798	-	-	-	1	-	-
2	St. James's Square -	11469	-	-	-	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	2	-	-	2	1
2	Cavendish-square - -	14687	-	1	-	-	-	-
3	Rectory Marylebone *W* -	27633	-	1	-	1	3	-
4	St. Mary Marylebone H	22814	-	-	1	-	-	-
5	Christchurch Marylebone	33895	-	-	1	-	6	1
6	St. John Marylebone -	29826	-	-	-	-	5	1
8; 1	Hampstead *W* - -	11986	-	-	-	2	-	-
9; 1	Regent's Park Pancras -	31918	-	1	-	-	-	-
2	Tottenham-court *w*H -	28433	-	-	-	1	-	1
3	Gray's Inn Lane H -	26523	-	-	-	-	1	-
4	Somers Town - - -	35641	-	1	-	2	2	-
5	Camden Town *W* - -	21115	-	-	1	-	1	-
6	Kentish Town - -	23326	-	-	-	-	-	1
10; 1	Islington West† *W*HHHPP	47881	2	1	3	1	4	-
2	Islington East - -	47448	-	1	3	-	1	1
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	-	1	-	-	-
4	Hackney *W* H*w* - -	20850	-	1	1	-	1	1
5	South Hackney L - -	8458	-	-	-	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	-	-	-	-	-
2	St. Giles South *W* H -	19951	-	-	-	-	2	-
3	St. Giles North - -	17456	-	-	1	-	-	1
13; 1	St. Anne Soho - -	17335	-	-	-	-	1	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15472	-	-	-	-	-	-
14; 1	St. George-the-Martyr H.	18813	1	-	1	2	2	-
2	St. Andrew, East. Holb. *W*	13971	-	-	-	-	3	-
3	Saffron Hill - - -	13837	-	-	-	1	1	-
15; 1	St. James Clerkenwell *W*P	21529	-	1	-	1	3	-
2	Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3	Pentonville - - -	11904	-	2	-	-	-	-
4	Goswell-street - - -	15625	-	-	-	-	-	1
16; 1	Old-street H - - -	10617	-	-	-	-	1	-
2	City-road HL - -	16840	-	-	1	-	1	-
3	Whitecross-street - -	13657	-	-	-	-	1	-
4	Finsbury - - - -	12941	-	-	-	-	-	-
17; 1	St. Botolph East London	23824	-	-	-	-	-	1
2	Cripplegate P - -	20582	-	-	-	-	-	-
18; 1	West London North *W*HP	12946	-	2	1	-	-	2
2	West London South P -	15882	-	-	-	-	-	-
19; 1	London City South-west -	9204	-	-	-	1	-	-
2	London City North-west -	11847	-	-	-	-	-	-
3	London City South - -	11461	-	-	1	1	-	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	-	1	-	-

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	-	1	1	1
2	St. Leonard Shoreditch L	19449	-	-	-	-	1	1
3	Hoxton New Town *w* -	23505	-	1	1	1	2	-
4	Hoxton Old Town - -	17431	-	-	-	-	4	-
5	Haggerstone West *W* -	20276	-	-	-	-	1	-
6	Haggerstone East - -	11351	-	-	1	-	3	1
21; 1	Hackney-road - - -	23910	-	-	-	-	-	-
2	Green, Bethnal Green *W* HL	23555	-	-	1	-	-	-
3	Church, Bethnal Green -	21787	-	-	2	1	1	-
4	Town, Bethnal Green -	20941	2	1	-	-	1	-
22; 1	Artillery Whitechapel -	6769	-	-	1	-	-	-
2	Spitalfields - - -	15336	-	1	-	-	3	-
3	Mile End New Town *W*	14543	-	-	-	-	2	-
4	Whitechapel North *W* -	12530	-	-	-	-	2	-
5	Whitechapel Church H -	7818	-	-	-	-	1	-
6	Goodman's Fields - -	12069	-	-	-	-	1	-
7	Aldgate H - - -	10694	-	-	-	1	-	-
23; 1	St. Mary St. Geo. East -	18067	-	1	-	2	2	-
2	St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3	St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1	Shadwell *W* - - -	16179	-	-	-	1	-	-
2	Ratcliff *W* - - -	15212	-	-	-	-	2	-
3	Limehouse *W* - -	22782	-	1	-	-	-	-
24*b*; 1	Mile End Old Town, Westn.	29582	-	1	-	2	1	2
2	Mile End Old T., East. *Ww*H	27020	-	1	2	-	1	-
25; 1	Bow *w*LH - - -	18778	-	-	-	1	-	1
2	Poplar *W* - - -	28384	-	-	-	1	4	1
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	1	-	1	-	1
2	St. Saviour Southwark HH	19709	-	1	3	2	2	-
27; 1	St. Olave Southwark HH	8015	-	1	-	-	1	1
2	St. John Horsleydown *W*	11360	-	-	1	-	-	-
28; 1	St. James Bermondsey -	18899	-	-	1	1	-	-
2	St. Mary Magdalen *W* -	13934	-	2	1	1	2	-
3	Leather Market - -	15295	-	4	-	1	3	-
29; 1	Kent-road - - -	18126	-	-	-	-	1	1
2	Borough-road *W* P -	15862	-	3	-	2	3	-
3	London-road LP - -	17836	-	2	1	1	2	1
30; 1	Trinity Newington P -	20922	-	-	3	-	2	-
2	St. Peter Walworth *W* -	29861	-	1	1	1	-	-
3	St. Mary Newington -	14033	-	-	-	-	-	2
31; 1	Waterloo-road 1st - -	14088	-	-	1	1	-	-
2	Waterloo-road 2nd H -	18348	-	1	2	1	1	-
3	Lambeth Church 1st -	18409	-	2	-	-	4	-
4	Lambeth Church 2nd *W*	26784	-	-	1	1	2	-
5	Kennington 1st - -	24261	-	2	-	-	-	-
6	Kennington 2nd - -	18848	-	-	-	-	-	-
7	Brixton L - - -	14610	-	-	-	1	-	-
8	Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1	Clapham L - - -	16290	-	-	-	1	3	1
2	Battersea *W* - - -	10560	-	-	1	-	1	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	-	-	-	-	-
33; 1	Dulwich - - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	-	1	-	-	2
3	Peckham - - - -	19444	-	-	-	2	-	-
4	St. George Camberwell -	15849	-	-	4	1	1	-
34; 1	Rotherhithe *W* - -	17805	-	-	-	1	2	-
35; 1	St. Paul Deptford - -	24899	-	2	1	-	3	-
2	St. Nicholas Deptford -	7071	-	-	-	-	-	-
3	Greenwich West H -	18800	-	-	1	1	1	1
4	Greenwich East *W* H -	16228	-	-	-	-	-	1
5	Woolwich Dockyard HP	17140	-	-	-	1	-	-
6	Woolwich Arsenal HPH	15227	-	-	-	-	1	-
36; 1	Plumstead - - -	13191	-	2	-	-	-	-
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	-	-	-	-	-
4	Lewisham Village *W* -	6097	-	-	-	-	-	-
5	Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 24th July 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Great-est.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Great-est.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
July.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday .	18	..	29·954	78·0	52·1	25·9	62·8	54·4	91·3	43·0	69·2	64·2	8·4	15·3	3·8	+ 1·1	74	S.	S.W.	2·5	0·0	0·3	55	0·09
Monday .	19	..	29·962	77·2	50·7	26·5	62·8	53·3	103·6	41·0	69·2	64·7	9·5	18·5	2·7	+ 1·1	70	S.W.	N.	0·0	0·0	0·0	10	0·00
Tuesday .	20	..	29·756	78·0	51·7	26·3	64·6	51·8	102·0	44·0	70·4	66·2	12·8	21·6	5·2	+ 3·0	60	S.S.W.	S.E.	2·5	0·0	0·2	70	0·00
Wednesday	21	..	29·661	73·8	56·7	17·1	60·7	49·0	90·2	44·5	69·2	65·2	11·7	21·1	4·6	— 0·8	69	N.W.	S.W.	3·5	0·0	0·8	110	0·00
Thursday .	22	Apogee Greatest Dec. S.	29·808	74·5	49·3	25·2	60·6	52·9	101·8	41·0	69·2	64·7	7·7	19·6	1·0	— 0·9	74	S.W.	S.	3·0	0·0	0·5	70	0·03
Friday . .	23	..	29·771	79·2	57·5	21·7	65·7	55·0	105·5	56·5	69·2	66·2	10·7	19·2	2·0	+ 4·2	69	SW. & W.	S.W.	2·0	0·0	0·0	60	0·00
Saturday .	24	..	29·559	71·9	54·9	17·0	62·9	58·1	92·7	52·5	69·3	66·2	4·8	11·0	1·0	+ 1·3	84	S.	S. & S.W.	4·5	0·0	0·8	255	0·25
Means . .		..	29·782	76·1	53·3	22·8	62·9	53·5	98·2	46·1	69·4	65·3	9·4	18·0	2·9	+ 1·3	71	S.W.		..	..	..	Sum 630	Sum 0·37
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
July.			
Sunday . .	18	Strong positive at each examination.	Cloudy till near noon; during the remainder of the day the sky was for the most part clear. Heavy showers of rain fell early in the morning.
Monday. .	19	Positive, with variable tension.	Generally cloudy till noon; clear during the remainder of the day.
Tuesday .	20	Positive, with moderate tension.	The day was fine and the amount of cloud was small till evening; generally cloudy afterwards.
Wednesday	21	Weak positive at night. No electricity was shown at any other examination.	Cloudy till noon; partially cloudy during the afternoon; clear at night.
Thursday .	22	No electricity was shown at any examination.	Generally cloudy throughout the day. Rain fell during the evening.
Friday . .	23	Weak positive at night. No electricity was shown at any other examination.	Cloudy for the most part throughout the day.
Saturday .	24	No electricity was shown at any examination.	Partially cloudy at noon; overcast at other times of the day. Rain fell heavily between 0h. and 1h. A.M.; and light showers fell occasionally.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·89 in. at the beginning of the week to 30·00 in. by 9h. A.M. on the 19th; decreased to 29·60 in. by 9h. A.M., on the 21st; increased to 29·82 in. by 9h. A.M. on the 22d; turned to decrease after noon, and was 29·40 in. at the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 30. 1858. Vol. XIX.] Week ending Saturday, July 31. [Price 1½*d.*

General Register Office, Somerset House,
August 2d, 1858.

The deaths registered in London in the week ending last Saturday, July 31st, are 1161, and exhibit a slight increase on those of the previous week, when the number was 1132. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1152; but as the deaths now returned occurred in a population which has annually increased, they can only be compared with the average after it has been raised in proportion to the increase, a correction which will make it 1267. The comparison thus made, shows a reduction of more than a hundred in the deaths of last week; but it is necessary to remark that cholera was spreading with great violence in the last week of July 1849, and with diarrhœa was fatal in 1007 cases; that the same epidemic had commenced at this time in 1854; and therefore the average which comprises both periods is too high to be used for comparison in a season which, like the present, is comparatively healthy. It will be found that the mortality of last week approaches very near an average derived from non-epidemic seasons.

If the deaths of last week had been according to "the healthy rate" of mortality, which is derived from those districts of England where the mortality is least, they would have been 799. Therefore the deaths that occur in excess of this number may be designated *unnatural;* and in the present instance these amount to 362, though it is certain that the number thus described is understated, as will appear from the fact that the mortality of the selected country districts includes many deaths which properly fall under the same denomination.

The mortality from diarrhœa shows an increase; the deaths having risen from 127 in the previous week to 168 last week. Five occurred in the sub-district of St. Mary, Paddington, 5 in Camden Town, 9 in Islington East, 6 in Christchurch (Southwark), 5 in Lambeth Church sub-district, second part. Fifteen deaths are referred to "cholera," and 12 of these occurred to children. In the case of a man who died in Black-bull-yard, Gray's-inn-lane, the disease is returned as "cholera Asiatica." The fatal cases of scarlatina are still numerous; they rose last week to 78. Five deaths from it occurred in the sub-district of Haggerstone West, 2 of which were in the Shoreditch Workhouse, and were those of a man and woman who were brought on the 23d ult. from 11 Victoria-place, Brunswick-street. Two children have recently died from cynanche tonsillaris in the house of a labourer in Putney, and three other children in the family have suffered from it. Fifty-six children died of measles; 6 of these in St. Saviour, Southwark.

The three oldest persons whose deaths are in this return, are a man, aged 94 years, and two widows who were 95.

Last week the births of 877 boys and 780 girls, in all 1657 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1459.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·787 in. The highest barometrical reading was 30·07 in. on Saturday.

The mean temperature of the week was 59·6°, which is 2·5° below the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average on every day, and on Thursday the extent of depression was 6·2°. The thermometer fell to its *lowest* point on Thursday, viz. 43·8°, and rose to its *highest* in the shade on Saturday, which was 78·2°. The range of the week was therefore 34·4° ; the mean daily range was 24·5°. The difference between the mean dew point temperature and air temperature was so great as 10·7°. The mean degree of humidity was only 68. The mean temperature of the water of the Thames was 65·7°. On Sunday morning the wind, which was in the south-west, blew sometimes with a pressure increasing to 15 lbs. on the square foot, and the trees in Greenwich park suffered damage to an unusual amount.

Kensington; *Town.*—At 43 Pembridge-villas, on 28 July, the daughter of a builder, aged 10½ months, "choleraic diarrhœa."

In same sub-district.—At 9 Market-court, on 25 July, the son of a shopman, aged 9 months, "cholera infantum."

St. George, Hanover Square; *Hanover Square.*—At 105 Park-street, Grosvenor-square, on 28 July, the daughter of a lodging house keeper, aged 9 months, "cholera infantum (14 hours), slight diarrhœa (1 or 2 days)."

St. George Hanover Square; *Belgrave.*—At 2 Ellesmere-cottages, on 24 July, the son of a butler, aged 2 months, "choleraic diarrhœa (2 days.)"

In same sub-district.—At 10 Eaton-terrace-mews, on 27 July, the son of a coachman (domestic servant), aged 10 months, "teething, infantile cholera (48 hours)."

Westminster; *St. Margaret.*—At 22 Castle Lane, on 28 July, the daughter of a house painter (journeyman), aged 10 months, "choleraic diarrhœa, convulsions (2 weeks)."

Marylebone; *Rectory.*—At 94 East-street, on 28 July, the wife of a labourer, aged 72 years, "cholera (4 days)."

Marylebone; *St. Mary.*—At 11 Stingo-lane, on 29 July, the son of a pastrycook, aged 4 years, "cholera (14 hours)."

St. Pancras; *Tottenham-court.*—At 40 London-street, on 27 July, the son of a glasscutter, aged 9 months, "cholera infantum (24 hours.)"

St. Pancras; *Somers Town.*—At 46 Little George-street, on 26 July, the daughter of a plasterer (journeyman), aged 8 months, "choleraic diarrhœa."

Islington; *West.*—At 7 Upper Bemerton-street, on 28 July, the son of a furrier, aged 6 months, "cholera Anglica (1 week), aphtha (3 days), prematurely born, 7 months."

Holborn; *St. Andrew Eastern.*—At Black Bull-yard, Grays-inn-lane, on 29th July, a whitesmith, aged 30 years, "diarrhœa (3 days), cholera Asiatica (6 hours)."

Whitechapel; *Mile End New Town.*—At 8 Heneage-street, Spitalfields, on 29th July, a dairyman, aged 75 years, "cholera (30 hours)."

Mile End Old Town; *Western.*—At 3 Richmond-terrace, on 26th July, the son of a commercial traveller, aged 2 years, "choleraic diarrhœa (2 days)."

Southwark; *London Road.*—At 5 Obelisk-buildings, on 25th July, the daughter of a seaman, aged 4 months, "cholera."

Births Registered last Week, and in the Thirtieth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1396	1313	1344	1383	1430	1521	1518	1403	1608	1673	1458·9	1657
Males . .	707	689	664	709	761	769	768	726	844	843	748·0	877
Females .	689	624	680	674	669	752	750	677	764	830	710·9	780

Deaths Registered last Week, and in the Thirtieth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1201	1931	898	956	1040	1004	1219	1036	995	1238	1151·8	1161
Males . .	650	952	439	473	532	520	626	576	487	632	588·7	610
Females .	551	979	459	483	508	484	593	460	508	606	563·1	551

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTIETH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 29 1848	July 28 1849	July 27 1850	July 26 1851	July 31 1852	July 30 1853	July 29 1854	July 28 1855	July 26 1856	Aug. 1 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 31, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	61°·6	58°·9	63°·4	60°·0	65°·7	60°·3	64°·9	61°·3	64°·2	65°·6	62°·6	Mean Temp. 59°·6					
	ALL CAUSES	1201	1931	898	956	1040	1004	1219	1036	995	1238	1151·8	1161	694	139	167	130	31
	SPECIFIED CAUSES	1194	1910	890	948	1036	995	1202	1026	979	1225	1140·5	1155	688	139	167	130	31
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	524	1197	292	299	332	294	446	314	299	493	449·0	452	389	22	15	24	2
II.	CONSTITUTIONAL "	225	217	200	212	242	230	211	246	211	270	226·4	228	83	65	67	11	2
III.	LOCAL "	303	334	269	304	298	317	354	299	327	314	311·6	315	122	43	77	65	8
IV.	DEVELOPMENTAL "	114	134	109	113	139	120	160	141	110	122	126·2	126	80	4	1	23	18
V.	VIOLENT DEATHS	31	28	20	20	25	34	31	26	32	26	27·3	34	14	5	7	7	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	496	1175	264	278	303	265	413	288	278	469	422·9	422	370	16	12	22	2
	2. ENTHETIC "	5	1	7	2	4	4	8	3	4	8	4·6	4	3	..	1	..	..
	3. DIETIC "	15	16	15	9	17	18	18	19	15	14	15·6	24	14	6	2	2	..
	4. PARASITIC "	8	5	6	10	8	7	7	4	2	2	5·9	2	2	..	..	..	..
II.	1. DIATHETIC "	18	29	30	26	31	27	33	42	38	35	30·9	35	3	1	22	7	2
	2. TUBERCULAR "	207	188	170	186	211	203	178	204	173	235	195·5	193	80	64	45	4	..
III.	1. DISEASES OF NERVOUS SYSTEM	111	122	99	120	111	124	135	111	110	122	116·5	108	56	12	18	18	4
	2. " OF ORGANS OF CIRCULATION	26	45	33	26	33	38	34	26	31	34	32·6	38	3	9	16	9	1
	3. " OF RESPIRATORY ORGANS	79	86	74	85	68	79	106	82	100	68	82·7	97	50	11	16	18	2
	4. " OF DIGESTIVE ORGANS	66	59	41	45	61	51	52	56	53	61	54·5	54	12	7	18	16	1
	5. " OF URINARY ORGANS	9	9	11	14	13	12	13	12	17	13	12·3	10	..	3	6	1	..
	6. " OF ORGANS OF GENERATION	1	6	6	8	3	7	4	3	4	2	4·4	3	..	..	1	2	..
	7. " OF ORGANS OF LOCOMOTION	3	1	3	1	3	4	3	3	1	7	2·9	2	1	1	..	.	..
	8. " OF INTEGUMENTARY SYSTEM	5	6	2	5	6	2	7	6	11	7	5·7	3	..	..	2	1	..
IV.	1. DEV. DISEASES OF CHILDREN	45	43	49	30	65	43	57	51	39	32	45·4	31	31	..	..	..	..
	2. " OF ADULTS	4	5	2	2	4	9	8	4	3	4	4·5	3	..	3	..	..	..
	3. " OF OLD PEOPLE	31	34	31	46	35	38	45	29	37	42	36·8	36	..	..	..	18	18
	4. DISEASES OF NUTRITION	34	52	27	35	35	30	50	57	31	44	39·5	56	49	1	1	5	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											25	11	3	6	5	..
	* 3. HOMICIDE												2	1	1	..	..	..
	4. SUICIDE												7	2	1	1	2	1
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	31	28	20	20	25	34	31	26	32	26	27·3	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	16	1	5	1	5	6	6	6	3	5·1	4	4	..	..	..	..
	CAUSES NOT SPECIFIED	5	5	7	3	3	4	11	4	10	10	6·2	2	2	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 29 1848	July 28 1849	July 27 1850	July 26 1851	July 31 1852	July 30 1853	July 29 1854	July 28 1855	July 26 1856	Aug. 1 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 31, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	61°·6	58°·9	63°·4	60°·0	65°·7	60°·3	64°·9	61°·3	64°·2	65°·6	62°·6	Mean Temp. 59°·6					
I.	ORDER 1.																	
	1. Small-pox	36	3	5	17	18	3	9	13	20	1	12·5	1	1	..	..	..	..
	2. Measles	5	30	21	26	14	34	19	6	45	21	22·1	56	56	..	..	..	..
	3. Scarlatina	119	32	23	18	54	23	70	38	19	20	41·6	78	73	2	2	1	..
	4. Quinsy	..	3	..	2	..	..	..	2	..	3	1·0	1	1	..	..	..	..
	5. Croup	3	3	5	3	6	8	5	7	5	7	5·2	9	9	..	..	..	..
	6. Whooping-cough	25	27	25	35	19	42	33	36	33	40	31·5	50	50	..	..	..	..
	7. Typhus (and Infantile fever)	77	38	36	60	36	46	42	59	49	34	47·7	22	7	6	6	2	1
	8. Erysipelas	9	4	9	8	1	6	7	9	11	4	6·8	2	2	..	..	..	..
	9. Metria	2	5	4	3	1	2	4	..	..	2	2·3	5	..	5	..	..	..
	10. Carbuncle	1	..	1	..	..	1	1	..	1	1	·6	..	..	..	..	..	..
	11. Influenza	..	..	2	1	1	..	..	1	..	..	·5	3	1	..	..	2	..
	12. Dysentery	14	14	8	2	4	2	3	6	2	5	6·0	5	3	..	..	2	..
	13. Diarrhœa	173	224	104	83	125	81	84	93	71	302	134·0	168	152	1	3	11	1
	14. Cholera	26	783	13	12	16	9	133	9	11	24	103·6	15	12	1	..	2	..
	15. Ague	2	1	..	1	..	1	1	..	..	1	·7	..	..	..	..	..	..
	16. Remittent Fever	..	2	3	..	1	1	1	1	1	2	1·2	1	..	..	1	..	..
	17. Rheumatism	4	6	5	7	7	6	1	8	10	2	5·6	6	3	1	..	2	..
	ORDER 2.																	
	1. Syphilis	3	..	4	..	3	3	4	2	3	5	2·7	3	3	..	..	..	..
	2. Stricture of Urethra	2	1	3	2	1	1	4	1	1	3	1·9	1	..	..	1	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	..	..	..	1	..	..	..	..	·2	1	1	..	..	..	..
	2. Want of Breast-milk	12	9	6	8	13	11	11	9	10	10	9·9	13	13	..	..	..	..
	3. Purpura and Scurvy	2	2	2	..	1	..	..	..	3	..	1·0	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	4	5	1	1	4	6	10	2	4	3·8	7	..	4	2	1	..
	4. Alcoholism { *b* Intemperance	..	..	2	..	2	2	1	..	..	..	·7	3	..	2	..	1	..
	ORDER 4.																	
	1. Thrush	8	5	6	10	8	7	7	4	2	2	5·9	2	2	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	..	1	..	..	1	..	..	1	1	·4	2	..	..	2	..	..
	2. Dropsy	5	16	12	10	12	12	7	20	13	9	11·6	12	2	..	6	2	2
	3. Cancer	12	12	16	15	18	10	25	19	23	23	17·3	21	1	1	14	5	..
	4. Noma	..	..	..	1	..	..	..	..	..	1	·2	..	..	..	..	..	..
	5. Mortification	1	1	1	..	1	4	1	3	1	1	1·4	..	..	..	..	..	..
	ORDER 2.																	
	1. Scrofula	10	10	11	3	7	14	8	11	10	14	9·8	15	11	4	..	..	..
	2. Tabes Mesenterica	26	23	12	18	30	20	11	18	24	27	20·9	20	19	1	..	..	..
	3. Phthisis	133	121	121	141	145	149	122	148	120	156	135·6	132	24	59	45	4	..
	4. Hydrocephalus	38	34	26	24	29	20	37	27	19	38	29·2	26	26	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	10	8	15	12	16	9	17	7	14	18	12·6	16	14	2	..	..	..
	2. Apoplexy	18	28	19	26	18	26	22	22	20	19	21·8	23	1	3	6	10	3
	3. Paralysis	24	17	18	19	13	16	30	21	18	25	20·1	15	..	2	6	7	..
	4. Insanity	1	2	3	3	3	2	..	2	3	1	2·0	2	..	1	..	..	1
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..
	6. Epilepsy	7	10	6	3	5	11	9	8	5	5	6·9	9	3	2	4	..	..
	7. Convulsions	35	41	29	42	45	44	45	42	37	40	40·0	35	35	..	..	..	..
	8. *Brain Disease, &c.*	16	16	9	15	11	16	12	9	13	14	13·1	7	2	2	2	1	..
	ORDER 2.																	
	1. Pericarditis	2	1	3	2	2	1	2	..	3	2	1·8	..	..	..	..	..	..
	2. Aneurism	1	1	2	2	..	..	1	..	..	1	·8	2	..	..	1	1	..
	3. *Heart Disease, &c.*	23	43	28	22	31	37	31	26	28	31	30·0	36	3	9	15	8	1
	ORDER 3.																	
	1. Laryngitis	3	2	2	1	3	4	4	1	1	7	2·8	2	1	..	..	1	..
	2. Bronchitis	33	32	30	40	17	33	46	38	41	34	34·4	42	18	3	9	10	2
	3. Pleurisy	1	2	1	2	2	3	1	4	2	..	1·8	1	..	..	..	1	..
	4. Pneumonia	27	39	30	32	32	26	40	29	42	21	31·8	38	29	4	4	1	..
	5. Asthma	8	3	7	5	6	6	8	4	4	6	5·7	5	..	..	1	4	..
	6. *Lung Disease, &c.*	7	8	4	5	8	7	7	6	10	..	6·2	9	2	4	2	1	..
	ORDER 4.																	
	1 Gastritis	3	1	2	4	4	..	3	1	2	3	2·3	3	3	..	..	..	..
	2. Enteritis	15	12	9	8	13	2	8	10	5	11	9·3	4	2	1	..	1	..
	3. Peritonitis	9	4	2	1	6	4	1	5	6	2	4·0	3	1	2	..	..	..
	4. Ascites	3	4	3	4	..	3	1	5	1	1	2·5	3	..	1	..	1	1
	5. Ulceration of Intestines	3	1	3	..	5	2	4	..	4	2	2·4	..	..	..	..	..	..
	6. Hernia	1	3	..	1	2	4	5	1	1	3	2·1	2	..	..	..	2	..
	7. Ileus	2	3	3	4	5	3	5	3	4	2	3·4	2	..	..	..	2	..
	8. Intussusception	2	1	1	1	..	2	..	1	1	..	·9	2	1	..	1	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTIETH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, July 29 1848	July 28 1849	July 27 1850	July 26 1851	July 31 1852	July 30 1853	July 29 1854	July 28 1855	July 26 1856	Aug. 1 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, July 31, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	61°·6	58°·9	63°·4	60°·0	65°·7	60°·3	64°·9	61°·3	64°·2	65°·6	62°·6	Mean Temp. 59°·6					
	9. Stricture of Intestines	..	1	1	1	..	1	1	2	2	1	1·0	2	..	..	1	1	..
	10. Fistula	2	..	1	..	..	..	..	..	1	1	·5	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	5	8	3	5	5	5	4	6	3	9	5·3	4	1	1	1	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	6	7	2	4	3	3	4	1	7	5	4·2	3	..	..	2	1	..
	14. Jaundice	2	2	3	2	4	5	6	6	6	4	4·0	6	3	..	3	..	..
	15. *Liver Disease, &c.*	12	12	7	10	14	16	10	15	10	17	12·3	20	1	2	10	7	..
	16. *Spleen Disease, &c.*	1	..	1	..	..	1	..	..	..	..	·3	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	1	..	..	1	4	..	2	..	·8	..	..	..	..	..	..
	2. Ischuria	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	3	4	2	3	5	3	3	6	5	6	4·0	2	..	1	1	..	..
	4. Diabetes	..	..	2	..	..	1	..	..	3	1	·7	..	..	..	..	..	..
	5. Stone	2	..	2	1	..	..	1	1	1	..	·8	3	..	1	2	..	..
	6. Cystitis	1	..	2	2	..	2	1	..	2	1	1·1	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	3	5	2	8	7	5	4	5	4	5	4·8	5	..	1	3	1	..
	ORDER 6.																	
	1. Ovarian Dropsy	1	2	2	1	1	1	..	1	2	..	1·1	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	..	4	4	7	2	6	4	2	2	2	3·3	3	..	..	1	2	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	1	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	3	1	3	1	3	4	3	2	1	7	2·8	2	1	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	2	5	1	2	5	2	6	6	9	2	4·0	3	..	..	2	1	..
	2. Ulcer	1	1	1	1	1	..	..	..	1	3	·9	..	..	..	..	..	..
	3. *Skin Disease, &c.*	2	..	..	2	..	..	1	..	1	2	·8	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	23	25	31	22	48	34	34	35	23	20	29·5	19	19	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	5	5	6	1	7	1	5	3	5	2	4·0	1	1	..	..	..	..
	5. Teething	17	13	12	7	10	8	18	13	11	10	11·9	10	10	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	4	5	2	2	4	9	8	4	3	4	4·5	3	..	3	..	..	..
	ORDER 3.																	
	1. Old Age	31	34	31	46	35	38	45	29	37	42	36·8	36	..	..	..	18	18
	ORDER 4.																	
	1. Atrophy and Debility	34	52	27	35	35	30	50	57	31	44	39·5	56	49	1	1	5	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	16	6	2	3	5	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	4	1	1	2	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											2	1	1	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	2	..	..	..	1	1
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	2	..	..	1	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	31	28	20	20	25	34	31	26	32	26	27·3	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	2	16	1	5	1	5	6	6	6	3	5·1	4	4	..	..	..	..
	Causes not specified or ill-defined	5	5	7	3	3	4	11	4	10	10	6·2	2	2	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the THIRTIETH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, July 29 1848	July 28 1849	July 27 1850	July 26 1851	July 31 1852	July 30 1853	July 29 1854	July 28 1855	July 26 1856	Aug. 1 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, July 31 1858.
Mean Temperature . . .			61·6°	58·9°	63·4°	60·0°	65·7°	60·3°	64·9°	61·3°	64·2°	65·6°	62·6°	59·6°
LONDON	78029	2362236	1201	1931	898	956	1040	1004	1219	1036	995	1238	1151·8	1161
1-6. WEST DISTRICTS .	10786	376427	163	206	130	156	175	132	178	143	162	205	165·0	187
7-11. NORTH DISTRICTS .	13533	490396	247	278	177	209	184	207	178	205	223	258	216·6	243
12-19. CENTRAL DISTRICTS	1938	393256	200	274	158	152	170	182	184	154	154	195	182·3	148
20-25. EAST DISTRICTS .	6230	485522	287	344	202	198	207	210	275	249	197	270	243·9	264
26-36. SOUTH DISTRICTS .	45542	616635	304	829	231	241	304	273	404	285	259	310	344·0	319
1. Kensington* HHHH .	7374	120004	45	42	53	42	57	34	69	51	49	64	50·6	82
2. Chelsea H*w* . . .	865	56538	14	44	17	26	35	21	25	22	22	44	27·0	33
3. St. George Hanover-sq. H	1161	73230	22	30	20	27	31	23	27	26	35	49	29·0	33
4. Westminster* HHHH .	917	65609	50	48	18	32	30	33	44	24	30	26	33·5	25
5. St. Martin-in-the-Fields H	305	24640	10	16	5	14	12	11	7	7	11	11	10·4	10
6. St. James Westminster .	164	36406	22	26	17	15	10	10	6	13	15	11	14·5	4
7. Marylebone HH . .	1509	157696	76	104	50	69	72	51	57	67	72	65	68·3	83
8. Hampstead	2252	11986	4	3	2	4	7	7	6	4	4	6	4·7	4
9. Pancras HH*w* . . .	2716	166936	94	96	79	69	48	71	58	78	84	95	77·2	76
10. Islington HHH . .	3127	95329	49	43	26	47	34	53	38	32	40	64	42·6	53
11. Hackney* H*w* . . .	3929	58429	24	32	20	20	23	25	19	24	23	28	23·8	27
12. St. Giles* H . . .	245	54214	35	36	26	26	24	30	24	19	21	26	26·7	26
13. Strand* H	173	44422	21	29	18	17	25	17	17	13	17	18	19·2	9
14. Holborn* H . . .	196	46621	30	31	18	25	22	14	26	18	21	22	22·7	16
15. Clerkenwell	380	64778	26	28	21	25	25	28	28	23	20	21	24·5	25
16. St. Luke HH . . .	220	54055	24	31	18	20	25	31	25	26	19	40	25·9	17
17. East London* . . .	153	44406	20	22	16	12	17	26	23	20	17	17	19·0	16
18. West London* H . .	137	28828	25	62	24	16	23	12	24	20	24	34	26·4	28
19. London City* . . .	434	55932	19	35	17	11	9	24	17	15	15	17	17·9	11
20. Shoreditch *w* . . .	646	109257	88	71	43	48	51	46	53	57	46	64	56·7	66
21. Bethnal Green H . .	760	90193	46	56	34	33	34	37	29	47	26	41	38·3	50
22. Whitechapel* HH . .	406	79759	46	71	38	38	33	36	57	38	34	59	45·0	65
23. St. George in the East .	243	48376	28	24	18	26	22	23	29	22	24	19	23·5	14
24*a*. Stepney*	576	54173	44	75	47	39	46	46	70	52	51	60	53·0	22
24*b*. Mile-end Old Town H*w*	681	56602												28
25. Poplar* H*w* . . .	2918	47162	35	47	22	14	21	22	37	33	16	27	27·4	19
26. St. Saviour Southwark* HH	250	35731	25	54	17	15	19	19	26	28	16	18	23·7	36
27. St. Olave Southwark* HH	169	19375	29	51	15	15	14	27	42	29	19	17	25·8	22
28. Bermondsey	688	48128	19	91	23	27	25	15	38	19	22	24	30·3	23
29. St. George Southwark .	282	51824	22	94	11	22	32	28	33	30	22	23	31·7	24
30. Newington	624	64816	27	101	26	21	25	22	31	17	29	36	33·5	37
31. Lambeth H	4015	139325	55	173	52	57	65	55	70	63	42	70	70·2	59
32. Wandsworth* . . .	11695	50764	26	37	19	9	28	19	31	12	17	21	21·9	17
33. Camberwell	4342	54667	25	67	15	23	14	20	34	22	16	20	25·6	32
34. Rotherhithe	886	17805	4	53	6	14	8	8	14	6	14	12	13·9	10
35. Greenwich* HHHHH .	5367	99365	62	96	41	28	60	52	70	49	45	50	55·3	41
36. Lewisham*	17224	34835	10	12	6	10	14	8	15	10	17	19	12·1	18

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848–57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending July 24. Total.	Males.	Females.	In the Week ending July 31. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	150	79	71	175	99	76
45 WORKHOUSES	89	42	47	92	40	52
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	7	7	–	5	5	–
15 GENERAL HOSPITALS	44	24	20	56	38	18
7 HOSPITALS FOR SPECIAL DISEASES	3	2	1	4	2	2
4 LYING-IN HOSPITALS . . . . Women .	1	–	1	1	–	1
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	2	1	1
7 MILITARY AND NAVAL HOSPITALS	–	–	–	4	4	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	1	1	–
19 LUNATIC ASYLUMS	5	3	2	10	8	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 31st July 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	1	56	78	50	168	22
No.*							
1-6 WEST DISTRICTS - -	376427	1	7	7	8	27	3
7-11 NORTH DISTRICTS - -	490396	-	7	20	14	37	3
12-19 CENTRAL DISTRICTS -	393256	-	5	6	6	20	1
20-25 EAST DISTRICTS - -	485522	-	12	21	14	38	6
26-36 SOUTH DISTRICTS - -	616635	-	25	24	8	46	9
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	-	1	5	-
2 St. John Paddington H -	29053	-	-	-	-	1	-
3 Kensington Town *W* L -	29183	-	1	1	1	4	-
4 Brompton HH - -	14870	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	1	-
7 Fulham *W* LLLL - -	11886	-	-	1	-	3	-
2; 1 Chelsea South H - -	19050	1	1	1	1	2	-
2 Chelsea North-west *Ww*	17669	-	1	-	-	2	-
3 Chelsea North-east L -	19819	-	3	-	3	1	1
3; 1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	1	-	-	1
3 Belgrave H - - -	40034	-	-	1	-	1	1
4; 1 St. John Westmr. HHHP	34295	-	-	1	-	3	-
2 St. Margaret West. *W* HP	31314	-	-	1	1	3	-
5; 1 Charing Cross *W* H -	12587	-	1	-	-	-	-
2 Long Acre - - -	12053	-	-	-	1	1	-
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	1	-	-	-
2 Cavendish-square - -	14687	-	-	-	1	2	-
3 Rectory Marylebone *W* -	27633	-	-	3	-	1	-
4 St. Mary Marylebone H -	22814	-	-	1	1	1	-
5 Christchurch Marylebone	33895	-	1	2	2	3	1
6 St. John Marylebone -	29826	-	-	-	-	2	-
8; 1 Hampstead *W* - -	11986	-	-	-	1	1	-
9; 1 Regent's Park Pancras -	31918	-	1	1	3	1	-
2 Tottenham-court *w* H -	28433	-	1	2	1	1	-
3 Gray's-inn-lane H -	26523	-	-	-	-	3	-
4 Somers-town - - -	35641	-	1	-	-	4	-
5 Camden-town *W* - -	21115	-	-	1	1	5	-
6 Kentish-town - - -	23326	-	1	1	-	-	-
10; 1 Islington West† *W* HHHPP	47881	-	-	-	2	3	2
2 Islington East - - -	47448	-	1	3	1	9	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	1	-	-	-
3 West Hackney L - -	18732	-	-	-	1	1	-
4 Hackney *W* H*w* - -	20850	-	-	3	-	-	-
5 South Hackney L - -	8458	-	-	1	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	1	-
2 St. Giles South *W* H -	19951	-	-	-	2	-	-
3 St. Giles North - -	17456	-	-	1	2	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	-	-	1	-
14; 1 St. George-the-Martyr H.	18813	-	-	-	-	3	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	2	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	3	1
2 Amwell Clerkenwell P -	15720	-	-	1	-	2	-
3 Pentonville - - -	11904	-	1	-	-	-	-
4 Goswell-street - -	15625	-	-	1	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	1	-	-
2 City-road HL - -	16840	-	1	-	-	1	-
3 Whitecross-street - -	13657	-	-	-	-	-	-
4 Finsbury - - - -	12941	-	-	-	-	1	-
17; 1 St. Botolph East London	23824	-	1	1	-	1	-
2 Cripplegate P - -	20582	-	-	1	-	2	-
18; 1 West London North *W* HP	12946	-	1	1	-	3	-
2 West London South P -	15882	-	1	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	1	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	2	1	1	1	1
2 St. Leonard Shoreditch L	19449	-	1	-	-	3	-
3 Hoxton New Town *w* -	23505	-	-	3	1	4	1
4 Hoxton Old Town - -	17431	-	-	2	-	1	-
5 Haggerstone West *W* -	20276	-	-	5	-	2	-
6 Haggerstone East - -	11351	-	2	1	-	1	-
21; 1 Hackney Road - -	23910	-	-	1	-	1	-
2 Green, Bethnal Green *W* HL	23555	-	-	1	-	3	1
3 Church, Bethnal Green -	21787*	-	-	1	2	1	1
4 Town, Bethnal Green -	20941	-	3	-	-	4	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	1	-	-	-	-
3 Mile End New Town *W* -	14543	-	-	-	-	2	-
4 Whitechapel North *W* -	12530	-	-	2	-	3	-
5 Whitechapel Church H -	7818	-	1	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	2	-
7 Aldgate H - - -	10694	-	-	-	-	1	1
23; 1 St. Mary St. Geo. East -	18067	-	1	-	1	2	-
2 St. Paul St. Geo. East -	20319	-	-	1	1	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	2	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	-
3 Limehouse *W* - -	22782	-	-	2	-	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	1	-	3	2	-
2 Mile End Old T., East. *Ww* H	27020	-	-	-	2	1	-
25; 1 Bow *w* LH - - -	18778	-	-	-	1	4	-
2 Poplar *W* - - -	28384	-	-	-	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	2	-	1	6	1
2 St. Saviour Southwark HH	19709	-	6	2	1	4	-
27; 1 St. Olave Southwark HH	8015	-	1	1	-	2	-
2 St. John Horsleydown *W*	11360	-	1	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	1	1	2	1
2 St. Mary Magdalen *W* -	13934	-	3	-	-	1	-
3 Leather Market - -	15295	-	-	-	-	1	-
29; 1 Kent Road - - -	18126	-	1	1	-	1	1
2 Borough Road *W* P -	15862	-	-	-	-	3	-
3 London Road LP - -	17836	-	1	-	-	-	-
30; 1 Trinity Newington P -	20922	-	-	2	-	3	-
2 St. Peter Walworth *W* -	29861	-	-	4	-	2	-
3 St. Mary Newington -	14033	-	-	-	1	1	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	1	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	2	-
3 Lambeth Church 1st -	18409	-	-	1	-	1	2
4 Lambeth Church 2nd *W*	26784	-	3	-	2	5	-
5 Kennington 1st - -	24261	-	3	1	-	1	-
6 Kennington 2nd - -	18848	-	-	1	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	1	-
2 Battersea *W* - - -	10560	-	1	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	1	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	1	-	-	-
3 Peckham - - - -	19444	-	1	-	-	-	-
4 St. George Camberwell -	15849	-	-	3	-	3	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	1	1
35; 1 St. Paul Deptford - -	24899	-	2	-	-	1	-
2 St. Nicholas Deptford -	7071	-	-	-	-	2	1
3 Greenwich West H -	18800	-	-	2	-	-	1
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	1	-
6 Woolwich Arsenal HPH	15227	-	-	2	-	-	-
36; 1 Plumstead - - -	13191	-	-	-	1	1	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	1
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	1	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 31st July 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
July.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	25	..	29·440	74·3	53·1	21·2	60·7	47·7	90·0	49·8	69·2	64·7	13·0	20·7	11·0	— 1·1	60	S.W.	W.S.W.	15·0	0·0	6·6	160	0·00
Monday. .	26	Full	29·789	74·0	51·3	22·7	60·5	48·2	97·5	42·0	68·7	64·7	12·3	20·5	8·4	— 1·6	64	S.W.	W. & SW.	2·0	0·0	0·0	15	0·00
Tuesday .	27	..	29·637	73·5	51·3	22·2	61·3	51·8	96·4	42·3	69·3	64·2	9·5	19·4	2·7	— 1·0	71	SW.& SE.	S.E.	2·2	0·0	0·0	80	0·17
Wednesday	28	..	29·767	70·6	53·3	17·3	58·6	50·6	81·8	57·0	68·2	62·2	8·0	16·2	2·7	— 2·9	78	N.E.	N.N.E.	3·0	0·0	0·3	70	0·42
Thursday.	29	..	29·894	71·0	43·8	27·2	56·3	47·8	90·8	44·0	66·3	63·2	8·5	19·1	3·1	— 6·2	76	N.N.W.	N.	0·0	0·0	0·0	20	0·00
Friday . .	30	In Equator.	29·956	74·8	44·0	30·8	60·0	47·2	97·8	—	65·7	63·2	12·8	24·7	3·5	— 2·5	60	N.W.	N.W.	0·5	0·0	0·0	15	0·00
Saturday.	31	..	30·028	78·2	48·1	30·1	60·1	49·6	99·7	39·0	65·9	63·7	10·5	21·4	5·3	— 2·4	70	N.W.	N. & S.E.	0·0	0·0	0·0	110	0·00
Means . .		..	29·787	73·8	49·3	24·5	59·6	49·0	93·4	45·7	67·6	63·7	10·7	20·3	5·2	— 2·5	68	Variable.		..	..	..	Sum 470	Sum 0·59
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
July.			
Sunday . .	25	At 8h. A.M. on this day the electrometer pole carrying the apparatus was broken during a heavy gale of wind.	Till 7h. A.M. the wind was blowing with pressure varying from 5 lbs. to 10 lbs. on the square foot; from 7h. A.M. to 2h. P.M. there was a sustained pressure of 10 lbs., increasing frequently to 12 lbs. and 15 lbs; from 2h. P.M. the gale gradually declined till 9h., when the pressure was 1 lb. only. During the storm one elm and five hawthorn trees were blown down in Greenwich Park, and the Park was more strewn with large branches than before recollected. The sky was partially cloudy till the evening, and was then clear.
Monday . .	26		The greater part of the sky was covered with clouds till the afternoon, clear for the most part afterwards.
Tuesday . .	27		Cloudy throughout the day. Rain fell during the afternoon and evening.
Wednesday	28		Overcast till noon; partially cloudy during the afternoon; clear at night. Rain fell early in the morning.
Thursday .	29		Generally cloudy till evening, clear afterwards.
Friday . .	30		Partially cloudy at noon; generally clear at other times of the day.
Saturday .	31		Light clouds prevailed during the afternoon; otherwise the day was fine and clear.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·39 in. at the beginning of the week to 29·26 in. by 8h. A.M. on the 25th; increased to 29·44 in. by 1h. P.M., to 29·58 in. by 7½h. P.M., on the same day, and to 29·81 in. by 9h. P.M. on the 26th; decreased to 29·57 in. by 9h. P.M. on the 27th; and increased to 30·07 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 31. 1858. Vol. XIX.] Week ending Saturday, August 7. [Price 1½*d.*

General Register Office, Somerset House,
August 9th, 1858.

Twelve hundred deaths were registered in London in the week ending Saturday August 7th. In the ten years 1848–57 the average number of deaths in corresponding weeks was 1172; but as the deaths now returned occurred in a population which has annually increased, they can only be compared with the average after the latter is raised in proportion to the increase, a correction which will make it 1289. It is necessary, however, to remark that the series of weeks from which the average is drawn, comprises two weeks, viz. one in 1849, another in 1854, when cholera was epidemic and caused excessive mortality; and if the comparison is made only with seasons not so distinguished, it will appear that the mortality of last week was not low, but rather exceeded the average.

The "healthy rate" of mortality as it is derived from those districts of England where the mortality is lowest, though not so low as when sanitary principles are better understood and applied it will become, would have produced 799 deaths in the week in a population equal to that which exists in London. The present return, therefore, shows an excess of about 400, constituting what may be called the *unnatural* part of the mortality.

It is satisfactory to observe, that the deaths from diarrhœa which had risen from 127 to 168 in the last week of July, declined again last week to 130. The corrected average for ten corresponding weeks is 172; and in the first week of August last year the number from this complaint rose to 258. Fifteen deaths were reported in the previous return from cholera: the number now returned is only 5, two of which are those of adults, a brewer who died from "English cholera" in Bermondsey, and a labourer in Woolwich Arsenal, who died of cholera after a few hours' illness. Scarlatina appears to be increasing; the deaths from it in the last three weeks were 58, 78, and 86. Mr. Simpson, the Registrar of St. Giles, North, registered 5 deaths from scarlatina last week; he states that it is much on the increase in his sub-district, and mentions a house 25 High-street, where three fatal cases of the disease have occurred within a week.

Six nonagenarians died in the week; the two oldest were a woman, aged 95 years, who died in the Workhouse, Lambeth, and a widow, aged 99, who had lived in Charlotte-street, Tottenham-court-road.

Last week the births of 795 boys and 758 girls, in all 1553 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1505.

Analysis of Metropolitan Waters.

The waters supplied by the metropolitan companies have been examined during the month of July by Dr. Robert Dundas Thomson, F.R.S., of St. Thomas's Hospital, who has found their composition as stated in the subjoined table. For the sake of comparison the composition of some other waters supplied to provincial towns is added. The water of Loch Katrine is in process of being introduced to the city of Glasgow; the water from the river Dee supplies the inhabitants of Aberdeen; the source of the water employed at Stirling is the adjoining hills, the supply being brought in by the town on the security of the water rates. The impurity is indicated in degrees or grains per gallon.

	Total Impurity.	Organic Impurity.
	grs. *or* °	grs. *or* °
Distilled Water -	0·0	0·0
Loch Katrine - - -	2·15	0·80
Dee, Aberdeen - -	4·00	1·80
Stirling Water Supply - -	5·29	1·10
THAMES COMPANIES.		
Chelsea - - -	16·52	1·40
Southwark - - - -	17·12	2·12
Lambeth - - -	19·20	2·00
Grand Junction - - -	16·08	·84
West Middlesex - - -	15·24	1·28
OTHER COMPANIES.		
New River - - -	18·20	1·08
East London - - -	19·20	1·48
Kent - - - -	22·08	2·40

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·952 in. The mean daily reading was above 30 in. on three days. The instrument rose to 30·26 in. on Saturday. The mean temperature of the week was 62·4°, which is 0·2° above the average of the same week in 43 years (as determined by Mr. Glaisher). The thermometer in the shade rose to 80·9° on Tuesday, the *highest* point in the week; it fell on Monday to 45·1°. The range of the week was therefore 35·8°; the mean daily range was 27·2°. The thermometer in the sun on Thursday stood at 104·7°. The difference between the mean dew-point temperature and air temperature was 12·4°; the mean degree of humidity of the air was 64, complete saturation being represented by 100. The mean temperature of the water of the Thames was 66°. The wind blew generally from the south-west. The weather was fine, and the whole amount of rain measured was only 0·04 in.

CHELSEA; *North-west.*—At 43 Markham-square, on 30th July, the son of a serjeant-major 4th Royal Dragoons (deceased), aged 5 years; "diphtheria (3 days), cholera (3 days)."

MARYLEBONE; *Rectory.*—At 18 Barrett's-court, on 1st August, the daughter of a day labourer, aged 10 weeks, "choleraic diarrhœa (36 hours.)"

ST. LUKE; *Whitecross-street.*—At 45 Banner-street, on 4th August, the daughter of a warehouseman, aged 8 years; "cholera, English (12 hours)."

BERMONDSEY; *St. James.*—At 1 Blue Anchor-road, on 3d August, late a master brewer, aged 41 years, "English cholera (10 days), paralysis (2½ years), dementia."

GREENWICH; *Woolwich Arsenal.*—At 1 Callis-alley, High-street, on 1st August, an arsenal labourer, aged 28 years, "diarrhœa (a few hours) unattended, cholera (3 hours)." Dr. Richardson, the medical attendant, adds:—"In this case there was no cramp nor vomiting, and the serous discharge ceased three hours before death, which was the time he was visited by me, and he was then dying."

KENSINGTON; *Town.*—At Harrow-road, Kensal-green, on 16th June, a labourer, aged about 35 years, "exhaustion from excessive heat of the weather, sunstroke (*Inquest. Post mort.*)"

ISLINGTON; *East.*—At 19 Richmond-villas, Seven Sisters-road, on 29th July, a man, aged 46 years, "small-pox (11 days)." The registrar writes:—"The disease is supposed to have been caught at Deal from one of the crew or passengers of a foreign vessel lying there, in which an outbreak has taken place."

BIRTHS Registered LAST WEEK, and in the THIRTY-FIRST Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1300	1393	1484	1451	1464	1548	1503	1678	1739	1489	1504·9	1553
Males . .	658	703	772	773	751	769	776	880	869	736	768·7	795
Females . .	642	690	712	678	713	779	727	798	870	753	736·2	758

DEATHS Registered LAST WEEK, and in the THIRTY-FIRST Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	1038	1967	917	1010	1124	991	1456	963	1025	1224	1171·5	1200
Males . .	518	993	462	512	597	519	768	473	510	614	596·6	617
Females . .	520	974	455	498	527	472	688	490	515	610	574·9	583

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTY-FIRST Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 5 1848	Aug 4 1849	Aug 3 1850	Aug 2 1851	Aug 7 1852	Aug 6 1853	Aug 5 1854	Aug 4 1855	Aug 2 1856	Aug 8 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 7, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	60°·0	59°·5	61°·3	63°·4	63°·3	61°·6	58°·5	62°·5	67°·6	65°·2	62°·3	62°·4					
	ALL CAUSES . . .	1038	1967	917	1010	1124	991	1456	963	1025	1224	1171·5	1200	703	147	146	170	34
	SPECIFIED CAUSES .	1033	1948	910	1001	1111	976	1416	958	1002	1212	1156·7	1190	695	145	146	170	34
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	446	1330	302	350	394	298	752	319	347	481	501·9	413	356	20	15	18	4
II.	CONSTITUTIONAL „ .	207	197	207	218	239	226	231	211	207	218	216·1	216	76	70	47	22	1
III.	LOCAL „ .	271	307	279	300	304	331	288	293	313	291	297·7	343	140	40	62	96	5
IV.	DEVELOPMENTAL „ .	98	100	108	115	147	108	126	127	120	177	122·6	144	88	4	4	24	24
V.	VIOLENT DEATHS . .	11	14	14	18	27	13	19	8	15	45	18·4	74	35	11	18	10	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	422	1306	272	328	376	276	730	296	321	456	478·3	388	336	18	13	17	4
	2. ENTHETIC „ . .	6	3	6	4	2	4	5	6	4	6	4·6	4	4	..	..	..	..
	3. DIETIC „ . .	11	14	16	15	10	15	13	11	16	17	13·8	15	10	2	2	1	..
	4. PARASITIC „ . .	7	7	8	3	6	3	4	6	6	2	5·2	6	6	..	..	..	..
II.	1. DIATHETIC „ . .	31	33	33	36	34	34	33	43	33	34	34·4	36	5	2	11	18	..
	2. TUBERCULAR „ . .	176	164	174	182	205	192	198	168	174	184	181·7	180	71	68	36	4	1
III.	1. DISEASES OF NERVOUS SYSTEM . .	99	107	97	102	114	115	122	93	109	101	105·9	130	63	12	21	33	1
	2. „ OF ORGANS OF CIRCULATION .	25	50	38	36	34	27	24	38	35	42	34·9	36	2	5	10	19	..
	3. „ OF RESPIRATORY ORGANS . .	60	85	70	84	70	97	79	83	100	74	80·2	98	56	10	12	17	3
	4. „ OF DIGESTIVE ORGANS . . .	59	49	52	59	64	61	45	55	53	55	55·2	54	12	9	16	17	..
	5. „ OF URINARY ORGANS . . .	16	10	8	4	9	16	8	10	6	9	9·6	14	..	2	3	8	1
	6. „ OF ORGANS OF GENERATION .	4	1	5	7	7	5	1	6	1	3	4·0	2	..	2	..	..	..
	7. „ OF ORGANS OF LOCOMOTION .	4	..	5	5	3	5	4	3	2	5	3·6	1	1	..	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM .	4	5	4	3	3	5	5	5	7	2	4·3	8	6	..	..	2	..
IV.	1. DEV. DISEASES OF CHILDREN	38	43	44	46	57	44	41	41	42	64	46·0	33	33	..	..	..	..
	2. „ OF ADULTS . .	6	2	2	4	6	1	1	4	3	2	3·1	5	..	3	2	..	..
	3. „ OF OLD PEOPLE	24	37	30	41	41	22	35	26	27	48	33·1	41	..	..	..	17	24
	4. DISEASES OF NUTRITION .	30	18	32	24	43	41	49	56	48	63	40·4	65	55	1	2	7	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											53	30	8	9	6	..
	3. HOMICIDE *												5	5	..	..	..	..
	4. SUICIDE												16	..	3	9	4	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	11	14	14	18	27	13	19	8	15	45	18·4	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	12	2	2	6	4	5	..	7	8	4·9	9	8	1	..	..	..
	CAUSES NOT SPECIFIED . .	2	7	5	7	7	11	35	5	16	4	9·9	1	..	1	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 5 1848	Aug 4 1849	Aug 3 1850	Aug 2 1851	Aug 7 1852	Aug 6 1853	Aug 5 1854	Aug 4 1855	Aug 2 1856	Aug 8 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 7, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·0	59°·5	61°·3	63°·4	63°·3	61°·6	58°·5	62°·5	67°·6	65°·2	62°·3	62°·4					
I.	ORDER 1.																	
	1. Small-pox	32	11	13	15	12	2	10	20	11	5	13·1	5	4	..	1	..	..
	2. Measles	9	21	11	24	14	16	19	13	29	14	17·0	44	44	..	..	..	..
	3. Scarlatina	97	44	20	14	38	33	64	37	37	32	41·6	86	83	1	1	..	1
	4. Quinsy	1	4	2	1	..	..	1	1	2	1	1·3	1	1	..	..	..	..
	5. Croup	5	6	6	5	6	4	8	8	9	9	6·6	11	11	..	..	..	..
	6. Whooping-cough	24	33	18	37	20	42	17	34	18	38	28·1	36	36	..	..	..	..
	7. Typhus (and Infantile fever)	55	40	34	53	32	42	44	40	55	51	44·6	34	19	8	2	5	..
	8. Erysipelas	10	12	3	4	7	5	10	7	4	4	6·6	11	6	1	2	2	..
	9. Metria	6	2	1	3	..	..	2	4	2	4	2·4	3	..	2	1	..	..
	10. Carbuncle	..	..	1	..	..	1	1	1	..	1	·5	1	..	..	..	1	..
	11. Influenza	..	..	..	2	..	2	1	..	..	..	·5	..	..	..	..	..	..
	12. Dysentery	13	19	7	3	7	5	4	5	4	5	7·2	7	2	..	1	4	..
	13. Diarrhœa	141	179	136	143	213	110	142	110	125	258	155·7	130	121	2	1	4	2
	14. Cholera	21	926	11	12	21	4	399	7	16	30	144·7	5	3	1	1	..	..
	15. Ague	..	..	..	..	..	..	1	2	..	..	·3	1	1	..	..	..	..
	16. Remittent fever	4	4	..	6	1	2	1	1	1	1	2·1	2	..	..	2	..	..
	17. Rheumatism	4	5	9	6	5	8	6	6	8	3	6·0	11	5	3	1	1	1
	ORDER 2.																	
	1. Syphilis	5	2	4	3	1	4	3	5	3	5	3·5	4	4	..	..	..	..
	2. Stricture of Urethra	1	1	2	1	1	..	1	1	1	1	1·0	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	..	..	..	2	..	2	..	·4	..	..	..	..	..	..
	2. Want of Breast-milk	5	8	12	8	6	10	9	8	11	11	8·8	9	9	..	..	..	..
	3. Purpura and Scurvy	3	2	2	1	..	1	..	..	..	2	1·1	2	1	1	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	3	2	5	2	4	2	2	3	4	2·9	1	..	..	1	..	..
	4. Alcoholism { *b* Intemperance	1	1	..	1	2	..	..	1	..	..	·6	3	..	1	1	1	..
	ORDER 4.																	
	1. Thrush	7	7	8	3	6	3	4	6	6	2	5·2	6	6	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	..	1	2	1	2	..	..	2	1	·9	2	..	..	..	2	..
	2. Dropsy	15	20	17	12	13	17	9	15	10	11	13·9	17	5	2	4	6	..
	3. Cancer	12	10	15	18	19	13	20	25	20	20	17·2	14	..	..	7	7	..
	4. Noma	..	..	..	2	..	..	..	..	..	..	·2	..	..	..	..	..	..
	5. Mortification	4	3	..	2	1	2	4	3	1	2	2·2	3	..	..	..	3	..
	ORDER 2.																	
	1. Scrofula	5	6	2	6	6	6	8	11	6	10	6·6	6	5	..	1	..	..
	2. Tabes Mesenterica	29	21	20	22	32	24	27	17	18	21	23·1	16	15	1	..	..	..
	3. Phthisis	114	111	122	122	135	131	128	110	124	114	121·1	130	23	67	35	4	1
	4. Hydrocephalus	28	26	30	32	32	31	35	30	26	39	30·9	28	28	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	6	11	7	7	5	9	17	12	9	10	9·3	17	14	2	1	..	..
	2. Apoplexy	21	26	17	22	26	22	19	16	22	13	20·4	32	2	5	7	18	..
	3. Paralysis	14	15	19	24	15	24	23	17	23	24	19·8	17	2	1	4	10	..
	4. Insanity	..	..	2	1	2	3	4	1	..	1	1·4	2	..	1	..	1	..
	5. Chorea	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	7	9	5	4	5	4	5	..	1	6	4·6	9	3	2	3	1	..
	7. Convulsions	36	37	36	38	54	42	39	38	45	36	40·1	39	39	..	..	..	..
	8. *Brain Disease, &c.*	14	9	11	6	7	11	15	9	9	11	10·2	14	3	1	6	3	1
	ORDER 2.																	
	1. Pericarditis	3	3	1	2	4	..	1	3	2	2	2·1	1	1	..	..	..	..
	2. Aneurism	..	2	3	4	2	2	1	1	..	1	1·6	1	..	1	..	..	..
	3. *Heart Disease, &c.*	22	45	34	30	28	25	22	34	33	39	31·2	34	1	4	10	19	..
	ORDER 3.																	
	1. Laryngitis	4	..	4	1	1	4	3	5	5	8	3·5	7	5	..	1	1	..
	2. Bronchitis	19	30	22	39	23	40	32	38	36	24	30·3	41	16	6	4	12	3
	3. Pleurisy	1	2	1	2	2	5	2	5	4	..	2·4	1	..	..	1	..	..
	4. Pneumonia	23	44	28	33	35	39	32	26	39	38	33·7	41	32	4	3	2	..
	5. Asthma	5	4	7	4	4	6	1	4	9	3	4·7	..	..	..	..	..	..
	6. *Lung Disease, &c.*	8	5	8	5	5	3	9	5	7	1	5·6	8	3	..	3	2	..
	ORDER 4.																	
	1. Gastritis	4	1	3	4	3	4	..	1	2	1	2·3	1	1	..	..	..	..
	2. Enteritis	21	13	5	12	18	8	6	10	8	9	11·0	6	2	1	..	3	..
	3. Peritonitis	1	5	3	5	6	6	4	8	8	8	5·4	7	2	..	2	3	..
	4. Ascites	2	3	3	5	4	2	3	8	5	4	3·9	2	..	..	..	2	..
	5. Ulceration of Intestines	1	4	2	4	2	3	..	1	5	..	2·2	..	..	..	..	..	..
	6. Hernia	1	1	..	3	1	3	4	1	5	2	2·1	3	..	1	1	1	..
	7. Ileus	2	2	5	4	1	2	3	1	2	4	2·6	2	1	1	..	..	..
	8. Intussusception	1	1	1	1	1	..	..	2	..	1	·8	2	1	1	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTY-FIRST Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 5 1848	Aug 4 1849	Aug 3 1850	Aug 2 1851	Aug 7 1852	Aug 6 1853	Aug 5 1854	Aug 4 1855	Aug 2 1856	Aug 8 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 7, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·0	59°·5	61°·3	63°·4	63°·3	61°·6	58°·5	62°·5	67°·6	65°·2	62°·3	62°·4					
	9. Stricture of Intestines	..	..	2	..	3	..	2	2	..	..	·9	4	..	..	3	1	..
	10. Fistula	..	1	..	..	..	..	..	..	..	1	·2	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	5	4	6	5	3	7	1	4	1	3	3·9	4	2	..	1	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	4	..	..	..	·4	..	..	..	..	..	..
	13. Hepatitis	7	3	4	2	3	10	5	5	6	2	4·7	8	..	1	4	3	..
	14. Jaundice	3	1	5	4	7	..	5	5	5	6	4·1	2	2	..	..	..	..
	15. *Liver Disease, &c.*	11	10	13	10	12	16	8	7	5	13	10·5	13	1	4	5	3	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	..	1	1	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	1	..	..	..	..	1	..	..	..	·2	1	..	..	..	1	..
	2. Ischuria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	3. Nephria	4	3	1	2	1	5	3	5	5	4	3·3	6	..	1	2	3	..
	4. Diabetes	1	..	1	..	..	..	..	..	1	..	·3	..	..	..	..	..	..
	5. Stone	1	..	1	..	1	1	1	..	..	..	·5	..	..	..	..	..	..
	6. Cystitis	1	1	..	1	..	..	..	1	..	..	·4	1	..	..	..	1	..
	7. *Kidney Disease, &c.*	9	5	5	1	7	10	3	4	..	5	4·9	6	..	1	1	3	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	1	2	1	2	3	..	1	..	..	1·0	1	..	1	..	..	..
	2. *Uterus Disease, &c.*	4	..	3	6	5	2	1	5	1	3	3·0	1	..	1	..	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. *Joint Disease, &c.*	4	..	5	5	3	5	4	3	2	5	3·6	1	1	..	..	..	..
	ORDER 8.																	
	1. Phlegmon	4	3	3	1	2	5	4	2	6	..	3·0	4	4	..	..	..	..
	2. Ulcer	..	2	..	..	..	..	..	2	1	..	·5	3	1	..	..	2	..
	3. *Skin Disease, &c.*	..	..	1	2	1	..	1	1	..	2	·8	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	25	30	34	34	42	32	24	31	29	42	32·3	11	11	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											2	2	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	3	1	3	1	3	2	2	1	3	3	2·2	3	3	..	..	..	..
	5. Teething	10	12	7	11	12	10	15	9	10	19	11·5	17	17	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	1	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	6	1	2	4	6	1	1	4	3	2	3·0	5	..	3	2	..	..
	ORDER 3.																	
	1. Old Age	24	37	30	41	41	22	35	26	27	48	33·1	41	..	..	..	17	24
	ORDER 4.																	
	1. Atrophy and Debility	30	18	32	24	43	41	49	56	48	63	40·4	65	55	1	2	7	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	26	10	5	6	5	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	7	6	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	3	1	1	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	10	7	1	2	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	7	6	..	..	1	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											5	5	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	3	..	1	1	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	4	..	1	2	1	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	4	..	..	2	2	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	2	..	..	2	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	11	14	14	18	27	13	19	8	15	45	18·4	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	3	12	2	2	6	4	5	..	7	8	4·9	9	8	..	1	..	..
	Causes not specified or ill-defined	2	7	5	7	7	11	35	5	16	4	9·9	1	..	1	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the THIRTY-FIRST WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Aug. 5 1848	Aug. 4 1849	Aug. 3 1850	Aug. 2 1851	Aug. 7 1852	Aug. 6 1853	Aug. 5 1854	Aug. 4 1855	Aug. 2 1856	Aug. 8 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Aug. 7 1858.
Mean Temperature . . .			60°·0	59°·5	61°·3	63°·4	63°·3	61°·6	58°·5	62°·5	67°·6	65°·2	62°·3	62°·4
LONDON	78029	2362236	1038	1967	917	1010	1124	991	1456	963	1025	1224	1171·5	1200
1–6. WEST DISTRICTS .	10786	376427	137	205	119	145	162	141	156	152	165	219	160·1	189
7–11. NORTH DISTRICTS .	13533	490396	218	227	190	200	229	213	225	179	231	267	217·9	235
12–19. CENTRAL DISTRICTS	1938	393256	182	265	166	188	231	151	189	153	149	161	183·5	171
20–25. EAST DISTRICTS .	6230	485522	241	332	194	241	234	219	293	215	215	288	247·2	245
26–36. SOUTH DISTRICTS .	45542	616635	260	938	248	236	268	267	593	264	265	289	362·8	360
1. Kensington* HHHH .	7374	120004	26	52	32	38	51	45	36	61	43	82	46·6	73
2. Chelsea H*w* . . .	865	56538	25	38	20	25	24	18	37	21	29	34	27·1	28
3. St. George Hanover-sq. H	1161	73230	31	39	27	17	22	15	28	24	34	35	27·2	33
4. Westminster* HHHH .	917	65609	34	34	22	36	34	36	38	21	33	34	32·2	23
5. St. Martin-in-the-Fields H	305	24640	8	21	5	8	11	7	10	13	15	10	10·8	20
6. St. James Westminster .	164	36406	13	21	13	21	20	20	7	12	11	24	16·2	12
7. Marylebone HH . .	1509	157696	90	85	70	61	99	67	57	57	75	81	74·2	69
8. Hampstead	2252	11986	3	3	3	1	6	2	4	3	3	8	3·6	6
9. Pancras HH*w* . . .	2716	166956	72	78	66	81	58	72	85	56	80	93	74·1	83
10. Islington HHH . .	3127	95329	30	40	35	32	40	42	51	43	45	58	41·6	42
11. Hackney* H*w* . . .	3929	58429	23	21	16	25	26	30	28	20	28	27	24·4	35
12. St. Giles* H . . .	245	54214	18	39	28	27	39	21	18	25	19	24	25·8	28
13. Strand* H	173	44422	19	31	12	15	28	16	27	21	14	13	19·6	17
14. Holborn* H . . .	196	46621	20	23	17	25	29	16	10	16	15	24	19·5	17
15. Clerkenwell	380	64778	29	32	27	35	28	25	35	17	30	27	28·5	33
16. St. Luke HH . . .	220	54055	31	42	25	34	33	24	35	27	22	17	29·0	28
17. East London* . . .	153	44406	27	23	20	24	25	24	20	16	9	16	20·4	11
18. West London* H . .	137	28828	19	50	19	14	31	15	24	16	26	23	23·7	19
19. London City*	434	55932	19	25	18	14	18	10	20	15	14	17	17·0	18
20. Shoreditch *w* . . .	646	109257	69	61	50	67	55	63	51	60	40	53	56·9	66
21. Bethnal Green H . .	760	90193	43	56	23	36	42	31	43	41	37	68	42·0	48
22. Whitechapel* HH . .	406	79759	37	74	37	41	40	35	48	39	37	46	43·4	33
23. St. George-in-the-East .	243	48376	21	33	21	25	32	26	39	16	25	32	27·0	19
24*a*. Stepney*	576	54173	51	75	37	52	39	45	83	30	48	46	50·6	23
24*b*. Mile-end Old Town H*w*	681	56602												28
25. Poplar* H*w* . . .	2918	47162	20	33	26	20	26	19	29	29	28	43	27·3	28
26. St. Saviour Southwark* HH	250	35731	23	71	19	23	15	17	46	19	16	15	26·4	27
27. St. Olave Southwark* HH	169	19375	12	65	18	9	22	17	43	19	31	26	26·2	27
28. Bermondsey	688	48128	16	103	15	18	19	14	71	23	30	27	33·6	28
29. St. George Southwark .	282	51824	26	133	21	18	33	22	58	24	26	17	37·8	41
30. Newington	624	64816	19	115	19	22	27	21	74	24	17	23	36·1	26
31. Lambeth H	4015	139325	55	209	51	59	58	55	99	44	58	58	74·6	76
32. Wandsworth*	11695	50764	9	43	27	13	10	17	34	14	8	16	19·1	28
33. Camberwell	4342	54667	31	67	20	15	33	17	52	17	16	31	29·9	29
34. Rotherhithe	886	17805	5	23	4	10	5	4	24	10	5	7	9·7	5
35. Greenwich* HHHHH .	5367	99365	55	93	45	41	34	66	79	51	41	54	55·9	57
36. Lewisham*	17224	34835	9	16	9	8	12	17	13	19	17	15	13·5	16

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending July 31. Total.	Males.	Females.	In the Week ending Aug. 7. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	175	99	76	167	99	68
45 WORKHOUSES	92	40	52	79	36	43
14 PRISONS . . . . . ‡	–	–	–	4	4	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	5	5	–	7	7	–
15 GENERAL HOSPITALS	56	38	18	61	41	20
7 HOSPITALS FOR SPECIAL DISEASES	4	2	2	4	3	1
4 LYING-IN HOSPITALS . . . . Women	1	–	1	–	–	–
4 LYING-IN HOSPITALS . . . . Children	2	1	1	–	–	–
7 MILITARY AND NAVAL HOSPITALS	4	4	–	4	4	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	–	–	–
19 LUNATIC ASYLUMS	10	8	2	8	4	4

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 7th August 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	5	44	86	36	130	34
1-6	WEST DISTRICTS - -	376427	-	7	11	8	15	5
7-11	NORTH DISTRICTS - -	490396	1	7	14	7	27	8
12-19	CENTRAL DISTRICTS -	393256	1	2	12	3	16	3
20-25	EAST DISTRICTS - -	485522	1	8	28	8	28	14
26-36	SOUTH DISTRICTS - -	616635	2	20	21	10	44	4
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	-	-	-	3	1
2	St. John Paddington H -	29053	-	-	1	1	-	1
3	Kensington Town *W* L -	29183	-	-	2	-	-	-
4	Brompton HH - -	14870	-	-	-	-	-	-
5	St. Peter Hammersmith -	4467	-	-	-	-	1	-
6	St. Paul Hammersmith -	13293	-	-	-	-	1	2
7	Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1	Chelsea South H - -	19050	-	1	-	-	3	-
2	Chelsea North-west *Ww*	17669	-	2	-	1	1	-
3	Chelsea North-east L -	19819	-	-	1	2	2	1
3; 1	Hanover Square - -	20216	-	-	-	-	-	-
2	May Fair *W* - - -	12980	-	-	-	-	-	-
3	Belgrave H - - -	40034	-	4	3	-	-	-
4; 1	St. John Westmr. HHHP	34295	-	-	-	1	2	-
2	St. Margaret West. *W* HP	31314	-	-	2	1	-	-
5; 1	Charing Cross *W* H -	12587	-	-	-	-	-	-
2	Long Acre - - -	12053	-	-	-	-	-	-
6; 1	Berwick Street - -	10798	-	-	2	1	-	-
2	St. James's Square -	11469	-	-	-	-	2	-
3	Golden Square *W* - -	14139	-	-	-	1	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	1	-	-	-	-
2	Cavendish-square - -	14687	-	1	4	-	-	-
3	Rectory Marylebone *W* -	27633	-	2	-	-	1	-
4	St. Mary Marylebone H	22814	-	-	-	-	1	-
5	Christchurch Marylebone	33895	-	-	-	-	5	1
6	St. John Marylebone -	29826	-	-	-	-	2	-
8; 1	Hampstead *W* - -	11986	-	-	-	-	1	-
9; 1	Regent's Park Pancras -	31918	-	-	-	1	2	1
2	Tottenham-court *w*H -	28433	-	1	-	1	3	-
3	Gray's Inn Lane H -	26523	-	-	-	-	1	-
4	Somers Town - - -	35641	-	1	-	1	1	1
5	Camden Town *W* - -	21115	-	-	-	2	1	1
6	Kentish Town - -	23326	-	-	-	-	1	2
10; 1	Islington West† *W*HHHPP	47881	-	-	4	1	2	-
2	Islington East - -	47448	1	-	1	1	3	1
11; 1	Stoke Newington L -	4840	-	-	-	-	1	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	-	1	-	1	1
4	Hackney *W* H*w* - -	20850	-	-	4	-	1	-
5	South Hackney L - -	8458	-	1	-	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	-	-	-	1	-
2	St. Giles South *W* H -	19951	-	-	-	-	1	-
3	St. Giles North - -	17456	-	-	5	1	-	-
13; 1	St. Anne Soho - -	17335	-	-	-	-	2	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15472	-	-	-	-	-	-
14; 1	St. George-the-Martyr H.	18813	-	-	-	-	-	-
2	St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	-
3	Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1	St. James Clerkenwell *W*P	21529	-	-	-	-	-	1
2	Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3	Pentonville - - -	11904	-	-	1	-	-	-
4	Goswell-street - - -	15625	-	-	1	-	1	1
16; 1	Old-street H - - -	10617	-	1	-	-	2	-
2	City-road HL - -	16840	-	-	1	1	1	-
3	Whitecross-street - -	13657	-	-	-	1	1	-
4	Finsbury - - - -	12941	1	-	1	-	1	-
17; 1	St. Botolph East London	23824	-	1	2	-	1	-
2	Cripplegate P - -	20582	-	-	-	-	-	-
18; 1	West London North *W*HP	12946	-	-	-	-	2	1
2	West London South P -	15882	-	-	-	-	1	-
19; 1	London City South-west -	9204	-	-	-	-	-	-
2	London City North-west -	11847	-	-	-	-	-	-
3	London City South - -	11461	-	-	1	-	1	-
4	London City South-east -	10594	-	-	-	-	1	-
5	London City North-east -	12826	-	-	-	-	-	-
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	2	1	2	1
2	St. Leonard Shoreditch L	19449	-	-	2	-	2	-
3	Hoxton New Town *w* -	23505	-	-	-	-	1	2
4	Hoxton Old Town - -	17431	-	-	2	1	1	-
5	Haggerstone West *W* -	20276	-	2	2	-	-	-
6	Haggerstone East - -	11351	-	-	-	-	5	1
21; 1	Hackney-road - - -	23910	-	1	-	1	1	1
2	Green, Bethnal Green *W* HL	23555	-	-	3	-	2	1
3	Church, Bethnal Green -	21787	-	-	1	1	-	1
4	Town, Bethnal Green -	20941	-	-	1	-	2	2
22; 1	Artillery Whitechapel -	6769	-	1	-	-	2	-
2	Spitalfields - - -	15336	-	1	-	-	1	1
3	Mile End New Town *W*	14543	-	-	1	-	3	-
4	Whitechapel North *W* -	12530	-	-	1	-	-	-
5	Whitechapel Church H -	7818	-	1	-	-	-	-
6	Goodman's Fields - -	12069	-	-	1	-	-	-
7	Aldgate H - - -	10694	-	-	1	-	-	-
23; 1	St. Mary St. Geo. East -	18067	-	2	1	-	2	-
2	St. Paul St. Geo. East -	20319	-	-	-	1	-	-
3	St. John St. Geo. East *W*	9990	-	-	2	-	-	1
24*a*; 1	Shadwell *W* - - -	16179	-	-	3	-	-	-
2	Ratcliff *W* - - -	15212	-	-	1	-	-	-
3	Limehouse *W* - -	22782	-	-	1	1	1	1
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	-	-	1	1
2	Mile End Old T., East. *Ww*H	27020	1	-	1	1	1	-
25; 1	Bow *w*LH - - -	18778	-	-	1	1	1	-
2	Poplar *W* - - -	28384	-	-	1	-	-	1
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	1	2	-	1	-
2	St. Saviour Southwark HH	19709	-	5	1	-	4	-
27; 1	St. Olave Southwark HH	8015	-	2	-	-	-	-
2	St. John Horsleydown *W*	11360	-	-	-	-	2	-
28; 1	St. James Bermondsey -	18899	-	-	-	-	2	-
2	St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3	Leather Market - -	15295	1	1	-	-	1	1
29; 1	Kent-road - - -	18126	-	-	3	-	-	-
2	Borough-road *W* P -	15862	-	5	-	-	4	-
3	London-road LP - -	17836	-	1	-	-	-	-
30; 1	Trinity Newington P -	20922	-	-	1	-	1	-
2	St. Peter Walworth *W* -	29861	-	1	1	3	4	-
3	St. Mary Newington -	14033	-	-	-	-	-	-
31; 1	Waterloo-road 1st - -	14088	-	1	-	1	2	-
2	Waterloo-road 2nd H -	18348	-	-	-	1	1	-
3	Lambeth Church 1st -	18409	-	-	-	-	1	-
4	Lambeth Church 2nd *W*	26784	-	-	2	1	4	-
5	Kennington 1st - -	24261	1	2	1	-	4	1
6	Kennington 2nd - -	18848	-	-	2	-	-	-
7	Brixton L - - -	14610	-	-	-	1	-	-
8	Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1	Clapham L - - -	16290	-	-	-	-	-	-
2	Battersea *W* - - -	10560	-	-	1	-	1	-
3	Wandsworth PL - -	9611	-	-	-	1	-	1
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	-	-	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W* LL - -	17742	-	-	2	-	-	-
3	Peckham - - - -	19444	-	1	-	1	1	-
4	St. George Camberwell -	15849	-	-	3	-	-	-
34; 1	Rotherhithe *W* - -	17805	-	-	-	-	-	-
35; 1	St. Paul Deptford - -	24899	-	-	-	-	3	-
2	St. Nicholas Deptford -	7071	-	-	-	-	-	-
3	Greenwich West H -	18800	-	-	2	-	2	-
4	Greenwich East *W* H -	16228	-	-	-	-	1	-
5	Woolwich Dockyard HP	17140	-	-	-	-	1	1
6	Woolwich Arsenal HPH	15227	-	-	-	-	-	-
36; 1	Plumstead - - -	13191	-	-	-	-	2	-
2	Eltham - - - -	2568	-	-	-	-	2	-
3	Lee - - - - -	8478	-	-	-	1	-	-
4	Lewisham Village *W* -	6097	-	-	-	-	-	-
5	Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 7th August 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
August.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday	1	..	30·117	76·4	48·5	27·9	60·8	50·2	100·0	40·5	66·7	64·2	10·6	23·8	2·3	— 1·7	67	Calm	E.	2·0	0·0	0·1	105	0·00
Monday	2	Last Quarter.	29·902	74·5	45·1	29·4	59·7	48·9	99·7	34·0	66·7	64·2	10·8	22·1	1·5	— 2·6	67	S.E.	E.S.E.	1·0	0·0	0·0	15	0·00
Tuesday	3	..	29·685	80·9	53·5	27·4	64·7	50·8	—	—	66·7	64·2	13·9	24·1	5·4	+ 2·5	60	Calm & S.S.E.	S.W.	3·5	0·0	0·5	15	0·01
Wednesday	4	..	29·813	79·7	51·5	28·2	62·7	52·3	103·3	39·2	67·2	64·7	10·4	23·9	2·2	+ 0·6	70	S.W.	S.W.	3·0	0·0	0·6	—	0·00
Thursday	5	Greatest Dec. N.	29·855	79·7	58·7	21·0	66·7	51·0	104·7	58·0	68·3	65·2	15·7	25·5	4·0	+ 4·7	59	S.W.	S.W.	2·5	0·0	0·8	—	0·03
Friday	6	..	30·049	76·0	50·1	25·9	61·1	46·7	102·0	45·0	67·9	65·2	14·4	22·1	2·1	— 0·9	60	SW & NW	N.N.W.	2·0	0·0	0·3	—	0·00
Saturday	7	Perigee	30·245	78·0	47·2	30·8	60·8	50·1	100·5	38·0	67·5	64·2	10·7	24·1	4·9	— 1·2	67	Calm	E.	0·0	0·0	0·0	—	0·00
Means		..	29·952	77·9	50·7	27·2	62·4	50·0	(6 days) 101·7	(6 nights) 42·5	67·3	64·6	12·4	23·7	3·2	+ 0·2	64	S.W.		..	..	..	Sum (3 days) 135	Sum 0·04
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. August		Electricity.	Sky and Atmosphere.
Sunday	1		Partially cloudy till evening, and clear afterwards.
Monday	2		The day was fine, and the sky was for the most part clear.
Tuesday	3		Clear for the most part till near noon; overcast during the afternoon; partially cloudy at night. Rain fell during the afternoon.
Wednesday	4	The apparatus broken.	Cloudy generally throughout the day. Showers of rain fell during the evening.
Thursday	5		Cloudy during the earlier portion of the morning; at other times of the day the sky was clear.
Friday	6		The day was fine, and the amount of cloud was small at all times.
Saturday	7		Partially cloudy at noon; clear at other times of the day.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken. This instrument was removed for repair on Wednesday August 4.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer at the beginning of the week was 30·07 in., this increased to 30·12 in. by noon on August 1st; decreased to 29·67 in. by noon on the 3d; increased to 29·83 in. by 9h. A.M. on the 4th; decreased during this day to 29·70 in.; then increased to 30·26 in. by 9h. A.M. on the 7th; and very slightly increased to the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 32. 1858. Vol. XIX.] Week ending Saturday, August 14. [Price 1½*d.*

General Register Office, Somerset House,
August 16th, 1858.

In the week that ended on Saturday (August 14th) the number of deaths registered in London was 1147, and exhibit a decrease on those returned for the two previous weeks. In the ten years 1848–57 the corrected average number of deaths, allowing for increase of population, in the weeks corresponding with last week was 1355; the number now returned is therefore less by 208 than the average rate of mortality would have produced.

Eight deaths are returned as occasioned from "English cholera," infantile cholera, and choleraic diarrhœa; of this number 7 were assigned to infants under one year of age; the other a coachman, aged 40 years, English cholera (14 days).

Diarrhœa appears to decline, for whereas during the month of July the weekly number of deaths from that disease rose by degrees from 94 to 168, it fell last week to 121, and was fatal to 105 children under the age of 2 years. The deaths referred to measles were 25, scarlatina 85, whooping-cough 38, and to typhus 32. Scarlatina and diphtheria prevail to a considerable extent, at double the average rate of mortality, and affect more particularly the east and south districts.

The deaths of six nonagenarians are returned, namely of 2 men and 4 women. Two were respectively 97 and 98 years of age.

Last week the births of 787 boys and 709 girls, in all 1496 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1484.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·921 in., it increased from 30·25 in. at the beginning of the week to 30·26 in. by 9 h. 30 m. A.M. on the 8th; decreased with slight exceptions to 29·72 in. by 3 h. P.M. on the 14th, and then turned to increase slowly. The mean temperature of the week was 65·4°, which is 3·7° above the average of the same week in 43 years, but corresponds very nearly with the temperature in the same week of last year. The highest point of the thermometer in the shade was 86·9° on Thursday; the lowest 46·5° on Sunday; the extreme range was therefore 40·4°. The highest point in the sun was 108·5° on Thursday, the lowest on the grass was 35·0° on Friday; to these extreme differences vegetation was exposed. The mean temperature of the Thames was 66·4°. The water on an average was 1° warmer than the air. The mean dew point temperature was 56·3°, and corresponds with the same week of last year. The mean degree of humidity wanted 27 of saturation, complete saturation being represented by 100; the previous week was drier, wanting 36 of saturation, with the air rather cooler. Excepting some rain on Tuesday morning the weather was fine up to Saturday, which was cloudy throughout the day. Rain fell occasionally after noon. A great and unusual darkness was prevalent a little before 4 h. P.M., during which the direction of the wind changed from E. by N. to W. by N. Shortly afterwards rain fell heavily to the depth of 0·5 in. within 40 minutes. Several flashes of lightning were seen and thunder was frequently heard.

KENSINGTON; *St. Mary Paddington.*—At 11 John-street, on 10th August, the son of a jobbing porter, aged 2½ years, "morbilli, 2 days, diptheria, 3 days."

KENSINGTON; *Town.*—At Jennings-buildings, on 7th August, the son of a general labourer, aged 3 months, "cholera infantum."

ST. GEORGE HANOVER SQUARE; *Belgrave.*—At 14 Eaton-lane North, on 6th August, the daughter of a leatherseller, aged 2 years, "diptheria (4 days)."

MARYLEBONE; *All Souls.*—At 22 Wells-mews, on 12th August, the daughter of a porter, china dealers, aged 6 days, "exhaustion." Dr. Sturt adds to his certificate: "The drains are in an intolerable state."

ST. PANCRAS; *Tottenham-court.*—At 6 Gresse-street, on 6th August, daughter of a hatter, aged 3 years, "diptheria (14 days), laryngitis (4 days.)"

ISLINGTON; *East.*—At 13 Pierrepoint-row, on 8th August, the daughter of a greengrocer, aged 4 years, "diptheria (1 week), enlarged tonsils." The registrar adds:—"This is the third death in 8 days. There is something defective in this passage."

In same sub-district.—At 5 Albany-villas, Queen's-road, on 10th August, the son of an engraver, aged 2 years, "diptheria (6 days.)" "The registrar adds:—This house is unfit for habitation. The drains *are still* defective.'.

In same sub-district.—At 14 Sidney-grove, on 8th August, the daughter of a costermonger, aged 10 months, "stomatitis and diarrhœa (14 days)." The Registrar adds:—"There is a privy to this house in a disgraceful state, well calculated to produce illness."

In same sub-district.—At 1 Church-row, on 9th August, the son of a watchmaker, aged 8 years, "dysentery (1 week), apthæ, resembling diptheria."

In same sub-district.—At 10 Harrington-grove, Tollington-park, on 8th August, the son of a carpenter, aged 1 year, "pertussis (3 weeks, pneumonia (8 days.)" The registrar adds:—"The stink from the ditch is very offensive."

ISLINGTON; *West.*—At 44 Clayton-street, on 8th August, the daughter of an annuitant, aged 9 years, "diptheria."

In same sub-district.—At 12 Hemingford-terrace East, on 12th August, a butcher's shopman, aged 22 years, "poisoned wound of thumb (7 days.)" His right thumb had received a gash against the keen edge of the butcher's knife, and the same day touched some stale brine.

ST. GILES; *St. George Bloomsbury.*—At 12 Broad-street, on 8th August, the son of a distiller's servant, aged 8 years, "diptheria (1 week)."

CLERKENWELL; *Goswell-street.*—At 54 Rosoman-street, on 10th August, the daughter of a barometer maker, aged 4 years, "diptheria (8 weeks)."

WEST LONDON; *South.*—At 18 Field-lane, St. Andrew's, on 12th August, the son of a porter in a market, aged 8 months, "choleraic diarrhœa (10 days)."

ST. GEORGE-IN-THE-EAST; *St. John.*—At 13 Green-bank, on 8th August, a boy, aged 9 weeks, "choleraic diarrhœa."

ST. OLAVE SOUTHWARK; *St. John.*—At 19 Bermondsey-street, on 6th August, the daughter of a beer-shop keeper, aged 4 months, "choleraic diarrhœa (24 hours)."

BERMONDSEY; *St. Mary Magdalen.*—At 55 Crucifix-lane, on 8th August, the daughter of a general labourer, aged 10 months, "English cholera (1 week)."

LAMBETH; *Kennington (1st Part)*—At 8 Miles-street, on 9th August, a gentleman's coachman, aged 40 years, "English cholera (14 days)."

WANDSWORTH; *Battersea.*—At Alfred-place, on 9th August, the son of a labourer, aged 2 years, "diphtherite (10 days)."

CAMBERWELL; *Peckham.*—At 2 George-street, Shenton-street, Old Kent-road, on 9th August, the son of a messenger in the Bank of England, aged 9 months, "choleraic diarrhœa (10 days)."

GREENWICH; *Woolwich Arsenal.*—At 6 Mary-ann-terrace, on 7th August, the son of a lithographic printer, aged 8 months, "choleraic diarrhœa (3 days)."

BIRTHS Registered LAST WEEK, and in the THIRTY-SECOND Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1343	1259	1391	1477	1465	1461	1662	1583	1585	1618	1484·4	1496
Males . .	704	621	707	749	771	709	820	833	782	875	757·1	787
Females .	639	638	684	728	694	752	842	750	803	743	727·3	709

DEATHS Registered LAST WEEK, and in the THIRTY-SECOND Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1059	1909	997	1038	1091	984	1832	993	1232	1187	1232·2	1147
Males . .	556	948	497	536	536	534	924	482	611	607	623·1	571
Females .	503	961	500	502	555	450	908	511	621	580	609·1	576

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTY-SECOND WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 12 1848	Aug 11 1849	Aug 10 1850	Aug 9 1851	Aug 14 1852	Aug 13 1853	Aug 12 1854	Aug 11 1855	Aug 9 1856	Aug. 15 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 12, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	58°·2	66°·4	64°·2	64°·1	59°·7	61°·2	60°·1	61°·0	66°·1	63°·7	62°·5	Mean Temp. 65°·4					
	ALL CAUSES	1059	1909	997	1038	1091	984	1832	993	1232	1187	1232·2	1147	653	147	160	144	43
	SPECIFIED CAUSES	1047	1888	981	1033	1073	964	1800	985	1218	1176	1216·5	1127	640	146	158	140	43
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	466	1202	314	350	406	340	1088	339	449	442	539·6	393	326	26	26	13	2
II.	CONSTITUTIONAL „	209	201	204	246	230	228	246	205	262	224	225·5	204	75	59	43	24	3
III.	LOCAL „	257	336	302	312	305	260	302	294	320	321	300·9	332	131	41	71	79	10
IV.	DEVELOPMENTAL „	104	123	116	112	112	108	139	134	158	141	124·7	140	89	4	4	15	28
V.	VIOLENT DEATHS	11	26	45	13	20	28	25	13	29	48	25·8	58	19	16	14	9	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	446	1185	294	325	380	309	1063	305	427	415	515·1	355	298	21	22	12	2
	2. ENTHETIC „	..	2	3	2	2	6	4	3	1	7	3·0	9	7	1	1	..	..
	3. DIETIC „	11	12	11	13	15	14	15	20	15	15	14·1	21	13	4	3	1	..
	4. PARASITIC „	9	3	6	10	9	11	4	11	6	5	7·4	8	8	..	..	..	..
II.	1. DIATHETIC „	27	28	39	43	39	32	41	48	41	31	36·9	41	4	7	9	18	3
	2. TUBERCULAR „	182	173	165	203	191	196	205	157	221	193	188·6	163	71	52	34	6	..
III.	1. DISEASES OF NERVOUS SYSTEM	103	114	95	116	109	88	102	105	104	113	104·9	123	65	7	19	28	4
	2. „ OF ORGANS OF CIRCULATION	25	26	42	42	36	29	32	34	37	30	33·3	46	6	8	17	13	2
	3. „ OF RESPIRATORY ORGANS	53	102	76	79	76	77	96	81	93	86	81·9	84	44	10	11	16	3
	4. „ OF DIGESTIVE ORGANS	56	66	58	52	69	36	49	58	58	68	57·0	60	11	11	20	17	1
	5. „ OF URINARY ORGANS	8	13	20	10	4	20	9	7	11	10	11·2	7	1	2	2	2	..
	6. „ OF ORGANS OF GENERATION	4	4	5	3	3	2	7	5	3	5	4·1	4	1	1	..	2	..
	7. „ OF ORGANS OF LOCOMOTION	3	5	5	5	3	3	5	3	9	4	4·5	4	1	2	..	1	..
	8. „ OF INTEGUMENTARY SYSTEM	5	6	1	5	5	5	2	1	5	5	4·0	4	2	..	2	..	..
IV.	1. DEV. DISEASES OF CHILDREN	43	44	50	40	36	31	53	45	59	45	44·6	35	35	..	..	..	..
	2. „ OF ADULTS	3	2	5	4	4	3	3	2	3	8	3·7	5	..	4	1	..	..
	3. „ OF OLD PEOPLE	26	39	29	45	34	23	36	31	57	31	35·1	39	..	..	..	15	24
	4. DISEASES OF NUTRITION	32	38	32	23	38	51	47	56	39	57	41·3	61	54	..	3	..	4
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											47	17	12	11	7	..
	* 3. HOMICIDE												2	2	..	..	..	..
	4. SUICIDE												9	..	4	3	2	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	11	26	45	13	20	28	25	13	29	48	25·8	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	8	5	3	6	4	13	4	3	3	5·6	8	5	..	1	2	..
	CAUSES NOT SPECIFIED	5	13	11	2	12	16	19	4	11	8	10·1	12	8	1	1	2	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 12 1848	Aug 11 1849	Aug 10 1850	Aug 9 1851	Aug 14 1852	Aug 13 1853	Aug 12 1854	Aug 11 1855	Aug 9 1856	Aug 15 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 14, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	58°·2	66°·4	64°·2	64°·1	59°·7	61°·2	60°·1	61°·0	66°·1	63°·7	62°·5	65°·4					
I.	ORDER 1.																	
	1. Small-pox	34	4	15	22	16	3	14	9	7	1	12·5	3	2	1	..	..	..
	2. Measles	22	21	13	19	14	12	13	10	34	27	18·5	25	25	..	..	..	..
	3. Scarlatina	124	21	21	25	47	30	86	33	35	16	43·8	85	83	1	..	1	..
	4. Quinsy	2	3	1	2	1	..	..	1	..	2	1·2	1	..	..	1	..	..
	5. Croup	4	6	2	2	10	..	10	2	8	3	4·7	14	14	..	..	..	..
	6. Whooping-cough	25	45	25	28	13	26	32	29	36	38	29·7	38	37	..	1	..	..
	7. Typhus (and Infantile fever)	67	55	35	50	47	60	53	48	54	39	50·8	32	14	8	7	3	..
	8. Erysipelas	13	10	4	9	2	5	4	4	4	3	5·8	7	3	2	2	..	..
	9. Metria	3	3	4	3	3	2	1	5	2	4	3·0	5	..	5	..	..	..
	10. Carbuncle	..	..	..	..	1	2	..	1	..	1	·5	2	..	..	2	..	..
	11. Influenza	..	..	..	..	..	..	..	1	..	..	·1	..	..	..	..	..	..
	12. Dysentery	18	15	3	10	3	2	5	4	5	7	7·2	7	4	1	1	1	..
	13. Diarrhœa	110	173	152	136	201	139	195	146	211	244	170·7	121	108	1	5	6	1
	14. Cholera	19	823	15	16	15	19	644	5	28	21	160·5	8	7	..	1	..	..
	15. Ague	..	1	..	..	..	2	1	1	..	1	·6	..	..	..	..	..	..
	16. Remittent Fever	1	1	1	1	1	2	1	1	..	5	1·4	..	..	..	..	..	..
	17. Rheumatism	4	4	3	2	6	5	6	5	3	3	4·1	7	1	2	2	1	1
	ORDER 2.																	
	1. Syphilis	..	..	3	2	1	4	4	1	1	4	2·0	8	7	1	..	..	..
	2. Stricture of Urethra	..	2	..	..	1	2	..	2	..	2	·9	1	..	..	1	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	1	·1	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	..	1	..	..	..	..	..	..	·2	..	..	..	..	..	..
	2. Want of Breast-milk	7	6	4	8	10	11	9	16	11	8	9·0	13	13	..	..	..	..
	3. Purpura and Scurvy	..	1	1	..	2	2	2	2	..	1	1·1	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	3	4	5	3	2	1	3	..	4	4	2·9	5	..	3	2	..	..
	4. Alcoholism { *b* Intemperance	1	..	1	1	1	..	1	2	..	2	·9	3	..	1	1	1	..
	ORDER 4.																	
	1. Thrush	9	3	6	10	9	11	4	11	6	5	7·4	7	7	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											1	1	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	..	1	3	..	..	1	..	2	..	·7	1	..	..	..	1	..
	2. Dropsy	12	12	17	18	20	7	21	16	19	10	15·2	16	4	1	3	7	1
	3. Cancer	12	15	18	18	18	21	16	26	17	20	18·1	22	..	6	6	9	1
	4. Noma	1	..	..	..	..	1	..	..	1	..	·3	..	..	..	..	..	..
	5. Mortification	2	1	3	4	1	3	3	6	2	1	2·6	2	..	..	..	1	1
	ORDER 2.																	
	1. Scrofula	6	7	7	4	8	9	9	8	12	6	7·6	9	6	1	2	..	..
	2. Tabes Mesenterica	18	15	22	19	27	26	33	12	37	32	24·1	18	18	..	..	..	..
	3. Phthisis	129	127	109	141	122	135	129	116	140	129	127·7	112	23	51	32	6	..
	4. Hydrocephalus	29	24	27	39	34	26	34	21	32	26	29·2	24	24	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	7	9	8	11	8	14	10	12	12	11	10·2	12	11	..	1	..	..
	2. Apoplexy	26	17	23	28	29	15	24	29	19	24	23·4	32	6	1	13	10	2
	3. Paralysis	18	22	16	13	19	16	13	19	24	23	18·3	22	..	3	2	15	2
	4. Insanity	4	..	1	3	2	1	1	3	3	2	2·0	..	..	..	..	..	..
	5. Chorea	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	8	6	8	4	4	6	6	5	4	4	5·5	7	2	2	2	1	..
	7. Convulsions	32	43	30	46	43	29	37	28	38	35	36·1	44	43	..	..	1	..
	8. *Brain Disease, &c.*	8	17	9	11	4	7	10	9	4	14	9·3	6	3	1	1	1	..
	ORDER 2.																	
	1. Pericarditis	3	3	1	1	1	1	1	6	2	..	1·9	2	..	1	..	1	..
	2. Aneurism	1	1	2	..	1	1	2	..	5	1	1·4	3	..	..	3	..	..
	3. *Heart Disease, &c.*	21	22	39	41	34	27	29	28	30	29	30·0	41	6	7	14	12	2
	ORDER 3.																	
	1. Laryngitis	1	4	4	1	..	4	5	5	4	7	3·5	6	4	..	..	2	..
	2. Bronchitis	21	34	28	28	29	37	35	33	46	31	32·2	37	15	6	4	10	2
	3. Pleurisy	4	3	..	1	6	3	4	..	4	3	2·8	2	2	..	..	..	..
	4. Pneumonia	22	45	32	40	31	27	39	33	31	39	33·9	30	21	3	4	1	1
	5. Asthma	2	9	3	3	5	4	7	6	7	2	4·8	4	..	1	1	2	..
	6. *Lung Disease, &c.*	3	7	9	6	5	2	6	4	1	4	4·7	5	2	..	2	1	..
	ORDER 4.																	
	1 Gastritis	..	3	2	2	3	1	2	1	4	2	2·0	1	..	..	1	..	..
	2. Enteritis	14	13	8	8	13	2	7	14	12	8	9·9	7	3	2	1	1	..
	3. Peritonitis	6	2	7	1	6	1	4	1	5	1	3·4	5	2	2	1	..	..
	4. Ascites	3	1	3	2	3	1	1	4	..	4	2·2	3	..	1	..	2	..
	5. Ulceration of Intestines	3	2	2	5	..	2	2	2	1	2	2·1	4	1	..	2	1	..
	6. Hernia	2	2	3	1	4	4	2	3	2	3	2·6	4	..	1	..	3	..
	7. Ileus	2	5	1	3	4	1	5	5	3	6	3·5	..	..	..	..	..	..
	8. Intussusception	1	1	1	1	1	1	2	4	3	2	1·7	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTY-SECOND Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 12 1848	Aug 11 1849	Aug 10 1850	Aug 9 1851	Aug 14 1852	Aug 13 1853	Aug 12 1854	Aug 11 1855	Aug 9 1856	Aug 15 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 12, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	58°·2	66°·4	64°·2	64°·1	59°·7	61°·2	60°·1	61°·0	66°·1	63°·7	62°·5	65°·4					
	9. Stricture of Intestines	1	..	..	3	2	..	..	1	..	1	·8	1	..	..	1	..	..
	10. Fistula	..	1	..	2	1	..	..	..	..	..	·4	1	..	..	1	..	..
	11. *Stomach Disease, &c.*	7	12	8	5	5	10	8	7	5	12	7·9	8	2	..	5	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	1	3	7	3	9	4	1	2	3	4	3·7	2	..	1	..	1	..
	14. Jaundice	2	4	5	4	7	1	7	5	4	8	4·7	5	2	..	2	1	..
	15. *Liver Disease, &c.*	14	17	11	11	11	8	8	9	16	14	11·9	18	..	4	6	7	1
	16. *Spleen Disease, &c.*	..	..	..	1	..	..	..	..	..	1	·2	1	1	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	3	3	..	1	..	1	..	1	..	·9	..	..	..	..	..	..
	2. Ischuria	..	..	1	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	2	4	6	1	1	10	3	6	3	2	3·8	2	..	1	1	..	..
	4. Diabetes	..	1	..	1	1	1	..	..	..	1	·5	..	..	..	..	..	..
	5. Stone	1	1	..	..	..	1	1	..	1	..	·5	..	..	..	..	..	..
	6. Cystitis	..	..	1	..	..	1	..	..	..	..	·2	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	5	4	9	8	1	7	4	1	6	7	5·2	5	1	1	1	2	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	1	..	2	2	..	..	..	1	2	·8	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	4	3	5	1	1	2	7	5	2	3	3·3	4	1	1	..	2	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	..	2	..	·2	..	..	..	..	..	..
	2. *Joint Disease, &c.*	3	5	5	5	3	3	5	3	7	4	4·3	4	1	2	..	1	..
	ORDER 8.																	
	1. Phlegmon	2	4	..	4	3	4	..	1	4	3	2·5	3	2	..	1	..	..
	2. Ulcer	..	2	1	1	2	..	1	..	..	2	·9	..	..	..	..	..	..
	3. *Skin Disease, &c.*	3	..	..	..	..	1	1	..	1	..	·6	1	..	..	1	..	..
IV.	ORDER 1.																	
	1. Premature Birth	35	32	33	29	24	21	36	29	39	32	31·0	19	19	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	2	6	2	2	2	2	4	3	4	1	2·8	2	2	..	..	..	..
	5. Teething	6	6	15	9	10	8	13	13	16	12	10·8	13	13	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	1	..	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	3	2	5	3	4	3	3	2	3	8	3·6	5	..	4	1	..	..
	ORDER 3.																	
	1. Old Age	26	39	29	45	34	23	36	31	57	31	35·1	39	..	..	..	15	24
	ORDER 4.																	
	1. Atrophy and Debility	32	38	32	23	38	51	47	56	39	57	41·3	61	54	..	3	4	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	25	2	8	9	6	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	3	..	2	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	2	2	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	12	10	..	1	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											2	2	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	..	2	..	1	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	3	..	1	2	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	11	26	45	13	20	28	25	13	29	48	25·8	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	7	8	5	3	6	4	13	4	3	3	5·6	8	5	..	1	2	..
	Causes not specified or ill-defined	5	13	11	2	12	16	19	4	11	8	10·1	12	8	1	1	2	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the THIRTY-SECOND WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Aug. 12 1848	Aug. 11 1849	Aug. 10 1850	Aug. 9 1851	Aug. 14 1852	Aug. 13 1853	Aug. 12 1854	Aug. 11 1855	Aug. 9 1856	Aug. 15 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Aug. 14 1858.
Mean Temperature . . .			58·2°	66·4°	64·2°	64·1°	59·7°	61·2°	60·1°	61·0°	66·1°	63·7°	62·5°	65·4°
LONDON	78029	2362236	1059	1909	997	1038	1091	984	1832	993	1232	1187	1232·2	1147
1-6. WEST DISTRICTS .	10786	376427	149	197	147	170	166	163	244	155	211	176	177·8	174
7-11. NORTH DISTRICTS .	13533	490396	205	268	190	204	197	184	278	200	242	237	220·5	205
12-19. CENTRAL DISTRICTS	1938	393256	187	275	181	179	181	156	206	174	174	188	190·1	149
20-25. EAST DISTRICTS .	6230	485522	253	378	240	234	260	197	318	194	244	290	260·8	265
26-36. SOUTH DISTRICTS .	45542	616635	265	791	239	251	287	284	786	270	361	296	383·0	354
1. Kensington* HHHH .	7374	120004	41	50	36	53	60	53	71	51	73	46	53·4	41
2. Chelsea H*w* . . .	865	56538	26	39	20	34	22	17	59	25	43	26	31·1	33
3. St. George Hanover-sq. H	1161	73230	28	32	33	24	29	25	55	24	32	45	32·7	48
4. Westminster* HHHH .	917	65609	35	49	24	35	30	38	38	39	32	29	34·9	32
5. St. Martin-in-the-Fields H	305	24640	11	16	12	8	11	13	9	8	8	10	10·6	12
6. St. James Westminster .	164	36406	8	11	22	16	14	17	12	8	23	20	15·1	8
7. Marylebone HH . .	1509	157696	72	81	66	65	66	61	84	60	73	79	70·7	54
8. Hampstead	2252	11986	1	8	4	5	5	4	8	2	4	4	4·5	9
9. Pancras HH*w* . . .	2716	166956	78	102	68	74	70	62	98	69	91	74	78·6	68
10. Islington HHH . . .	3127	95329	38	55	33	40	30	36	60	48	53	43	43·6	48
11. Hackney* H*w* . . .	3929	58429	16	22	19	20	29	21	28	21	21	37	23·1	26
12. St. Giles* H . . .	245	54214	28	58	29	34	30	17	27	24	26	33	30·4	23
13. Strand* H	173	44422	13	38	15	17	13	20	16	20	30	15	19·7	13
14. Holborn* H . . .	196	46621	22	18	25	21	21	17	22	21	20	12	19·9	14
15. Clerkenwell	380	64778	38	24	23	21	27	21	34	26	27	33	27·4	18
16. St. Luke HH . . .	220	54055	25	35	27	23	30	24	38	28	19	22	27·1	28
17. East London* . . .	153	44406	28	37	16	22	29	20	24	19	18	18	23·1	23
18. West London* H . .	137	28828	17	40	29	27	20	22	27	24	20	41	26·7	17
19. London City* . . .	434	55932	16	25	17	14	13	15	18	12	14	14	15·8	13
20. Shoreditch *w* . . .	646	109257	58	85	50	54	47	34	47	39	47	59	52·0	53
21. Bethnal Green H . .	760	90193	57	84	36	42	55	36	52	41	45	49	49·7	59
22. Whitechapel* HH . .	406	79759	41	75	60	40	54	26	39	35	35	45	45·0	46
23. St. George in the East .	243	48376	28	41	24	27	29	25	44	16	32	22	28·8	15
24*a*. Stepney*	576	54173	41	65	45	53	55	49	89	36	53	77	56·3	35
24*b*. Mile-end Old Town H*w*	681	56602												35
25. Poplar* H*w* . . .	2918	47162	28	28	25	18	20	27	47	27	32	38	29·0	22
26. St. Saviour Southwark* HH	250	35731	18	77	15	14	19	20	61	22	26	17	28·9	22
27. St. Olave Southwark* HH	169	19375	17	52	19	15	20	15	52	16	14	28	24·8	39
28. Bermondsey	688	48128	21	78	17	20	20	18	118	12	22	26	35·2	24
29. St. George Southwark .	282	51824	25	90	14	26	36	35	74	21	36	26	38·3	25
30. Newington	624	64816	29	97	28	22	21	27	71	22	40	34	39·1	33
31. Lambeth H	4015	139325	53	135	37	53	51	52	134	67	70	47	69·9	80
32. Wandsworth* . . .	11695	50764	14	68	25	20	17	19	50	16	28	30	28·7	22
33. Camberwell	4342	54667	27	61	15	21	34	23	70	29	28	15	32·3	31
34. Rotherhithe	886	17805	1	31	7	5	9	13	44	8	13	6	13·7	7
35. Greenwich* HHHHH .	5367	99365	43	88	49	50	48	50	91	43	64	44	57·0	57
36. Lewisham*	17224	34835	17	14	13	5	12	12	21	14	20	23	15·1	14

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848–57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending August 7. Total.	Males.	Females.	In the Week ending August 14. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	167	99	68	157	94	63
45 WORKHOUSES	79	36	43	82	32	50
14 PRISONS . . . . . ‡	4	4	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	7	7	–	6	6	–
15 GENERAL HOSPITALS	61	41	20	55	46	9
7 HOSPITALS FOR SPECIAL DISEASES	4	3	1	3	1	2
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	1	1	–
7 MILITARY AND NAVAL HOSPITALS	4	4	–	5	5	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	1	1	–
19 LUNATIC ASYLUMS	8	4	4	4	2	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 14th August 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	25	85	38	121	32
No.*							
1-6 WEST DISTRICTS - -	376427	-	2	8	5	11	6
7-11 NORTH DISTRICTS - -	490396	1	5	15	7	24	6
12-19 CENTRAL DISTRICTS -	393256	-	5	11	5	20	4
20-25 EAST DISTRICTS - -	485522	1	5	25	9	30	8
26-36 SOUTH DISTRICTS - -	616635	1	8	26	12	36	8
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	1	-	-	1
2 St. John Paddington H -	29053	-	-	-	-	-	-
3 Kensington Town *W* L -	29183	-	-	-	-	2	-
4 Brompton HH - -	14870	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	1
7 Fulham *W* LLLL - -	11886	-	-	-	-	1	-
2; 1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	1	-	1	2	-
3 Chelsea North-east L -	19819	-	-	-	-	2	-
3; 1 Hanover-square - -	20216	-	-	-	-	1	1
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	2	3	1	2
4; 1 St. John Westmr. HHHP	34295	-	1	1	-	1	-
2 St. Margaret West. *W* HP	31314	-	-	4	-	-	-
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	1	1
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	1	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	-	-	1	-
2 Cavendish-square - -	14687	-	-	-	-	1	-
3 Rectory Marylebone *W* -	27633	-	-	-	-	1	1
4 St. Mary Marylebone H -	22814	-	-	-	-	2	-
5 Christchurch Marylebone	33895	-	1	2	-	1	1
6 St. John Marylebone -	29826	-	-	-	-	2	1
8; 1 Hampstead *W* - -	11986	-	-	-	-	1	-
9; 1 Regent's Park Pancras -	31918	-	-	-	-	2	-
2 Tottenham-court *w*H -	28433	-	-	3	-	1	-
3 Gray's-inn-lane H -	26523	-	-	-	2	2	-
4 Somers-town - - -	35641	-	2	1	-	-	-
5 Camden-town *W* - -	21115	-	2	-	1	1	-
6 Kentish-town - - -	23326	-	-	2	-	3	-
10; 1 Islington West† *W* HHHPP	47881	1	-	2	1	2	2
2 Islington East - - -	47448	-	-	5	3	2	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	-	-	1
4 Hackney *W* H*w* - -	20850	-	-	-	-	2	-
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	2	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	2	-
3 St. Giles North - -	17456	-	-	-	1	2	-
13; 1 St. Anne Soho - - -	17335	-	-	-	-	1	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	-	1	-	1
14; 1 St. George-the-Martyr H.	18813	-	-	-	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	1	1	-	-	-
3 Saffron-hill - - -	13837	-	-	-	-	-	1
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	1	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - -	15625	-	1	1	-	1	-
16; 1 Old-street H - - -	10617	-	-	-	-	2	-
2 City-road HL - -	16840	-	-	-	-	1	-
3 Whitecross-street - -	13657	-	-	1	-	4	-
4 Finsbury - - - -	12941	-	-	1	1	1	-
17; 1 St. Botolph East London	23824	-	1	-	-	-	1
2 Cripplegate P - -	20582	-	-	1	2	-	-
18; 1 West London North *W* HP	12946	-	2	2	-	4	-
2 West London South P -	15882	-	-	1	-	1	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	1
3 London City South -	11461	-	-	1	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	1	-	1	-
3 Hoxton New Town *w* -	23505	-	-	1	-	2	1
4 Hoxton Old Town - -	17431	-	-	1	2	1	1
5 Haggerstone West *W* -	20276	-	-	1	1	-	1
6 Haggerstone East - -	11351	-	-	-	1	-	1
21; 1 Hackney Road - -	23910	-	-	-	-	5	-
2 Green, Bethnal Green *W* HL	23555	-	-	2	-	-	-
3 Church, Bethnal Green -	21787	-	1	4	-	1	-
4 Town, Bethnal Green -	20941	1	1	-	-	2	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	2	-	-	1	-
3 Mile End New Town *W* -	14543		-	-	1	-	1
4 Whitechapel North *W* -	12530	-	-	1	1	1	-
5 Whitechapel Church H -	7818	-	-	-	-	1	-
6 Goodman's Fields - -	12069	-	-	-	-	1	-
7 Aldgate H - - -	10694	-	-	-	-	2	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	1	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	1	-
3 St. John St. Geo. East *W*	9990	-	-	1	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	3	1	1	-
2 Ratcliff *W* - - -	15212	-	1	2	1	-	-
3 Limehouse *W* - -	22782	-	-	2	-	-	2
24*b*; 1 Mile End Old Town, West.	29582	-	-	-	-	1	-
2 Mile End Old T., East. *Ww*H	27020	-	-	-	1	3	-
25; 1 Bow *w*LH - - -	18778	-	-	2	-	2	-
2 Poplar *W* - - -	28384	-	-	4	-	3	1
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	1	-
2 St. Saviour Southwark HH	19709	-	2	-	1	2	-
27; 1 St. Olave Southwark HH	8015	-	1	-	-	1	2
2 St. John Horsleydown *W*	11360	-	-	-	-	1	1
28; 1 St. James Bermondsey -	18899	-	-	-	-	2	-
2 St. Mary Magdalen *W* -	13934	-	-	1	2	-	-
3 Leather Market - -	15295	-	-	-	-	1	-
29; 1 Kent Road - - -	18126	-	1	3	1	-	-
2 Borough Road *W* P -	15862	1	1	-	1	3	1
3 London Road LP - -	17836	-	-	-	-	-	1
30; 1 Trinity Newington P -	20922	-	1	6	1	-	-
2 St. Peter Walworth *W* -	29861	-	-	1	-	5	1
3 St. Mary Newington -	14033	-	-	1	1	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	1	-
2 Waterloo Road 2nd H -	18348	-	-	-	1	1	1
3 Lambeth Church 1st -	18409	-	-	-	1	4	-
4 Lambeth Church 2nd *W*	26784	-	-	-	1	2	-
5 Kennington 1st - -	24261	-	1	2	-	2	-
6 Kennington 2nd - -	18848	-	-	2	-	-	-
7 Brixton L - - -	14610	-	-	1	1	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	1	-	-	-	-
2 Battersea *W* - - -	10560	-	-	2	-	1	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	1	-	-	-
3 Peckham - - - -	19444	-	-	2	-	1	-
4 St. George Camberwell -	15849	-	-	-	-	2	-
34; 1 Rotherhithe *W* - -	17805	-	-	-	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	2	1	3	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	1	-	-	1
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	1	-	1	-
36; 1 Plumstead - - -	13191	-	-	-	-	1	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	1	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 14th August 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
August.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.		
Sunday . .	8	..	30·232	76·0	46·5	29·5	60·4	51·3	97·5	39·0	67·2	64·2	9·1	23·1	1·2	— 1·6	68	N.E.	E. & N,E.	1·0	0·0	0·0	—	0·00
Monday . .	9	New.	30·070	80·0	47·5	32·5	63·7	51·7	102·9	36·4	67·2	64·2	12·0	24·3	1·6	+ 1·8	62	N.E.	N.E.	1·0	0·0	0·0	—	0·00
Tuesday .	10	..	29·877	81·6	56·5	25·1	65·8	60·7	102·4	37·8	67·2	64·2	5·1	14·3	0·6	+ 4·0	85	N.	N.E.	0·0	0·0	0·0	—	0·20
Wednesday	11	..	29·853	82·2	59·3	22·9	67·6	60·4	102·5	53·0	67·3	64·2	7·2	16·8	1·0	+ 5·9	80	N.	E.&ESE.	0·0	0·0	0·0	—	0·00
Thursday.	12	In Equator.	29·837	86·9	56·1	30·8	71·8	60·0	108·5	47·3	67·9	65·7	11·8	25·2	1·0	+10·2	63	E.S.E. & N.N.E.	S. & N.	1·0	0·0	0·0	—	0·00
Friday . .	13	..	29·830	82·2	55·5	26·7	66·5	52·9	107·6	35·0	68·9	66·2	13·6	29·2	4·4	+ 5·0	62	N.&S.W.	N.W.	0·0	0·0	0·0	—	0·00
Saturday.	14	..	29·748	78·5	55·7	22·8	62·1	56·8	98·5	46·7	69·5	66·2	5·3	13·3	1·3	+ 0·6	89	N.E.	Calm	3·0	0·0	0·0	—	0·69
Means . .		..	29·921	81·1	53·9	27·2	65·4	56·3	102·8	42·2	67·9	65·0	9·2	20·9	1·6	+ 3·7	73	N.E.		..	..	..	—	Sum 0·89
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
August.			
Sunday . .	8		Partially cloudy during the morning; clear at other times of the day.
Monday . .	9		Cloudy early in the morning, clear at other times of the day.
Tuesday . .	10		The sky was generally cloudy till evening, partially clear afterwards. Rain fell between 8h. and 9h. A.M. Lightning was seen at night.
Wednesday	11		Cloudy for the most part till noon, clear sky afterwards. Lightning was seen at night.
Thursday .	12		Partially cloudy till the afternoon, overcast afterwards. Thunder was heard during the afternoon, and lightning was seen frequently at night.
Friday . .	13		One half of the sky was cloudy during the morning, and clear at other times of the day. Haze was prevalent at night.
Saturday .	14		Cloudy throughout the day. Rain fell occasionally after noon, a great and unusual darkness was prevalent a little before 4h. P.M., during which the direction of the wind changed from E. by N. to W. by N., and shortly afterwards rain fell heavily to the depth of 0·5 inch within 40 minutes. Several flashes of lightning were seen, and thunder was frequently heard.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken. The instrument was in the hands of the maker for repair.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 30·25 in. at the beginning of the week to 30·26 in. by 9h. 30m. A.M. on the 8th; decreased, with slight exceptions, to 29·72 in. by 3h. P.M. on the 14th; and then turned to increase slowly.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 33. 1858. Vol. XIX.] Week ending Saturday, August 21. [Price 1½*d.*

General Register Office, Somerset House,
August 23d, 1858.

The returns of the metropolitan Registrars are still of a satisfactory character. In the week that ended last Saturday (August 21st) the deaths registered were 1112, of which 569 were those of males, and 543 those of females. In the corresponding weeks of 1849 and 1854, when so many lives were destroyed by cholera and diarrhœa, the deaths rose to 2230 in the former year, and to 1833 in the latter. In the corresponding weeks of the 10 years 1848–57 the average mortality was 1259. The deaths of last week occurred in an increased population; and the present rate of mortality is therefore comparatively low, being 273 below the corrected average deaths in London. Of the 1112 persons who died, 614 were under 20 years of age; 136 were 20 and under 40; 148 were 40 to 60; 161 were 60 to 80; and 40 were 80 years of age and upwards.

The births registered exceeded the deaths by 446.

The zymotic class of diseases caused 379 deaths, or about one third of the total mortality, including 22 by measles, 105 by scarlatina, 28 by whooping-cough, 43 by typhus and other continued fevers, 113 by diarrhœa, 10 by cholera, &c. To the constitutional class of diseases 215 deaths were registered; of this number phthisis or consumption was fatal to 116, 96 of whom were between the ages of 20 and 60.

In the local class of diseases 294 deaths occurred; in the developmental class of diseases 145 deaths; in violent causes 54; and in 15 deaths the cause was not specified or ill-defined.

Scarlatina (diphtheria) is much above the average. The deaths during the last six weeks were 73, 58, 78, 86, 85, and 105 respectively; last week, with the exception of 7 persons, all the deaths from this disease occurred among children under 10 years of age. At 25 High-street, St. Giles, the two children of a printer, aged 1 and 2 years, died of scarlatina maligna. Mr. Faulkner, the medical attendant, describes this house as inhabited by 33 or 34 persons, 18 of whom are children all more or less bearing traces of illness in their features. For the last two years there has been no stink trap in the sink in the basement floor, the tenants of this house have been inhaling the poisonous gases evolved from the sewers, and four persons have died within the last 3 weeks.

At 9 Kenning's-buildings, Rotherhithe, the son of a labourer, aged 2 years, died from cholera (12 hours). Mr. Bayley, the Registrar, adds:—"Complaint was made of an obnoxious smell arising from a gully in front of this house, and several persons in its vicinity have been attacked with illness."

Three persons whose deaths were registered attained the advanced age of 90 years and upwards.

Last week the births of 812 boys and 746 girls, in all 1558 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1518.

At the Royal Observatory, Greenwich, the mean readings of the barometer in the week was 29·689 in. The daily mean temperature was 63·3° or 2·2° above the average, but ranged from 83·0° to 47·8°. On Saturday the thermometer on the grass indicated 32·2°; the highest reading in the sun was 104·6° on Thursday. The mean dew-point was 53·6°, and the difference between that and the air 9·7°. The wind veered about and changed from south-west to north-west. The sky for the most part was cloudy throughout the week. Rain fell on Tuesday, Wednesday, Thursday; and on Saturday, rain fell generally till evening.

NEWINGTON; *St. Peter's Walworth.*—At 4 Nursery-row, on 17th August, the son of a cabman, aged 2 years, "diphtheria."

KENSINGTON; *Town.*—At Ledbury-road, on 12th August, the son of a dairyman, aged 4 years, "croup and diphtherite."

In same sub-district, at West Crescent-mews, on 20th August, the son of a coachman, aged 15 months, "diphtheria."

KENSINGTON; *Brompton.*—At 6 New-court, on 15th August, the son of a bricklayer's labourer, aged 5 years, "diphtheria."

CHELSEA; *North-west.*—At 1 Omega-terrace, on 18th August, the son of a farmer (deceased), aged 5 years, "diphtheria (4 days)."

WESTMINSTER; *St. John the Evangelist.*—At 8 Vine-street, on 13th August, the son of a cab-driver, aged 1 year, "diphtheria (3 days)."

ST. GEORGE, HANOVER SQUARE; *Belgrave.*—At 12 Wilton-mews, on 17th August, the daughter of a coachman (domestic servant), aged 3 years, "diphtheria (5 days)."

MARYLEBONE; *Christchurch.*—At 2 Earl-street, on 14th August, the son of a drayman, aged 5 weeks, "choleraic diarrhœa (3 days)."

ST. PANCRAS; *Kentish Town.*—At 2 Winchester-terrace, Agar-town, on 15th August, the son of a plasterer (journeyman), aged 2 years, "diptherite, asphyxia."

In same sub-district, at 22 Salisbury-crescent, Agar-town, on 17th August, the daughter of a railway engine feeder, aged 9 months, "diphthirite asphyxia."

ST. PANCRAS; *Grays-inn-lane.*—At 13 Manchester-street, on 16th August, the son of a barrister's clerk, aged 1 year, "scarlatina (4 days), diphtheria (24 hours)."

ISLINGTON; *West.*—At 1 Aldhous-terrace, on 12th August, the son of a solicitor's clerk, aged 5 years, "diphtheria (6 days)."

In same sub-district, at 20½ Felix-place, on 14th August, the daughter of a builder, aged 5 years, "diphtherite."

ISLINGTON; *East.*—At 1 Osborn-place, on 16th August, the son of a watch-hand maker, "cholera Asiatica (48 hours)."

In same sub-district, at 34 Sudely-street, on 14th August, the son of a solicitor, aged 3 years, "diphtheria, exhaustion (4 weeks)."

In same sub-district, at 37 Windsor-street, on 16th August, widow (unknown), "cholera Asiatica (36 hours)."

HACKNEY; *Hackney.*—At 1 Park-cottages, Morning-lane, on 18th August, a plasterer, aged 62 years, "cholera (4 days)."

WHITECHAPEL; *Artillery.*—At 14 Duke-street, Old Artillery Ground, on 15th August, a general dealer, aged 37 years, "diphtheria (6 days.)"

STEPNEY; *Limehouse.*—At 5 Catherine-street, on 15th August, the son of a general labourer, aged 2 years, "cholera infantum and convulsions (46 hours)."

POPLAR; *Poplar.*—At 16 Paynton-street, on 14th August, the son of an oil and colourman's clerk, aged 5 years, "cynanche maligna (14 days), diphtheria."

In same sub-district, at Drill-place, on 16th August, a retired ropemaker, aged 77 years, "English cholera (6 days), gout."

POPLAR; *Bow.*—At 5 High-street, Bow, on 18th August, the wife of a millwright, aged 34 years, "choleric diarrhœa."

ST. SAVIOUR; *Christchurch.*—At 4 Brunswick-court, on 16th August, the daughter of a butcher, aged 5 months, "cholera (38 hours)." Mr. Bianchi, Medical Officer of Health, St. Saviour's District, has written to the Registrar General, stating:—"That having made inquiries respecting this "death, he considers it to have been an aggravated case of infantile diarrhœa."

BERMONDSEY; *St. Mary Magdalen.*—At 1 Thomas-street, on 21st August, the son of a tailor, aged 3 years, diphtheria."

WANDSWORTH; *Clapham.*—At Manor Cottage, Larkhall-lane, on 16th August, the daughter of a gentleman, aged 9 months, "infantile cholera (3 days)."

ROTHERHITHE; *Rotherhithe.*—At Kennings-buildings, on 17th August, the son of a labourer, aged 2 years, "cholera (12 hours)." Mr. Bayley, the Registrar, adds:—"Upon registering this "death, complaint was made to me of a filthy smell arising from a gully in front of the house. "Several persons in its vicinity have been attacked with illness."

GREENWICH; *Woolwich Dockyard.*—At 12 Lower Wood-street, on 15th August, the daughter of a labourer, aged 1 months, "diphtheria (4 days)."

LEWISHAM; *Plumstead and Charlton.*—At the Village, on 14th August, the son of a labourer, aged 4 years, "diphtheria."

BIRTHS Registered LAST WEEK, and in the THIRTY-THIRD Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1288	1334	1363	1500	1639	1518	1569	1697	1575	1692	1517·5	1558
Males . .	669	676	689	774	850	775	813	872	793	860	777·1	812
Females . .	619	658	674	726	789	743	756	825	782	832	740·4	746

DEATHS Registered LAST WEEK, and in the THIRTY-THIRD Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	1019	2230	874	1061	1084	1053	1833	1095	1250	1091	1259·0	1112
Males . .	506	1116	441	530	581	533	913	550	625	539	633·4	569
Females . .	513	1114	433	531	503	520	920	545	625	552	625·6	543

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTY-THIRD Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 19 1848	Aug 18 1849	Aug 17 1850	Aug 16 1851	Aug 21 1852	Aug 20 1853	Aug 19 1854	Aug 18 1855	Aug 16 1856	Aug 22 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 21, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 63°·3	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°·0	60°·3	62°·6	64°·6	61°·8	60°·4	59°·9	62°·5	66°·9	65°·1	62°·3						
	ALL CAUSES	1019	2230	874	1061	1084	1053	1833	1095	1250	1091	1259·0	1112†	614	136	148	161	40
	SPECIFIED CAUSES	988	2214	868	1045	1071	1019	1830	1098	1229	1076	1242·9	1087	608	134	144	161	40
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	396	1605	271	363	390	315	1140	371	471	428	575·0	379	323	18	18	17	3
II.	CONSTITUTIONAL "	184	182	213	226	249	233	238	222	237	208	219·2	215	72	56	62	23	2
III.	LOCAL "	293	288	256	293	279	319	316	323	331	249	295·2	294	99	41	51	90	13
IV.	DEVELOPMENTAL "	95	121	116	139	124	142	124	151	145	155	131·2	145	91	4	4	26	20
V.	VIOLENT DEATHS	20	18	12	24	29	10	12	17	45	36	22·3	54	23	15	9	5	2
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	380	1588	250	342	374	292	1113	348	445	402	553·4	350	298	17	16	16	3
	2. ENTHETIC "	1	2	5	2	1	5	7	2	4	2	3·1	4	3	1	..	..	..
	3. DIETIC "	10	8	11	18	10	15	18	18	15	16	13·9	17	14	..	2	1	..
	4. PARASITIC "	5	7	5	1	5	3	2	3	7	8	4·6	8	8	..	..	..	..
II.	1. DIATHETIC "	25	33	47	37	37	39	33	36	42	46	37·5	46	5	5	16	18	2
	2. TUBERCULAR "	159	149	166	189	212	194	205	186	195	162	181·7	169	67	51	46	5	..
III.	1. DISEASES OF NERVOUS SYSTEM	106	111	101	106	89	107	117	119	125	83	106·4	91	41	9	14	26	1
	2. " OF ORGANS OF CIRCULATION	28	35	22	26	43	41	28	31	39	28	32·1	53	6	11	11	21	4
	3. " OF RESPIRATORY ORGANS	80	83	69	79	75	93	83	101	88	66	81·7	81	38	9	9	23	2
	4. " OF DIGESTIVE ORGANS	59	43	44	54	58	58	59	53	53	48	52·9	47	11	7	11	14	4
	5. " OF URINARY ORGANS	11	11	11	13	10	9	13	9	13	12	11·2	16	2	3	4	5	2
	6. " OF ORGANS OF GENERATION	2	..	2	7	2	3	4	5	2	4	3·1	1	..	..	..	1	..
	7. " OF ORGANS OF LOCOMOTION	3	3	4	4	1	4	8	4	4	5	4·0	..	..	..	..	..	..
	8. " OF INTEGUMENTARY SYSTEM	4	2	3	4	1	4	4	6	7	3	3·8	5	1	2	2	..	..
IV.	1. DEV. DISEASES OF CHILDREN	35	39	47	54	49	44	41	58	56	48	47·1	35	35	..	..	..	..
	2. " OF ADULTS	3	6	6	5	6	6	4	4	2	6	4·8	6	1	4	1	..	..
	3. " OF OLD PEOPLE	29	45	40	36	38	45	39	41	39	39	39·1	32	..	..	..	12	20
	4. DISEASES OF NUTRITION	28	31	23	44	31	47	40	48	48	62	40·2	72	55	..	3	14	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											44	19	11	7	5	2
	3. HOMICIDE *												2	2	..	..	..	..
	4. SUICIDE												8	2	4	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	20	18	12	24	29	10	12	17	45	36	22·3	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	5	7	..	6	3	4	..	5	10	6	4·6	10	5	1	4	..	..
	CAUSES NOT SPECIFIED	26	9	6	10	10	30	3	1	11	9	11·5	15†	1	1	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 13 is added for London City, South East, and Hoxton Old Town, instead of 15, the true number.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 19 1848	Aug 18 1849	Aug 17 1850	Aug 16 1851	Aug 21 1852	Aug 20 1853	Aug 19 1854	Aug 18 1855	Aug 16 1856	Aug 22 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 21, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°0	60°·3	62°·6	64°·6	61°·8	60°·4	59°·9	62°·5	66°·9	65°·1	62°·3	63°·3					
I.	ORDER 1.																	
	1. Small-pox	32	1	10	18	14	5	10	15	3	4	11·2	4	3	1	..	..	..
	2. Measles	9	23	11	18	4	13	12	9	43	13	15·5	22	22	..	..	..	..
	3. Scarlatina	115	27	24	17	49	27	62	34	31	40	42·6	105	103	1	1	..	..
	4. Quinsy	..	1	..	..	2	..	3	1	1	1	·9	1	1	..	..	..	..
	5. Croup	7	2	1	4	4	7	6	8	11	10	6·0	3	3	..	..	..	..
	6. Whooping-cough	18	34	13	27	13	28	23	39	19	35	24·9	28	28	..	..	..	..
	7. Typhus (and Infantile fever)	61	47	27	53	41	48	45	52	42	43	45·9	43	22	10	6	5	..
	8. Erysipelas	14	8	5	5	8	9	8	5	5	9	7·6	4	1	1	2	..	..
	9. Metria	5	2	..	4	3	4	..	3	3	1	2·5	..	..	..	..	..	..
	10. Carbuncle	..	..	..	..	..	4	1	4	..	1	1·0	..	..	..	..	..	..
	11. Influenza	1	1	..	..	..	1	1	..	..	..	·4	..	..	..	..	..	..
	12. Dysentery	16	18	4	6	2	5	10	3	9	9	8·2	9	6	..	2	1	..
	13. Diarrhœa	81	188	139	156	208	126	192	154	253	215	171·2	113	98	3	4	5	3
	14. Cholera	17	1230	8	28	18	10	729	12	22	12	208·6	10	6	1	..	3	..
	15. Ague	1	1	..	..	..	1	1	..	..	..	·4	1	1	..	..	..	..
	16. Remittent fever	1	..	4	2	1	2	2	3	1	..	1·6	7	4	..	1	2	..
	17. Rheumatism	2	5	4	4	7	2	8	6	2	9	4·9	..	..	..	..	..	..
	ORDER 2.																	
	1. Syphilis	1	1	4	2	..	4	6	2	3	2	2·5	4	3	1	..	..	..
	2. Stricture of Urethra	..	1	1	..	1	1	1	..	1	..	·6	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	2. Want of Breast-milk	5	2	5	10	7	10	13	11	15	13	9·1	12	12	..	..	..	..
	3. Purpura and Scurvy	..	..	..	..	..	..	1	1	..	..	·2	2	2	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	3	4	5	3	3	3	2	6	..	..	2·9	2	..	..	1	1	..
	4. Alcoholism { *b* Intemperance	2	2	1	5	..	2	1	..	..	3	1·6	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	5	7	5	1	5	3	2	3	7	8	4·6	8	8	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	..	1	2	..	..	2	..	2	2	1·0	3	..	..	..	2	1
	2. Dropsy	15	19	17	15	13	14	16	16	13	15	15·3	11	4	1	4	2	..
	3. Cancer	6	6	26	16	22	21	13	15	23	26	17·4	31	..	4	12	14	1
	4. Noma	..	1	..	1	1	..	..	..	1	1	·5	..	..	..	..	..	..
	5. Mortification	3	7	3	3	1	4	2	5	3	2	3·3	1	1	..	..	..	..
	ORDER 2.																	
	1. Scrofula	3	5	1	7	6	8	7	7	7	7	5·8	5	4	1	..	..	..
	2. Tabes Mesenterica	22	24	25	23	29	22	42	24	23	23	25·7	14	14	..	..	..	..
	3. Phthisis	107	83	114	129	140	139	128	123	141	108	121·2	116	15	50	46	5	..
	4. Hydrocephalus	27	37	26	30	37	25	28	32	24	24	29·0	34	34	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	14	8	7	11	13	12	10	14	11	4	10·4	7	5	..	2	..	..
	2. Apoplexy	21	14	19	21	14	17	15	19	25	17	18·2	17	6	3	4	4	..
	3. Paralysis	20	28	18	22	13	24	24	15	23	15	20·2	23	..	2	4	16	1
	4. Insanity	2	2	1	1	..	5	2	4	..	..	1·7	3	..	1	1	1	..
	5. Chorea	..	..	..	..	..	1	1	..	..	..	·2	1	1	..	..	..	..
	6. Epilepsy	6	5	4	8	4	4	8	8	8	3	5·8	5	1	2	1	1	..
	7. Convulsions	35	40	42	31	37	35	47	43	40	30	38·0	24	24	..	..	..	..
	8. *Brain Disease, &c.*	8	14	10	12	8	9	10	16	18	14	11·9	11	4	1	2	4	..
	ORDER 2.																	
	1. Pericarditis	2	2	3	3	1	..	1	..	..	2	1·4	2	1	1	..	..	..
	2. Aneurism	2	2	1	2	1	1	2	1	6	..	1·8	1	..	1	..	..	..
	3. *Heart Disease, &c.*	24	31	18	21	41	40	25	30	33	26	28·9	50	5	9	11	21	4
	ORDER 3.																	
	1. Laryngitis	4	3	6	5	2	4	3	1	3	2	3·3	3	2	..	..	1	..
	2. Bronchitis	22	34	25	24	21	40	36	42	31	24	29·9	34	14	4	2	12	2
	3. Pleurisy	2	1	2	2	2	3	1	1	3	..	1·7	3	..	2	..	1	..
	4. Pneumonia	34	37	28	38	41	35	31	47	38	32	36·1	32	21	2	6	3	..
	5. Asthma	6	3	3	1	5	8	6	3	8	4	4·7	4	..	..	..	4	..
	6. *Lung Disease, &c.*	12	5	5	9	4	3	6	7	5	4	6·0	5	1	1	1	2	..
	ORDER 4.																	
	1. Gastritis	1	2	2	4	3	1	2	2	4	..	2·1	1	1	..	..	..	..
	2. Enteritis	11	13	8	4	13	3	6	6	6	3	7·3	10	6	..	2	1	1
	3. Peritonitis	6	4	5	2	4	6	1	6	7	4	4·5	5	..	2	1	2	..
	4. Ascites	1	..	2	2	2	6	2	4	2	4	2·5	3	..	..	..	2	1
	5. Ulceration of Intestines	2	..	2	4	2	6	9	4	2	5	3·6	1	..	..	..	..	1
	6. Hernia	2	2	2	3	1	2	3	2	..	1	1·8	2	..	1	1	..	..
	7. Ileus	2	2	2	3	1	3	9	3	1	1	2·7	..	..	..	..	..	..
	8. Intussusception	2	1	..	1	1	1	1	1	..	1	·9	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTY-THIRD Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 19 1848	Aug 18 1849	Aug 17 1850	Aug 16 1851	Aug 21 1852	Aug 20 1853	Aug 19 1854	Aug 18 1855	Aug 16 1856	Aug 22 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 21, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°·0	60°·3	62°·6	64°·6	61°·8	60°·4	59°·9	62°·5	66°·9	65°·1	62°·3	63°·3					
	9. Stricture of Intestines	..	..	..	1	..	..	..	1	2	..	·4	..	..	..	..	..	..
	10. Fistula	..	1	1	..	..	1	1	..	..	1	·5	2	..	2	..	..	..
	11. *Stomach Disease, &c.*	5	6	1	13	4	8	5	4	6	6	5·8	6	2	..	1	2	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	12	1	6	4	9	5	5	6	7	1	5·6	4	..	..	1	3	..
	14. Jaundice	5	3	4	2	4	4	6	3	2	3	3·6	3	1	1	..	1	..
	15. *Liver Disease, &c.*	10	8	9	11	14	11	8	11	14	18	11·4	10	1	1	5	3	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	1	1	..	..	..	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	1	1	..	..	..	2	..	·4	2	..	1	1	..	..
	2. Ischuria	..	1	..	1	..	..	..	1	..	..	·3	..	..	..	..	..	..
	3. Nephria	5	1	2	3	2	2	6	4	5	4	3·4	2	..	1	..	1	..
	4. Diabetes	1	1	..	..	1	1	3	..	3	..	1·0	3	1	..	..	2	..
	5. Stone	1	1	..	2	1	1	1	1	..	..	·8	2	..	..	..	1	1
	6. Cystitis	..	..	2	..	..	1	..	..	..	2	·5	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	4	7	7	6	5	4	3	3	3	6	4·8	7	1	1	3	1	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	1	2	..	1	..	2	..	2	·8	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	2	..	1	5	2	2	4	3	2	2	2·3	1	..	..	..	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	1	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	3	3	4	4	1	4	8	3	4	5	3·9	..	..	..	..	..	..
	ORDER 8.																	
	1. Phlegmon	1	1	2	2	1	1	3	2	4	..	1·6	4	..	2	2	..	..
	2. Ulcer	3	..	..	1	..	1	1	3	1	2	1·2	..	..	..	..	..	..
	3. *Skin Disease, &c.*	..	1	1	1	..	2	..	2	2	1	1·0	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	17	26	36	32	41	26	28	36	44	34	32·0	24	24	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	2	2	3	3	1	6	2	2	4	2	2·7	1	1	..	..	..	..
	5. Teething	16	11	8	19	7	12	11	20	8	12	12·4	9	9	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	1	..	..	..	..	..	·1	1	1	..	..	..	..
	2. Childbirth (*see* Metria)	3	6	6	5	5	6	4	4	2	6	4·7	5	..	4	1	..	..
	ORDER 3.																	
	1. Old Age	29	45	40	36	38	45	39	41	39	39	39·1	32	..	..	..	12	20
	ORDER 4.																	
	1. Atrophy and Debility	28	31	23	44	31	47	40	48	48	62	40·2	72	55	..	3	14	..
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	29	10	7	5	5	2
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	3	1	2	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	8	4	2	2	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	3	3	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											2	2	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	4	2	..	2	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	2	..	2	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	20	18	12	24	29	10	12	17	45	36	22·3	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	5	7	..	6	3	4	..	5	10	6	4·6	10	5	1	4	..	..
	Causes not specified or ill-defined	26	9	6	10	10	30	3	1	11	9	11·5	15	1	1	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the THIRTY-THIRD WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Aug. 19 1848	Aug. 18 1849	Aug. 17 1850	Aug. 16 1851	Aug. 21 1852	Aug. 20 1853	Aug. 19 1854	Aug. 18 1855	Aug. 16 1856	Aug. 22 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Aug. 21 1858.
Mean Temperature . . .			59·0°	60·3°	62·6°	64·6°	61·8°	60·4°	59·9°	62·5°	66·9°	65·1°	62·3°	63·3°
LONDON	78029	2362236	1019	2230	874	1061	1084	1053	1838	1095	1250	1091	1259·0	1112
1–6. WEST DISTRICTS .	10786	376427	145	231	129	161	177	140	378	168	177	180	188·6	162
7–11. NORTH DISTRICTS .	13533	490396	192	272	179	217	225	231	249	224	263	220	227·2	227
12–19. CENTRAL DISTRICTS	1938	393256	188	307	154	199	189	165	194	174	184	154	190·8	148
20–25. EAST DISTRICTS .	6230	485522	208	587	181	196	238	217	323	263	294	235	274·2	247
26–36. SOUTH DISTRICTS .	45542	616635	286	833	231	288	255	300	689	266	332	302	378·2	328
1. Kensington* HHHH .	7374	120004	43	50	34	51	61	46	117	56	78	70	60·6	48
2. Chelsea H*w* . . .	865	56538	20	60	26	32	28	26	90	26	32	26	36·6	26
3. St. George Hanover-sq. H	1161	73230	25	36	21	26	31	16	47	26	24	23	27·5	24
4. Westminster* HHHH .	917	65609	25	55	26	34	36	26	86	36	24	41	38·9	40
5. St. Martin-in-the-Fields H	305	24640	16	14	6	3	8	13	17	7	9	10	10·3	6
6. St. James Westminster .	164	36406	16	16	16	15	13	13	21	17	10	10	14·7	18
7. Marylebone HH . .	1509	157696	63	100	76	64	72	74	69	55	101	69	74·3	45
8. Hampstead	2252	11986	5	6	3	3	8	2	4	3	6	8	4·8	7
9. Pancras HH*w* . . .	2716	166956	88	93	63	92	89	86	88	91	76	72	83·8	92
10. Islington HHH . .	3127	95329	26	54	25	33	34	42	53	53	58	50	42·8	46
11. Hackney* H*w* . . .	3929	58429	10	19	12	25	22	27	35	22	22	21	21·5	37
12. St. Giles* H . . .	245	54214	16	48	26	33	22	30	29	21	41	22	28·8	27
13. Strand* H	173	44422	19	37	13	22	17	14	26	21	21	21	21·1	12
14. Holborn* H . . .	196	46621	23	34	23	23	30	18	24	12	24	18	22·9	21
15. Clerkenwell	380	64778	38	27	29	28	35	27	25	25	34	22	29·0	18
16. St. Luke HH . . .	220	54055	23	31	21	30	28	20	25	34	18	20	25·0	25
17. East London* . . .	153	44406	29	33	15	18	25	31	18	23	18	15	22·5	13
18. West London* H . .	137	28828	25	59	10	25	19	14	25	24	15	26	24·2	21
19. London City* . . .	434	55932	15	38	17	20	13	11	22	14	13	10	17·3	11
20. Shoreditch *w* . . .	646	109257	49	153	40	29	53	50	52	68	66	55	61·5	51
21. Bethnal Green H . .	760	90193	47	169	30	30	37	37	51	40	62	42	54·5	44
22. Whitechapel* HH . .	406	79759	37	88	37	36	44	28	73	48	42	35	46·8	32
23. St. George-in-the-East .	243	48376	21	36	20	28	23	23	31	22	22	25	25·1	17
24*a*. Stepney*	576	54173	42	102	39	48	58	59	74	52	64	47	58·5	37
24*b*. Mile-end Old Town H*w*	681	56602												31
25. Poplar* H*w* . . .	2918	47162	12	39	15	25	23	20	42	33	38	31	27·8	35
26. St. Saviour Southwark* HH	250	35731	20	74	18	25	21	17	68	19	22	14	29·8	20
27. St. Olave Southwark* HH	169	19375	15	43	9	22	26	19	34	17	22	19	22·6	15
28. Bermondsey	688	48128	17	67	22	24	22	18	96	29	27	28	35·0	27
29. St. George Southwark .	282	51824	17	89	18	21	20	31	53	18	32	22	32·1	35
30. Newington	624	64816	27	88	24	24	17	33	63	22	29	28	35·5	33
31. Lambeth H	4015	139325	54	166	46	55	45	71	128	50	57	69	74·1	66
32. Wandsworth*	11695	50764	16	52	13	14	16	17	34	17	16	28	22·3	25
33. Camberwell	4342	54667	25	63	16	31	26	28	64	23	29	20	32·5	31
34. Rotherhithe	886	17805	14	37	8	10	4	7	46	11	13	12	16·2	7
35. Greenwich* HHHHH .	5367	99365	71	135	43	51	47	43	91	48	75	39	64·3	49
36. Lewisham*	17224	34835	10	19	14	11	11	16	12	12	10	23	13·8	20

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Aug. 14. Total.	Males.	Females.	In the Week ending Aug. 21. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	157	94	63	169	92	77
45 WORKHOUSES	82	32	50	90	41	49
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	6	6	–	5	5	–
15 GENERAL HOSPITALS	55	49	9	54	35	19
7 HOSPITALS FOR SPECIAL DISEASES	3	1	2	5	3	2
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	1	1	–	2	2	–
7 MILITARY AND NAVAL HOSPITALS	5	5	–	2	2	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	3	1	2
19 LUNATIC ASYLUMS	4	2	2	8	3	5

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 21st August 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON	2362236	4	22	105	28	113	43
1-6	WEST DISTRICTS	376427	-	2	15	3	16	8
7-11	NORTH DISTRICTS	490396	1	2	22	3	23	7
12-19	CENTRAL DISTRICTS	393256	3	1	10	4	15	6
20-25	EAST DISTRICTS	485522	-	7	20	7	28	11
26-36	SOUTH DISTRICTS	616635	-	10	38	11	31	11
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	-	2	-	-	-
2	St. John Paddington H	29053	-	1	1	-	-	-
3	Kensington Town *W* L	29183	-	-	3	-	3	-
4	Brompton HH	14870	-	-	1	-	-	-
5	St. Peter Hammersmith	4467	-	-	-	-	-	-
6	St. Paul Hammersmith	13293	-	-	-	-	4	-
7	Fulham *W* LLLL	11886	-	-	-	-	-	-
2; 1	Chelsea South H	19050	-	-	-	1	-	-
2	Chelsea North-west *Ww*	17669	-	1	2	-	1	1
3	Chelsea North-east L	19819	-	-	-	-	1	-
3; 1	Hanover Square	20216	-	-	-	-	-	-
2	May Fair *W*	12980	-	-	-	-	-	-
3	Belgrave H	40034	-	-	1	1	1	-
4; 1	St. John Westmr. HHHP	34295	-	-	3	1	4	3
2	St. Margaret West. *W* HP	31314	-	-	2	-	1	2
5; 1	Charing Cross *W* H	12587	-	-	-	-	-	1
2	Long Acre	12053	-	-	-	-	-	-
6; 1	Berwick Street	10798	-	-	-	-	1	-
2	St. James's Square	11469	-	-	-	-	-	1
3	Golden Square *W*	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H	28841	-	-	1	-	-	-
2	Cavendish-square	14687	-	-	-	-	1	-
3	Rectory Marylebone *W*	27633	-	-	-	-	1	1
4	St. Mary Marylebone H	22814	-	-	-	-	-	-
5	Christchurch Marylebone	33895	-	-	-	-	-	-
6	St. John Marylebone	29826	-	1	-	-	1	-
8; 1	Hampstead *W*	11986	-	-	-	-	-	-
9; 1	Regent's Park Pancras	31918	-	-	2	-	-	-
2	Tottenham-court *w*H	28433	-	-	3	-	1	-
3	Gray's Inn Lane H	26523	-	1	4	1	-	2
4	Somers Town	35641	-	-	3	-	1	-
5	Camden Town *W*	21115	-	-	1	-	2	3
6	Kentish Town	23326	-	-	2	1	2	-
10; 1	Islington West† *W*HHHPP	47881	1	-	2	-	4	-
2	Islington East	47448	-	-	2	-	5	-
11; 1	Stoke Newington L	4840	-	-	-	-	-	-
2	Stamford Hill	5549	-	-	-	-	1	-
3	West Hackney L	18732	-	-	1	-	3	-
4	Hackney *W* H*w*	20850	-	-	1	1	-	1
5	South Hackney L	8458	-	-	-	-	1	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury	16807	-	-	-	-	-	-
2	St. Giles South *W* H	19951	-	-	1	-	2	-
3	St. Giles North	17456	-	-	2	1	1	-
13; 1	St. Anne Soho	17335	-	-	-	1	1	-
2	St. Mary-le-Strand	11615	-	-	-	-	-	1
3	St. Clement Danes H	15472	-	-	2	-	-	1
14; 1	St. George-the-Martyr H.	18813	-	-	2	-	2	1
2	St. Andrew, East. Holb. *W*	13971	1	-	-	-	1	-
3	Saffron Hill	13837	-	-	-	1	-	-
15; 1	St. James Clerkenwell *W*P	21529	-	-	-	-	-	-
2	Amwell Clerkenwell P	15720	-	-	-	-	-	-
3	Pentonville	11904	-	-	-	-	2	-
4	Goswell-street	15625	-	-	1	-	-	-
16; 1	Old-street H	10617	-	-	1	-	-	-
2	City-road HL	16840	1	-	-	-	2	1
3	Whitecross-street	13657	-	-	1	-	1	-
4	Finsbury	12941	1	-	-	-	-	-
17; 1	St. Botolph East London	23824	-	-	-	-	-	-
2	Cripplegate P	20582	-	1	-	1	1	1
18; 1	West London North *W*HP	12946	-	-	-	-	-	-
2	West London South P	15882	-	-	-	-	-	1
19; 1	London City South-west	9204	-	-	-	-	-	-
2	London City North-west	11847	-	-	-	-	1	-
3	London City South	11461	-	-	-	-	-	-
4	London City South-east	10594	-	-	-	-	-	-
5	London City North-east	12826	-	-	-	-	1	-
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch	17245	-	-	-	-	2	-
2	St. Leonard Shoreditch L	19449	-	-	-	1	2	-
3	Hoxton New Town *w*	23505	-	1	1	-	1	2
4	Hoxton Old Town	17431	-	-	-	-	-	-
5	Haggerstone West *W*	20276	-	-	1	-	-	1
6	Haggerstone East	11351	-	-	-	1	3	1
21; 1	Hackney-road	23910	-	-	-	-	1	-
2	Green, Bethnal Green *W* HL	23555	-	-	1	-	1	-
3	Church, Bethnal Green	21787	-	-	-	-	1	-
4	Town, Bethnal Green	20941	-	2	2	-	2	2
22; 1	Artillery Whitechapel	6769	-	-	1	-	-	-
2	Spitalfields	15336	-	-	-	-	1	-
3	Mile End New Town *W*	14543	-	-	-	-	1	-
4	Whitechapel North *W*	12530	-	-	1	-	-	-
5	Whitechapel Church H	7818	-	-	-	-	-	-
6	Goodman's Fields	12069	-	-	-	1	-	-
7	Aldgate H	10694	-	-	-	-	2	-
23; 1	St. Mary St. Geo. East	18067	-	-	1	-	1	-
2	St. Paul St. Geo. East	20319	-	1	1	-	-	-
3	St. John St. Geo. East *W*	9990	-	-	1	-	-	1
24*a*; 1	Shadwell *W*	16179	-	-	1	-	-	-
2	Ratcliff *W*	15212	-	-	-	1	1	-
3	Limehouse *W*	22782	-	1	-	1	1	-
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	1	1	1	1
2	Mile End Old T., East. *Ww*H	27020	-	1	2	-	4	1
25; 1	Bow *w*LH	18778	-	-	1	-	2	-
2	Poplar *W*	28384	-	1	5	1	1	2
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	-	-	1	-
2	St. Saviour Southwark HH	19709	-	1	2	-	-	1
27; 1	St. Olave Southwark HH	8015	-	1	1	-	-	1
2	St. John Horsleydown *W*	11360	-	-	-	1	-	-
28; 1	St. James Bermondsey	18899	-	3	1	2	-	-
2	St. Mary Magdalen *W*	13934	-	-	3	-	2	-
3	Leather Market	15295	-	1	-	-	1	-
29; 1	Kent-road	18126	-	1	2	-	2	1
2	Borough-road *W*P	15862	-	2	-	-	4	-
3	London-road LP	17836	-	-	1	-	1	-
30; 1	Trinity Newington P	20922	-	-	5	1	1	-
2	St. Peter Walworth *W*	29861	-	-	2	-	1	-
3	St. Mary Newington	14033	-	-	-	-	1	-
31; 1	Waterloo-road 1st	14088	-	-	-	-	1	-
2	Waterloo-road 2nd H	18348	-	-	1	2	-	-
3	Lambeth Church 1st	18409	-	-	-	-	2	-
4	Lambeth Church 2nd *W*	26784	-	-	1	2	3	1
5	Kennington 1st	24261	-	-	1	-	1	-
6	Kennington 2nd	18848	-	-	2	-	-	-
7	Brixton L	14610	-	-	1	-	-	2
8	Norwood *W*	3977	-	-	-	-	-	-
32; 1	Clapham L	16290	-	-	-	-	-	-
2	Battersea *W*	10560	-	-	1	-	1	-
3	Wandsworth PL	9611	-	-	1	-	-	1
4	Putney	5280	-	-	-	-	-	-
5	Streatham	9023	-	-	-	-	-	-
33; 1	Dulwich	1632	-	-	-	-	-	-
2	Camberwell *W*LL	17742	-	-	2	-	-	-
3	Peckham	19444	-	1	-	1	1	-
4	St. George Camberwell	15849	-	-	3	-	-	-
34; 1	Rotherhithe *W*	17805	-	-	2	-	-	-
35; 1	St. Paul Deptford	24899	-	-	2	-	2	1
2	St. Nicholas Deptford	7071	-	-	-	-	-	1
3	Greenwich West H	18800	-	-	1	1	3	1
4	Greenwich East *W* H	16228	-	-	1	-	-	-
5	Woolwich Dockyard HP	17140	-	-	1	-	1	1
6	Woolwich Arsenal HPH	15227	-	-	-	-	-	-
36; 1	Plumstead	13191	-	-	1	1	1	-
2	Eltham	2568	-	-	-	-	-	-
3	Lee	8478	-	-	-	-	-	-
4	Lewisham Village *W*	6097	-	-	-	-	1	-
5	Sydenham	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand ,, Tottenham-court sub-district.
East London ,, Hackney sub-district.
St. Luke Middlesex ,, Hoxton New Town sub-district.
London City ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 21st August 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.	Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degree Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
		in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
August.																							
Sunday . 15	..	29·877	74·4	54·5	19·9	62·4	53·8	94·5	51·2	69·3	66·2	8·6	19·6	3·0	+ 1·0	75	W.S.W.	S.W.	2·0	0·0	0·2	—	0·00
Monday . 16	First Quarter.	29·870	73·7	55·2	18·5	63·5	52·4	92·4	53·5	69·0	66·2	11·1	17·2	2·8	+ 2·1	68	S.W.	S.S.W. & S.S.E.	3·0	0·0	0·3	—	0·00
Tuesday . 17	..	29·600	83·0	54·1	28·9	67·5	53·8	104·0	46·5	69·0	66·2	13·7	24·1	6·7	+ 6·2	59	S.E.	S.S.W.	2·5	0·0	0·1	—	0·02
Wednesday 18	..	29·547	78·9	60·4	18·5	67·0	56·5	99·1	37·9	69·0	65·7	10·5	23·8	1·9	+ 5·9	71	Calm	S.E.	0·0	0·0	0·0	—	0·04
Thursday . 19	Greatest Dec. S. Apogee	29·583	79·4	59·1	20·3	67·3	55·3	104·6	41·3	69·0	66·2	12·0	23·1	3·4	+ 6·4	72	S.W.	S.W.	1·5	0·0	0·0	—	0·10
Friday . . 20	..	29·701	69·7	57·3	12·4	60·7	49·7	75·0	52·2	69·4	66·2	11·0	18·2	7·2	— 0·1	71	N.W.	N.W.	2·5	0·0	0·4	—	0·00
Saturday . 21	..	29·647	61·4	47·8	13·6	54·8	53·9	62·0	32·2	68·8	66·2	0·9	3·8	0·0	— 5·8	97	SW&NW	N.N.W.	7·0	0·0	1·5	—	0·48
Means . .	..	29·689	74·4	55·5	18·9	63·3	53·6	90·2	45·0	69·1	66·1	9·7	18·5	3·6	+ 2·2	73	S.W.		..	..	..	..	Sum 0·64
No. of Columns	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.	Electricity.	Sky and Atmosphere.
August		
Sunday . . 15	The electrometer mast is not yet repaired.	Generally cloudy during the morning; at other times of the day the amount of cloud was small. Rain fell occasionally during the morning.
Monday . . 16		Cloudy for the most part till evening; clear sky afterwards.
Tuesday . 17		Partially cloudy till noon, overcast for the most part afterwards. Rain fell during the evening.
Wednesday 18		Overcast during the morning, partially cloudy during the afternoon, overcast at night. Rain fell early in the morning, and again at night. Lightning was frequent at night.
Thursday . 19		Partially cloudy during the morning; clear for the most part at other times.
Friday . . 20		Overcast till noon, at other times of the day the amount of cloud was small. Rain fell during the morning.
Saturday . 21		Overcast throughout the day. Rain fell generally till evening.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken. During the week the anemometer has been under repair.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·73 in. at the beginning of the week to 29·92 in. by 9h. A.M. on the 16th; decreased to 29·50 in. by 9h. P.M. on the 18th; increased to 29·70 in. by 9h. P.M. on the 19th; decreased to 29·67 in. during the night; was 29·77 in. at 9h. P.M. on the 21st; and decreased to 29·53 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 34. 1858. Vol. XIX.] Week ending Saturday, August 28. [Price 1½*d*.

General Register Office, Somerset House,
August 30th, 1858.

The deaths registered in London, which in the first week of August rose to 1200, have continuously decreased to 1147, to 1112, and last week, ending Saturday, August 28th, to 1108. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1261; for comparison, this average, if raised in proportion to increase of population, would become 1387, and omitting from the comparison the epidemic years of 1849 and 1854, it will present the state of the public health in a still more favourable light. The deaths last week were considerably below the number that would have occurred if the average rate of mortality had prevailed.

The mortality from diseases of the zymotic order was last week 419; in the previous week the number was 379. Small-pox was fatal in 6 cases. Measles, which was the cause of 22 deaths in the former week, last week caused 36. Scarlatina in the previous six weeks averaged 81 deaths weekly, the number last week was 92, but shows a slight tendency to decrease, the preceding week being 105. Whooping-cough was fatal to 34 children. Thirty-nine deaths were registered from typhus and continued fever, which is much less than the average. The disease most fatal at the present time is diarrhœa, the deaths from which in the last two weeks were 113 and 146, although these numbers are below the weekly average of the season; the deaths from cholera decreased from 10 in the previous week to 6, and 5 of these 6 were those of children under 2 years of age; the fifth case was that of a girl, aged 8 years, who died at Poplar after 2 days' illness. Diarrhœa was most prevalent in the districts of Marylebone, Pancras, St. Luke, East London, Shoreditch, Bethnal-green, Poplar, and Greenwich.

The deaths caused by diseases of the tubercular order, which in the former week were 169, receded last week to 163; from the respiratory organs the deaths last week were 80, the previous week 81; of the digestive organs 45, the previous week 47; of the urinary organs 22, the previous week 16. 9 children are returned as having died from inanition and the want of breastmilk. 35 persons, whose deaths are recorded, attained the age of 80 or more years; two widows were aged respectively 91 and 92 years.

Last week the births of 852 boys and 844 girls, in all 1696 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number, corrected for increase of population, was 1635.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·842 in. The highest reading was 29·988 in. and occurred on Tuesday. The lowest occurred on Saturday, and was 29·627 in.; the extreme variation was rather more than three tenths of an inch. The mean temperature of the week was 59·2°, which is very near the average of the last 43 years, but is much lower than at the same period last year, when the mean air temperature was 66·9° or 7·7° warmer. The air temperature last week, compared with the week preceding, was 4·1° cooler; the extreme range during the week was 29·3°. The difference between the dew-point temperature and air temperature was 10·4°. The average temperature of the water of the Thames was 65·4° or 6·2° higher than the temperature of the air. The direction of the wind was chiefly from the north-west. The sky was for the most part during the week free from cloud. On Friday and Saturday the sky was overcast till about noon, and rain for a short time fell on Saturday morning.

St. Pancras; *Gray's Inn-lane.*—At 42 George-street, on 25th August, the daughter of a plumber, aged 11 months, "cholera, convulsions (1 week)."

Shoreditch; *Hoxton New Town.*—At 16 Allerton-street, on 22d August, the son of a stone dresser, aged 3 weeks, "choleraic diarrhœa (7 days)."

In same sub-district, at 4 Newton-street, on 23d August, the daughter of an iron warehouseman, aged 11 months, "diphtheria (2 days)."

In same sub-district, at 34 Herston-street, on 24th August, the daughter of a smith, aged 9 years, "diphtheria."

Poplar; *Poplar.*—At 11 Garford-street, on 25th August, the daughter of a shipwright, aged 8 years, "cholera (2 days)."

Newington; *St. Peter's, Walworth.*—At the Workhouse, on 3d August, the son of a laundress, aged 18 months, "cholera."

Lambeth; *Lambeth Church, 2d part.*—At 63½ New-street, on 26th August, the daughter of a spiced beef maker, aged 8 months, "choleraic diarrhœa."

Wandsworth; *Battersea.*—At Union-road, 21st August, the daughter of a servant, aged 1 year 4 months, "choleraic diarrhœa, 4 days."

St. Martin in the Fields; *Charing Cross.*—At Morley's Hotel, Trafalgar-square, on 21st August, the wife of a gentleman, aged 20 years, "diphtheria (4 days)."

St. Pancras; *Tottenham-court.*—At 9 Princes-street, on 24th August, a needle woman, aged 24 years, "diphtheria (5 days)."

Hackney; *South Hackney.*—At John-street, on 25th August, the son of a silk weaver, aged 6 weeks, "diphtheria (3 days)."

West London; *North.*—At 16 Newcastle-street, on 21st August, the daughter of a saddler, aged 3 months, "diphtheria (10 days)."

Shoreditch; *Hoxton Old Town.*—At 42 Rushton-street, on 24th August, the son of a medical case maker, aged 1 year, "diphtheria."

Stepney; *Limehouse.*—At 83 Eastfield-street, on 23d August, the son of an engineer, aged 6 years "diphtheria (8 days)."

Mile End Old Town; *Eastern.*—At 12 Argyle-road, on 22d August, the daughter of a compositor, aged 5 years, "diphtheria."

St. George the Martyr; *London-road.*—At 27 London-road, on 25th August, the daughter of a licensed victualler, aged 2 years, "diphtheritis laryngitis."

Newington; *St. Mary.*—At Amelia-street, on 24th August, the son of a warehouseman, aged 13 months, "scarlatina (14 days), diphtheria (6 days)."

Camberwell; *St. George.*—At 8 Victoria-terrace, Old Kent-road, on 20th August, the daughter of a coachman, aged 2 years, "scarlatina (8 days), diphtheria (6 days)."

Births Registered last Week, and in the Thirty-fourth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1325	1317	1416	1455	1499	1486	1638	1540	1529	1656	1486·1	1696
Males . .	663	664	733	772	753	803	856	755	778	857	763·4	852
Females .	662	653	683	683	746	683	782	785	751	799	722·7	844

Deaths Registered last Week, and in the Thirty-fourth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	951	2456	905	956	980	1021	2039	1003	1122	1177	1261·0	1108
Males . .	486	1170	464	502	508	514	1022	476	584	564	629·0	540
Females .	465	1286	441	454	472	507	1017	527	538	613	632·0	568

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.
Births	1545	1626	1481	1662	1603	1470	1584	1655	1657	1553	1496	1558	1696
Deaths	1087	963	1160	1092	1241	1191	1173	1132	1161	1200	1147	1112	1108
Deaths (except from Violence) . . .	1067	940	1090	1027	1133	1167	1158	1105	1127	1126	1089	1058	1067
Deaths (except from Violence) at 60 years and upwards . .	185	153	219	200	194	198	208	191	153	194	174	194	167
Small-pox	2	2	2	3	1	4	3	6	1	5	3	4	6
Measles	62	56	58	44	54	71	47	50	56	44	25	22	36
Scarlatina	46	47	55	65	61	64	73	58	78	86	85	105	92
Whooping-cough . .	69	58	54	47	60	63	61	55	50	36	38	28	34
Typhus	43	21	41	29	35	43	35	35	22	34	32	43	39
Diarrhœa	18	18	31	54	94	129	126	127	168	130	121	113	146
Mean Temperature .	66°·2	63°·8	67°·7	64°·5	58°·6	55°·9	66°·4	66°·4	59°·6	62°·4	65°·4	63°·3	59°·2

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTY-FOURTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 26 1848	Aug 25 1849	Aug 24 1850	Aug 23 1851	Aug 28 1852	Aug 27 1853	Aug 26 1854	Aug 25 1855	Aug 23 1856	Aug. 29 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 28, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	57°·7	62°·9	57°·0	63°·8	64°·2	58°·6	61°·2	62°·9	57°·8	66°·9	61°·3	Mean Temp. 59°·2					
	ALL CAUSES	951	2456	905	956	980	1021	2039	1003	1122	1117	1261·0	1108	631	131	172	139	35
	SPECIFIED CAUSES	931	2439	891	935	967	1002	2033	988	1113	1163	1246·2	1100	626	131	170	138	35
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	380	1734	268	330	333	295	1324	324	405	430	582·3	419	349	25	25	18	2
II.	CONSTITUTIONAL "	178	227	203	210	191	234	225	201	227	236	213·2	196	70	55	53	16	2
III.	LOCAL "	270	302	267	255	304	316	324	313	309	307	296·7	314	114	38	83	74	10
IV.	DEVELOPMENTAL "	82	147	121	128	117	137	149	122	155	150	130·8	130	74	9	3	24	20
V.	VIOLENT DEATHS	21	29	32	12	22	20	11	28	17	40	23·2	41	19	9	6	6	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	360	1705	250	309	309	273	1294	297	385	404	558·6	394	331	22	21	18	2
	2. ENTHETIC "	1	3	5	3	3	3	4	6	1	3	3·2	4	3	..	1	..	..
	3. DIETIC "	11	19	9	8	17	13	20	17	16	20	15·0	15	9	3	3	..	..
	4. PARASITIC "	8	7	4	10	4	6	6	4	3	3	5·5	6	6	..	..	..	..
II.	1. DIATHETIC "	39	45	37	40	36	45	42	34	32	30	38·0	33	2	4	12	13	2
	2. TUBERCULAR "	139	182	166	170	155	189	183	167	195	206	175·2	163	68	51	41	3	..
III.	1. DISEASES OF NERVOUS SYSTEM	95	100	87	94	114	100	98	102	110	103	100·3	111	48	7	23	30	3
	2. " OF ORGANS OF CIRCULATION	31	32	36	18	30	34	31	37	22	28	29·9	45	6	7	23	8	1
	3. " OF RESPIRATORY ORGANS	76	93	64	72	77	99	113	88	94	88	86·4	80	41	2	12	21	4
	4. " OF DIGESTIVE ORGANS	50	61	54	51	63	54	54	59	60	61	56·7	45	10	11	14	9	1
	5. " OF URINARY ORGANS	10	6	16	11	11	16	13	10	16	11	12·0	22	3	2	11	5	1
	6. " OF ORGANS OF GENERATION	6	4	5	5	2	3	5	6	1	3	4·0	2	..	1	..	1	..
	7. " OF ORGANS OF LOCOMOTION	..	3	2	3	3	3	5	3	4	4	3·0	6	4	2	..	..	..
	8. " OF INTEGUMENTARY SYSTEM	2	3	3	1	4	7	5	8	2	9	4·4	3	2	1	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	23	56	35	45	53	43	60	39	59	54	46·7	22	22	..	..	..	..
	2. " OF ADULTS	4	6	6	4	3	7	3	6	8	9	5·6	11	..	9	2	..	..
	3. " OF OLD PEOPLE	28	48	46	39	27	38	34	31	31	42	36·4	44	..	..	..	24	20
	4. DISEASES OF NUTRITION	27	37	34	40	34	49	52	46	57	45	42·1	53	52	..	1	..	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											36	19	7	5	4	1
	* 3. HOMICIDE												.	..	..	..	..	..
	4. SUICIDE												5	..	2	1	2	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	21	29	32	12	22	20	11	28	17	40	23·2	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	8	9	6	1	1	6	3	3	6	5·0	5	3	..	1	1	..
	CAUSES NOT SPECIFIED	13	9	5	15	12	18	..	12	6	8	9·8	3	2	..	1	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 26 1848	Aug 25 1849	Aug 24 1850	Aug 23 1851	Aug 28 1852	Aug 27 1853	Aug 26 1854	Aug 25 1855	Aug 23 1856	Aug 29 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 28, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	57°·7	62°·9	57°·0	63°·8	64°·2	58°·6	61°·2	62°·9	57°·8	66°·9	61°·3	59°·2					
I.	ORDER 1.																	
	1. Small-pox	32	6	8	16	14	..	11	12	9	8	11·6	6	6	..	..	..	..
	2. Measles	6	16	11	16	7	13	15	9	21	19	13·3	36	36	..	..	..	..
	3. Scarlatina	102	18	19	18	51	18	87	39	26	28	40·6	92	89	3	..	..	..
	4. Quinsy	3	1	2	1	2	..	3	..	3	1	1·6	2	2	..	..	..	..
	5. Croup	3	6	7	5	7	2	9	9	6	8	6·2	10	10	..	..	..	..
	6. Whooping-cough	23	29	25	24	18	28	24	28	15	36	25·0	34	34	..	..	..	..
	7. Typhus (and Infantile fever)	87	78	33	45	50	39	54	42	44	66	53·8	39	17	7	8	6	1
	8. Erysipelas	10	9	6	1	3	6	12	2	10	6	6·5	7	4	2	1	..	..
	9. Metria	2	2	2	3	..	1	4	4	2	4	2·4	1	..	1	..	..	..
	10. Carbuncle	1	..	1	..	..	1	3	..	1	1	·8	2	..	..	1	1	..
	11. Influenza	1	2	2	1	..	..	..	..	..	..	·6	..	..	..	..	..	..
	12. Dysentery	14	23	4	5	8	7	5	6	5	8	8·5	8	3	1	2	1	1
	13. Diarrhœa	63	240	118	143	125	137	214	127	214	198	157·9	146	123	7	8	8	..
	14. Cholera	7	1272	5	20	15	18	847	15	22	15	223·6	6	6	..	..	..	..
	15. Ague	..	..	..	..	..	1	2	..	1	..	·4	..	..	..	..	..	..
	16. Remittent Fever	2	..	3	4	2	..	2	1	1	1	1·6	2	1	1	..	..	..
	17. Rheumatism	4	3	4	7	7	2	2	3	5	5	4·2	3	..	..	1	2	..
	ORDER 2.																	
	1. Syphilis	1	1	4	1	2	1	3	4	1	2	2·0	4	3	..	1	..	..
	2. Stricture of Urethra	..	2	1	2	1	2	1	2	..	1	1·2	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	1	..	..	..	1	..	1	·3	..	..	..	..	..	..
	2. Want of Breast-milk	7	10	1	5	10	8	15	11	12	12	9·1	9	9	..	..	..	..
	3. Purpura and Scurvy	1	1	..	..	2	..	1	1	..	1	·7	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	8	7	2	5	5	3	3	3	3	4·1	4	..	2	2	..	..
	4. Alcoholism { *b* Intemperance	1	..	1	..	..	..	1	1	1	3	·8	2	..	1	1	..	..
	ORDER 4.																	
	1. Thrush	8	7	4	10	4	6	6	4	3	3	5·5	6	6	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	1	1	1	1	1	..	4	2	..	1·2	1	..	..	..	1	..
	2. Dropsy	14	17	13	15	13	12	17	8	8	8	12·5	7	2	1	1	3	..
	3. Cancer	19	24	20	17	20	30	21	17	22	17	20·7	24	..	3	11	8	2
	4. Noma	..	..	..	..	1	..	..	..	..	2	·3	..	..	..	..	..	..
	5. Mortification	5	3	3	7	1	2	4	5	..	3	3·3	1	..	..	..	1	..
	ORDER 2.																	
	1. Scrofula	5	1	5	10	11	6	4	7	9	7	6·5	12	9	1	1	1	..
	2. Tabes Mesenterica	16	27	20	14	18	16	23	24	19	37	21·4	24	24	..	..	..	..
	3. Phthisis	101	123	117	126	103	141	129	108	138	124	121·0	109	17	50	40	2	..
	4. Hydrocephalus	17	31	24	20	23	26	27	28	29	38	26·3	18	18	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	11	6	10	13	10	11	7	9	10	11	9·8	11	10	..	..	1	..
	2. Apoplexy	20	18	25	23	22	18	11	24	21	25	20·7	32	7	1	11	12	1
	3. Paralysis	18	19	18	18	22	22	17	20	19	17	19·0	25	..	2	10	12	1
	4. Insanity	2	4	1	3	2	3	2	2	..	4	2·3	..	..	..	..	..	..
	5. Chorea	..	..	..	..	..	1	1	..	1	..	·3	..	..	..	..	..	..
	6. Epilepsy	3	6	4	5	4	5	5	8	6	5	5·1	5	..	3	..	2	..
	7. Convulsions	26	39	22	27	46	32	40	29	37	25	32·3	28	28	..	..	..	..
	8. *Brain Disease, &c.*	15	8	7	5	8	8	15	10	16	16	10·8	10	3	1	2	3	1
	ORDER 2.																	
	1. Pericarditis	2	3	3	..	2	1	2	..	1	1	1·5	2	..	1	1	..	..
	2. Aneurism	4	..	1	1	..	2	..	1	1	3	1·3	1	..	..	1	..	..
	3. *Heart Disease, &c.*	25	29	32	17	28	31	29	36	20	24	27·1	42	6	6	21	8	1
	ORDER 3.																	
	1. Laryngitis	..	4	3	2	2	3	6	2	2	1	2·5	2	1	..	..	1	..
	2. Bronchitis	30	37	20	33	28	51	38	38	33	42	35·0	40	10	1	8	18	3
	3. Pleurisy	2	2	..	1	2	3	1	2	2	2	1·7	3	1	..	1	..	1
	4. Pneumonia	30	40	29	22	37	32	55	35	43	33	35·6	29	27	..	2	..	..
	5. Asthma	4	4	5	7	5	6	8	4	7	7	5·7	1	..	..	..	1	..
	6. *Lung Disease, &c.*	10	6	7	7	3	4	5	7	7	3	5·9	5	2	1	1	1	..
	ORDER 4.																	
	1 Gastritis	1	1	2	3	..	4	1	5	5	2	2·4	2	1	..	1	..	..
	2. Enteritis	11	15	9	8	11	8	14	12	12	10	11·0	7	5	1	..	1	..
	3. Peritonitis	2	4	5	6	4	7	5	7	6	5	5·1	6	2	3	1	..	..
	4. Ascites	3	3	3	..	3	2	1	4	4	2	2 5	1	..	..	1	..	..
	5. Ulceration of Intestines	2	6	4	3	3	3	1	3	1	3	2·9	2	..	1	1	..	..
	6. Hernia	3	5	1	4	2	3	1	3	4	4	3·0	2	..	..	1	1	..
	7. Ileus	4	3	1	2	6	4	6	3	..	3	3·2	6	2	2	1	1	..
	8. Intussusception	2	1	..	1	2	3	1	1	1	..	1·2	1	..	1	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTY-FOURTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Aug 26 1848	Aug 25 1849	Aug 24 1850	Aug 23 1851	Aug 28 1852	Aug 27 1853	Aug 26 1854	Aug 25 1855	Aug 23 1856	Aug 29 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Aug. 28, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	57°·7	62°·9	57°·0	63°·8	64°·2	58°·6	61°·2	62°·9	57°·8	66°·9	61°·3	59°·2					
	9. Stricture of Intestines	1	..	1	..	..	1	1	1	..	..	·5	2	..	..	..	2	..
	10. Fistula	1	..	1	..	..	..	..	1	..	..	·3	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	8	4	5	8	5	5	5	7	8	4	5·9	3	..	..	2	..	1
	12. *Pancreas Disease, &c.*	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..
	13. Hepatitis	5	2	4	2	..	4	4	2	3	2	2·8	2	..	..	1	1	..
	14. Jaundice	1	4	5	5	11	4	3	4	5	7	4·9	2	..	..	..	2	..
	15. *Liver Disease, &c.*	5	13	12	9	15	5	11	5	11	18	10·4	9	..	3	5	1	..
	16. *Spleen Disease, &c.*	1	..	..	..	1	1	..	1	..	1	·5	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	..	..	..	2	2	..	2	·6	2	1	..	1	..	..
	2. Ischuria	..	1	1	..	..	..	1	1	..	..	·4	..	..	..	..	..	..
	3. Nephria	2	1	4	3	4	2	2	2	3	1	2·4	5	..	..	4	1	..
	4. Diabetes	1	1	1	1	1	2	1	1	..	2	1·1	1	..	..	1	..	..
	5. Stone	..	2	1	..	1	1	..	..	..	..	·5	2	1	..	..	..	1
	6. Cystitis	..	..	1	..	1	..	..	1	2	..	·5	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	7	1	8	7	4	11	7	3	11	6	6·5	12	1	2	5	4	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	2	4	1	..	1	3	2	..	1	1·4	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	6	2	1	4	2	2	2	4	1	2	2·6	2	..	1	..	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. *Joint Disease, &c.*	..	3	2	3	3	3	5	3	4	4	3·0	6	4	2	..	..	..
	ORDER 8.																	
	1. Phlegmon	..	3	2	1	4	6	3	5	2	5	3·1	1	..	1	..	..	..
	2. Ulcer	2	..	1	..	..	1	1	1	..	3	·9	..	..	..	..	..	..
	3. *Skin Disease, &c.*	..	..	..	..	..	..	1	2	..	1	·4	2	2	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	13	34	26	31	42	31	40	25	38	34	31·4	15	15	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848–57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	1	7	1	3	1	6	2	4	8	2	3·5	2	2	..	..	..	..
	5. Teething	9	15	8	11	10	6	18	10	13	18	11·8	4	4	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	4	6	6	4	3	7	3	6	8	9	5·6	11	..	9	2	..	..
	ORDER 3.																	
	1. Old Age	28	48	46	39	27	38	34	31	31	42	36·4	44	..	..	..	24	20
	ORDER 4.																	
	1. Atrophy and Debility	27	37	34	40	34	49	52	46	57	45	42·1	53	52	..	1	..	..
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	13	3	3	4	2	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	8	5	2	1	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	2	1	..	..	1	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	6	5	..	..	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	4	3	1	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848–57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	2	..	..	1	1	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	2	..	1	..	1	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	21	29	32	12	22	20	11	28	17	40	23·2	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	7	8	9	6	1	1	6	3	3	6	5·0	5	3	..	1	1	..
	Causes not specified or ill-defined	13	9	5	15	12	18	..	12	6	8	9·8	3	2	..	1	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the THIRTY-FOURTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Aug. 26 1848	Aug. 25 1849	Aug. 24 1850	Aug. 23 1851	Aug. 28 1852	Aug. 27 1853	Aug. 26 1854	Aug. 25 1855	Aug. 23 1856	Aug. 29 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Aug. 28 1858.
Mean Temperature . . .			57·7°	62·9°	57·0°	63·8°	64·2°	58·6°	61·2°	62·9°	57·8°	66·9°	61·3°	59·2°
LONDON	78029	2362236	951	2456	905	956	980	1021	2039	1003	1122	1177	1261·0	1108
1-6. WEST DISTRICTS .	10786	376427	155	282	130	151	148	164	370	163	168	176	190·7	128
7-11. NORTH DISTRICTS .	13533	490396	186	363	182	187	190	197	249	215	241	241	225·1	206
12-19. CENTRAL DISTRICTS	1938	393256	161	365	127	173	165	213	227	155	165	170	192·1	162
20-25. EAST DISTRICTS .	6230	485522	189	651	219	205	198	196	411	209	239	269	278·6	258
26-36. SOUTH DISTRICTS .	45542	616635	260	795	247	240	279	251	782	261	309	321	374·5	354
1. Kensington* HHHH .	7374	120004	33	70	34	42	52	55	115	57	55	54	56·7	52
2. Chelsea H*w* . . .	865	56538	24	49	26	23	31	27	85	31	34	18	34·8	16
3. St. George Hanover-sq. H	1161	73230	30	42	23	32	18	35	48	25	25	45	32·8	24
4. Westminster* HHHH .	917	65609	47	77	27	33	25	20	86	32	31	27	40·5	22
5. St. Martin-in-the-Fields H	305	24640	7	16	7	9	11	6	14	8	9	13	10·0	11
6. St. James Westminster .	164	36406	14	28	13	12	11	21	22	10	14	19	16·4	3
7. Marylebone HH . .	1509	157696	60	117	52	60	58	58	73	67	59	79	68·3	48
8. Hampstead	2252	11986	5	5	3	3	6	4	5	3	6	6	4·6	7
9. Pancras HH*w* . . .	2716	166956	72	130	78	80	64	62	80	78	80	74	79·8	84
10. Islington HHH . .	3127	95329	33	74	33	28	40	45	59	48	52	44	45·6	40
11. Hackney* H*w* . . .	3929	58429	16	37	16	16	22	28	32	19	44	38	26·8	27
12. St. Giles* H . . .	245	54214	13	59	14	29	28	26	31	20	28	26	27·4	13
13. Strand* H	173	44422	15	38	8	21	17	17	22	14	15	13	18·0	17
14. Holborn* H . . .	196	46621	21	41	20	16	20	19	34	13	33	20	23·7	17
15. Clerkenwell	380	64778	24	40	21	29	19	50	29	27	26	29	29·4	27
16. St. Luke HH . . .	220	54055	24	56	19	23	25	25	25	25	18	29	26·9	28
17. East London* . . .	153	44406	29	38	10	22	19	24	36	17	12	19	22·6	21
18. West London* H . .	137	28828	19	49	24	19	18	30	24	19	25	21	24·8	20
19. London City* . . .	434	55932	16	44	11	14	19	22	26	20	8	13	19·3	19
20. Shoreditch *w* . . .	646	109257	45	178	45	48	42	45	79	59	78	51	67·0	62
21. Bethnal Green H . .	760	90193	36	184	40	24	38	40	68	40	33	39	54·2	49
22. Whitechapel* HH . .	406	79759	34	99	46	48	33	26	88	29	37	54	49·4	44
23. St. George in the East .	243	48376	14	31	24	22	25	23	31	23	21	33	24·7	19
24*a*. Stepney*	576	54173	45	115	46	45	33	38	91	32	45	57	54·7	26
24*b*. Mile-end Old Town H*w*	681	56602												25
25. Poplar* H*w* . . .	2918	47162	15	44	18	18	27	24	54	26	25	35	28·6	33
26. St. Saviour Southwark* HH	250	35731	13	78	14	16	21	17	49	19	20	13	26·0	29
27. St. Olave Southwark* HH	169	19375	20	43	31	17	8	16	31	22	19	22	22·9	26
28. Bermondsey	688	48128	24	84	20	14	22	21	102	19	26	22	35·4	31
29. St. George Southwark .	282	51824	19	73	22	22	26	31	66	23	17	27	32·6	30
30. Newington	624	64816	27	97	28	31	25	25	91	24	32	27	40·7	38
31. Lambeth H	4015	139325	59	149	60	48	65	44	145	46	66	71	75·3	55
32. Wandsworth* . . .	11695	50764	20	39	12	22	17	9	55	11	21	30	23·6	23
33. Camberwell	4342	54667	21	68	15	14	24	17	109	21	22	25	33·6	40
34. Rotherhithe	886	17805	4	31	2	8	12	15	25	1	10	9	11·7	13
35. Greenwich* HHHHH .	5367	99365	43	119	31	36	49	47	91	68	62	55	60·1	56
36. Lewisham*	17224	34835	10	14	12	12	10	9	18	7	14	20	12·6	13

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending August 21. Total.	Males.	Females.	In the Week ending August 28. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	169	92	77	195	111	84
45 WORKHOUSES	90	41	49	103	47	56
14 PRISONS . . . . . ‡	–	–	–	1	–	1
4 MILITARY AND NAVAL ASYLUMS . . . . §	5	5	–	6	6	–
15 GENERAL HOSPITALS	54	35	19	72	47	25
7 HOSPITALS FOR SPECIAL DISEASES	5	3	2	1	1	–
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	2	2	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	2	2	–	3	3	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	3	1	2	1	1	–
19 LUNATIC ASYLUMS	8	3	5	8	6	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 28th August 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	6	36	92	34	146	39
No.*							
1-6 WEST DISTRICTS - -	376427	-	2	8	3	14	5
7-11 NORTH DISTRICTS - -	490396	2	5	10	6	21	11
12-19 CENTRAL DISTRICTS -	393256	3	5	13	6	29	5
20-25 EAST DISTRICTS - -	485522	-	6	25	8	40	8
26-36 SOUTH DISTRICTS - -	616635	1	18	36	11	42	10
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	2	-	1	-
2 St. John Paddington H -	29053	-	1	2	-	-	-
3 Kensington Town *W* L -	29183	-	-	-	-	-	-
4 Brompton HH - -	14870	-	-	-	-	1	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	1	3	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	1	-	3	-
3 Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1 Hanover-square - -	20216	-	-	-	-	1	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	1	1	-	2	2
4; 1 St. John Westmr. HHHP	34295	-	-	-	-	-	-
2 St. Margaret West. *W* HP	31314	-	-	1	2	2	1
5; 1 Charing Cross *W* H -	12587	-	-	1	-	-	1
2 Long Acre - - -	12053	-	-	-	-	1	1
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	1	-	1	1
2 Cavendish-square - -	14687	-	-	-	-	-	1
3 Rectory Marylebone *W* -	27633	-	-	1	-	1	1
4 St. Mary Marylebone H -	22814	-	-	-	1	2	-
5 Christchurch Marylebone	33895	-	-	-	-	1	1
6 St. John Marylebone -	29826	-	1	-	-	2	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	1	1
9; 1 Regent's Park Pancras -	31918	-	-	1	1	2	1
2 Tottenham-court *w*H -	28433	-	-	2	-	1	1
3 Gray's-inn-lane H -	26523	-	-	-	-	-	1
4 Somers-town - - -	35641	-	2	2	1	1	-
5 Camden-town *W* - -	21115	-	-	1	-	2	-
6 Kentish-town - - -	23326	1	-	-	-	2	1
10; 1 Islington West† *W* HHHPP	47881	1	-	-	-	1	1
2 Islington East - - -	47448	-	-	-	1	1	1
11; 1 Stoke Newington L -	4840	-	-	-	-	1	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	1	1	-	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	2	1	-
5 South Hackney L - -	8458	-	-	1	-	1	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	2	-	-	1	-
2 St. Giles South *W* H -	19951	-	-	1	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	-	1	-
2 St. Mary-le-Strand - -	11615	1	-	-	-	1	-
3 St. Clement Danes H -	15472	-	-	1	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	1	-	1	-
2 St. Andrew East. Holb. *W*	13971	-	-	1	-	3	-
3 Saffron-hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	1	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	2	-
4 Goswell-street - -	15625	-	-	1	-	1	1
16; 1 Old-street H - - -	10617	-	-	-	2	1	-
2 City-road HL - -	16840	-	-	-	1	2	2
3 Whitecross-street - -	13657	-	1	2	-	3	-
4 Finsbury - - - -	12941	2	-	-	1	-	1
17; 1 St. Botolph East London	23824	-	1	2	-	4	-
2 Cripplegate P - -	20582	-	1	1	-	2	-
18; 1 West London North *W* HP	12946	-	-	2	1	-	1
2 West London South P -	15882	-	-	1	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	2	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	1	-
4 London City South-east -	10594	-	-	-	1	2	-
5 London City North-east -	12826	-	-	-	-	1	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	2	-	2	-
2 St. Leonard Shoreditch L	19449	-	-	-	-	3	-
3 Hoxton New Town *w* -	23505	-	-	4	-	2	-
4 Hoxton Old Town - -	17431	-	-	1	-	2	-
5 Haggerstone West *W* -	20276	-	-	-	-	2	-
6 Haggerstone East - -	11351	-	-	1	2	1	-
21; 1 Hackney Road - -	23910	-	-	-	-	1	1
2 Green, Bethnal Green *W* HL	23555	-	-	-	-	4	-
3 Church, Bethnal Green -	21787	-	-	5	-	2	2
4 Town, Bethnal Green -	20941	-	-	-	-	1	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	1	-	-	2	-
3 Mile End New Town *W* -	14543		1	-	2	2	2
4 Whitechapel North *W* -	12530	-	-	-	1	1	-
5 Whitechapel Church H -	7818	-	-	-	-	-	1
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	1	1	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	2	-	-	3	-
2 St. Paul St. Geo. East -	20319	-	1	1	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	1	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	-
3 Limehouse *W* - -	22782	-	-	5	-	3	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	2	-	1	1
2 Mile End Old T., East. *Ww*H	27020	-	-	-	2	-	-
25; 1 Bow *w*LH - - -	18778	-	-	1	-	4	-
2 Poplar *W* - - -	28384	-	-	2	1	3	1
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	1	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	1
27; 1 St. Olave Southwark HH	8015	-	-	1	-	1	-
2 St. John Horsleydown *W*	11360	-	-	2	-	2	-
28; 1 St. James Bermondsey -	18899	-	1	1	-	2	-
2 St. Mary Magdalen *W* -	13934	-	4	-	1	4	2
3 Leather Market - -	15295	-	1	-	2	-	-
29; 1 Kent Road - - -	18126	-	2	4	-	2	-
2 Borough Road *W* P -	15862	-	2	-	1	-	-
3 London Road LP - -	17836	-	1	1	-	2	-
30; 1 Trinity Newington P -	20922	-	-	4	1	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	1	-	3
3 St. Mary Newington -	14033	-	-	1	-	-	-
31; 1 Waterloo Road 1st - -	14038	-	1	-	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	1	-
3 Lambeth Church 1st -	18409	-	1	1	1	1	-
4 Lambeth Church 2nd *W*	26784	-	-	3	1	2	-
5 Kennington 1st - -	24261	-	-	-	1	1	-
6 Kennington 2nd - -	18848	-	-	-	-	-	-
7 Brixton L - - -	14610	-	-	4	1	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	-	-	-
2 Battersea *W* - - -	10560	-	-	-	-	3	-
3 Wandsworth PL - -	9611	-	-	-	-	1	1
4 Putney - - - -	5280	-	-	-	-	2	-
5 Streatham - - -	9023	-	-	-	-	1	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	1	1	-	-	-
3 Peckham - - - -	19444	-	-	2	-	2	-
4 St. George Camberwell -	15849	-	-	7	-	2	-
34; 1 Rotherhithe *W* - -	17805	-	1	1	1	-	1
35; 1 St. Paul Deptford - -	24899	-	2	1	-	4	1
2 St. Nicholas Deptford -	7071	-	-	-	-	1	-
3 Greenwich West H -	18800	1	1	1	-	2	-
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	3	-
6 Woolwich Arsenal HPH	15227	-	-	-	-	1	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	1
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	1	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 28th August 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
August.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.		
Sunday . .	22	..	29·800	72·2	52·9	19·3	60·8	52·0	92·8	44·8	67·4	64·8	8·8	17·3	2·2	+ 0·4	72	E.N.E.	N.E. & E.	2·0	0·0	0·0	—	0·00
Monday . .	23	..	29·925	75·6	48·6	27·0	62·4	55·4	97·4	39·8	67·4	64·8	7·0	18·5	3·2	+ 2·1	75	N.N.E.	E. & N.E.	0·0	0·0	0·0	—	0·00
Tuesday .	24	Full	29·988	77·0	52·5	24·5	63·0	53·8	102·5	..	67·4	64·7	9·2	18·2	2·2	+ 2·7	72	N.	N. & S.	0·0	0·0	0·0	—	0·00
Wednesday	25	..	29·876	72·8	51·5	21·3	58·6	50·0	95·2	..	67·3	64·7	8·6	19·1	4·2	— 1·6	77	N.W.	N.	3·8	0·0	0·3	—	0·00
Thursday.	26	In Equator.	29·930	68·0	47·7	20·3	56·9	43·3	91·2	59·3	67·2	63·7	13·6	20·7	5·5	— 3·0	60	N.N.W.	N.W. & S.W.	3·0	0·0	0·8	—	0·00
Friday . .	27	..	29·751	67·5	53·3	14·2	57·6	44·6	83·5	46·7	66·8	62·7	13·0	17·8	9·2	— 2·1	65	SW & NW	NW. & W.	3·0	0·0	0·8	—	0·00
Saturday.	28	..	29·627	68·7	48·6	20·1	55·3	43·0	87·0	47·0	65·3	61·7	12·3	22·1	4·6	— 4·3	68	W. & NW.	N.W. & S.W.	2·5	0·0	0·4	—	0·00
Means . .		..	29·842	71·7	50·7	21·0	59·2	48·9	92·8	(5 days) 43·5	67·0	63·9	10·4	19·1	4·4	— 0·8	70	N.W.		..	..	..	—	Sum 0·00
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
August.			
Sunday . .	22		Partially cloudy till the afternoon; clear afterwards.
Monday . .	23		Clouds to a large amount were prevalent at and near noon; at other times the sky was for the most part free from cloud.
Tuesday . .	24		Clear generally till evening, partially cloudy afterwards.
Wednesday	25		Generally cloudy till evening; clear afterwards.
Thursday .	26		The sky was generally about one half covered with cloud until evening, and it was occasionally clear afterwards.
Friday . .	27		Overcast till noon; partially cloudy during the afternoon; clear at night.
Saturday .	28		Overcast during the earlier portion of the morning, partially cloudy until evening, and clear afterwards. Rain fell for a short time near 8h. A.M.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken. The anemometer has been under repair during the week.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·53 in. at the beginning of the week to 30·03 in. by 9h. A.M. on the 24th; decreased to 29·85 in. by 3h. P.M. on the 25th; increased to 29·98 in. by 9h. A.M. on the 26th; decreased to 29·61 in. by 3h. P.M. on the 28th; and increased to 29·64 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 35. 1858. Vol. XIX.] Week ending Saturday, September 4. [Price 1½*d.*

General Register Office, Somerset House,
September 6th, 1858.

The total number of deaths in London in the week that ended on Saturday (September 4th) was 1039. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1344; but as the deaths of last week occurred in an increased population, the average to admit of comparison must be raised proportionally to that increase, in which case it will become 1478. Hence it appears that last week was so favourable to the health of the inhabitants of London, that 439 persons survived, who would have died if the average rate of mortality had prevailed. The number of children born last week exceeded that of persons of all ages who died by 492. Diarrhœa proved fatal last week in 120 cases, in the week preceding the number was 146. Scarlatina carried off 110 persons, being more than double the weekly average of the season, whooping-cough 42, measles 20, small-pox 5, and cholera was fatal to 8 persons. Diseases of the respiratory organs were the cause of 80 deaths, of these 33 were attributed to pneumonia, and 37 to bronchitis. The deaths referred to phthisis (or consumption) which is placed in the tubercular class of diseases were 119. A boy, aged 9, and a man, aged 61, died of tetanus, the former of these cases was the result of an accidental wound of the knee. A labourer, aged 41, died in St. Giles' Workhouse from sun stroke, and the wife of a weaver "from exhaustion from want of food," she was 63 years of age. Four nonagenarians died last week, the oldest was a widow, who had attained the age of 98 years.

Last week the births of 806 boys and 725 girls, in all 1531 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number corrected for increase of population was 1669.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·627 in. The highest barometrical reading occurred on Thursday at 9h. A.M., when it was 29·75 in. The mean temperature of the week was 59·4°, which is 0·5° above the average of the same week in 43 years (as determined by Mr. Glaisher). On Friday the excess of mean temperature above the average was 6·7°, the temperature having been below the average on four of the preceding days of the week. The highest temperature in the week was 74·0° on Friday; the lowest was 43·3° on Sunday. The mean daily range was 19·5°. On Saturday the range was only 7·1°. The mean dew-point temperature was 51·0°, and the difference between this and the mean air temperature was 8·4°. The mean temperature of the water of the Thames during the four last days of the week was 61·3°. The mean degree of humidity was 75, complete saturation being represented by 100. Rain fell on Wednesday, Friday, and Saturday, the aggregate amount being 0·19 in. The general direction of the wind was south-west.

Hampstead; *Hampstead.*—At the workhouse, on 1st September, a brickmaker, aged 61 years, "tetanus."

St. Giles in the Fields; *South.*—At the workhouse, on 3d September, a labourer, aged 41 years, "sun stroke."

Whitechapel; *Mile End New Town.*—At 43 Spicer-street, Mile End New Town, on 31st August, the wife of a weaver, aged 63 years, "natural death from exhaustion from want of food, having lain neglected for more than two days." (*Inquest.*)

ISLINGTON; *East.*—At 4 River-terrace North, on 27th August, the son of a Wesleyan Minister, aged 6 weeks, "choleraic diarrhœa (4 weeks)."

In same sub-district, at 54 Windsor-street, on September 4th, the son of a shoemaker, aged 4 years, "Asiatic cholera (10 hours)."

BERMONDSEY; *St. James.*—At 14 Carlton-cottages, on 2d September, a skin salesman, aged 42 years, "choleraic diarrhœa (5 days)."

SHOREDITCH; *Hoxton New Town.*—At 6 Cropley-street, on 28th August, the wife of a butcher, aged 25 years, "choleraic vomiting (14 hours), exhaustion. The registrar remarks :—"Scarlatina is very much on the increase in this district, more particularly in Plumber-street."

ST. MARTIN-IN-THE-FIELDS; *Long Acre.*—At 28 St. Martin's-lane, on 28th August, a barman, aged 27 years, "bilious fever (1 week), last day diarrhœa, English cholera, delirium tremens, convulsions."

LEWISHAM; *Plumstead and Charlton.*—At 2 Robert Street, Plumstead, on 25th August, the son of a hammerman, aged 1 year, "diarrhœa (one month), cholera infantile (10 days)."

Also, on the 29th of August, a daughter of the above, aged 1 year, "diarrhœa (1 month), cholera infantile (1 week)."

POPLAR; *Bow and Bromley.*—At 3 Tetley-street, Bromley, on 29th August, a boiler-maker, aged 33 years, "cholera."

CLERKENWELL; *Pentonville.*—At 7 North-avenue, on 28th August, the son of a smith, aged 9 years, "tetanus, wound of the right knee from being accidentally run upon by a truck-wheel." (*Inquest.*)

BIRTHS Registered LAST WEEK, and in the THIRTY-FIFTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1328	1227	1461	1401	1524	1582	1625	1671	1778	1574	1517·1	1531
Males . .	688	632	727	702	785	805	816	840	909	790	769·4	806
Females . .	640	595	734	699	739	777	809	831	869	784	747·7	725

DEATHS Registered LAST WEEK, and in the THIRTY-FIFTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	998	2796	882	1061	966	1029	2515	1031	1081	1084	1344·3	1039
Males . .	528	1321	451	560	489	518	1254	520	546	537	672·4	530
Females . .	470	1475	431	501	477	511	1261	511	535	547	671·9	509

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.
BIRTHS	1626	1481	1662	1603	1470	1584	1655	1657	1553	1496	1558	1696	1531
DEATHS	963	1160	1092	1241	1191	1173	1132	1161	1200	1147	1112	1108	1039
DEATHS (except from Violence) . . .	940	1090	1027	1133	1167	1158	1105	1127	1126	1089	1058	1067	1013
Deaths (except from Violence) at 60 years and upwards . .	153	219	200	194	198	208	191	153	194	174	194	167	157
Small-pox	2	2	3	1	4	3	6	1	5	3	4	6	5
Measles	56	58	44	54	71	47	50	56	44	25	22	36	20
Scarlatina	47	55	65	61	64	73	58	78	86	85	105	92	110
Whooping-cough . .	58	54	47	60	63	61	55	50	36	38	28	34	42
Typhus	21	41	29	35	43	35	35	22	34	32	43	39	30
Diarrhœa	18	31	54	94	129	126	127	168	130	121	113	146	120
Mean Temperature .	63°·8	67°·7	64°·5	58°·6	55°·9	66°·4	66°·4	59°·6	62°·4	65°·4	63°·3	59°·2	59°·4

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTY-FIFTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 2 1848	Sept 1 1849	Aug 31 1850	Aug 30 1851	Sept 4 1852	Sept 3 1853	Sept 2 1854	Sept 1 1855	Aug 30 1856	Sept 5 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 4, 1858. ALL AGES.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	59°·7	64°·0	56°·9	56°·4	62°·4	55°·7	65°·1	61°·4	61°·0	60°·4	60°·3	Mean Temp. 59°·4					
	ALL CAUSES . . .	998	2796	882	1061	966	1029	2515	1031	1081	1084	1344·3	1039	612	139	127	134	27
	SPECIFIED CAUSES .	985	2773	864	1048	952	1016	2487	1021	1073	1068	1328·7	1032	608	138	127	132	27
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	411	2087	277	389	313	333	1763	334	373	369	664·9	382	329	27	12	10	4
II.	CONSTITUTIONAL „ .	174	208	193	217	204	216	213	234	252	240	215·1	193	68	68	39	16	2
III.	LOCAL „ .	261	330	257	281	274	314	327	315	283	285	292·7	312	120	35	70	82	5
IV.	DEVELOPMENTAL „ .	91	129	111	133	123	112	160	125	139	139	126·2	119	77	5	1	21	15
V.	VIOLENT DEATHS . .	48	19	26	28	38	41	24	13	26	35	29·8	26	14	3	5	3	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	400	2066	264	365	278	306	1736	312	341	342	641·0	369	318	26	12	9	4
	2. ENTHETIC „ . .	2	..	1	5	4	3	3	4	5	3	3·0	4	3	1	..	..	..
	3. DIETIC „ . .	7	15	8	9	25	17	15	17	21	21	15·5	7	6	..	..	1	..
	4. PARASITIC „ . .	2	6	4	10	6	7	9	1	6	3	5·4	2	2	..	..	..	..
II.	1. DIATHETIC „ . .	30	43	32	36	35	45	36	42	50	37	38·6	24	1	6	7	8	2
	2. TUBERCULAR „ . .	144	165	161	181	169	171	177	192	202	203	176·5	169	67	62	32	8	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	90	128	102	93	108	111	128	116	90	89	105·5	112	66	6	13	25	2
	2. „ OF ORGANS OF CIRCULATION .	24	33	33	38	31	41	33	34	28	34	32·9	41	2	5	14	18	2
	3. „ OF RESPIRATORY ORGANS . .	72	94	75	77	73	86	89	100	90	74	83·0	80	39	7	15	19	..
	4. „ OF DIGESTIVE ORGANS . . .	52	56	27	57	51	53	56	45	45	62	50·4	55	9	10	23	12	1
	5. „ OF URINARY ORGANS . . .	15	5	8	6	4	14	13	8	13	10	9·6	15	2	3	4	6	..
	6. „ OF ORGANS OF GENERATION .	..	5	7	4	1	..	3	5	7	6	3·8	3	..	3	..	..	..
	7. „ OF ORGANS OF LOCOMOTION .	2	5	1	4	4	6	5	1	4	3	3·5	5	1	1	1	2	..
	8. „ OF INTEGUMENTARY SYSTEM .	6	4	4	2	2	3	..	6	6	7	4·0	1	1	..	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	30	41	38	50	49	38	55	44	47	46	43·8	34	34	..	..	..	..
	2. „ OF ADULTS . .	8	4	8	..	2	4	8	4	4	4	4·6	6	1	5	..	..	..
	3. „ OF OLD PEOPLE	36	52	33	43	34	39	43	31	34	34	37·9	29	..	..	..	15	14
	4. DISEASES OF NUTRITION .	17	32	32	40	38	31	54	46	54	55	39·9	50	42	..	1	6	1
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											22	12	2	4	3	1
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												4	2	1	1	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	48	19	26	28	38	41	24	13	26	35	29·8	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	8	15	9	6	5	3	5	5	3	8	6·7	2	1	1	..	..	..
	CAUSES NOT SPECIFIED . .	5	8	9	7	9	10	23	5	5	8	8·9	5	3	..	..	2	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 2 1848	Sept 1 1849	Aug 31 1850	Aug 30 1851	Sept 4 1852	Sept 3 1853	Sept 2 1854	Sept 1 1855	Aug 30 1856	Sept 5 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 4, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°·7	64°·0	56°·9	56°·4	62°·4	55°·7	65°·1	61°·4	61°·0	60°·4	60°·3	59°·4					
I.	ORDER 1.																	
	1. Small-pox	31	7	10	17	12	3	10	15	8	3	11·6	5	5	..	..	..	..
	2. Measles	9	25	11	18	8	11	12	7	21	18	14·0	20	20	..	..	..	..
	3. Scarlatina	137	27	33	20	53	32	71	43	31	27	47.4	110	107	2	1	..	..
	4. Quinsy	1	2	1	1	1	1	1	..	1	..	·9	1	1	..	..	..	..
	5. Croup	8	5	6	4	6	5	5	6	5	5	5·5	12	12	..	..	..	..
	6. Whooping-cough	22	33	24	26	24	24	30	26	23	28	26·0	42	42	..	..	..	..
	7. Typhus (and Infantile fever)	64	48	40	56	40	50	53	45	27	53	47·6	30	16	7	6	1	..
	8. Erysipelas	10	6	2	7	2	2	6	5	6	3	4·9	1	..	..	..	1	..
	9. Metria	5	2	1	1	2	1	4	2	..	2	2·0	4	1	3	..	..	..
	10. Carbuncle	..	..	..	..	2	..	2	..	8	..	1·2	1	..	1	..	..	..
	11. Influenza	..	1	..	..	..	..	..	2	..	..	·3	1	1	..	..	..	..
	12. Dysentery	18	9	10	7	7	5	6	3	6	11	8·2	8	5	1	1	1	..
	13. Diarrhœa	79	234	118	174	105	152	243	134	190	181	161·0	120	103	6	2	5	4
	14. Cholera	7	1663	4	28	8	16	1287	18	11	4	304·6	8	4	3	1	..	..
	15. Ague	..	..	1	..	..	..	..	..	..	1	·2	..	..	..	..	..	..
	16. Remittent fever	2	2	1	2	2	1	..	2	1	2	1·5	..	..	..	..	..	..
	17. Rheumatism	7	2	2	4	6	3	6	4	3	4	4·1	6	1	3	1	1	..
	ORDER 2.																	
	1. Syphilis	1	..	..	3	3	3	3	4	4	3	2·4	4	3	1	..	..	..
	2. Stricture of Urethra	1	..	1	2	1	..	..	..	1	..	·6	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	2	..	..	..	..	..	..	..	..	·2	1	..	..	..	1	..
	2. Want of Breast-milk	1	6	4	4	16	9	10	13	14	11	8·8	6	6	..	..	..	..
	3. Purpura and Scurvy	..	..	1	4	3	2	1	1	2	..	1·4	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	5	7	1	1	4	4	3	1	5	8	3·9	..	..	..	..	..	..
	4. Alcoholism { *b* Intemperance	1	..	2	..	2	2	1	2	..	2	1·2	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	2	6	4	10	6	7	9	1	6	3	5·4	2	2	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848-57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	3	..	1	1	..	..	3	..	1	1·0	..	..	..	..	..	..
	2. Dropsy	14	20	13	15	15	21	19	17	17	15	16·6	7	1	3	2	1	..
	3. Cancer	14	17	16	18	16	19	15	18	28	19	18·0	16	..	3	5	6	2
	4. Noma	..	..	..	..	..	1	1	1	..	..	·3	..	..	..	..	..	..
	5. Mortification	1	3	3	2	3	4	1	3	5	2	2·7	1	..	..	..	1	..
	ORDER 2.																	
	1. Scrofula	2	8	4	9	8	7	6	10	5	10	6·9	6	5	1	..	..	..
	2. Tabes Mesenterica	15	19	21	29	19	18	26	22	25	38	23·2	15	15	..	..	..	..
	3. Phthisis	107	110	120	121	110	123	116	124	149	127	120·7	119	18	61	32	8	..
	4. Hydrocephalus	20	28	16	22	32	23	29	36	23	28	25·7	29	29	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	15	10	14	13	4	8	12	10	11	5	10·2	10	9	..	1	..	..
	2. Apoplexy	17	23	20	17	20	23	26	20	16	20	20·2	21	1	2	4	14	..
	3. Paralysis	13	26	19	17	25	18	30	22	15	19	20·4	18	..	1	6	9	2
	4. Insanity	..	2	3	4	3	1	1	6	..	..	2·0	..	..	..	..	..	..
	5. Chorea	1	..	..	..	1	..	.	..	..	..	·2	..	..	..	..	..	..
	6. Epilepsy	6	12	5	3	6	6	7	9	5	9	6·8	4	2	2	..	..	..
	7. Convulsions	30	38	30	32	40	43	41	30	31	28	34·3	51	51	..	..	..	..
	8. *Brain Disease, &c.*	8	17	11	7	9	12	11	19	12	8	11·4	8	3	1	2	2	..
	ORDER 2.																	
	1. Pericarditis	..	2	2	5	2	2	1	..	4	..	1·8	2	1	1	..	..	..
	2. Aneurism	..	2	2	3	..	4	1	1	1	..	1·4	1	..	..	..	1	..
	3. *Heart Disease, &c.*	24	29	29	30	29	35	31	33	23	34	29·7	38	1	4	14	17	2
	ORDER 3.																	
	1. Laryngitis	2	4	5	2	3	3	4	6	3	3	3·5	1	1	..	..	..	..
	2. Bronchitis	24	27	29	29	28	40	41	40	43	24	32·5	37	16	1	7	13	..
	3. Pleurisy	1	2	2	3	2	..	3	2	1	3	1·9	2	..	..	1	1	..
	4. Pneumonia	31	48	33	30	34	36	33	41	35	38	35·9	33	21	3	5	4	..
	5. Asthma	6	7	3	7	2	1	4	3	3	4	4·0	2	..	..	1	1	..
	6. *Lung Disease, &c.*	8	6	3	6	4	6	4	8	5	2	5·2	5	1	3	1	..	..
	ORDER 4.																	
	1. Gastritis	1	1	..	..	1	3	1	..	..	4	1·1	1	1	..	..	..	..
	2. Enteritis	8	15	4	12	12	4	8	10	8	7	8·8	7	1	4	1	..	1
	3. Peritonitis	4	2	5	1	4	3	4	5	1	1	3·0	4	1	1	2	..	..
	4. Ascites	3	1	1	4	1	1	2	3	4	4	2·4	3	..	1	1	1	..
	5. Ulceration of Intestines	3	4	4	1	..	4	3	2	2	4	2·7	7	2	2	3	..	..
	6. Hernia	..	..	1	2	..	3	3	1	1	1	1·2	2	..	..	1	1	..
	7. Ileus	4	2	1	2	5	6	3	4	4	7	3·8	4	1	..	1	2	..
	8. Intussusception	2	..	..	..	..	..	2	1	1	3	·9	2	1	..	..	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTY-FIFTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 2 1848	Sept 1 1849	Aug 31 1850	Aug 30 1851	Sept 4 1852	Sept 3 1853	Sept 2 1854	Sept 1 1855	Aug 30 1856	Sept 5 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 4, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards
	Mean Temperature	59°·7	64°·0	56°·9	56°·4	62°·4	55°·7	65°·1	61°·4	61°·0	60°·4	60°·3	59°·4					
	9. Stricture of Intestines	3	2	1	..	..	1	2	1	..	2	1·2	3	..	2	..	1	..
	10. Fistula	..	..	..	..	1	..	..	..	..	1	·2	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	5	9	2	6	4	3	4	2	3	5	4·3	6	..	..	4	2	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	13. Hepatitis	3	7	..	6	5	2	4	5	5	2	3·9	2	..	..	2	..	..
	14. Jaundice	4	4	..	7	4	2	4	3	3	7	3·8	4	..	..	2	2	..
	15. *Liver Disease, &c.*	11	9	8	16	13	21	14	7	12	14	12·5	9	1	..	6	2	..
	16. *Spleen Disease, &c.*	1	..	..	..	1	..	1	1	1	..	·5	1	1	..	..	..	..
	ORDER 5.																	
	1. Nephritis	1	..	1	..	1	1	..	1	1	..	·6	..	..	..	..	..	..
	2. Ischuria	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	6	1	2	2	..	3	2	..	7	5	2·8	6	2	3	1	..	..
	4. Diabetes	..	2	..	..	..	1	..	1	..	..	·4	..	..	..	..	..	..
	5. Stone	..	..	..	1	..	1	..	..	..	..	·2	..	..	..	..	..	..
	6. Cystitis	2	..	..	..	1	1	2	..	..	1	·7	3	..	..	2	1	..
	7. *Kidney Disease, &c.*	5	2	5	3	2	7	9	6	5	4	4·8	6	..	..	1	5	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	2	4	..	1	..	2	2	4	2	1·7	1	..	1	..	..	..
	2. *Uterus Disease, &c.*	..	3	3	4	..	..	1	3	3	4	2·1	2	..	2	..	..	..
	ORDER 7.																	
	1. Arthritis	..	..	1	..	..	1	..	..	..	..	·2	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	5	..	4	4	5	5	1	4	3	3·3	5	1	1	1	2	..
	ORDER 8.																	
	1. Phlegmon	2	2	4	..	2	3	..	3	1	5	2·2	1	1	..	..	..	..
	2. Ulcer	3	1	..	1	..	..	..	2	3	2	1·2	..	..	..	..	..	..
	3. *Skin Disease, &c.*	1	1	..	1	..	..	..	1	2	..	·6	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	19	25	31	34	32	29	31	29	36	32	29·8	13	13	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											2	2	..	..	..	..
	3. Spina Bifida												2	2	..	..	..	..
	4. Other Malformations	1	2	1	5	5	1	4	5	6	2	3·2	..	..	..	..	..	..
	5. Teething	10	14	6	11	12	8	20	10	5	12	10·8	17	17	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	8	4	8	..	2	4	8	4	4	4	4·6	6	1	5	..	..	..
	ORDER 3.																	
	1. Old Age	36	52	33	43	34	39	43	31	34	34	37·9	29	..	..	..	15	14
	ORDER 4.																	
	1. Atrophy and Debility	17	32	32	40	38	31	54	46	54	55	39·9	50	42	..	1	6	1
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	7	1	1	2	2	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	4	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	5	4	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	5	2	..	2	1	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	48	19	26	28	38	41	24	13	26	35	29·8	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	8	15	9	6	5	3	5	5	3	8	6·7	2	1	1	..	..	..
	Causes not specified or ill-defined	5	8	9	7	9	10	23	5	5	8	8·9	5	3	..	..	2	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the THIRTY-FIFTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Sept. 2 1848	Sept. 1 1849	Aug. 31 1850	Aug. 30 1851	Sept. 4 1852	Sept. 3 1853	Sept. 2 1854	Sept. 1 1855	Aug. 30 1856	Sept. 5 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Sept. 4 1858.
Mean Temperature . . .			59·7°	64·0°	56·9°	56·4°	62·4°	55·7°	65·1°	61·4°	61·0°	60·4°	60·3°	59·4°
LONDON	78029	2362236	998	2796	882	1061	966	1029	2515	1031	1081	1084	1344·3	1039
1–6. WEST DISTRICTS .	10786	376427	147	353	122	156	163	148	476	137	172	142	201·6	153
7–11. NORTH DISTRICTS .	13533	490396	190	309	181	200	203	199	322	241	209	224	227·8	200
12–19. CENTRAL DISTRICTS	1938	393256	166	386	144	165	162	188	244	166	163	155	193·9	140
20–25. EAST DISTRICTS .	6230	485522	263	712	208	241	183	228	445	238	228	257	300·3	218
26–36. SOUTH DISTRICTS .	45542	616635	232	1036	227	299	255	266	1028	249	309	306	420·7	328
1. Kensington* HHHH .	7374	120004	34	92	39	53	39	43	127	62	59	60	60·8	51
2. Chelsea H*w* . . .	865	56538	24	60	20	15	40	24	61	15	29	17	30·5	23
3. St. George Hanover-sq. H	1161	73230	22	40	22	25	28	21	73	15	24	18	28·8	27
4. Westminster* HHHH .	917	65609	48	115	26	38	33	40	117	30	36	28	51·1	25
5. St. Martin-in-the-Fields H	305	24640	10	23	4	13	10	12	13	4	11	10	11·0	11
6. St. James Westminster .	164	36406	9	23	11	12	13	8	85	11	13	9	19·4	16
7. Marylebone HH . .	1509	157696	54	94	60	69	68	56	123	71	54	77	72·6	52
8. Hampstead	2252	11986	4	7	2	7	3	4	3	6	9	5	5·0	5
9. Pancras HH*w* . . .	2716	166956	85	118	76	69	79	70	111	69	71	57	80·5	72
10. Islington HHH . .	3127	95329	35	44	25	34	36	41	61	61	49	49	43·5	56
11. Hackney* H*w* . . .	3929	58429	12	46	18	21	17	28	24	34	26	36	26·2	15
12. St. Giles* H . . .	245	54214	19	64	18	23	19	41	51	23	25	21	30·4	17
13. Strand* H	173	44422	14	41	17	22	12	19	29	16	17	20	20·7	12
14. Holborn* H . . .	196	46621	20	40	22	17	18	19	20	16	21	19	21·2	19
15. Clerkenwell	380	64778	17	45	25	19	29	16	29	25	16	18	23·9	23
16. St. Luke HH . . .	220	54055	26	41	22	25	29	20	29	28	23	21	26·4	27
17. East London* . . .	153	44406	29	42	18	19	22	19	30	22	19	16	23·6	8
18. West London* H . .	137	28828	23	66	17	19	19	40	33	17	21	26	28·1	22
19. London City*	434	55932	18	47	5	21	14	14	23	19	21	14	19·6	12
20. Shoreditch *w* . . .	646	109257	57	189	40	49	50	66	96	56	53	57	71·3	59
21. Bethnal Green H . .	760	90193	53	186	41	47	31	41	62	38	28	43	57·0	33
22. Whitechapel* HH . .	406	79759	71	129	35	51	33	39	67	32	41	44	54·2	31
23. St. George-in-the-East .	243	48376	26	39	30	22	16	18	47	22	35	29	28·4	17
24*a*. Stepney*	576	54173	43	116	42	46	34	43	119	62	43	54	60·2	22
24*b*. Mile-end Old Town H*w*	681	56602												25
25. Poplar* H*w* . . .	2918	47162	13	53	20	26	19	21	54	28	28	30	29·2	31
26. St. Saviour Southwark* HH	250	35731	16	81	15	12	18	24	90	21	16	23	31·6	19
27. St. Olave Southwark* HH	169	19375	19	56	26	40	8	23	39	11	22	18	26·2	22
28. Bermondsey	688	48128	15	98	19	18	13	19	134	16	32	17	38·1	25
29. St. George Southwark .	282	51824	31	98	12	24	16	17	68	20	36	24	34·6	32
30. Newington	624	64816	20	122	18	23	32	34	112	29	38	28	45·6	42
31. Lambeth H	4015	139325	48	248	51	59	54	54	179	42	57	54	84·6	62
32. Wandsworth*	11695	50764	15	49	18	19	15	14	90	14	17	19	27·0	20
33. Camberwell	4342	54667	20	81	16	36	25	10	106	18	19	35	36·6	16
34. Rotherhithe	886	17805	7	35	3	7	18	12	45	7	10	12	15·6	13
35. Greenwich* HHHHH .	5367	99365	32	148	43	51	40	43	141	52	50	49	64·9	56
36. Lewisham*	17224	34835	9	20	6	10	16	16	24	19	12	27	15·9	21

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Aug. 28. Total.	Males.	Females.	In the Week ending Sept. 4. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	195	111	84	135	84	51
45 WORKHOUSES	103	47	56	65	34	31
14 PRISONS . . . . . .‡	1	–	1	2	2	–
4 MILITARY AND NAVAL ASYLUMS . . . . .§	6	6	–	7	7	–
15 GENERAL HOSPITALS	72	47	25	47	30	17
7 HOSPITALS FOR SPECIAL DISEASES	1	1	–	8	8	–
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	3	3	–	2	2	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	1	–	1
19 LUNATIC ASYLUMS	8	6	2	3	1	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 4th September 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	5	20	110	42	120	30
1-6	WEST DISTRICTS - -	376427	-	-	13	10	16	2
7-11	NORTH DISTRICTS - -	490396	2	1	20	5	22	6
12-19	CENTRAL DISTRICTS -	393256	1	2	15	4	12	8
20-25	EAST DISTRICTS - -	485522	-	6	26	8	35	7
26-36	SOUTH DISTRICTS - -	616635	2	11	36	15	35	7
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	-	-	1	1	-
2	St. John Paddington H -	29053	-	-	2	-	-	-
3	Kensington Town *W* L -	29183	-	-	3	-	2	1
4	Brompton HH - -	14870	-	-	-	1	-	-
5	St. Peter Hammersmith -	4467	-	-	-	-	-	-
6	St. Paul Hammersmith -	13293	-	-	-	-	1	-
7	Fulham *W* LLLL - -	11886	-	-	1	2	-	-
2; 1	Chelsea South H - -	19050	-	-	-	-	2	-
2	Chelsea North-west *Ww*	17669	-	-	-	-	-	1
3	Chelsea North-east L -	19819	-	-	-	2	1	-
3; 1	Hanover Square - -	20216	-	-	-	2	1	-
2	May Fair *W* - - -	12980	-	-	-	-	-	-
3	Belgrave H - - -	40034	-	-	-	-	1	-
4; 1	St. John Westmr. HHHP	34295	-	-	2	-	3	-
2	St. Margaret West. *W* HP	31314	-	-	2	-	-	-
5; 1	Charing Cross *W* H -	12587	-	-	-	-	1	-
2	Long Acre - - -	12053	-	-	-	-	1	-
6; 1	Berwick Street - -	10798	-	-	1	2	1	-
2	St. James's Square -	11469	-	-	1	-	-	-
3	Golden Square *W* - -	14139	-	-	1	-	1	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	-	-	-	1	2
2	Cavendish-square - -	14687	-	-	1	-	-	-
3	Rectory Marylebone *W* -	27633	-	-	3	-	-	-
4	St. Mary Marylebone H	22814	-	-	1	-	-	-
5	Christchurch Marylebone	33895	-	-	-	-	1	-
6	St. John Marylebone -	29826	-	-	2	-	2	-
8; 1	Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1	Regent's Park Pancras -	31918	-	-	1	-	4	-
2	Tottenham-court *w*H -	28433	-	-	4	-	1	-
3	Gray's Inn Lane H -	26523	-	-	1	1	-	-
4	Somers Town - - -	35641	-	-	4	-	-	-
5	Camden Town *W* - -	21115	-	-	1	-	2	-
6	Kentish Town - -	23326	-	1	-	-	3	1
10; 1	Islington West† *W*HHHPP	47881	1	-	2	1	3	3
2	Islington East - -	47448	1	-	-	2	3	-
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	-	-	-	-	-
4	Hackney *W* H*w* - -	20850	-	-	-	1	2	-
5	South Hackney L - -	8458	-	-	-	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	-	-	-	-	-
2	St. Giles South *W* H -	19951	-	-	1	1	1	-
3	St. Giles North - -	17456	-	-	1	-	-	-
13; 1	St. Anne Soho - -	17335	-	-	-	-	-	-
2	St. Mary-le-Strand -	11615	-	-	1	-	-	2
3	St. Clement Danes H -	15472	-	-	1	-	-	1
14; 1	St. George-the-Martyr H.	18813	-	-	3	-	-	-
2	St. Andrew, East. Holb. *W*	13971	-	1	-	1	-	-
3	Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1	St. James Clerkenwell *W*P	21529	-	-	1	-	1	-
2	Amwell Clerkenwell P -	15720	-	-	1	1	-	1
3	Pentonville - - -	11904	-	-	-	-	-	-
4	Goswell-street - - -	15625	-	-	1	-	1	-
16; 1	Old-street H - - -	10617	-	-	-	-	-	-
2	City-road HL - -	16840	-	1	-	-	1	1
3	Whitecross-street - -	13657	-	-	2	-	2	-
4	Finsbury - - - -	12941	-	-	2	-	1	-
17; 1	St. Botolph East London	23824	-	-	-	-	1	-
2	Cripplegate P - -	20582	-	-	-	-	-	-
18; 1	West London North *W*HP	12946	1	-	-	1	1	3
2	West London South P -	15882	-	-	1	-	-	-
19; 1	London City South-west -	9204	-	-	-	-	1	-
2	London City North-west -	11847	-	-	-	-	-	-
3	London City South - -	11461	-	-	-	-	1	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	-	-	1	-

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	1	-	-	-
2	St. Leonard Shoreditch L	19449	-	-	1	-	1	1
3	Hoxton New Town *w* -	23505	-	-	4	-	1	1
4	Hoxton Old Town - -	17431	-	-	1	-	4	-
5	Haggerstone West *W* -	20276	-	2	-	1	1	3
6	Haggerstone East - -	11351	-	1	1	-	1	-
21; 1	Hackney-road - - -	23910	-	-	-	-	1	-
2	Green, Bethnal Green *W* HL	23555	-	1	3	1	-	-
3	Church, Bethnal Green -	21787	-	-	2	-	5	-
4	Town, Bethnal Green -	20941	-	-	-	1	2	-
22; 1	Artillery Whitechapel -	6769	-	-	1	-	-	-
2	Spitalfields - - -	15336	-	1	1	-	1	-
3	Mile End New Town *W*	14543	-	-	-	1	3	-
4	Whitechapel North *W* -	12530	-	1	-	1	1	-
5	Whitechapel Church H -	7818	-	-	-	-	-	-
6	Goodman's Fields - -	12069	-	-	1	-	2	-
7	Aldgate H - - -	10694	-	-	-	-	1	-
23; 1	St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2	St. Paul St. Geo. East -	20319	-	-	1	-	1	-
3	St. John St. Geo. East *W*	9990	-	-	-	1	1	1
24*a*; 1	Shadwell *W* - - -	16179	-	-	-	-	1	-
2	Ratcliff *W* - - -	15212	-	-	1	-	1	-
3	Limehouse *W* - -	22782	-	-	-	-	-	-
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	2	-	1	-
2	Mile End Old T., East. *Ww*H	27020	-	-	2	1	2	-
25; 1	Bow *w*LH - - -	18778	-	-	4	1	2	-
2	Poplar *W* - - -	28384	-	-	-	-	2	1
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	1	1	1	-
2	St. Saviour Southwark HH	19709	-	1	2	1	-	-
27; 1	St. Olave Southwark HH	8015	-	-	1	-	1	1
2	St. John Horsleydown *W*	11360	-	1	-	1	-	-
28; 1	St. James Bermondsey -	18899	-	-	3	-	1	-
2	St. Mary Magdalen *W* -	13934	-	1	-	-	-	-
3	Leather Market - -	15295	-	1	-	-	2	-
29; 1	Kent-road - - -	18126	1	-	3	1	1	-
2	Borough-road *W* P -	15862	-	-	1	-	2	-
3	London-road LP - -	17836	-	-	-	-	2	-
30; 1	Trinity Newington P -	20922	-	-	2	-	2	-
2	St. Peter Walworth *W* -	29861	-	-	4	1	3	1
3	St. Mary Newington -	14033	-	-	1	-	1	-
31; 1	Waterloo-road 1st - -	14088	-	-	-	-	-	-
2	Waterloo-road 2nd H -	18348	-	-	-	-	1	-
3	Lambeth Church 1st -	18409	-	-	-	1	1	-
4	Lambeth Church 2nd *W*	26784	-	1	1	1	1	-
5	Kennington 1st - -	24261	-	1	3	1	-	-
6	Kennington 2nd - -	18848	-	-	1	-	2	-
7	Brixton L - - -	14610	-	1	-	1	-	-
8	Norwood *W* - - -	3977	-	1	-	-	-	-
32; 1	Clapham L - - -	16290	-	-	-	-	-	1
2	Battersea *W* - - -	10560	-	-	2	-	1	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	-	-	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	-	-	-	-	-
3	Peckham - - - -	19444	-	-	1	-	1	-
4	St. George Camberwell -	15849	-	-	2	2	-	-
34; 1	Rotherhithe *W* - -	17805	1	1	1	1	-	-
35; 1	St. Paul Deptford - -	24899	-	1	-	1	2	2
2	St. Nicholas Deptford -	7071	-	-	1	-	-	-
3	Greenwich West H -	18800	-	1	3	1	1	1
4	Greenwich East *W* H -	16228	-	-	1	-	-	-
5	Woolwich Dockyard HP	17140	-	-	-	-	2	-
6	Woolwich Arsenal HPH	15227	-	-	-	1	-	-
36; 1	Plumstead - - -	13191	-	-	-	-	1	-
2	Eltham - - - -	2568	-	-	-	-	1	1
3	Lee - - - - -	8478	-	-	-	-	1	-
4	Lewisham Village *W* -	6097	-	-	2	-	4	-
5	Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 4th September 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
August.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday .	29	..	29·632	69·0	43·3	25·7	56·2	49·8	90·0	34·0	—	—	6·4	17·8	2·8	— 3·2	76	S.W.	S.W.	3·0	0·0	0·4	120	0·00
Monday .	30	..	29·557	69·5	51·8	17·7	57·9	44·3	91·5	43·8	—	—	13·6	20·5	7·6	— 1·2	63	S.W.	S.W.	4·5	0·0	1·0	220	0·00
Tuesday .	31	Last Quarter.	29·590	70·5	45·5	25·0	56·8	45·1	97·0	37·5	—	—	11·7	21·8	4·6	— 2·2	65	S.W.	S.W.	3·0	0·0	0·5	120	0·00
September.																								
Wednesday	1	..	29·564	71·4	49·7	21·7	58·8	51·4	92·0	40·3	62·9	60·7	7·4	17·6	5·1	0·0	76	S.S.W.	W.	5·0	0·0	1·0	150	0·00
Thursday .	2	Greatest Dec. N.	29·722	69·3	46·5	22·8	58·0	49·2	88·4	37·0	61·7	59·2	8·8	15·7	5·5	— 0·6	69	S.S.W.	S.W.	3·5	0·0	1·5	230	0·00
Friday . .	3	..	29·668	74·0	57·7	16·3	65·2	58·8	99·0	35·0	62·7	59·5	6·4	12·2	1·0	+ 6·7	79	S.W.	S.W.	8·0	0·0	2·0	220	0·04
Saturday .	4	Perigee	29·656	67·8	60·7	7·1	62·7	58·4	75·0	48·0	62·7	61·0	4·3	6·8	0·6	+ 4·3	96	S.W.	S.S.W.	7·0	0·0	2·3	210	0·15
Means . .		..	29·627	70·2	50·7	19·5	59·4	51·0	90·4	39·4	62·5	60·1	8·4	16·1	3·9	+ 0·5	75	S.W.		..	..	..	Sum 1270	Sum 0·19
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
August.			
Sunday . .	29		Partially cloudy during the morning and afternoon; clear at night.
Monday. .	30		Partially cloudy till noon, generally clear afterwards. Lightning was seen at night.
Tuesday .	31		Until noon the amount of cloud was small; cloudy for the most part during the remainder of the day.
September. Wednesday	1		Generally cloudy during the earlier portion of the morning; afterwards, until evening, the amount of cloud was variable; at night the sky was frequently clear. Showers of thick rain fell during the afternoon.
Thursday .	2		Partially cloudy till near noon; overcast during the remainder of the day.
Friday . .	3		During the morning the amount of cloud was variable; overcast at other times of the day. Rain fell at night.
Saturday .	4		Overcast throughout the day. Misty rain fell occasionally during the morning, and rain fell heavily at night.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·68 in. at the beginning of the week to 29·53 in. by 9h. A.M. on the 30th; increased to 29·61 in. by 9h. P.M. on the same day; remained at this reading, nearly, till 9h. P.M. on the 31st; decreased to 29·54 in. by 3h. P.M. on September 1st; increased to 29·75 in. by 9h. A.M. on the 2d; decreased to 29·62 in. by 9h. A.M. on the 3d; increased to 29·71 in. by 9h. P.M. on the same day; and decreased to 29·64 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 36. 1858. Vol. XIX.] Week ending Saturday, September 11. [Price 1½*d.*

General Register Office, Somerset House,
September 13th, 1858.

In the week that ended on Saturday, September 11th, the number of deaths registered in London was 1060, of which 521 were the deaths of males, 539 those of females. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1457; but as the deaths of last week occurred in an increased population, it is necessary for the purpose of comparison to raise the average proportionally to the increase, in which case it will become 1603. The public health is therefore so far satisfactory, that the deaths now returned were less by 543 than the number which would have occurred under the average rate of mortality, and although the great number of deaths at two periods when cholera was epidemic must be taken into account, yet there can be no doubt that London enjoys an improved state of health at the present time.

But if the deaths of last week had been according to the rate which exists in the healthiest districts of England, they would only have been 799, hence it appears that 261 persons died from circumstances that constitute the comparative insalubrity of the metropolis.

The births of last week were in excess of the deaths in the same period by 477.

The mortality from diarrhœa is rapidly subsiding; in the two previous weeks the deaths from it were 146 and 120, last week they were only 69. Scarlatina on the contrary shows a slight increase, 115 fatal cases having been registered; amongst others three children, daughters of a dyer residing at 46 Flower-street, Spitalfields, died of this disease. Whooping-cough carried off 29 children, and measles 21. Three deaths occurred from small-pox. Four persons died from cholera, including three children and a blacksmith, aged 27 years, who died in Charing-cross Hospital after 36 hours illness. The deaths from phthisis (or consumption), which in the previous week were 119, rose last week to 162, the average being 139. A little boy died, after an illness of three hours, from eating bitter almonds; and a labourer, aged 36 years, died in St. Bartholomew's Hospital from pyæmia. Three persons died last week at the following advanced ages: 91, 92, and 93 years.

Last week the births of 777 boys and 760 girls, in all 1537 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number, corrected for increase of population, was 1668.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·792 in. The highest reading was 30·06 in. at the end of the week. The mean temperature of the air in the week was 59·4°, which is 1·7° above the temperature of the same week on an average of 43 years, as determined by Mr. Glaisher. The highest point attained by the thermometer in the shade was 73·0° on Thursday the 9th inst.; the lowest was 45·5° on Monday; the range of the week was therefore 27·5°. The mean daily range was 17·5°. The difference between the mean dew-point temperature and air temperature was 6·7°. The mean degree of humidity of the air was 79, complete saturation being represented by 100. The mean temperature of the water of the Thames was 61·7°. The general direction of the wind was south-west. Rain fell on four days during the week. There were thunder and lightning on Monday.

St. Martin-in-the-Fields; *Charing Cross.*—At Charing Cross Hospital, on 10th September, a blacksmith, aged 27 years, "cholera (36 hours), diarrhœa (12 hours) before admission, collapse (24 hours)." From 14 York-place, 1st floor back room, 9 ft. 6 in. by 11 ft., and 10 ft. high; watercloset and open dustbin, with putrefying vegetables under the window. The man and his wife returned from tramp only 48 hours before attack. Room usually tenanted by four persons, the bed on the floor, very dirty. A man in parlour of No. 15 had severe choleraic diarrhœa, but has recovered. Diphtheria in 2d floor of No. 14, severe, but recovered.

Pancras; *Grays-inn-lane.*—At 36 Manchester-street, on 7th September, the daughter of a pianoforte tuner, aged 1 year, "infantile cholera (3 days)."

Chelsea; *South.*—At 6 Woods-buildings, on 3d September, the son of a shoemaker, aged 9 months, "cholera infantum (11 days), convulsions (1 day)."

St. George Southwark; *Borough Road.*—At 2 Queen-street, on 10th September, the daughter of a fruit hawker, aged 19 months, "English cholera (1 week)."

West London; *North.*—At St. Bartholomew's Hospital, from 69 Queen's-road, Shepherds Bush, on 7th September. a general labourer, aged 36 years, "pyæmia."

Hackney; *Hackney.*—At Willmot House, Dalston, on 8th September, the son of a gentleman, aged 4 years, "eating bitter almonds (3 hours)." *Post Mort.*

Whitechapel; *Spitalfields.*—At 46 Flower and Dean-street, on 6th September, the daughter of a dyer, aged 6 years, "scarlatina (14 days)."

Also, on 9th September, two daughters of the above, aged respectively 5 and 8 years, "scarlatina (14 days)."

Stepney; *Ratcliff.*—At 15 London-street, on 3d September, the daughter of a ballast getter, aged 3 years and 8 months, "natural death, ascribed to a foul vapour in a sewer." (*Inquest.*)

In same sub-district.—At Union Workhouse, on 6th September, a coal backer, aged 40 years, "found in a dying state at Workhouse, and died next day; death accelerated by cold and privation." (*Inquest.*)

Births Registered last Week, and in the Thirty-sixth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1337	1301	1474	1500	1437	1669	1606	1577	1634	1575	1511·0	1537
Males . .	688	636	724	777	749	843	810	803	827	813	767·0	777
Females .	649	665	750	723	688	826	796	774	807	762	744·0	760

Deaths Registered last Week, and in the Thirty-sixth Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1020	3183	899	967	936	1015	3413	1015	1100	1023	1457·1	1060
Males . .	526	1460	466	478	491	519	1655	551	552	511	720·9	521
Females .	494	1723	433	489	445	496	1758	464	548	512	736·2	539

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.
Births	1481	1662	1603	1470	1584	1655	1657	1553	1496	1558	1696	1531	1537
Deaths	1160	1092	1241	1191	1173	1132	1161	1200	1147	1112	1108	1039	1060
Deaths (except from Violence) . . .	1090	1027	1133	1167	1158	1105	1127	1126	1089	1058	1067	1013	1027
Deaths (except from Violence) at 60 years and upwards . .	219	200	194	198	208	191	153	194	174	194	167	157	163
Small-pox	2	3	1	4	3	6	1	5	3	4	6	5	3
Measles	58	44	54	71	47	50	56	44	25	22	36	20	21
Scarlatina	55	65	61	64	73	58	78	86	85	105	92	110	115
Whooping-cough . .	54	47	60	63	61	55	50	36	38	28	34	42	29
Typhus	41	29	35	43	35	35	22	34	32	43	39	30	45
Diarrhœa	31	54	94	129	126	127	168	130	121	113	146	120	69
Mean Temperature .	67°·7	64°·5	58°·6	55°·9	66°·4	66°·4	59°·6	62°·4	65°·4	63°·3	59°·2	59°·4	59°·4

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTY-SIXTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 9 1848	Sept 8 1849	Sept 7 1850	Sept 6 1851	Sept 11 1852	Sept 10 1853	Sept 9 1854	Sept 8 1855	Sept 6 1856	Sept 12 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 11, 1858. ALL AGES.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	61°·2	64°·1	56°·5	60°·5	60°·7	56°·1	59°·2	55°·7	57°·5	60°·5	59°·2	Mean Temp. 59°·4					
	ALL CAUSES	1020	3183	899	967	936	1015	3413	1015	1100	1023	1457·1	1060	576	157	158	138	31
	SPECIFIED CAUSES	1016	3167	877	956	922	1000	3389	1004	1078	992	1440·1	1052	571	156	157	138	30
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	433	2479	264	371	277	313	2582	318	294	332	766·3	337	275	24	21	17	..
II.	CONSTITUTIONAL "	191	196	221	199	218	217	258	240	232	207	217·9	244	84	75	60	23	2
III.	LOCAL "	293	316	263	255	289	339	334	297	322	282	299·0	315	127	41	63	75	9
IV.	DEVELOPMENTAL "	80	153	98	109	102	119	183	126	184	147	130·1	123	73	8	6	17	19
V.	VIOLENT DEATHS	19	23	31	22	36	12	32	23	46	24	26·8	33	12	8	7	6	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	421	2464	246	353	251	291	2552	294	273	310	745·5	316	259	22	18	17	..
	2. ENTHETIC "	2	2	4	5	2	2	4	2	3	6	3·2	4	4	..	..	..	..
	3. DIETIC "	5	8	5	8	9	12	18	19	13	11	10·8	14	9	2	3	..	..
	4. PARASITIC "	5	5	9	5	15	8	8	3	5	5	6·8	3	3	..	..	..	..
II.	1. DIATHETIC "	27	34	41	25	38	40	38	51	35	32	36·1	33	6	5	8	12	2
	2. TUBERCULAR "	164	162	180	174	180	177	220	189	197	175	181·8	211	78	70	52	11	..
III.	1. DISEASES OF NERVOUS SYSTEM	101	115	92	95	89	125	128	101	105	70	102·1	124	67	10	17	23	7
	2. " OF ORGANS OF CIRCULATION	32	30	26	23	40	35	45	40	41	33	34·5	39	1	10	13	15	..
	3. " OF RESPIRATORY ORGANS	86	85	80	71	102	94	100	88	92	99	89·7	76	43	6	10	17	..
	4. " OF DIGESTIVE ORGANS	50	55	50	54	44	60	42	44	53	49	50·1	50	13	5	17	13	2
	5. " OF URINARY ORGANS	10	15	11	6	6	19	7	10	13	19	11·6	11	1	3	2	5	..
	6. " OF ORGANS OF GENERATION	3	8	1	4	4	2	3	1	4	2	3·2	7	..	3	2	2	..
	7. " OF ORGANS OF LOCOMOTION	2	5	3	1	2	1	4	4	8	4	3·4	3	..	3	..	..	..
	8. " OF INTEGUMENTARY SYSTEM	9	3	..	1	2	3	5	9	6	6	4·4	5	2	1	2	..	..
IV.	1. DEV. DISEASES OF CHILDREN	20	60	38	45	36	48	55	50	57	52	46·1	33	33	..	..	..	..
	2. " OF ADULTS	8	6	5	4	4	8	7	2	3	2	4·9	10	1	7	2	..	..
	3. " OF OLD PEOPLE	34	50	29	19	30	30	66	33	45	34	37·0	29	..	..	..	10	19
	4. DISEASES OF NUTRITION	18	37	26	41	32	33	55	41	79	59	42·1	51	39	1	4	7	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											32	12	7	7	6	..
	* 3. HOMICIDE												..	..	..	..	..	..
	4. SUICIDE												1	..	1	..	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	19	23	31	22	36	12	32	23	46	24	26·8	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	10	9	6	7	3	19	7	17	3	8·2	5	3	..	1	..	1
	CAUSES NOT SPECIFIED	3	6	13	5	7	12	5	4	5	28	8·8	3	2	1	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 9 1848	Sept 8 1849	Sept 7 1850	Sept 6 1851	Sept 11 1852	Sept 10 1853	Sept 9 1854	Sept 8 1855	Sept 6 1856	Sept 12 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 11, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	61°·2	64°·1	56°·5	60°·5	60°·7	56°·1	59°·2	55°·7	57°·5	60°·5	59°·2	59°·4					
I.	ORDER 1.																	
	1. Small-pox	38	8	8	16	10	4	13	14	9	2	12·2	3	2	1	..	..	..
	2. Measles	12	14	13	14	4	15	14	3	18	16	12·3	21	21	..	..	..	..
	3. Scarlatina	144	27	35	29	58	43	77	42	29	44	52·8	115	112	2	..	1	..
	4. Quinsy	1	..	1	..	1	..	2	3	1	3	1·2	3	2	..	1	..	..
	5. Croup	3	6	5	3	6	7	11	10	8	12	7·1	8	8	..	..	..	..
	6. Whooping-cough	26	23	25	15	21	24	13	31	18	20	21·6	29	29	..	..	..	..
	7. Typhus (and Infantile fever)	89	54	48	43	34	40	67	61	39	41	51·6	45	17	11	8	9	..
	8. Erysipelas	10	9	7	4	5	5	5	3	8	5	6·1	8	3	2	2	1	..
	9. Metria	1	1	1	3	..	2	6	..	4	1	1·9	2	..	1	1	..	..
	10. Carbuncle	2	..	1	..	3	1	2	3	1	1	1·4	2	..	1	..	1	..
	11. Influenza	..	..	1	..	1	..	1	..	..	..	·3	..	..	..	..	..	..
	12. Dysentery	18	17	10	8	8	6	8	6	7	8	9·6	3	2	1	..	..	..
	13. Diarrhœa	61	272	75	192	88	131	276	107	124	144	147·0	69	60	1	4	4	..
	14. Cholera	7	2026	8	17	5	7	2050	6	4	9	413·9	4	3	1	..	..	..
	15. Ague	..	1	..	1	1	..	2	..	..	..	·5	..	..	..	..	..	..
	16. Remittent Fever	2	1	2	3	..	2	1	1	1	..	1·3	2	..	1	1	..	..
	17. Rheumatism	7	5	6	5	6	4	4	4	2	4	4·7	2	..	..	1	1	..
	ORDER 2.																	
	1. Syphilis	..	2	3	4	1	..	3	2	2	4	2·1	4	4	..	..	..	..
	2. Stricture of Urethra	2	..	1	1	1	2	1	..	1	2	1·1	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	..	..	..	1	..	1	1	·3	1	..	..	1	..	..
	2. Want of Breast-milk	2	2	2	1	6	6	10	12	10	6	5·7	7	7	..	..	..	..
	3. Purpura and Scurvy	1	..	..	2	..	1	3	1	1	1	1·0	2	2	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	5	2	5	1	5	3	5	1	2	3·0	4	..	2	2	..	..
	4. Alcoholism { *b* Intemperance	1	1	1	..	2	..	1	1	..	1	·8	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	5	5	9	5	15	8	8	3	5	5	6·8	3	3	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	..	1	..	1	1	1	1	1	1	·8	2	..	..	1	1	..
	2. Dropsy	8	14	16	10	20	14	16	15	11	14	13·8	6	2	..	..	3	1
	3. Cancer	14	17	19	13	14	23	20	31	17	16	18·4	23	2	5	7	8	1
	4. Noma	1	..	..	..	..	..	..	2	1	..	·4	2	2	..	..	..	..
	5. Mortification	3	3	5	2	3	2	1	2	5	1	2·7	..	..	..	..	..	..
	ORDER 2.																	
	1. Scrofula	8	3	8	5	5	10	8	6	7	7	6·7	6	3	2	1	..	..
	2. Tabes Mesenterica	13	13	21	15	17	17	30	23	26	28	20·3	18	18	..	..	..	..
	3. Phthisis	117	108	119	121	137	125	152	130	142	112	126·3	162	32	68	51	11	..
	4. Hydrocephalus	26	38	32	33	21	25	30	30	22	28	28·5	25	25	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	10	8	5	10	8	12	10	11	9	7	9·0	16	13	3	..	..	..
	2. Apoplexy	18	20	20	24	18	30	23	27	33	12	22·5	26	1	2	11	8	4
	3. Paralysis	11	21	24	12	17	23	35	18	19	9	18·9	19	..	2	2	12	3
	4. Insanity	2	2	1	2	1	1	2	..	1	..	1·2	2	..	..	1	1	..
	5. Chorea	..	..	..	..	..	1	1	..	..	..	·2	..	..	..	..	..	..
	6. Epilepsy	5	5	4	5	6	4	7	7	4	8	5·5	5	1	1	1	2	..
	7. Convulsions	40	46	30	35	31	41	37	28	30	25	34·3	51	51	..	..	..	..
	8. *Brain Disease, &c.*	15	13	8	7	8	13	13	10	9	9	10·5	5	1	2	2	..	..
	ORDER 2.																	
	1. Pericarditis	4	1	1	2	2	1	1	4	2	2	2·0	2	..	2	..	..	..
	2. Aneurism	2	..	3	1	1	2	1	2	1	..	1·3	..	..	..	..	..	..
	3. *Heart Disease, &c.*	26	29	22	20	37	32	43	34	38	31	31·2	37	1	8	13	15	..
	ORDER 3.																	
	1. Laryngitis	5	2	4	..	2	2	..	4	1	2	2·2	4	4	..	..	..	..
	2. Bronchitis	28	27	32	27	39	36	34	29	48	42	34·2	24	10	2	1	11	..
	3. Pleurisy	2	1	2	3	3	1	3	3	2	2	2·2	1	..	..	1	..	..
	4. Pneumonia	35	45	31	28	46	44	53	39	33	45	39·9	40	29	2	7	2	..
	5. Asthma	10	5	9	5	6	8	4	5	8	5	6·5	3	..	..	..	3	..
	6. *Lung Disease, &c.*	6	5	2	8	6	3	6	8	..	3	4·7	4	..	2	1	1	..
	ORDER 4.																	
	1 Gastritis	1	1	4	3	1	5	..	2	2	2	2·1	1	..	..	..	1	..
	2. Enteritis	9	10	9	7	8	10	8	1	3	7	7·2	7	2	1	2	2	..
	3. Peritonitis	4	2	4	5	2	4	4	5	5	4	3·9	9	5	1	3	..	..
	4. Ascites	3	1	4	4	2	2	2	..	4	2	2·4	2	..	..	1	1	..
	5. Ulceration of Intestines	1	1	2	5	2	2	..	4	3	4	2·4	1	1	..	..	..	..
	6. Hernia	3	2	3	2	5	1	2	4	2	4	2·8	5	1	1	2	1	..
	7. Ileus	3	1	2	6	2	2	1	3	6	2	2·8	5	1	1	1	2	..
	8. Intussusception	..	1	1	1	..	..	..	..	..	..	·3	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTY-SIXTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 9 1848	Sept 8 1849	Sept 7 1850	Sept 6 1851	Sept 11 1852	Sept 10 1853	Sept 9 1854	Sept 8 1855	Sept 6 1856	Sept 12 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 11, 1858. ALL AGES. Mean Temp	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	61°·2	64°·1	56°·5	60°·5	60°·7	56°·1	59°·2	55°·7	57°·5	60°·5	59°·2	59°·4					
	9. Stricture of Intestines	..	1	2	1	..	3	3	1	..	1	1·2	..	..	..	..	..	..
	10. Fistula	..	1	1	1	1	..	..	..	..	1	·5	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	6	9	4	4	2	2	3	4	7	4	4·5	4	..	..	1	2	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	4	10	1	4	5	7	3	3	6	2	4·5	3	..	1	..	2	..
	14. Jaundice	7	3	4	3	3	6	7	1	3	4	4·1	4	2	..	..	1	1
	15. *Liver Disease, &c.*	9	12	9	8	11	16	9	16	11	11	11·2	9	1	..	7	1	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	..	1	1	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	2	2	1	..	..	..	1	..	2	1	·9	..	..	..	..	..	..
	2. Ischuria	..	1	..	..	1	..	..	..	..	..	·2	..	..	..	..	..	..
	3. Nephria (Bright's disease)	4	4	4	..	..	5	1	3	2	8	3·1	7	1	3	1	2	..
	4. Diabetes	1	2	..	1	..	3	..	1	1	2	1·1	..	..	..	..	..	..
	5. Stone	1	1	..	1	..	2	..	1	..	1	·7	..	..	..	..	..	..
	6. Cystitis	..	2	..	..	..	..	..	..	1	..	·3	2	..	..	1	1	..
	7. *Kidney Disease, &c.*	2	3	6	4	5	9	5	5	7	7	5·3	2	..	..	..	2	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	2	..	..	2	..	..	1	2	..	·7	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	3	6	1	4	2	2	3	..	2	2	2·5	7	..	3	2	2	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	1	1	..	..	·2	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	5	3	1	2	1	3	3	8	4	3·2	3	..	3	..	..	..
	ORDER 8.																	
	1. Phlegmon	4	..	..	..	..	2	4	4	2	4	2·0	5	2	1	2	..	..
	2. Ulcer	..	1	..	1	1	..	..	4	2	1	1·0	..	..	..	..	..	..
	3. *Skin Disease, &c.*	5	2	..	..	1	1	1	1	2	1	1·4	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	10	34	24	35	26	36	38	36	44	33	31·6	14	14	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											4	4	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	6	7	4	3	1	4	5	3	4	6	4·3	1	1	..	..	..	..
	5. Teething	4	19	10	7	9	8	12	11	9	13	10·2	14	14	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	1	..	1	1	..	..	..	..	·3	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	8	6	4	4	3	7	7	2	3	2	4·6	10	1	7	2	..	..
	ORDER 3.																	
	1. Old Age	34	50	29	19	30	30	66	33	45	34	37·0	29	..	..	..	10	19
	ORDER 4.																	
	1. Atrophy and Debility	18	37	26	41	32	33	55	41	79	59	42·1	51	39	1	4	7	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	16	4	3	4	5	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	6	1	3	2	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	5	4	..	1	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	*In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	19	23	31	22	36	12	32	23	46	24	26·8	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	1	10	9	6	7	3	19	7	17	3	8·2	5	3	..	1	..	1
	Causes not specified or ill-defined	3	6	13	5	7	12	5	4	5	28	8·8	3	2	1	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the THIRTY-SIXTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Sept. 9 1848	Sept. 8 1849	Sept. 7 1850	Sept. 6 1851	Sept. 11 1852	Sept. 10 1853	Sept. 9 1854	Sept. 8 1855	Sept. 6 1856	Sept. 12 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Sept. 11 1858.
Mean Temperature . . .			61·2°	64·1°	56·5°	60·5°	60·7°	56·1°	59·2°	55·7°	57·5°	60·5°	59·2°	59·4°
LONDON	78029	2362236	1020	3183	899	967	936	1015	3413	1015	1100	102	1457·1	1060
1-6. WEST DISTRICTS .	10786	376427	150	334	141	143	130	146	734	146	177	145	224·6	160
7-11. NORTH DISTRICTS .	13533	490396	189	332	161	218	206	229	457	209	212	210	242·3	190
12-19. CENTRAL DISTRICTS	1938	393256	187	415	139	139	188	137	331	159	159	155	200·9	165
20-25. EAST DISTRICTS .	6230	485522	230	660	190	194	195	201	502	223	273	244	291·2	233
26-36. SOUTH DISTRICTS .	45542	616635	264	1442	268	273	217	302	1389	278	279	269	498·1	312
1. Kensington* HHHH .	7374	120004	39	76	43	40	46	42	133	51	81	38	58·9	64
2. Chelsea H*w* . . .	865	56538	28	76	20	17	21	26	70	22	22	27	32·9	33
3. St. George Hanover-sq. H	1161	73230	23	47	26	33	19	22	87	28	24	27	33·6	18
4. Westminster* HHHH .	917	65609	41	85	33	28	25	33	111	30	33	32	45·1	21
5. St. Martin-in-the-Fields H	305	24640	7	26	9	10	7	10	21	7	13	10	12·0	15
6. St. James Westminster .	164	36406	12	24	10	15	12	13	312	8	4	11	42·1	9
7. Marylebone HH . .	1509	157696	79	106	61	60	72	71	162	58	62	65	79·6	40
8. Hampstead	2252	11986	7	1	3	5	6	4	10	5	4	5	5·0	3
9. Pancras HH*w* . . .	2716	166956	57	123	61	74	62	69	164	74	69	77	83·0	72
10. Islington HHH . .	3127	95329	29	69	26	53	43	63	72	55	56	42	50·8	38
11. Hackney* H*w* . . .	3929	58429	17	33	10	26	23	22	49	17	21	21	23·9	37
12. St. Giles* H . . .	245	54214	19	71	18	25	21	12	62	26	23	24	30·1	23
13. Strand* H	173	44422	15	51	15	22	16	17	51	15	11	18	23·1	18
14. Holborn* H . . .	196	46621	26	40	13	19	20	23	29	23	26	24	24·3	17
15. Clerkenwell	380	64778	23	48	28	19	33	15	47	17	18	21	26·9	31
16. St. Luke HH . . .	220	54055	30	53	14	18	36	21	56	24	19	17	28·8	21
17. East London* . . .	153	44406	32	47	18	15	28	18	25	17	19	18	23·7	18
18. West London* H . .	137	28828	19	69	18	8	21	15	31	23	20	14	23·8	26
19. London City* . . .	434	55932	23	36	15	13	13	16	30	14	23	19	20·2	11
20. Shoreditch *w* . . .	646	109257	45	170	46	38	41	49	88	60	64	54	65·5	48
21. Bethnal Green H . .	760	90193	50	158	31	29	27	35	71	31	50	33	51·5	44
22. Whitechapel* HH . .	406	79759	43	104	37	28	43	33	100	40	44	50	52·2	40
23. St. George in the East .	243	48376	31	52	10	24	17	14	47	27	35	22	27·9	20
24*a*. Stepney*	576	54173	45	112	42	47	50	42	123	41	44	51	59·7	24
24*b*. Mile-end Old Town H*w*	681	56602												28
25. Poplar* H*w* . . .	2918	47162	16	64	24	28	17	28	73	24	36	34	34·4	29
26. St. Saviour Southwark* HH	250	35731	23	100	16	16	18	23	106	18	22	22	36·4	16
27. St. Olave Southwark* HH	169	19375	22	58	37	9	13	20	75	13	13	20	28·0	18
28. Bermondsey	688	48128	19	132	18	25	13	18	161	16	24	19	44·5	24
29. St. George Southwark .	282	51824	28	133	13	26	27	20	115	13	18	13	40·6	24
30. Newington	624	64816	22	203	27	27	21	26	155	33	42	24	58·0	39
31. Lambeth H	4015	139325	56	353	43	49	50	84	251	47	52	50	103·5	54
32. Wandsworth* . . .	11695	50764	15	74	19	26	12	18	108	25	14	35	34·6	21
33. Camberwell	4342	54667	14	148	9	23	16	16	111	17	17	13	38·4	33
34. Rotherhithe	886	17805	5	62	9	4	6	7	63	21	10	10	19·7	6
35. Greenwich* HHHHH .	5367	99365	44	148	59	52	27	55	199	53	43	52	73·2	59
36. Lewisham*	17224	34835	16	31	18	16	14	15	45	22	24	11	21·2	18

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848–57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Sept. 4. Total.	Males.	Females.	In the Week ending Sept. 11. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	135	84	51	158	93	65
45 WORKHOUSES	65	34	31	79	41	38
14 PRISONS . . . . . ‡	2	2	–	1	1	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	7	7	–	1	1	–
15 GENERAL HOSPITALS	47	30	17	51	28	23
7 HOSPITALS FOR SPECIAL DISEASES	8	8	–	4	3	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	2	2	–	11	11	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	–	1	4	4	–
19 LUNATIC ASYLUMS	3	1	2	7	4	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 11th September 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	21	115	29	69	45
No.*							
1-6 WEST DISTRICTS - -	376427	1	1	12	5	9	8
7-11 NORTH DISTRICTS - -	490396	-	2	23	2	12	4
12-19 CENTRAL DISTRICTS -	393256	1	3	14	4	6	10
20-25 EAST DISTRICTS - -	485522	1	7	29	7	16	8
26-36 SOUTH DISTRICTS - -	616635	-	8	37	11	26	15
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	2	-	2	1
2 St. John Paddington H -	29053	-	-	3	-	2	-
3 Kensington Town *W* L -	29183	-	-	-	-	1	-
4 Brompton HH - -	14870	-	-	2	-	1	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	1	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	-	-	1	1	1
2 Chelsea North-west *Ww*	17669	-	1	-	1	-	-
3 Chelsea North-east L -	19819	-	-	-	1	-	2
3; 1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	1	-	-	-
3 Belgrave H - - -	40034	-	-	-	-	-	1
4; 1 St. John Westmr. HHHP	34295	-	-	1	1	1	2
2 St. Margaret West. *W* HP	31314	-	-	2	-	-	-
5; 1 Charing Cross *W* H -	12587	1	-	-	-	-	1
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	1	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	1	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	2	-	-	-
2 Cavendish-square - -	14687	-	-	1	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	1	-	-
4 St. Mary Marylebone H -	22814	-	-	1	-	-	-
5 Christchurch Marylebone	33895	-	-	2	-	1	-
6 St. John Marylebone -	29326	-	-	3	-	-	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	-	2	-	-	-
2 Tottenham-court *w*H -	28433	-	-	-	-	1	-
3 Gray's-inn-lane H -	26523	-	-	-	-	1	-
4 Somers-town - - -	35641	-	-	3	-	-	1
5 Camden-town *W* - -	21115	-	-	-	-	-	-
6 Kentish-town - - -	23326	-	-	-	-	1	1
10; 1 Islington West† *W* HHHPP	47881	-	1	3	-	2	-
2 Islington East - - -	47448	-	1	4	1	1	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	1	-
3 West Hackney L - -	18732	-	-	-	-	2	2
4 Hackney *W* H*w* - -	20850	-	-	2	-	1	-
5 South Hackney L - -	8458	-	-	-	-	1	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	1	1	-	1
3 St. Giles North - -	17456	-	-	-	1	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	1	-	-	-
3 St. Clement Danes H -	15472	-	-	-	-	-	3
14; 1 St. George-the-Martyr H.	18813	-	-	2	1	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	1	-	-	-
3 Saffron-hill - - -	13837	-	-	-	-	1	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	2	-	1	1
2 Amwell Clerkenwell P -	15720	-	-	1	-	-	-
3 Pentonville - - -	11904	1	-	-	-	-	-
4 Goswell-street - -	15625	-	1	1	-	-	-
16; 1 Old-street H - - -	10617	-	-	1	-	-	-
2 City-road HL - -	16840	-	-	-	-	1	-
3 Whitecross-street - -	13657	-	-	-	-	1	1
4 Finsbury - - - -	12941	-	-	-	-	1	-
17; 1 St. Botolph East London	23824	-	-	2	-	-	1
2 Cripplegate P - -	20582	-	1	-	-	-	-
18; 1 West London North *W* HP	12946	-	1	1	1	-	2
2 West London South P -	15882	-	-	1	-	1	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	1

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	1	-	1	1
2 St. Leonard Shoreditch L	19149	-	1	1	-	-	1
3 Hoxton New Town *w* -	23505	-	-	1	1	-	1
4 Hoxton Old Town - -	17431	-	-	1	-	1	-
5 Haggerstone West *W* -	20276	-	1	2	-	-	-
6 Haggerstone East - -	11351	-	1	-	-	1	-
21; 1 Hackney Road - -	23910	-	2	-	1	1	-
2 Green, Bethnal Green *W* HL	23555	-	1	5	1	1	-
3 Church, Bethnal Green -	21787	-	1	1	-	1	-
4 Town, Bethnal Green -	20941	-	-	-	1	1	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	3	-	-	-
3 Mile End New Town *W* -	14543	-	-	1	1	2	1
4 Whitechapel North *W* -	12530	-	-	-	1	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	1
6 Goodman's Fields - -	12069	-	-	-	-	-	-
7 Aldgate H - - -	10694	-	-	-	-	1	-
23; 1 St. Mary St. Geo. East -	18067	-	-	1	1	-	1
2 St. Paul St. Geo. East -	20319	-	-	1	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	1	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	-
3 Limehouse *W* - -	22782	-	-	3	-	1	1
24*b*; 1 Mile End Old Town, West.	29582	-	-	-	-	1	-
2 Mile End Old T., East. *Ww*H	27020	-	-	2	-	1	-
25; 1 Bow *w*LH - - -	18778	1	-	2	-	1	1
2 Poplar *W* - - -	28384	-	-	3	-	1	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	1	2	-	-	-
2 St. Saviour Southwark HH	19709	-	-	2	-	2	-
27; 1 St. Olave Southwark HH	8015	-	1	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	1	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	3	2	2	2
2 St. Mary Magdalen *W* -	13934	-	-	2	-	-	1
3 Leather Market - -	15295	-	1	-	-	-	1
29; 1 Kent Road - - -	18126	-	-	2	-	1	-
2 Borough Road *W* P -	15862	-	-	-	-	2	-
3 London Road LP - -	17836	-	-	-	-	2	1
30; 1 Trinity Newington P -	20922	-	1	2	1	1	1
2 St. Peter Walworth *W* -	29861	-	1	1	1	-	-
3 St. Mary Newington -	14033	-	-	2	1	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	1	1
3 Lambeth Church 1st -	18409	-	1	-	1	2	-
4 Lambeth Church 2nd *W*	26784	-	-	-	-	1	-
5 Kennington 1st - -	24261	-	-	-	-	1	-
6 Kennington 2nd - -	18848	-	-	-	-	2	-
7 Brixton L - - -	14610	-	-	1	1	1	1
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	-	-	-
2 Battersea *W* - - -	10560	-	-	4	1	1	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	3	-	1	-
3 Peckham - - - -	19444	-	1	1	-	1	1
4 St. George Camberwell -	15849	-	-	3	1	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	-	-	-	1
35; 1 St. Paul Deptford - -	24899	-	-	1	-	-	2
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	3	-	2	-
4 Greenwich East *W* H -	16228	-	-	1	1	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	1	1
6 Woolwich Arsenal HPH	15227	-	-	1	1	-	2
36; 1 Plumstead - - -	13191	-	1	1	-	1	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* - -	6097	-	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	1	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 11th September 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Low-est.	Range in day.	Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
September.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	5	..	29·655	71·0	52·7	18·3	56·8	49·3	87·0	47·3	62·7	61·2	7·5	20·5	3·0	— 1·4	80	S.W.	S.W.	4·5	0·0	0·0	115	0·21
Monday. .	6	..	29·706	66·2	45·5	20·7	55·4	48·4	84·8	36·7	63·2	61·2	7·0	14·6	2·3	— 2·6	75	W.S.W.	S.S.W.	3·0	0·0	0·4	165	0·00
Tuesday .	7	New.	29·684	66·8	52·7	14·1	57·6	51·5	87·7	46·4	61·7	60·7	6·1	13·5	4·6	— 0·2	83	S.W.	S.W.	2·5	0·0	0·3	30	0·04
Wednesday	8	In Equator.	29·776	72·0	54·3	17·7	61·4	53·4	85·5	34·0	62·2	60·7	8·0	15·1	5·2	+ 3·7	76	S.S.W.	N.N.W.	1·5	0·0	0·0	85	0·05
Thursday.	9	..	29·862	73·0	47·5	25·5	59·2	53·0	94·5	46·6	62·2	60·7	6·2	18·7	2·5	+ 1·6	76	Calm	S.W.	2·5	0·0	0·5	165	0·00
Friday . .	10	..	29·824	70·8	57·5	13·3	62·6	55·5	82·0	54·0	62·7	60·2	7·1	12·1	2·7	+ 5·1	79	S.W.	S.W.	8·0	0·0	1·0	175	0·00
Saturday.	11	..	30·034	70·9	58·1	12·8	62·9	57·8	79·1	52·1	62·0	61·5	5·1	11·3	2·9	+ 5·5	84	S.W.	S.	1·0	0·0	0·0	40	0·00
Means . .		..	29·792	70·1	52·6	17·5	59·4	52·7	85·8	45·3	62·4	60·9	6·7	15·1	3·3	+ 1·7	79	S.W.		..	..	..	Sum 775	Sum 0·30
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
September.			
Sunday . .	5	The electrical observations are for the present stopped, in consequence of the necessity of renewing the mast which carries the insulating apparatus.	Cloudy for the most part till noon; during the remainder of the day the amount of cloud was variable. Rain fell during the afternoon and at 4h. 45m. P.M. Thunder was heard. Lightning was seen at night.
Monday . .	6		Cloudy until evening, clear for the most part afterwards.
Tuesday . .	7		Cloudy throughout the day. Rain fell occasionally.
Wednesday	8		Overcast till near noon, during the remainder of the day the amount of cloud was variable. Rain fell early in the morning. Haze was very prevalent at night.
Thursday .	9		Partially cloudy early in the morning, clear afterwards till noon, and overcast during the remainder of the day. Misty rain fell occasionally during the evening.
Friday . .	10		Overcast throughout the day.
Saturday .	11		Overcast till evening; partially cloudy afterwards.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·64 in. at the beginning of the week to 29·75 in. by 9h. A.M. on the 6th; decreased to 29·67 in. by 9h. P.M. on the same day, turned to increase after noon on the 7th; was 29·91 in. at 9h. A.M. on the 9th; decreased to 29·81 in. by 3h. P.M. on the 10th; and increased to 30·06 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 37. 1858. Vol. XIX.] Week ending Saturday, September 18. [Price 1½*d.*

General Register Office, Somerset House,
September 20th, 1858.

The mortality of London is now lower than it was in the months of July and August, when the deaths ranged above 1100 weekly. In the week ending last Saturday (September 18th) the deaths declined to 1046, of which 555 were deaths of males and 491 those of females. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1351; but as the deaths now returned occurred in an increased population, the average to admit of comparison should be raised proportionally to the increase, a correction which will make it 1486. The above average, however, is derived in part from the extraordinary mortality of two cholera epidemics; and by excluding such exceptional periods from the comparison it will be found that the present mortality differs not widely from the average in the middle of September.

If the deaths of last week had been according to the rate which prevails in the healthiest districts of England, they would have been 799; the excess above this number which the return shows is 247, and forms what may be called the "unnatural" part of the mortality.

Diarrhœa shows a further decrease; the deaths from this complaint in the last four weeks have been successively 146, 120, 69, and 53. But scarlatina is increasingly fatal, and the deaths from it last week were 118, of which 30 occurred in the East and 44 in the South districts. Four fatal cases of this disease are recorded in each of the following sub-districts: Christchurch (Marylebone), Islington East, St. George (Bloomsbury), the Green (Bethnal-green), Poplar, Trinity (Newington), and Clapham; and 5 in St. Peter (Walworth). Three children in one family died on the 12th and 13th inst. of scarlatina at 19 Theobald-street in the sub-district of Trinity, Newington. Four deaths are referred to cholera, all of them, with one exception, amongst infants. Eight infants and one adult died from syphilitic disease. Only two persons, both of whom were widows, attained the age of 90 years.

Last week the births of 829 boys and 812 girls, in all 1641 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number corrected for increase of population was 1472.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·917 in. On three days the mean reading was above 30 in. The highest barometrical reading was 30·06 in. The mean temperature of the week was 63·4°, which is 6·6° above the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was above the average throughout the week, and the excess on the first three days was 8°. The thermometers in the sun and the shade attained their highest points on Sunday (the 12th inst.), which were respectively 105° and 83·8°; the lowest point was attained on the same day and was 48·7°; the entire range of the day and the week was therefore 35·1° (in the shade). The mean daily range was 25·3°. The difference between the mean dew-point temperature and air temperature was 7·8°. The mean degree of humidity of the air was 74. The mean temperature of the water of the Thames was 63·7°. On Monday and three following days the wind blew from the north-east. The rain-fall of the week was 0·13 in. There was heavy rain on Friday night, accompanied by frequent lightning.

Chelsea; *North-east.*—At 162 Sloane-street, on 12th September, the daughter of a merchant, aged 3 months, "infantine cholera (2 days), congestion of brain (2 days)."

Islington; *East.*—At 73 Windsor-street, on 15th September, the daughter of a police constable, aged 3 months, "diarrhœa (from birth), cholera (2 days), convulsions."

Clerkenwell; *Pentonville.*—At 11 Seabrook-place, on 16th September, the widow of a hatter, aged 56 years, "albuminuria (uncertain), diarrhœa (8 days), cholera (4 days)."

Mile End Old Town; *Eastern.*—At 2 Alfred-street, on 17th September, the daughter of a printer, aged 1 year, "English cholera (8 days)."

Hackney; *West.*—At 2 William-street, on 12th September, the wife of a printer, aged 83 years, "paronychia (3 weeks), erysipelas (2 weeks)."

In same sub-district, at 13 Derby-road, on 17th September, the daughter of a carman, aged 1 year, "gastro-enteritis (2 weeks), pompholyx (8 days)."

St. Olave; *St. Olave.*—At Guy's Hospital, on 18th August, varnish maker's labourer, aged 20 years, "tetanus from wounds caused by burns on the feet and hands from the ignition of turpentine at Lambeth (11 days)." (*Inquest.*)

Rotherhithe; *Rotherhithe.*—At 19 Elephant-lane, on 13th September, the son of a labourer, aged 4 days, "excess of fat (weighed 16 lbs. at birth)."

Greenwich; *West.*—At 1 Thames-street, on 15th September, the wife of a waterman, aged 33 years, "childbirth (8 days), puerperal fever (5 days), improper nutrition, unwholesome state of the premises."

Greenwich; *Woolwich Dockyard.*—At 39 Warwick-street, on 14th September, the daughter of a boiler maker, aged 3 weeks, "atrophy," from inability to take the breast owing to congenital enlargement of the tongue. (*Post Mort.*)

Births Registered last Week, and in the Thirty-seventh Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1302	1302	1409	1429	1438	1506	1505	1550	1553	1722	1471·6	1641
Males . .	657	663	725	734	718	816	766	816	814	883	759·2	829
Females . .	645	639	684	695	720	690	739	734	739	839	712·4	812

Deaths Registered last Week, and in the Thirty-seventh Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . .	926	2865	929	1026	913	949	2836	1033	1087	946	1351·0	1046*
Males . .	484	1351	463	535	470	479	1374	523	534	478	669·1	555
Females . .	442	1514	466	491	443	470	1462	510	553	468	681·9	491

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.
Births	1662	1603	1470	1584	1655	1657	1553	1496	1558	1696	1531	1537	1641
Deaths	1092	1241	1191	1173	1132	1161	1200	1147	1112	1108	1039	1060	1046
Deaths (except from Violence) . . .	1027	1133	1167	1158	1105	1127	1126	1089	1058	1067	1013	1027	1014
Deaths (except from Violence) at 60 years and upwards . .	200	194	198	208	191	153	194	174	194	167	157	163	175
Small-pox	3	1	4	3	6	1	5	3	4	6	5	3	5
Measles	44	54	71	47	50	56	44	25	22	36	20	21	27
Scarlatina	65	61	64	73	58	78	86	85	105	92	110	115	118
Whooping-cough . .	47	60	63	61	55	50	36	38	28	34	42	29	26
Typhus	29	35	43	35	35	22	34	32	43	39	30	45	46
Diarrhœa	54	94	129	126	127	168	130	121	113	146	120	69	53
Mean Temperature .	64°·5	58°·6	55°·9	66°·4	66°·4	59°·6	62°·4	65°·4	63°·3	59°·2	59°·4	59°·4	63°·4

* The Returns of St. Andrew East Holborn and Peckham were received too late for insertion. Instead thereof averages amounting to 19 are derived from the returns of six previous weeks, and are inserted in the tables; viz., for St. Andrew 9 (the true number being also 9), and for Peckham 10, instead of 5, the true number.

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTY-SEVENTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 16 1848	Sept 15 1849	Sept 14 1850	Sept 13 1851	Sept 18 1852	Sept 17 1853	Sept 16 1854	Sept 15 1855	Sept 13 1856	Sept 19 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 18, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	52°·3	56°·5	55°·3	57°·1	54°·3	57°·6	60°·7	56°·0	58°·7	62°·1	57°·1	63°·4					
	ALL CAUSES	926	2865	929	1026	913	949	2836	1033	1087	946	1351·0	1046†	556	150	141	143	37
	SPECIFIED CAUSES	919	2836	899	1003	895	921	2817	1003	1062	931	1328·6	1010	550	147	136	142	35
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	380	2185	251	302	303	266	2042	305	332	297	666·3	350	282	31	25	11	1
II.	CONSTITUTIONAL "	179	203	206	228	193	201	227	220	237	201	209·5	199	70	64	41	23	1
III.	LOCAL "	254	270	289	294	261	308	364	308	339	275	296·2	323	120	41	66	84	12
IV.	DEVELOPMENTAL "	78	155	104	120	129	110	159	129	119	137	124·0	106	62	3	1	21	19
V.	VIOLENT DEATHS	28	23	49	59	9	36	25	41	35	21	32·6	32	16	8	3	3	2
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	375	2156	241	288	280	251	2016	281	305	277	647·0	317	257	27	21	11	1
	2. ENTHETIC "	1	4	2	..	3	2	4	5	5	7	3·3	9	8	1	..	..	..
	3. DIETIC "	2	21	5	7	15	9	14	15	15	9	11·2	16	9	3	4	..	..
	4. PARASITIC "	2	4	3	7	5	4	8	4	7	4	4·8	8	8	..	..	..	..
II.	1. DIATHETIC "	37	33	35	49	31	31	39	49	43	38	38·5	37	6	2	11	17	1
	2. TUBERCULAR "	142	170	171	179	162	170	188	171	194	163	171·0	162	64	62	30	6	..
III.	1. DISEASES OF NERVOUS SYSTEM	89	104	92	106	73	102	136	109	102	88	100·1	114	46	14	23	28	3
	2. " OF ORGANS OF CIRCULATION	22	20	32	34	22	35	40	43	33	20	30·1	41	8	6	12	13	2
	3. " OF RESPIRATORY ORGANS	70	76	91	82	103	104	108	90	126	103	95·3	95	47	6	17	23	2
	4. " OF DIGESTIVE ORGANS	60	51	49	56	47	47	54	49	50	50	51·3	52	12	9	11	15	5
	5. " OF URINARY ORGANS	6	12	12	9	5	14	9	6	16	9	9·8	14	4	4	1	5	..
	6. " OF ORGANS OF GENERATION	2	2	5	1	3	1	6	6	3	3	3·2	2	..	1	1	..	..
	7. " OF ORGANS OF LOCOMOTION	3	1	3	2	5	4	5	1	2	..	2·6	3	1	1	1	..	..
	8. " OF INTEGUMENTARY SYSTEM	2	4	5	4	3	1	6	4	7	2	3·8	2	2	..	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	26	66	44	41	33	44	56	35	41	42	42·8	29	29	..	..	..	..
	2. " OF ADULTS	7	6	4	5	7	9	2	9	9	8	6·6	3	..	3	..	..	..
	3. " OF OLD PEOPLE	29	42	24	44	56	28	60	45	31	37	39·6	35	..	..	..	16	19
	4. DISEASES OF NUTRITION	16	41	32	30	33	29	41	40	38	50	35·0	39	33	..	1	5	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											29	15	7	3	2	2
	3. HOMICIDE *												1	1	..	..	..	..
	4. SUICIDE												2	..	1	..	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	28	23	49	59	9	36	25	41	35	21	32·6	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	17	20	13	4	13	7	7	18	4	10·7	10	4	1	2	1	2
	CAUSES NOT SPECIFIED	3	12	10	10	14	15	12	23	7	11	11·7	26†	2	2	3	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.
† Averages amounting to 19 are added. See Note, page 298.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 16 1848	Sept 15 1849	Sept 14 1850	Sept 13 1851	Sept 18 1852	Sept 17 1853	Sept 16 1854	Sept 15 1855	Sept 13 1856	Sept 19 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 18, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 63°·4	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	52°·3	56°·5	55°·3	57°·1	54°·3	57°·6	60°·7	56°·0	58°·7	62°·1	57°·1						
I.	ORDER 1.																	
	1. Small-pox	36	9	7	22	12	6	12	20	6	2	13·2	5	5	..	..	..	..
	2. Measles	16	15	15	14	2	17	12	7	23	19	14·0	27	27	..	..	..	..
	3. Scarlatina	145	24	38	27	67	34	91	38	51	39	55·4	118	115	3	..	..	..
	4. Quinsy	2	1	1	1	5	..	..	..	5	1	1·6	2	2	..	..	..	..
	5. Croup	4	3	7	4	4	5	8	11	2	7	5·5	5	5	..	..	..	..
	6. Whooping-cough	33	35	20	18	24	32	25	27	29	22	26·5	26	26	..	..	..	..
	7. Typhus (and Infantile fever)	63	69	48	57	36	40	60	58	49	53	53·3	46	21	14	6	5	..
	8. Erysipelas	8	5	5	5	3	11	7	7	6	2	5·9	10	5	2	2	..	1
	9. Metria	3	5	4	1	1	2	2	3	2	2	2·5	7	..	5	2	..	..
	10. Carbuncle	..	..	..	1	3	1	2	2	1	1	1·1	1	..	..	1	..	..
	11. Influenza	..	1	..	..	..	..	..	2	..	..	·3	..	..	..	..	..	..
	12. Dysentery	13	23	7	7	3	2	7	1	6	8	7·7	6	5	..	1	..	..
	13. Diarrhœa	42	280	78	101	106	78	232	96	116	111	124·0	53	41	1	6	5	..
	14. Cholera	6	1682	4	17	8	16	1549	4	4	3	329·3	4	3	..	1	..	..
	15. Ague	1	..	1	3	..	..	1	..	..	1	·7	1	..	1	..	..	..
	16. Remittent fever	1	2	..	3	2	3	4	2	1	..	1·8	1	1	..	..	..	..
	17. Rheumatism	2	2	6	7	4	4	4	3	4	6	4·2	5	1	1	2	1	..
	ORDER 2.																	
	1. Syphilis	1	2	1	..	2	1	4	5	5	4	2·5	9	8	1	..	..	..
	2. Stricture of Urethra	..	2	1	..	1	1	..	..	..	3	·8	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	3	..	..	1	1	1	..	..	1	·7	..	..	..	..	..	..
	2. Want of Breast-milk	1	7	2	3	7	4	6	10	13	4	5·7	9	9	..	..	..	..
	3. Purpura and Scurvy	..	..	..	1	2	1	..	2	1	..	·7	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	11	3	2	1	2	7	2	..	3	3·2	5	..	3	2	..	..
	4. Alcoholism { *b* Intemperance	..	..	..	1	4	1	..	1	1	1	·9	2	..	..	2	..	..
	ORDER 4.																	
	1. Thrush	2	4	3	7	5	4	8	4	7	4	4·8	8	8	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848-57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	..	..	1	1	1	..	1	1	2	·8	3	..	..	2	1	..
	2. Dropsy	20	14	17	19	16	13	23	21	19	13	17·5	10	3	..	2	5	..
	3. Cancer	14	19	16	24	12	16	13	25	20	19	17·8	20	1	2	7	10	..
	4. Noma	..	..	..	1	..	..	2	1	..	1	·5	..	..	..	..	..	..
	5. Mortification	2	..	2	4	2	1	1	1	3	3	1·9	4	2	..	..	1	1
	ORDER 2.																	
	1. Scrofula	5	7	7	7	11	3	4	10	12	5	7·1	6	5	1	..	..	..
	2. Tabes Mesenterica	19	27	21	20	14	22	20	24	25	26	21·8	14	14	..	..	..	..
	3. Phthisis	100	97	117	136	114	119	123	113	136	104	115·9	121	24	61	30	6	..
	4. Hydrocephalus	18	39	26	16	23	26	41	24	21	28	26·2	21	21	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	9	14	5	7	11	11	19	15	12	3	10·6	7	3	1	3	..	..
	2. Apoplexy	19	20	23	20	14	30	22	20	21	19	20·8	25	4	3	7	11	..
	3. Paralysis	15	15	17	21	12	20	24	26	21	24	19·5	21	..	3	6	10	2
	4. Insanity	1	4	..	..	1	2	1	1	2	..	1·2	2	..	..	1	1	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	6. Epilepsy	4	12	4	11	4	5	8	6	9	10	7·3	4	..	2	2	..	..
	7. Convulsions	28	31	33	32	16	30	45	29	28	23	29·5	32	32	..	..	..	..
	8. *Brain Disease, &c.*	13	8	10	15	15	4	17	12	9	9	11·2	23	7	5	4	6	1
	ORDER 2.																	
	1. Pericarditis	..	1	2	..	1	..	1	1	2	..	·8	1	1	..	..	..	..
	2. Aneurism	2	1	2	3	1	3	1	2	..	2	1·7	..	..	..	..	..	..
	3. *Heart Disease, &c.*	20	18	28	31	20	32	38	40	31	18	27·6	40	7	6	12	13	2
	ORDER 3.																	
	1. Laryngitis	4	..	1	3	1	1	4	3	7	2	2·6	3	2	..	..	1	..
	2. Bronchitis	26	22	33	39	35	42	39	41	47	43	36·7	36	14	2	7	12	1
	3. Pleurisy	..	2	2	4	2	3	2	2	3	2	2·2	3	..	2	1	..	..
	4. Pneumonia	29	40	40	25	54	48	56	35	60	47	43·4	41	29	1	5	5	1
	5. Asthma	4	5	10	4	3	8	2	2	6	3	4·7	5	..	1	1	3	..
	6. *Lung Disease, &c.*	7	7	5	7	8	2	5	7	3	6	5·7	7	2	..	3	2	..
	ORDER 4.																	
	1. Gastritis	3	2	2	2	..	1	2	3	2	2	1·9	1	1	..	..	..	..
	2. Enteritis	17	6	14	10	6	4	5	7	5	9	8·3	8	5	1	1	1	..
	3. Peritonitis	7	2	4	4	3	3	3	4	6	3	3·9	6	2	1	2	..	1
	4. Ascites	1	3	4	1	3	2	1	1	2	..	1·8	1	..	..	..	..	1
	5. Ulceration of Intestines	4	2	2	..	3	3	3	3	..	3	2·3	2	1	..	1	..	..
	6. Hernia	1	4	1	5	..	3	3	3	5	6	3·1	1	..	..	1	..	..
	7. Ileus	2	5	3	1	3	1	1	..	1	1	1·8	1	..	..	..	1	..
	8. Intussusception	1	..	..	1	1	2	..	1	2	2	1·0	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTY-SEVENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 16 1848	Sept 15 1849	Sept 14 1850	Sept 13 1851	Sept 18 1852	Sept 17 1853	Sept 16 1854	Sept 15 1855	Sept 13 1856	Sept 19 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 18, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards
	Mean Temperature	52°·3	56°·5	55°·3	57°·1	54°·3	57°·6	60°·7	56°·0	58°·7	62°·1	57°·1	63°·4					
	9. Stricture of Intestines	1	1	2	1	2	1	3	..	2	..	1·3	..	..	..	..	..	..
	10. Fistula	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	4	6	1	6	4	5	9	10	6	3	5·4	8	1	3	2	1	1
	12. *Pancreas Disease, &c.*	..	..	..	..	1	..	..	..	..	..	·1	1	..	1	..	..	..
	13. Hepatitis	5	5	7	7	9	4	7	4	3	1	5·2	4	..	1	1	2	..
	14. Jaundice	2	2	5	4	1	4	3	1	7	6	3·5	6	2	1	..	2	1
	15. *Liver Disease, &c.*	12	13	4	13	11	14	13	12	8	14	11·4	13	..	1	3	8	1
	16. *Spleen Disease, &c.*	..	..	..	1	..	..	1	..	..	..	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	1	1	1	1	2	1	1	..	1	..	·9	2	2	..	..	..	..
	2. Ischuria	1	..	1	..	..	1	..	..	..	..	·3	..	..	..	..	..	..
	3. Nephria	1	1	2	3	1	2	3	4	2	4	2·3	6	1	3	..	2	..
	4. Diabetes	..	..	..	..	..	1	..	..	..	2	·3	..	..	..	..	..	..
	5. Stone	1	..	..	..	..	1	..	..	1	..	·3	..	..	..	..	..	..
	6. Cystitis	..	2	2	..	..	1	..	..	..	1	·6	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	2	8	6	5	2	7	5	2	12	2	5·1	6	1	1	1	3	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	1	..	2	..	3	3	1	2	1·2	2	..	1	1	..	..
	2. *Uterus Disease, &c.*	2	2	4	1	1	1	3	3	2	1	2·0	..	..	..	..	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	3	1	3	2	5	4	4	1	2	..	2·5	3	1	1	1	..	..
	ORDER 8.																	
	1. Phlegmon	1	3	2	4	1	..	3	4	6	2	2·6	1	1	..	..	..	..
	2. Ulcer	1	1	3	..	2	1	..	..	1	..	·9	1	1	..	..	..	..
	3. *Skin Disease, &c.*	..	..	..	..	..	..	3	..	..	..	·3	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	12	46	29	28	21	31	36	27	31	26	28·7	15	15	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											3	3	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	2	5	5	2	5	2	6	1	3	8	3·9	3	3	..	..	..	..
	5. Teething	12	15	10	11	7	11	14	7	7	8	10·2	7	7	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	2	..	1	..	1	..	·4	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	7	6	4	5	5	9	1	9	8	8	6·2	3	..	3	..	..	..
	ORDER 3.																	
	1. Old Age	29	42	24	44	56	28	60	45	31	37	39·6	35	..	..	..	16	19
	ORDER 4.																	
	1. Atrophy and Debility	16	41	32	30	33	29	41	40	38	50	35·0	39	33	..	1	5	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	13	9	1	1	..	2
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	11	4	5	1	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	2	1	..	..	1	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	1	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	28	23	49	59	9	36	25	41	35	21	32·6	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	4	17	20	13	4	13	7	7	18	4	10·7	10	4	1	2	1	2
	Causes not specified or ill-defined	3	12	10	10	14	15	12	23	7	11	11·7	26†	2	2	3	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† Averages amounting to 19 are added. See Note, page 298.

DEATHS Registered in the THIRTY-SEVENTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Sept. 16 1848	Sept. 15 1849	Sept. 14 1850	Sept. 13 1851	Sept. 18 1852	Sept. 17 1853	Sept. 16 1854	Sept. 15 1855	Sept. 13 1856	Sept. 19 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Sept. 18 1858.
Mean Temperature . . .			52·3°	56·5°	55·3°	57·1°	54·3°	57·6°	60·7°	56·0°	58·7°	62·1°	57·1°	63·4°
LONDON	78029	2362236	926	2865	929	1026	913	949	2836	1033	1087	946	1351·0	1046
1–6. WEST DISTRICTS .	10786	376427	118	347	133	147	133	128	464	155	144	163	193·2	145
7–11. NORTH DISTRICTS .	13533	490396	185	345	195	217	188	173	317	219	220	176	223·5	203
12–19. CENTRAL DISTRICTS	1938	393256	169	373	180	152	148	148	295	175	172	153	196·5	142
20–25. EAST DISTRICTS .	6230	485522	190	600	176	206	223	235	511	226	259	225	285·1	235
26–36. SOUTH DISTRICTS .	45542	616635	264	1200	245	304	221	265	1249	258	292	229	452·7	321
1. Kensington* HHHH .	7374	120004	30	105	28	44	50	45	145	50	48	64	60·9	56
2. Chelsea H*w* . . .	865	56538	17	70	25	23	19	19	58	28	32	22	31·3	29
3. St. George Hanover-sq. H	1161	73230	25	48	34	23	23	18	71	29	21	18	31·0	20
4. Westminster* HHHH .	917	65609	33	77	27	37	26	22	90	29	24	26	39·1	23
5. St. Martin-in-the-Fields H	305	24640	5	27	9	11	5	13	13	7	6	13	10·9	6
6. St. James Westminster .	164	36406	8	20	10	9	10	11	87	12	13	20	20·0	11
7. Marylebone HH . .	1509	157696	79	94	60	75	60	51	101	54	86	54	71·4	61
8. Hampstead	2252	11986	6	4	4	4	5	4	7	2	5	6	4·7	7
9. Pancras HH*w* . . .	2716	166956	60	142	79	64	70	63	113	85	64	57	79·7	66
10. Islington HHH . .	3127	95329	24	70	36	59	39	39	59	53	44	35	45·8	50
11. Hackney* H*w* . . .	3929	58429	16	35	16	15	14	16	37	25	21	24	21·9	19
12. St. Giles* H . . .	245	54214	17	71	21	13	24	17	42	41	23	26	29·5	23
13. Strand* H	173	44422	17	30	24	14	14	20	47	15	13	15	20·9	14
14. Holborn* H . . .	196	46621	19	28	15	28	18	22	29	13	31	13	21·6	21†
15. Clerkenwell	380	64778	21	52	45	22	20	28	30	24	27	27	29·6	20
16. St. Luke HH . . .	220	54055	27	55	27	19	15	13	47	22	21	18	26·4	23
17. East London* . . .	153	44406	18	37	14	24	20	18	39	12	14	15	21·1	13
18. West London* H . .	137	28828	30	65	17	18	17	19	31	34	26	23	28·0	17
19. London City* . . .	434	55932	20	35	17	14	20	11	30	14	17	16	19·4	11
20. Shoreditch *w* . . .	646	109257	49	160	45	46	53	56	114	54	54	53	68·4	55
21. Bethnal Green H . .	760	90193	24	151	27	35	34	33	101	28	30	38	50·1	41
22. Whitechapel* HH . .	406	79759	37	95	36	48	41	41	84	36	48	40	50·6	35
23. St. George-in-the-East .	243	48376	26	40	22	19	21	43	52	23	36	18	30·0	16
24*a*. Stepney*	576	54173	40	99	26	42	45	48	97	49	62	47	55·5	30
24*b*. Mile-end Old Town H*w*	681	56602												25
25. Poplar* H*w* . . .	2918	47162	14	55	20	16	29	14	63	36	29	29	30·5	33
26. St. Saviour Southwark* HH	250	35731	27	67	19	21	12	18	93	15	18	11	30·1	25
27. St. Olave Southwark* HH	169	19375	13	56	17	18	10	17	77	16	23	20	26·7	25
28. Bermondsey	688	48128	11	103	21	21	14	12	147	18	19	6	37·2	31
29. St. George Southwark .	282	51824	23	134	27	18	14	32	124	19	22	21	43·4	24
30. Newington	624	64816	22	176	26	37	24	31	142	24	29	26	53·7	32
31. Lambeth H	4015	139325	60	318	45	61	56	52	221	50	55	47	96·5	40
32. Wandsworth*	11695	50764	17	54	8	21	23	11	103	22	22	6	28·7	25
33. Camberwell	4342	54667	17	84	20	25	11	21	100	27	21	18	34·4	23†
34. Rotherhithe	886	17805	12	44	2	14	5	17	47	6	13	7	16·7	16
35. Greenwich* HHHHH .	5367	99365	55	142	50	60	43	46	157	44	50	52	69·9	62
36. Lewisham*	17224	34835	7	22	10	8	9	8	38	17	20	15	15·4	18

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† Averages of 9 and 10 are added for St. Andrew East and Peckham. The true numbers are respectively 9 and 5.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Sept. 11. Total.	Males.	Females.	In the Week ending Sept. 18. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	158	93	65	148	94	54
45 WORKHOUSES	79	41	38	83	49	34
14 PRISONS . . . . . ‡	1	1	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	1	1	–	5	5	–
15 GENERAL HOSPITALS	51	28	23	44	28	16
7 HOSPITALS FOR SPECIAL DISEASES	4	3	1	8	6	2
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	11	11	–	4	4	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	4	4	–	1	–	1
19 LUNATIC ASYLUMS	7	4	3	3	2	1

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 18th September 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	5	27	118	26	53	46
1-6	WEST DISTRICTS - -	376427	-	3	8	4	7	5
7-11	NORTH DISTRICTS - -	490396	2	4	25	2	8	13
12-19	CENTRAL DISTRICTS -	393256	2	6	11	4	6	5
20-25	EAST DISTRICTS - -	485522	1	5	30	8	14	11
26-36	SOUTH DISTRICTS - -	616635	-	9	44	8	18	12
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	1	-	-	1	-
2	St. John Paddington H -	29053	-	-	1	1	-	-
3	Kensington Town *W* L -	29183	-	1	-	-	-	1
4	Brompton HH - -	14870	-	-	-	-	-	-
5	St. Peter Hammersmith -	4467	-	-	-	-	1	-
6	St. Paul Hammersmith -	13293	-	-	-	-	-	-
7	Fulham *W* LLLL - -	11886	-	-	2	-	-	-
2; 1	Chelsea South H - -	19050	-	-	1	1	-	-
2	Chelsea North-west *Ww*	17669	-	-	-	1	-	-
3	Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1	Hanover Square - -	20216	-	-	-	1	-	-
2	May Fair *W* - - -	12980	-	-	-	-	-	-
3	Belgrave H - - -	40034	-	-	1	-	1	2
4; 1	St. John Westmr. HHHP	34295	-	1	-	-	-	1
2	St. Margaret West. *W* HP	31314	-	-	3	-	1	-
5; 1	Charing Cross *W* H -	12587	-	-	-	-	-	-
2	Long Acre - - -	12053	-	-	-	-	-	-
6; 1	Berwick Street - -	10798	-	-	-	-	2	1
2	St. James's Square -	11469	-	-	-	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	1	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	-	1	-	-	-
2	Cavendish-square - -	14687	-	-	-	-	-	-
3	Rectory Marylebone *W* -	27633	-	-	-	-	-	1
4	St. Mary Marylebone H	22814	-	-	1	-	-	-
5	Christchurch Marylebone	33895	-	-	4	-	1	-
6	St. John Marylebone -	29826	-	1	2	-	-	2
8; 1	Hampstead *W* - -	11986	-	-	-	-	1	1
9; 1	Regent's Park Pancras -	31918	-	-	3	-	-	3
2	Tottenham-court *w*H -	28433	-	-	1	-	-	-
3	Gray's Inn Lane H -	26523	-	-	3	-	-	1
4	Somers Town - - -	35641	-	2	3	1	1	1
5	Camden Town *W* - -	21115	-	1	-	-	2	-
6	Kentish Town - -	23326	-	-	-	-	-	-
10; 1	Islington West† *W*HHHPP	47881	1	-	3	1	-	2
2	Islington East - -	47448	1	-	4	-	2	-
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	-	-	-	-	-
4	Hackney *W* H*w* - -	20850	-	-	-	-	1	1
5	South Hackney L - -	8458	-	-	-	-	-	1
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	-	4	-	1	-
2	St. Giles South *W* H -	19951	-	-	1	-	-	-
3	St. Giles North - -	17456	2	-	-	-	-	-
13; 1	St. Anne Soho - -	17335	-	1	-	-	-	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15472	-	-	-	1	-	-
14; 1	St. George-the-Martyr H.	18813	-	-	3	-	3	-
2	St. Andrew, East. Holb. *W*	13971	‡	-	-	-	-	-
3	Saffron Hill - - -	13837	-	-	-	-	1	-
15; 1	St. James Clerkenwell *W*P	21529	-	1	-	-	-	-
2	Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3	Pentonville - - -	11904	-	-	1	-	-	-
4	Goswell-street - - -	15625	-	-	-	-	-	-
16; 1	Old-street H - - -	10617	-	-	-	-	-	-
2	City-road HL - -	16840	-	1	-	-	1	2
3	Whitecross-street - -	13657	-	-	1	-	-	-
4	Finsbury - - - -	12941	-	1	-	1	-	-
17; 1	St. Botolph East London	23824	-	-	-	-	-	-
2	Cripplegate P - -	20582	-	2	-	1	-	1
18; 1	West London North *W*HP	12946	-	-	-	1	-	2
2	West London South P -	15882	-	-	-	-	-	-
19; 1	London City South-west -	9204	-	-	-	-	-	-
2	London City North-west -	11847	-	-	1	-	-	-
3	London City South - -	11461	-	-	-	-	-	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	-	-	-	-

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	1	1	-	-	-
2	St. Leonard Shoreditch L	19449	1	-	1	-	-	-
3	Hoxton New Town *w* -	23505	-	-	1	2	-	-
4	Hoxton Old Town - -	17431	-	-	-	1	-	-
5	Haggerstone West *W* -	20276	-	-	-	-	1	1
6	Haggerstone East - -	11351	-	2	-	-	-	-
21; 1	Hackney-road - - -	23910	-	-	-	1	-	-
2	Green, Bethnal Green *W* HL	23555	-	-	4	1	2	1
3	Church, Bethnal Green -	21787	-	-	1	-	1	-
4	Town, Bethnal Green -	20941	-	1	2	-	3	-
22; 1	Artillery Whitechapel -	6769	-	-	-	-	-	-
2	Spitalfields - - -	15336	-	-	1	-	-	2
3	Mile End New Town *W*	14543	-	-	-	-	1	1
4	Whitechapel North *W* -	12530	-	-	-	-	1	-
5	Whitechapel Church H -	7818	-	-	-	-	-	-
6	Goodman's Fields - -	12069	-	-	-	1	1	-
7	Aldgate H - - -	10694	-	-	-	-	1	-
23; 1	St. Mary St. Geo. East -	18067	-	-	1	-	1	1
2	St. Paul St. Geo. East -	20319	-	-	-	-	-	1
3	St. John St. Geo. East *W*	9990	-	-	1	-	-	-
24*a*; 1	Shadwell *W* - - -	16179	-	-	1	-	-	-
2	Ratcliff *W* - - -	15212	-	-	2	-	-	-
3	Limehouse *W* - -	22782	-	1	3	1	-	1
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	3	-	-	-
2	Mile End Old T., East. *Ww*H	27020	-	-	1	-	-	1
25; 1	Bow *w*LH - - -	18778	-	-	3	1	1	-
2	Poplar *W* - - -	28384	-	-	4	-	1	2
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	1	2	1	-
2	St. Saviour Southwark HH	19709	-	1	2	-	1	2
27; 1	St. Olave Southwark HH	8015	-	1	-	-	-	1
2	St. John Horsleydown *W*	11360	-	1	-	-	-	-
28; 1	St. James Bermondsey -	18899	-	-	2	1	-	-
2	St. Mary Magdalen *W* -	13934	-	-	2	-	1	1
3	Leather Market - -	15295	-	1	-	-	1	-
29; 1	Kent-road - - -	18126	-	1	3	-	-	1
2	Borough-road *W* P -	15862	-	-	1	-	-	1
3	London-road LP - -	17836	-	-	-	-	-	-
30; 1	Trinity Newington P -	20922	-	-	4	-	-	-
2	St. Peter Walworth *W* -	29861	-	1	5	-	-	1
3	St. Mary Newington -	14033	-	-	3	-	-	-
31; 1	Waterloo-road 1st - -	14088	-	-	-	-	-	-
2	Waterloo-road 2nd H -	18348	-	-	-	-	-	-
3	Lambeth Church 1st -	18409	-	-	1	1	1	-
4	Lambeth Church 2nd *W*	26784	-	-	-	-	1	-
5	Kennington 1st - -	24261	-	-	2	1	-	-
6	Kennington 2nd - -	18848	-	-	-	-	1	-
7	Brixton L - - -	14610	-	-	-	-	1	-
8	Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1	Clapham L - - -	16290	-	1	4	-	1	-
2	Battersea *W* - - -	10560	-	1	3	-	-	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	1	1	-	-
5	Streatham - - -	9023	-	-	-	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	-	-	-	1	-
3	Peckham - - - -	19444	‡	-	-	-	-	-
4	St. George Camberwell -	15849	-	-	3	-	-	-
34; 1	Rotherhithe *W* - -	17805	-	-	3	-	2	2
35; 1	St. Paul Deptford - -	24899	-	1	-	1	-	1
2	St. Nicholas Deptford -	7071	-	-	-	-	-	-
3	Greenwich West H -	18800	-	-	2	1	1	-
4	Greenwich East *W* H -	16228	-	-	1	-	-	-
5	Woolwich Dockyard HP	17140	-	-	-	-	1	1
6	Woolwich Arsenal HPH	15227	-	-	1	-	1	-
36; 1	Plumstead - - -	13191	-	-	-	-	1	1
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	-	-	-	1	-
4	Lewisham Village *W* -	6097	-	-	-	-	-	-
5	Sydenham - - -	4501	-	-	-	-	1	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semi colons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ Returns not received in time for insertion above. In St. Andrew East there were 3 deaths from measles, 2 from scarlatina, and one from diarrhœa; and in Peckham, one from scarlatina and one from diarrhœa.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 18th September 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.	Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Greatest.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Greatest.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
September.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . 12	..	30·019	83·8	48·7	35·1	65·3	56·8	105·0	43·0	63·7	61·2	8·5	24·3	0·6	+ 8·0	67	Calm	S.E. & E.	0·0	0·0	0·0	35	0·00
Monday . 13	..	29·942	83·1	50·5	32·6	65·9	57·2	102·0	41·9	64·2	62·4	8·7	22·6	3·8	+ 8·7	69	N.E.	E.	0·0	0·0	0·0	40	0·00
Tuesday . 14	..	30·042	81·0	53·3	27·7	64·6	56·5	101·7	45·3	64·7	62·7	8·1	23·1	3·2	+ 7·6	74	Calm & NE.	N.E.	2·5	0·0	0·0	55	0·00
Wednesday 15	Greatest Dec. S. First Quarter.	30·030	75·0	54·3	20·7	62·6	54·1	96·0	47·0	65·2	63·2	8·5	18·0	2·3	+ 5·9	74	N.E.	E.	0·0	0·0	0·0	35	0·00
Thursday . 16	Apogee	29·899	78·0	52·4	25·6	63·4	57·8	96·5	45·0	65·0	63·2	5·6	17·7	1·3	+ 6·9	79	E.	E.N.E.	2·0	0·0	0·0	55	0·00
Friday . 17	..	29·589	72·8	54·7	18·1	62·9	59·5	81·8	49·3	64·7	63·2	3·4	13·7	0·4	+ 6·6	88	Calm	S.E.	2·3	0·0	0·0	105	0·03
Saturday . 18	..	29·899	69·4	52·3	17·1	58·7	47·1	91·5	45·6	64·7	63·2	11·6	18·0	7·2	+ 2·7	67	S.W.	S.W. & S.	3·0	0·0	0·1	40	0·10
Means . .	..	29·917	77·6	52·3	25·3	63·4	55·6	96·4	45·3	64·6	62·7	7·8	19·6	2·7	+ 6·6	74	N.E.		..	..	..	Sum 365	Sum 0·13
No. of Columns	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. September.	Electricity.	Sky and Atmosphere.
Sunday . . 12	The electrical observations are at present stopped, in consequence of the necessity of renewing the mast which carries the insulating apparatus.	Cloudless throughout the day. Thick haze was prevalent during the earlier portion of the morning.
Monday . . 13		Cloudless throughout the day.
Tuesday . 14		Cloudless till the afternoon; cloudy during the remainder of the day.
Wednesday 15		Cloudy early in the morning, clear during the remainder of the day.
Thursday . 16		Partially cloudy early in the morning; clear for the most part during the remainder of the day.
Friday . . 17		Cloudy for the most part till the afternoon, afterwards the amount of cloud was variable. Rain fell occasionally, and at 9h. P.M. heavy rain began to fall. Lightning was frequent during the evening.
Saturday . 18		Generally clear during the morning, overcast during the afternoon, and clear at night.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 30·06 in. at the beginning of the week to 29·92 in. by 3h. P.M. on the 13th; increased very slowly to 30·06 in. by 9h. P.M. on the 14th; decreased slowly from 9h. A.M. on the 15th to 29·84 in. by 9h. P.M. on the 16th; and then quickly to 29·51 in. by 9h. P.M. on the 17th; and increased to 30·00 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 38. 1858. Vol. XIX.] Week ending Saturday, September 25. [Price 1½*d.*

General Register Office, Somerset House,
September 27th, 1858.

The public health is now in that favourable condition which it usually exhibits in London after the summer heat. The deaths in London which had been above 1100 weekly in August, and above 1000 in the first three weeks of September, declined last week (ending Saturday, September 25th) to 955. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1252; but when the deaths from cholera in two epidemics within the series are withdrawn from the calculation, it will be found that the rate of mortality that prevailed in the period now specified would produce about 1100 deaths in the present increased population; and it appears from the present return that the deaths of last week were less than that number by 150.

On reference to the tables, the great and increasing mortality from scarlatina will be observed as an exception to their favourable character. The deaths from this disease which were 85 in a week in the early part of August have increased almost continuously, and last week they were 125. Another child has died from it at 19 Theobald-street, Newington, in addition to three mentioned in the last return; the 4 deaths have occurred in one family within eight days. Two children died on the 24th inst. from diphtheria in a family in Islington; and two from scarlatina on the 17th in a family at 1 Thames-street, Greenwich, where the house is stated to be "unwholesome." Four deaths from scarlatina are recorded in the sub-district of St. John, St. George-in-the-East, and 6 in that of Greenwich West. Cholera was fatal to two men, aged severally 66 years, on the 20th; and to a woman, aged 26 years, on the 19th. Only one person, a woman, included in the present returns, had attained the age of 90 years.

Last week the births of 839 boys and 818 girls, in all 1657 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1531.

Analysis of Metropolitan Waters.

The waters supplied to the metropolis have been examined during the month of August by Dr. Robert Dundas Thomson, F.R.S., of St. Thomas's Hospital, who has found their composition to be as exhibited in the subsequent tables. It will be observed that the amount of impurity in each water is less than in any previous month of the year, in consequence of the greater dryness of the period to which the analyses refer. A comparison of the present with former tables will show how far the condition of the waters is improving. For the sake of comparison, the composition of Glasgow waters is appended. The inhabitants of that city are not satisfied with the Clyde supply, although much purer than that of the Thames, and the water of a Highland lake, approaching distilled water in purity, will soon flow into the city by gravitation.

———	Total Impurity per gallon.	Organic Impurity per gallon.
	grs. *or* °	grs. *or* °
Distilled Water -	0·0	0·0
Clyde present supply at Glasgow	9·57	1·08
Loch Katrine new supply to Glasgow - - - -	2·15	0·80
THAMES COMPANIES.		
Chelsea - - -	15·88	·92
Southwark - - - -	16·00	1·96
Lambeth - - -	17·40	1·08
Grand Junction - - -	16·40	1·72
West Middlesex - - -	15·36	1·28
OTHER COMPANIES.		
East London - - -	16·68	1·60
New River - - -	15·52	1·32
Kent - - - -	22·60	1·88

This table exhibits the amount of foreign matter contained in each gallon of water expressed in degrees or grains. The samples were all taken from main pipes.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·942 in. On four days the mean daily reading was above 30 in. The readings varied from 29·49 in. to 30·42 in. The mean temperature of the week was 58·6°, which is 3·2° above the average of the same week in 43 years. The *highest* point of the thermometer in the shade was attained on Wednesday, and was 72·2°; the *lowest* was 41·5°, and was observed on Saturday; the range of the week was therefore 30·7°, and the mean daily range was 16°. The difference between the mean dew-point temperature and air temperature was 6°. The mean degree of humidity of the air was 82. The mean temperature of the water of the Thames was 62·6°. On the first four days the wind blew generally from the north-east. On Thursday, when it was in the south, the pressure on the square foot rose to 9 lbs., and the amount of horizontal movement was 215 miles. The rain, nearly all of which fell on Sunday the 19th, amounted to 0·20 in.

MILE END OLD TOWN; *Eastern.*—At 1 Bridge-street East, on 20th September, a carpenter, aged 66 years, "diarrhœa (2 days), choleraic symptoms (30 hours)."

WHITECHAPEL; *Goodman's Fields.*—At 47 Mansell-street, on 20th September, a wine porter, aged 66 years, "diarrhœa (24 hours), cholera (19 hours)."

LAMBETH; *Lambeth Church, 1st part.*—At 70 Carlisle-street, on 19th September, the wife of a stonemason, aged 26 years, "diarrhœa (24 hours), cholera (3 days)."

ISLINGTON; *West.*—At 5 Studd-street, on 24th September, two sons of a writer on glass, aged respectively 2 years and 9 months, "diphtheria, one after 4 days', the other after 2 days' illness."

NEWINGTON; *Trinity.*—At 19 Theobald-street, on 20th September, the son of a boiler-maker, aged 4 years, "scarlatina (3 weeks)." This is the fourth death in this family within eight days.

GREENWICH; *West.*—At 1 Thames-street, on 17th September, the daughter and son of a waterman, aged respectively 10 years and 3 years, "scarlatina maligna (6 days), unwholesome state of premises."

BIRTHS Registered LAST WEEK, and in the THIRTY-EIGHTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1250	1400	1374	1527	1640	1619	1628	1658	1509	1706	1531·1	1657
Males . .	638	741	702	742	847	824	833	841	768	886	782·2	839
Females .	612	659	672	785	793	795	795	817	741	820	748·9	818

DEATHS Registered LAST WEEK, and in the THIRTY-EIGHTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1038	1981	858	1097	1077	969	2504	931	1064	1002	1252·1	955
Males . .	541	918	460	569	589	468	1194	466	533	505	624·3	508
Females .	497	1063	398	528	488	501	1310	465	531	497	627·8	447

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTY-EIGHTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 23 1848	Sept 22 1849	Sept 21 1850	Sept 20 1851	Sept 25 1852	Sept 24 1853	Sept 23 1854	Sept 22 1855	Sept 20 1856	Sept 26 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 25, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	56°·7	55°·7	58°·4	57°·3	54°·3	54°·6	57°·1	59°·6	53°·7	59°·1	56°·7	Mean Temp. 58°·6					
	ALL CAUSES	1038	1981	858	1097	1077	969	2504	931	1064	1002	1252·1	955	533	137	120	139	26
	SPECIFIED CAUSES	1022	1959	839	1087	1057	962	2478	898	1024	981	1230·7	947	529	136	118	138	26
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	406	1300	212	319	296	301	1735	266	303	271	540·9	321	264	14	16	22	5
II.	CONSTITUTIONAL „	195	191	199	259	234	194	210	191	220	245	213·8	182	68	68	30	16	..
III.	LOCAL „	289	327	289	352	347	315	352	305	337	287	320·0	283	94	47	63	76	3
IV.	DEVELOPMENTAL „	110	132	109	128	117	133	152	116	128	134	125·9	119	80	1	2	18	18
V.	VIOLENT DEATHS	22	9	30	29	63	19	29	20	36	44	30·1	42	23	6	7	6	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	393	1284	199	306	277	280	1715	250	284	245	523·3	296	247	13	10	21	5
	2. ENTHETIC „	3	2	3	3	4	7	3	6	2	4	3·7	4	3	..	1	..	..
	3. DIETIC „	8	7	9	5	13	9	14	8	15	19	10·7	18	11	1	5	1	..
	4. PARASITIC „	2	7	1	5	2	5	3	2	2	3	3·2	3	3	..	..	..	..
II.	1. DIATHETIC „	38	28	37	46	34	33	40	33	35	38	36·2	32	5	5	8	14	..
	2. TUBERCULAR „	157	163	162	213	200	161	170	158	185	207	177·6	150	63	63	22	2	..
III.	1. DISEASES OF NERVOUS SYSTEM	99	131	115	129	97	90	129	97	94	89	107·0	92	40	10	16	25	1
	2. „ OF ORGANS OF CIRCULATION	36	34	28	37	43	34	40	48	36	28	36·4	47	4	14	14	14	1
	3. „ OF RESPIRATORY ORGANS	78	97	88	122	129	123	108	88	133	94	106·0	77	38	7	13	19	..
	4. „ OF DIGESTIVE ORGANS	57	46	40	42	48	51	52	46	51	53	48·6	42	8	9	15	10	..
	5. „ OF URINARY ORGANS	10	10	9	9	15	10	8	13	16	11	11·1	14	1	4	2	6	1
	6. „ OF ORGANS OF GENERATION	3	2	4	7	6	2	5	2	3	6	4·0	2	..	1	1	..	..
	7. „ OF ORGANS OF LOCOMOTION	1	5	3	4	3	2	4	4	2	1	2·9	5	1	2	1	1	..
	8. „ OF INTEGUMENTARY SYSTEM	5	2	2	2	6	3	6	7	2	5	4·0	4	2	..	1	1	..
IV.	1. DEV. DISEASES OF CHILDREN	33	29	38	49	41	44	56	34	51	44	41·9	33	33	..	..	..	..
	2. „ OF ADULTS	2	9	4	9	4	7	..	4	3	1	4·3	3	..	1	2	..	..
	3. „ OF OLD PEOPLE	43	52	43	38	38	42	55	33	32	40	41·6	33	..	..	..	15	18
	4. DISEASES OF NUTRITION	32	42	24	32	34	40	41	45	42	49	38·1	50	47	..	..	3	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											38	19	6	7	6	..
	* 3. HOMICIDE												2	2	..	..	..	..
	4. SUICIDE												2	2	..	..	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	22	9	30	29	63	19	29	20	36	44	30·1	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	9	3	11	5	11	3	15	10	1	11	7·9	7	3	1	2	1	..
	CAUSES NOT SPECIFIED	7	19	8	5	9	4	11	23	39	10	13·5	1	1	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 23 1848	Sept 22 1849	Sept 21 1850	Sept 20 1851	Sept 25 1852	Sept 24 1853	Sept 23 1854	Sept 22 1855	Sept 20 1856	Sept 26 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 25, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	56°·7	55°·7	58°·4	57°·3	54°·3	54°·6	57°·1	59°·6	53°·7	59°·1	56°·7	58°·6					
I.	ORDER 1.																	
	1. Small-pox	34	5	7	23	10	3	13	11	4	2	11·2	5	4	1	..	..	..
	2. Measles	13	19	10	13	5	12	11	5	23	21	13·2	21	21	..	..	..	..
	3. Scarlatina	161	41	30	41	83	48	90	50	39	34	61·7	125	122	2	..	1	..
	4. Quinsy	1	..	..	1	1	3	1	2	1	..	1·0	4	3	..	1	..	..
	5. Croup	1	8	4	6	7	9	10	5	10	8	6·8	4	4	..	..	..	..
	6. Whooping-cough	30	27	29	19	19	22	15	16	33	24	23·4	26	26	..	..	..	..
	7. Typhus (and Infantile fever)	58	73	39	71	39	51	72	60	45	52	56·0	35	18	5	2	8	2
	8. Erysipelas	13	1	6	5	6	3	13	7	9	2	6·5	9	3	..	2	2	2
	9. Metria	3	2	2	4	5	..	..	1	1	1	1·9	..	..	..	..	..	..
	10. Carbuncle	..	..	1	3	2	..	1	1	..	1	·9	3	..	..	1	2	..
	11. Influenza	..	1	1	..	1	1	1	1	..	..	·6	..	..	..	..	..	..
	12. Dysentery	19	23	5	9	3	5	5	3	11	7	9·0	6	3	1	1	1	..
	13. Diarrhœa	46	238	56	97	72	89	190	76	95	83	104·2	47	39	1	3	4	..
	14. Cholera	7	839	2	7	7	29	1284	9	3	3	219·0	3	..	1	..	2	..
	15. Ague	..	1	1	..	..	..	2	..	2	..	·6	..	..	..	..	..	..
	16. Remittent Fever	..	2	1	1	5	1	2	1	2	1	1·6	..	..	..	..	..	..
	17. Rheumatism	7	4	5	6	12	4	5	2	6	6	5·7	8	4	2	..	1	1
	ORDER 2.																	
	1. Syphilis	1	1	1	2	4	7	2	5	2	4	2·9	3	3	..	..	..	..
	2. Stricture of Urethra	2	1	2	1	..	..	1	1	..	..	·8	1	..	..	1	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	..	..	..	..	..	..	1	..	·2	..	..	..	..	..	..
	2. Want of Breast-milk	2	1	5	4	8	5	7	5	10	13	6·0	11	11	..	..	..	..
	3. Purpura and Scurvy	2	3	..	..	..	1	1	..	1	..	·8	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	3	1	3	1	2	2	4	3	2	4	2·5	3	..	1	2	..	..
	4. Alcoholism { *b* Intemperance	1	1	1	..	3	1	2	..	1	2	1·2	4	..	..	3	1	..
	ORDER 4.																	
	1. Thrush	2	7	1	5	2	5	3	2	2	3	3·2	3	3	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	3	1	..	1	1	..	1	..	1	..	·8	..	..	..	..	..	..
	2. Dropsy	13	15	18	17	15	9	21	12	8	12	14·0	13	4	1	2	6	..
	3. Cancer	19	10	17	26	13	18	16	21	23	24	18·7	17	..	4	6	7	..
	4. Noma	..	..	..	..	2	..	..	..	..	1	·3	..	..	..	..	..	..
	5. Mortification	3	2	2	2	3	6	2	..	3	1	2·4	2	1	..	..	1	..
	ORDER 2.																	
	1. Scrofula	7	1	4	12	6	8	2	3	11	7	6·1	12	9	1	1	1	..
	2. Tabes Mesenterica	19	29	16	26	27	22	33	21	20	23	23·6	14	13	1	..	..	..
	3. Phthisis	102	106	112	144	138	106	110	115	133	148	121·4	105	22	61	21	1	..
	4. Hydrocephalus	29	27	30	31	29	25	25	19	21	29	26·5	19	19	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	4	17	8	8	7	8	14	9	13	7	9·5	6	5	..	1	..	..
	2. Apoplexy	29	30	28	26	22	20	28	24	28	24	25·9	25	7	..	5	13	..
	3. Paralysis	16	16	15	24	15	24	25	8	9	16	16·8	15	..	3	6	6	..
	4. Insanity	2	1	2	3	1	..	4	2	2	..	1·7	1	..	..	1	..	..
	5. Chorea	..	..	..	1	..	..	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	3	7	5	9	6	5	9	7	8	6	6·5	6	..	5	1	..	..
	7. Convulsions	27	43	34	41	35	29	37	31	27	26	33·0	24	24	..	..	..	..
	8. *Brain Disease, &c.*	18	17	23	17	11	4	12	16	7	10	13·5	15	4	2	2	6	1
	ORDER 2.																	
	1. Pericarditis	2	1	1	2	1	2	2	2	2	1	1·6	2	..	2	..	..	..
	2. Aneurism	1	4	1	1	3	1	1	3	1	3	1·9	..	..	..	..	..	..
	3. *Heart Disease, &c*	33	29	26	34	39	31	37	43	33	24	32·9	45	4	12	14	14	1
	ORDER 3.																	
	1. Laryngitis	3	4	4	4	4	1	3	3	1	6	3·3	2	1	..	1	..	..
	2. Bronchitis	28	33	30	48	39	46	40	33	61	39	39·7	35	15	1	5	14	..
	3. Pleurisy	2	4	5	4	1	2	3	1	1	..	2·3	..	..	..	..	..	..
	4. Pneumonia	39	48	37	47	67	63	44	36	59	40	48·0	35	21	4	5	5	..
	5. Asthma	1	3	10	8	7	6	8	4	7	6	6·0	1	..	..	1	..	..
	6. *Lung Disease, &c.*	5	5	2	11	11	5	10	11	4	3	6·7	4	1	2	1	..	..
	ORDER 4.																	
	1 Gastritis	1	3	1	1	..	..	..	..	1	..	·7	3	1	1	1	..	..
	2. Enteritis	5	4	8	9	9	5	5	4	4	11	6·4	4	3	1	..	..	..
	3. Peritonitis	7	6	3	2	3	6	5	6	4	5	4·7	3	1	2	..	..	..
	4. Ascites	7	3	1	7	2	3	2	3	3	..	3·1	1	..	..	1	..	..
	5. Ulceration of Intestines	1	1	3	1	6	1	3	2	4	1	2·3	1	..	..	1	..	..
	6. Hernia	2	..	1	1	1	1	2	2	2	3	1·5	3	1	1	..	1	..
	7. Ileus	6	1	2	1	2	1	2	2	2	..	1·9	3	..	1	2	..	..
	8. Intussusception	2	..	..	1	1	2	1	1	1	1	1·0	1	..	..	..	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTY-EIGHTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 23 1848	Sept 22 1849	Sept 21 1850	Sept 20 1851	Sept 25 1852	Sept 24 1853	Sept 23 1854	Sept 22 1855	Sept 20 1856	Sept 26 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Sept. 25, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	56°·7	55°·7	58°·4	57°·3	54°·3	54°·6	57°·1	59°·6	53°·7	59°·1	56°·7	58°·6					
	9. Stricture of Intestines	..	..	..	..	..	1	2	..	..	2	·5	2	..	1	..	1	..
	10. Fistula	..	..	..	..	..	..	..	..	2	..	·2	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	8	9	5	6	4	5	8	7	6	9	6·7	5	..	..	3	2	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	5	4	5	1	3	8	4	6	4	2	4·2	4	..	1	3	..	..
	14. Jaundice	4	1	4	3	6	7	3	5	4	6	4·3	3	1	..	1	1	..
	15. *Liver Disease, &c.*	9	14	7	9	11	11	14	7	14	13	10·9	7	..	1	3	3	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	1	1	..	..	·2	2	1	..	..	1	..
	ORDER 5.																	
	1. Nephritis	..	..	..	..	..	1	1	1	1	..	·4	2	1	..	..	..	1
	2. Ischuria	..	..	..	..	..	1	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria (Bright's disease)	4	..	4	2	3	1	4	5	7	1	3·1	1	..	1	..	..	..
	4. Diabetes	..	..	1	..	1	3	1	..	1	..	·7	2	..	1	..	1	..
	5. Stone	..	..	..	..	1	1	..	1	1	..	·4	..	..	..	..	..	..
	6. Cystitis	..	2	..	1	1	1	..	1	..	..	·6	2	..	..	..	2	..
	7. *Kidney Disease, &c.*	6	8	4	6	9	2	2	5	6	10	5·8	7	..	2	2	3	..
	ORDER 6.																	
	1. Ovarian Dropsy	2	..	1	3	1	..	2	2	1	2	1·4	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	1	2	3	4	5	2	3	..	2	4	2·6	2	..	1	1	..	..
	ORDER 7.																	
	1. Arthritis	..	1	..	..	..	..	1	1	..	..	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	1	4	3	4	3	2	3	3	2	1	2·6	5	1	2	1	1	..
	ORDER 8.																	
	1. Phlegmon	4	1	1	2	3	2	5	1	2	..	2·1	2	1	..	1	..	..
	2. Ulcer	1	..	..	..	2	..	..	5	..	2	1·0	1	..	..	..	1	..
	3. *Skin Disease, &c.*	..	1	1	..	1	1	1	1	..	3	·9	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	23	20	30	36	31	29	43	23	38	33	30·6	22	22	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												2	2	..	..	..	..
	4. Other Malformations	4	3	4	2	5	5	2	4	2	1	3·2	..	..	..	..	..	..
	5. Teething	6	6	4	11	5	10	11	7	11	10	8·1	8	8	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	1	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	2	9	3	9	4	7	..	4	3	1	4·2	3	..	1	2	..	..
	ORDER 3.																	
	1. Old Age	43	52	43	38	38	42	55	33	32	40	41·6	33	..	..	..	15	18
	ORDER 4.																	
	1. Atrophy and Debility	32	42	24	32	34	40	41	45	42	49	38·1	50	47	..	..	3	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	15	4	2	5	4	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	2	1	..	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	4	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	3	2	..	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	8	3	4	..	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	3	3	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	3	2	..	..	1	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											2	2	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	22	9	30	29	63	19	29	20	36	44	30·1	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	9	3	11	5	11	3	15	10	1	11	7·9	7	3	1	2	1	..
	Causes not specified or ill-defined	7	19	8	5	9	4	11	23	39	10	13·5	1	1	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the THIRTY-EIGHTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Sept. 23 1848	Sept. 22 1849	Sept. 21 1850	Sept. 20 1851	Sept. 25 1852	Sept. 24 1853	Sept. 23 1854	Sept. 22 1855	Sept. 20 1856	Sept. 26 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Sept. 25 1858.
Mean Temperature . . .			56·7°	55·7°	58·4°	57·3°	54·3°	54·6°	57·1°	59·6°	53·7°	59·1°	56·7°	58·6°
LONDON	78029	2362236	1038	1981	858	1097	1077	969	2504	931	1064	1002	1252·1	955
1-6. WEST DISTRICTS .	10786	376427	130	215	119	163	155	122	380	123	165	134	170·6	151
7-11. NORTH DISTRICTS .	13533	490396	170	277	167	206	191	180	303	179	205	202	208·0	201
12-19. CENTRAL DISTRICTS	1938	393256	198	271	132	178	213	141	240	150	152	149	182·4	136
20-25. EAST DISTRICTS .	6230	485522	259	449	213	234	224	242	475	239	216	245	279·6	210
26-36. SOUTH DISTRICTS .	45542	616635	281	769	227	316	294	284	1106	240	326	272	411·5	257
1. Kensington* HHHH .	7374	120004	30	51	25	48	52	46	133	42	63	46	53·6	63
2. Chelsea H*w* . . .	865	56538	27	40	31	29	25	14	75	17	23	19	30·0	23
3. St. George Hanover-sq. H	1161	73230	20	22	21	22	21	17	57	17	22	24	24·3	23
4. Westminster* HHHH .	917	65609	34	71	27	42	33	30	70	29	27	29	39·2	19
5. St. Martin-in-the-Fields H	305	24640	8	16	7	14	10	8	14	8	9	6	10·0	11
6. St. James Westminster .	164	36406	11	15	8	8	14	7	31	10	21	10	13·5	12
7. Marylebone HH . .	1509	157696	71	92	70	59	61	54	92	45	71	57	67·2	66
8. Hampstead	2252	11986	1	3	3	3	7	8	12	4	5	1	4·7	6
9. Pancras HH*w* . . .	2716	166956	58	94	57	78	78	55	87	70	68	81	72·6	70
10. Islington HHH . .	3127	95329	25	59	26	49	29	40	80	41	39	34	42·2	31
11. Hackney* H*w* . . .	3929	58429	15	29	11	17	16	23	32	19	22	29	21·3	28
12. St. Giles* H . . .	245	54214	19	27	12	38	30	24	43	20	27	19	25·9	21
13. Strand* H	173	44422	27	27	15	18	25	13	23	13	15	14	19·0	23
14. Holborn* H . . .	196	46621	34	21	13	13	23	13	14	17	17	17	18·2	12
15. Clerkenwell	380	64778	18	32	27	26	31	20	37	21	28	23	26·3	17
16. St. Luke HH . . .	220	54055	37	39	15	20	30	17	29	19	15	23	24·4	23
17. East London* . . .	153	44406	20	44	19	24	23	25	28	26	16	18	24·3	17
18. West London* H . .	137	28828	20	49	13	19	30	14	43	15	18	22	24·3	13
19. London City* . . .	434	55932	23	32	18	20	21	15	23	19	16	13	20·0	10
20. Shoreditch *w* . . .	646	109257	58	120	49	53	57	50	99	57	38	59	64·0	50
21. Bethnal Green H . .	760	90193	52	94	40	39	18	38	73	37	35	41	46·7	35
22. Whitechapel* HH . .	406	79759	46	80	33	45	39	61	101	40	39	33	51·7	45
23. St. George in the East .	243	48376	31	39	24	21	30	21	62	13	21	27	28·9	22
24*a*. Stepney*	576	54173	52	72	44	54	60	50	94	62	58	52	59·8	18
24*b*. Mile-end Old Town H*w*	681	56602												17
25. Poplar* H*w* . . .	2918	47162	20	44	23	22	20	22	46	30	25	33	28·5	23
26. St. Saviour Southwark* HH	250	35731	19	63	15	33	21	24	83	10	26	15	30·9	14
27. St. Olave Southwark* HH	169	19375	21	25	26	18	32	14	61	13	34	25	26·9	14
28. Bermondsey	688	48128	24	65	23	24	31	20	120	17	25	22	37·1	14
29. St. George Southwark .	282	51824	27	83	11	36	29	30	118	15	28	24	40·1	29
30. Newington	624	64816	20	106	29	32	23	27	145	19	32	32	46·5	18
31. Lambeth H	4015	139325	56	190	54	73	50	47	199	58	51	57	83·5	62
32. Wandsworth* . . .	11695	50764	21	31	16	14	24	24	112	14	30	14	30·0	15
33. Camberwell	4342	54667	25	41	14	24	17	16	90	27	23	21	29·8	26
34. Rotherhithe	886	17805	4	27	6	4	6	6	37	3	6	10	10·9	11
35. Greenwich* HHHHH .	5367	99365	51	117	21	46	48	67	115	50	53	36	60·4	44
36. Lewisham*	17224	34835	13	21	12	12	13	9	26	14	18	16	15·4	10

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Sept. 18. Total.	Males.	Females.	In the Week ending Sept. 25. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	148	94	54	135	81	54
45 WORKHOUSES	83	49	34	74	35	39
14 PRISONS . . . . . ‡	–	–	–	1	–	1
4 MILITARY AND NAVAL ASYLUMS . . . . §	5	5	–	6	6	–
15 GENERAL HOSPITALS	44	28	16	41	30	11
7 HOSPITALS FOR SPECIAL DISEASES	8	6	2	3	3	–
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	1	–	1
7 MILITARY AND NAVAL HOSPITALS	4	4	–	5	5	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	–	1	–	–	–
19 LUNATIC ASYLUMS	3	2	1	4	2	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 25th September 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	5	21	125	26	47	35
No.*							
1-6 WEST DISTRICTS - -	376427	-	2	15	3	5	5
7-11 NORTH DISTRICTS - -	490396	1	3	25	5	5	6
12-19 CENTRAL DISTRICTS -	393256	2	4	14	6	7	6
20-25 EAST DISTRICTS - -	485522	-	5	35	6	15	12
26-36 SOUTH DISTRICTS - -	616635	2	7	36	6	15	6
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	2	-	1	1
2 St. John Paddington H -	29053	-	-	3	2	-	-
3 Kensington Town *W* L -	29183	-	-	2	-	-	-
4 Brompton HH - -	14870	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	1	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	1	-
7 Fulham *W* LLLL - -	11886	-	-	1	1	-	1
2; 1 Chelsea South H - -	19050	-	1	1	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	1	-
3 Chelsea North-east L -	19819	-	-	-	-	-	1
3; 1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	1
3 Belgrave H - - -	40034	-	-	2	-	-	-
4; 1 St. John Westmr. HHHP	34295	-	-	-	-	1	-
2 St. Margaret West. *W* HP	31314	-	-	2	-	1	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	1	-	-	-
3 Golden-square *W* - -	14139	-	-	1	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	2	-	-	-
2 Cavendish-square - -	14687	-	-	3	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	-	-	-	-
4 St. Mary Marylebone H -	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	-	2	-	1	-
6 St. John Marylebone -	29826	-	-	-	-	-	1
8; 1 Hampstead *W* - -	11986	1	-	1	-	-	-
9; 1 Regent's Park Pancras -	31918	-	1	3	1	-	-
2 Tottenham-court *w*H -	28433	-	-	2	1	-	-
3 Gray's-inn-lane H -	26523	-	-	-	1	1	2
4 Somers-town - - -	35641	-	-	2	-	-	-
5 Camden-town *W* - -	21115	-	1	1	1	-	-
6 Kentish-town - - -	23326	-	-	-	-	-	-
10; 1 Islington West† *W* HHHPP	47881	-	1	2	-	2	-
2 Islington East - - -	47448	-	-	3	1	-	1
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	2	-	-	1
4 Hackney *W* H*w* - -	20850	-	-	2	-	1	-
5 South Hackney L - -	8458	-	-	-	-	-	1
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	1	1
3 St. Giles North - -	17456	2	-	1	1	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	-	1	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	1	-	1	1
14; 1 St. George-the-Martyr H.	18813	-	-	1	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	1	-	-	-
3 Saffron-hill - - -	13837	-	-	1	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	2	1	-	-	-
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - -	15625	-	-	1	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	1	-	-	-	-
3 Whitecross-street - -	13657	-	-	1	1	1	-
4 Finsbury - - - -	12941	-	-	-	-	1	-
17; 1 St. Botolph East London	23824	-	1	3	2	-	3
2 Cripplegate P - -	20582	-	-	-	-	-	1
18; 1 West London North *W* HP	12946	-	-	3	-	2	-
2 West London South P -	15882	-	-	-	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	2	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	2	-	1	1	2
2 St. Leonard Shoreditch L	19449	-	-	2	-	-	1
3 Hoxton New Town *w* -	23505	-	-	-	1	1	-
4 Hoxton Old Town - -	17431	-	-	1	1	-	-
5 Haggerstone West *W* -	20276	-	1	-	1	1	-
6 Haggerstone East - -	11351	-	-	-	1	1	1
21; 1 Hackney Road - -	23910	-	-	2	-	-	1
2 Green, Bethnal Green *W* HL	23555	-	-	2	-	-	1
3 Church, Bethnal Green -	21787	-	-	3	-	-	-
4 Town, Bethnal Green -	20941	-	-	-	-	2	2
22; 1 Artillery Whitechapel -	6769	-	-	1	-	-	1
2 Spitalfields - - -	15336	-	-	3	-	-	-
3 Mile End New Town *W* -	14543	-	-	3	-	2	-
4 Whitechapel North *W* -	12530	-	-	-	-	2	1
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	2	-
7 Aldgate H - - -	10694	-	1	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	1	3	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	1	-
3 St. John St. Geo. East *W*	9990	-	-	4	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	2	-	-	-
3 Limehouse *W* - -	22782	-	-	3	-	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	-	1	-	-
2 Mile End Old T., East. *Ww*H	27020	-	-	2	-	1	-
25; 1 Bow *w*LH - - -	18778	-	-	2	-	-	-
2 Poplar *W* - - -	28384	-	-	2	-	1	2
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	1	-	1	-
2 St. Saviour Southwark HH	19709	-	-	2	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	1	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	1	-	-
28; 1 St. James Bermondsey -	18899	1	-	1	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	1	1	-	-
3 Leather Market - -	15295	1	1	1	-	-	-
29; 1 Kent Road - - -	18126	-	-	2	-	2	-
2 Borough Road *W* P -	15862	-	-	-	1	1	-
3 London Road LP - -	17836	-	1	1	-	1	-
30; 1 Trinity Newington P -	20922	-	-	1	-	-	-
2 St. Peter Walworth *W* -	29861	-	-	-	-	-	-
3 St. Mary Newington -	14033	-	-	-	1	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	1	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	-	1
3 Lambeth Church 1st -	18409	-	-	-	-	3	-
4 Lambeth Church 2nd *W*	26784	-	1	2	-	-	-
5 Kennington 1st - -	24261	-	1	1	-	1	-
6 Kennington 2nd - -	18848	-	-	1	-	1	-
7 Brixton L - - -	14610	-	-	2	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	-	-
2 Battersea *W* - - -	10560	-	-	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	1
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	2	-	-	-
3 Peckham - - - -	19444	-	2	1	-	-	-
4 St. George Camberwell -	15849	-	-	3	-	1	2
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	1	1
35; 1 St. Paul Deptford - -	24899	-	-	1	-	1	-
2 St. Nicholas Deptford -	7071	-	1	-	-	1	-
3 Greenwich West H -	18800	-	-	6	1	-	1
4 Greenwich East *W* H -	16228	-	-	2	-	1	-
5 Woolwich Dockyard HP	17140	-	-	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	1	-	-	-
36; 1 Plumstead - - -	13191	-	-	-	1	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	1	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 25th September 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Low-est.	Range in day.	Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
September.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	19	..	29·932	62·0	44·9	17·1	53·9	53·4	75·0	33·8	64·7	62·4	0·5	5·5	0·0	— 2·0	96	Calm	N.E.	2·5	0·0	0·3	50	0·17
Monday . .	20	..	30·060	66·0	55·2	10·8	59·0	56·1	73·0	53·2	64·5	62·0	2·9	7·9	0·6	+ 3·4	93	S.W. & Calm.	Calm & N.E.	0·0	0·0	0·0	35	0·00
Tuesday .	21	..	30·008	67·7	55·2	12·5	59·0	51·6	74·6	50·0	63·9	62·2	7·4	16·0	4·8	+ 3·5	80	N.E.	N.E.	3·5	0·0	0·8	150	0·00
Wednesday	22	In Equator.	29·593	72·2	56·8	15·4	62·7	58·6	79·2	52·0	63·2	62·0	4·1	9·1	3·6	+ 7·3	88	N.E.	E.N.E. & S.S.E.	2·8	0·0	0·7	125	0·03
Thursday.	23	Full	29·530	70·7	58·9	11·8	63·2	54·6	85·0	52·0	62·2	61·5	8·6	13·1	4·8	+ 7·9	75	S.	S.W.	9·0	0·0	2·6	215	0·00
Friday . .	24	..	30·092	67·2	49·9	17·3	56·9	46·8	83·0	49·0	62·7	61·6	10·1	15·4	8·2	+ 1·9	69	W.	N.N.W.	3·0	0·0	0·8	100	0·00
Saturday.	25	..	30·380	68·7	41·5	27·2	55·2	47·0	92·0	34·0	62·7	60·2	8·2	19·1	4·6	+ 0·3	69	Calm	Calm	0·0	0·0	0·0	65	0·00
Means . .		..	29·942	67·8	51·8	16·0	58·6	52·6	80·3	46·3	63·4	61·7	6·0	12·3	3·8	+ 3·2	82	N.E.		..	..	..	Sum 740	Sum 0·20
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
September.			
Sunday . .	19	The electrical observations are at present stopped, in consequence of the necessity of renewing the mast which carries the insulating apparatus.	Cloudy throughout the day. Thick haze prevailed early in the morning. Rain began to fall at 11h. a.m., and fell generally during the remainder of the day.
Monday . .	20		Overcast till evening, partially cloudy afterwards. Fog prevailed in the morning.
Tuesday . .	21		Cloudy till noon, and at night; partially clear during the afternoon.
Wednesday	22		Generally cloudy throughout the day. Rain fell occasionally.
Thursday .	23		Cloudy throughout the day. Thick rain fell occasionally during the evening.
Friday . .	24		Generally clear during the morning, partially cloudy during the afternoon, and clear at night.
Saturday .	25		The day was fine, and the amount of cloud was small at all times.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. a.m.; noon; 3h. p.m.; 9h. p.m. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. a.m. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·99 in. at the beginning of the week to 29·91 in. by 4h. p.m. on the 19th; increased to 30·09 in. by 9h. p.m. on the 20th; decreased to 29·49 in. by noon on the 23d; increased to 30·42 in. by 9h. a.m. on the 25th; and decreased to 30·36 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 39. 1858. Vol. XIX.] Week ending Saturday, October 2. [Price $1\frac{1}{2}d$.

General Register Office, Somerset House,
October 4th, 1858.

The deaths in London, which had fallen considerably below a thousand in the previous week, rose in the week ending last Saturday, October 2d, to 1021. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1284; and as the number now returned occurred in an increased population, and the average, if raised in proportion to that increase, becomes 1412, a rate of mortality diminished to the extent shown by a comparison of these numbers, will appear an eminently favourable result. If, however, the excess of deaths that arose in epidemic seasons is withdrawn from the above average, the comparison will still give a reduction of 240, to show that the present time is unusually healthy.

Sixty-three districts of England, in which the mortality is least, have been selected, and their average rate of mortality in the last three months of the year has been ascertained. If the deaths in London last week had been according to the "healthy rate" thus obtained, and which it is useful to adopt as a standard, they would have been 770; and the actual excess, or the number of *unnatural* deaths, is 251.

It is to be regretted that scarlatina shows a constant, though not a rapid, increase. During four weeks that have elapsed since the weekly deaths from it rose above 100, the numbers have been consecutively 115, 118, 125, and (last week) 134. Of these 134 there occurred 11 under one year of age, 18 at one year, 19 at two years, the same number at three, 21 at four years, 37 at five, 5 at 10 and under 15, 4 at 20 years and upwards. To take a few of the sub-districts where scarlatina appears to be most prevalent,—there were 8 deaths from it in Islington West, 7 in Limehouse, 6 in Bow, and 5 in St. Peter Walworth.

Of 40 deaths registered last week, and placed in the tables to *violence*, 30 were accidental, 4 were by suicide, and no fewer than 6 by murder or manslaughter. Of these last, 5 were the deaths of infants.

Of five nonagenarians in the present returns three were men, and of these the oldest had attained the age of 97 years.

Last week the births of 861 boys and 865 girls, in all 1726 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1571.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·942 in. On the first three days the mean daily reading was above 30 in. The *highest* reading was 30·36 in.; and the *lowest* 29·47 in. The mean temperature of the week was 57·6°, which is 3·6° above the average of the same week in 43 years. The *highest* point attained by the thermometer in the shade was 71·8° on Wednesday; the *lowest* point was 40·1° on Friday. The entire range of the week was 31·7°. The mean daily range was 16·3°. The range of temperature on Monday and Tuesday was remarkably small, namely, 9·9° on the former day, and 6·7° on the latter. On Friday it was 25·3°. The difference between the mean dew-point temperature and air temperature was 6·4°. The mean temperature of the water of the Thames was 60·4°. The mean degree

of humidity was 78. The wind blew from the south-west on every day except Wednesday. No rain fell, except a little on Wednesday night and Thursday morning, amounting to 0·06 in.

CHELSEA; *South.*—At 8 Chelsea-market, on 27th September, the son of a block cutter, aged 4½ years, "effusion of serum in pericardium; foul air in lodging room the cause." (*Post mort.*) (*Inquest.*)

WESTMINSTER; *St. Margaret.*—At Westminster Hospital, on 26th September, a messenger at Horse Guards, aged about 48 years, "delirium tremens, with swelling of throat caused by a tobacco pipe he was smoking being accidentally thrust into his mouth by a counter-flap being suddenly raised by the barman at the "Duke of Ormond's Head," Princes Street (10 days)." (*Inquest.*)

ST. LUKE; *City-road.*—On 30th September, a female, aged 23 years, "mole pregnancy, hæmorrhage (9 days), exhaustion."

WHITECHAPEL; *Mile End New Town.*—At 16 Dunk-street, on 23d September, the son of a basket-maker, aged 9 years, "thecal whitlow (2 weeks), exhaustion (sudden)." (*Post mort.*) The medical attendant writes:—"It is difficult to assign a cause, as the whitlow (a very bad one) was nearly well, and no internal disease was discovered at the *post mortem.*"

ST. GEORGE-IN-THE-EAST; *St, Mary.*—At 12 Artichoke-hill, on 22d September, son of a mariner, aged 7 months, "choked whilst eating shrimps, by whom administered to him no evidence to show." (*Inquest.*)

BIRTHS Registered LAST WEEK, and in the THIRTY-NINTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1227	1526	1473	1484	1604	1624	1769	1707	1535	1765	1571·4	1726
Males . .	630	787	750	732	807	824	907	894	795	916	804·2	861
Females . .	597	739	723	752	797	800	862	813	740	849	767·2	865

DEATHS Registered LAST WEEK, and in the THIRTY-NINTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	1257	1611	981	958	1251	1212	2216	1160	1106	1087	1283·9	1021*
Males . .	669	825	525	473	697	685	1141	624	558	588	678·5	529
Females . .	588	786	456	485	554	527	1075	536	548	499	605·4	492

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.
BIRTHS	1470	1584	1655	1657	1553	1496	1558	1696	1531	1537	1641	1657	1726
DEATHS	1191	1173	1132	1161	1200	1147	1112	1108	1039	1060	1046	955	1021
DEATHS (except from Violence) . . .	1167	1158	1105	1127	1126	1089	1058	1067	1013	1027	1014	913	981
Deaths (except from Violence) at 60 years and upwards . .	198	208	191	153	194	174	194	167	157	163	175	159	143
Small-pox	4	3	6	1	5	3	4	6	5	3	5	5	4
Measles	71	47	50	56	44	25	22	36	20	21	27	21	26
Scarlatina	64	73	58	78	86	85	105	92	110	115	118	125	134
Whooping-cough . .	63	61	55	50	36	38	28	34	42	29	26	26	26
Typhus	43	35	35	22	34	32	43	39	30	45	46	35	56
Diarrhœa	129	126	127	168	130	121	113	146	120	69	53	47	42
Mean Temperature .	55°·9	66°·4	66°·4	59°·6	62°·4	65°·4	63°·3	59°·2	59°·4	59°·4	63°·4	58°·6	57°·6

* The deaths in the sub-district of Hackney West are not inserted above, the return having been received too late to be included in the Tables. An average of 10, derived from the returns of six previous weeks, is substituted for the true number, which is 4.

DEATHS in LONDON, from ALL CAUSES, Registered in the THIRTY-NINTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 30 1848	Sept 29 1849	Sept 28 1850	Sept 27 1851	Oct. 2 1852	Oct. 1 1853	Sept 30 1854	Sept 29 1855	Sept 27 1856	Oct. 3 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 2, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 57°·6	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	56°·7	58°·4	56°·7	54°·8	52°·2	52°·4	55°·2	56°·6	52°·9	58°·4	55°·4						
	ALL CAUSES	1257	1611	981	958	1251	1212	2216	1160	1106	1087	1283·9	1021†	581	147	134	116	33
	SPECIFIED CAUSES	1194	1565	943	945	1183	1165	2132	1101	1062	1063	1235·3	998	574	144	131	116	33
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	410	800	222	284	283	330	1167	296	278	263	433·3	345	293	25	17	8	2
II.	CONSTITUTIONAL "	196	209	212	209	228	212	224	219	217	223	214·9	189	74	60	36	16	3
III.	LOCAL "	368	354	345	282	408	362	429	317	375	345	358·5	313	115	43	69	74	12
IV.	DEVELOPMENTAL "	79	135	93	119	140	114	156	112	131	118	119·7	111	75	5	3	13	15
V.	VIOLENT DEATHS	141	67	71	51	124	147	156	157	61	114	108·9	40	17	11	6	5	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	392	779	200	265	260	300	1141	269	249	234	408·9	325	277	23	15	8	2
	2. ENTHETIC "	9	5	5	3	3	4	2	3	3	8	4·5	4	2	2	..	..	..
	3. DIETIC "	8	12	14	12	18	20	19	16	22	18	15·9	12	10	..	2	..	..
	4. PARASITIC "	1	4	3	4	2	6	5	8	4	3	4·0	4	4	..	..	..	..
II.	1. DIATHETIC "	45	42	36	36	34	39	40	38	36	38	38·4	39	11	4	9	12	3
	2. TUBERCULAR "	151	167	176	173	194	173	184	181	181	185	176·5	150	63	56	27	4	..
III.	1. DISEASES OF NERVOUS SYSTEM	133	112	121	105	132	143	147	113	113	102	122·1	105	44	14	20	26	1
	2. " OF ORGANS OF CIRCULATION	43	48	44	31	51	43	49	38	45	50	44·2	41	6	8	16	10	1
	3. " OF RESPIRATORY ORGANS	120	128	99	77	151	112	148	109	126	125	119·5	94	48	8	14	19	5
	4. " OF DIGESTIVE ORGANS	55	49	51	53	58	38	59	44	57	48	51·2	51	15	7	12	14	3
	5. " OF URINARY ORGANS	7	6	16	5	8	16	15	7	19	12	11·1	11	1	3	2	3	2
	6. " OF ORGANS OF GENERATION	7	6	2	2	4	3	4	1	2	3	3·4	5	..	1	4	..	..
	7. " OF ORGANS OF LOCOMOTION	2	4	5	5	1	3	3	2	6	2	3·3	2	..	1	..	1	..
	8. " OF INTEGUMENTARY SYSTEM	1	1	7	4	3	4	4	3	7	3	3·7	4	1	1	1	1	..
IV.	1. DEV. DISEASES OF CHILDREN	32	37	32	45	50	44	60	39	31	41	41·1	22	22	..	..	..	..
	2. " OF ADULTS	1	5	4	7	7	3	5	9	6	3	5·0	6	..	4	2	..	..
	3. " OF OLD PEOPLE	28	57	31	45	42	39	35	30	41	33	38·1	23	..	..	..	8	15
	4. DISEASES OF NUTRITION	18	36	26	22	41	28	56	34	53	41	35·5	60	53	1	1	5	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											30	12	8	4	5	1
	3. HOMICIDE *												6	5	1	..	..	..
	4. SUICIDE												4	..	2	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	141	67	71	51	124	147	156	157	61	114	108·9	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	49	39	29	8	46	31	43	50	20	14	32·9	7	2	3	2	..	..
	CAUSES NOT SPECIFIED	14	7	9	5	22	16	41	9	24	10	15·7	16†	5	..	1	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 10 is inserted for the Hackney West sub-district.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 30 1848	Sept 29 1849	Sept 28 1850	Sept 27 1851	Oct. 2 1852	Oct. 1 1853	Sept 30 1854	Sept 29 1855	Sept 27 1856	Oct. 3 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 2, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	56·7°	58·4°	56·7°	54·8°	52·2°	52·4°	55·2°	56·6°	52·9°	58·4°	55·4°	57·6°					
I.	ORDER 1.																	
	1. Small-pox	30	8	8	13	6	8	5	17	7	1	10·3	4	3	1	..	..	..
	2. Measles	15	13	13	17	5	14	14	11	13	18	13·3	26	26	..	..	..	..
	3. Scarlatina	154	30	15	41	81	47	88	45	51	35	58·7	134	130	3	1	..	..
	4. Quinsy	..	1	2	1	1	..	..	2	1	2	1·0	..	..	..	..	..	..
	5. Croup	4	4	3	1	8	8	7	14	7	9	6·5	11	11	..	..	..	..
	6. Whooping-cough	26	20	28	23	13	28	18	20	23	25	22·4	26	26	..	..	..	..
	7. Typhus (and Infantile fever)	71	72	44	49	52	58	59	50	41	52	54·8	56	31	13	7	4	1
	8. Erysipelas	12	9	5	7	6	6	9	11	4	2	7·1	6	4	..	2	..	..
	9. Metria	9	3	7	1	4	..	5	4	1	2	3·6	5	..	4	1	..	..
	10. Carbuncle	1	..	1	..	1	2	2	..	3	1	1·1	2	..	..	1	1	..
	11. Influenza	2	1	2	2	2	3	1	..	..	..	1·3	..	..	..	..	..	..
	12. Dysentery	12	13	3	3	6	2	4	3	11	4	6·1	5	4	..	1	..	..
	13. Diarrhœa	44	163	57	91	66	69	165	75	72	79	88·1	42	38	1	2	..	1
	14. Cholera	4	434	4	9	2	48	754	9	4	2	127·0	..	..	..	..	..	..
	15. Ague	..	..	2	..	1	..	..	1	..	..	·4	3	3	..	..	..	..
	16. Remittent fever	1	3	..	2	1	2	4	1	3	..	1·7	1	..	1	..	..	..
	17. Rheumatism	7	5	6	5	5	5	6	6	8	2	5·5	4	1	..	..	3	..
	ORDER 2.																	
	1. Syphilis	8	4	3	3	2	4	2	1	2	7	3·6	4	2	2	..	..	..
	2. Stricture of Urethra	1	1	2	..	1	..	..	2	1	..	·8	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	1	·1	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas.*											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	2	1	1	..	1	1	..	..	1	·8	..	..	..	..	..	..
	2. Want of Breast-milk	..	3	5	4	6	8	12	5	17	9	6·9	10	10	..	..	..	..
	3. Purpura and Scurvy	1	1	..	..	4	3	2	1	1	1	1·4	1	..	..	1	..	..
	4. Alcoholism { *a* Del. Tremens	2	2	5	5	1	4	1	8	1	2	3·1	1	..	..	1	..	..
	4. Alcoholism { *b* Intemperance	4	4	3	2	7	4	3	2	3	5	3·7	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	1	4	3	4	2	6	5	8	4	3	4·0	4	4	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	1	..	..	..	..	1	1	2	..	·5	2	..	..	..	1	1
	2. Dropsy	22	16	11	9	9	21	25	11	16	17	15·7	12	8	1	..	1	2
	3. Cancer	18	22	18	22	22	15	10	23	15	18	18·3	17	..	2	9	6	..
	4. Noma	..	..	..	..	..	..	..	1	..	1	·2	2	1	1	..	..	..
	5. Mortification	5	3	7	5	3	3	4	2	3	2	3·7	6	2	..	..	4	..
	ORDER 2.																	
	1. Scrofula	10	15	10	10	7	10	6	4	14	4	9·0	6	4	1	..	1	..
	2. Tabes Mesenterica	16	24	20	16	13	16	29	30	16	26	20·6	20	20	..	..	..	..
	3. Phthisis	100	99	113	123	141	122	119	121	134	127	119·9	103	19	54	27	3	..
	4. Hydrocephalus	25	29	33	24	33	25	30	26	17	28	27·0	21	20	1	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	11	6	17	7	6	18	20	9	10	9	11·3	5	3	1	1	..	..
	2. Apoplexy	35	28	27	26	21	31	39	41	34	20	30·2	35	10	7	10	7	1
	3. Paralysis	19	19	17	20	18	35	16	22	19	12	19·7	14	1	..	1	12	..
	4. Insanity	1	1	2	2	4	6	4	..	3	3	2·6	1	..	..	..	1	..
	5. Chorea	..	..	..	..	..	2	..	..	..	..	·2	..	..	..	..	..	..
	6. Epilepsy	7	7	7	10	17	7	8	6	2	11	8·2	9	1	3	2	3	..
	7. Convulsions	46	40	37	35	44	33	39	33	25	32	36·4	27	27	..	..	..	..
	8. *Brain Disease, &c.*	14	11	14	5	22	11	21	2	20	15	13·5	14	2	3	6	3	..
	ORDER 2.																	
	1. Pericarditis	2	2	2	3	2	4	7	4	3	5	3·4	3	2	..	..	..	1
	2. Aneurism	3	2	..	1	3	2	..	1	1	1	1·4	..	..	..	..	..	..
	3. *Heart Disease, &c.*	38	44	42	27	46	37	42	33	41	44	39·4	38	4	8	16	10	..
	ORDER 3.																	
	1. Laryngitis	2	3	2	2	2	2	7	5	3	2	3·0	2	2	..	..	..	..
	2. Bronchitis	39	44	36	40	59	39	50	43	48	42	44·0	39	15	1	12	9	2
	3. Pleurisy	3	3	4	2	2	1	2	3	2	3	2·5	3	1	1	1	..	..
	4. Pneumonia	51	68	36	25	75	52	69	45	58	69	54·8	42	30	4	1	5	2
	5. Asthma	6	4	13	5	9	8	10	4	6	6	7·1	5	..	..	..	4	1
	6. *Lung Disease, &c.*	19	6	8	3	4	10	10	9	9	3	8·1	3	..	2	..	1	..
	ORDER 4.																	
	1. Gastritis	5	1	3	4	..	..	1	..	2	3	1·9	1	..	1	..	..	..
	2. Enteritis	11	8	3	12	11	6	9	8	4	9	8·1	4	4	..	..	..	..
	3. Peritonitis	5	4	6	7	4	1	5	6	10	4	5·2	2	1	..	1	..	..
	4. Ascites	2	3	5	2	5	4	1	6	3	1	3·2	2	..	1	..	1	..
	5. Ulceration of Intestines	2	3	3	..	1	2	3	1	5	3	2·3	4	2	1	..	1	..
	6. Hernia	2	3	1	5	..	2	2	1	1	2	1·9	2	..	..	1	..	1
	7. Ileus	4	3	6	2	1	3	1	3	4	3	3·0	4	1	1	1	1	..
	8. Intussusception	1	1	..	1	1	1	1	1	..	1	·8	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the THIRTY-NINTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Sept 30 1848	Sept 29 1849	Sept 28 1850	Sept 27 1851	Oct. 2 1852	Oct. 1 1853	Sept 30 1854	Sept 29 1855	Sept 27 1856	Oct. 3 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 2, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards
	Mean Temperature	56°·7	58°·4	56°·7	54°·8	52°·2	52°·4	55°·2	56°·6	52°·9	58°·4	55°·4	57°·6					
	9. Stricture of Intestines	..	1	2	1	1	1	2	..	1	..	·9	1	..	..	1	..	..
	10. Fistula	..	..	..	2	..	..	..	..	..	..	·2	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	7	2	4	2	9	4	8	4	7	6	5·3	10	2	..	2	5	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	4	5	4	3	7	3	4	3	3	4	4·0	2	..	1	1	..	..
	14. Jaundice	..	3	4	4	4	4	8	5	6	4	4·2	9	5	..	1	2	1
	15. *Liver Disease, &c.*	12	12	10	8	14	7	14	6	11	8	10·2	10	..	2	4	4	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	1	1	..	1	..	1	1	·5	..	..	..	..	..	..
	2. Ischuria	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	3. Nephria	2	..	3	2	1	5	7	3	7	5	3·5	2	..	..	..	2	..
	4. Diabetes	..	..	3	..	1	..	1	1	2	..	·8	1	..	1	..	..	..
	5. Stone	..	2	..	..	2	..	..	..	1	1	·6	..	..	..	..	..	..
	6. Cystitis	..	..	..	..	..	1	3	1	1	1	·7	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	5	4	10	2	3	10	3	2	6	4	4·9	8	1	2	2	1	2
	ORDER 6.																	
	1. Ovarian Dropsy	3	..	1	1	2	2	2	..	1	..	1·2	1	..	1	..	..	..
	2. *Uterus Disease, &c.*	4	6	1	1	2	1	2	1	1	3	2·2	4	..	..	4	..	..
	ORDER 7.																	
	1. Arthritis	..	1	..	1	..	..	..	..	1	..	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	3	5	4	1	3	3	2	5	2	3·0	2	..	1	..	1	..
	ORDER 8.																	
	1. Phlegmon	1	1	2	2	3	2	1	1	3	1	1·7	2	1	..	1	..	..
	2. Ulcer	..	..	5	2	..	2	1	1	3	1	1·5	2	..	1	..	1	..
	3. *Skin Disease, &c.*	..	..	..	..	..	..	2	1	1	1	·5	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	21	26	20	32	33	31	44	34	28	30	29·9	10	10	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											2	2	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	4	3	4	5	6	4	2	..	1	1	3·0	..	..	..	..	..	..
	5. Teething	7	8	8	8	11	9	14	5	2	10	8·2	10	10	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	1	..	..	..	..	..	..	1	..	·2	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	1	4	4	7	7	3	5	9	5	3	4·8	6	..	4	2	..	..
	ORDER 3.																	
	1. Old Age	28	57	31	45	42	39	35	30	41	33	38·1	23	..	..	..	8	15
	ORDER 4.																	
	1. Atrophy and Debility	18	36	26	22	41	28	56	34	53	41	35·5	60	53	1	1	5	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	15	3	5	3	3	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	4	3	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	6	5	..	..	1	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											6	5	1	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	2	..	2	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	2	..	..	2	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	141	67	71	51	124	147	156	157	61	114	108·9	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	49	39	29	8	46	31	43	50	20	14	32·9	7	2	3	2	..	..
	Causes not specified or ill-defined	14	7	9	5	22	16	41	9	24	10	15·7	16†	5	..	1	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 10 is inserted for the Hackney West sub-district.

DEATHS Registered in the THIRTY-NINTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Sept. 30 1848	Sept. 29 1849	Sept. 28 1850	Sept. 27 1851	Oct. 2 1852	Oct. 1 1853	Sept. 30 1854	Sept. 29 1855	Sept. 27 1856	Oct. 3 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Oct. 2 1858.
Mean Temperature . . .			56·7°	58·4°	56·7°	54·8°	52·2°	52·4°	55·2°	56·6°	52·9°	58·4°	55·4°	57·6°
LONDON	78029	2362236	1257	1611	981	958	1251	1212	2216	1160	1106	1087	1283·9	1021
1–6. WEST DISTRICTS .	10786	376427	156	223	127	133	164	151	288	127	150	171	169·0	142
7–11. NORTH DISTRICTS .	13533	490396	236	258	212	189	214	224	282	235	218	213	228·1	204
12–19. CENTRAL DISTRICTS	1938	393256	194	260	170	163	213	171	304	180	195	181	203·1	137
20–25. EAST DISTRICTS .	6230	485522	268	375	171	190	282	301	481	271	249	249	283·7	255
26–36. SOUTH DISTRICTS .	45542	616635	403	495	301	283	378	365	861	347	294	273	400·0	283
1. Kensington* HHHH .	7374	120004	36	62	40	39	57	42	96	50	54	66	54·2	42
2. Chelsea H*w* . . .	865	56538	14	44	25	19	20	25	49	15	19	33	26·3	26
3. St. George Hanover-sq. H	1161	73230	43	32	19	21	25	39	45	21	33	19	29·7	34
4. Westminster* HHHH .	917	65609	41	55	24	36	37	22	67	18	23	27	35·0	24
5. St. Martin-in-the-Fields H	305	24640	13	15	9	7	11	11	12	8	6	11	10·3	11
6. St. James Westminster .	164	36406	9	15	10	11	14	12	19	15	15	15	13·5	5
7. Marylebone HH . .	1509	157696	100	88	92	70	67	60	101	60	78	59	77·5	63
8. Hampstead	2252	11986	3	5	8	2	3	7	8	3	4	7	5·0	5
9. Pancras HH*w* . . .	2716	166956	77	83	70	67	86	89	92	91	82	65	80·2	55
10. Islington HHH . .	3127	95329	27	52	28	30	38	40	53	57	35	57	41·7	52
11. Hackney* H*w* . . .	3929	58429	29	30	14	20	20	28	28	24	19	25	23·7	29†
12. St. Giles* H . . .	245	54214	17	44	27	22	43	20	54	21	28	32	30·8	17
13. Strand* H	173	44422	24	13	15	22	16	18	29	14	18	22	19·1	13
14. Holborn* H . . .	196	46621	20	21	24	18	22	21	32	20	26	28	23·2	21
15. Clerkenwell	380	64778	41	32	21	24	23	21	34	40	29	33	29·8	23
16. St. Luke HH . . .	220	54055	22	28	26	21	28	25	33	19	18	22	24·2	19
17. East London* . . .	153	44406	19	26	18	19	16	24	30	32	14	10	20·8	13
18. West London* H . .	137	28828	22	60	23	22	37	20	53	17	45	19	31·8	20
19. London City* . . .	434	55932	29	36	16	15	28	22	39	17	17	15	23·4	11
20. Shoreditch *w* . . .	646	109257	64	94	32	55	43	46	89	54	40	53	57·0	62
21. Bethnal Green H . .	760	90193	40	80	19	27	61	64	66	41	35	45	47·8	49
22. Whitechapel* HH . .	406	79759	64	57	46	37	68	75	129	70	48	47	64·1	32
23. St. George-in-the-East .	243	48376	30	27	20	13	21	25	45	22	30	22	25·5	21
24*a*. Stepney*	576	54173	46	75	37	32	72	61	97	60	60	53	59·3	32
24*b*. Mile-end Old Town H*w*	681	56602												27
25. Poplar* H*w* . . .	2918	47162	24	42	17	26	17	30	55	24	36	29	30·0	32
26. St. Saviour Southwark* HH	250	35731	31	42	16	18	33	29	59	22	16	27	29·3	12
27. St. Olave Southwark* HH	169	19375	18	24	20	23	23	40	49	19	22	13	25·1	26
28. Bermondsey	688	48128	25	39	24	31	23	39	104	20	35	15	35·5	10
29. St. George Southwark .	282	51824	23	35	24	34	28	24	63	17	34	22	30·4	24
30. Newington	624	64816	21	42	35	22	37	27	94	17	29	36	36·0	43
31. Lambeth H	4015	139325	55	132	37	52	50	53	166	66	57	44	71·2	50
32. Wandsworth*	11695	50764	21	19	18	16	31	19	58	19	21	15	23·7	18
33. Camberwell	4342	54667	14	45	43	19	26	19	70	35	22	31	32·4	20
34. Rotherhithe	886	17805	5	24	17	10	5	9	53	4	4	8	13·9	5
35. Greenwich* HHHHH .	5367	99365	159	86	49	45	93	81	116	96	43	48	81·6	62
36. Lewisham*	17224	84835	31	7	18	13	29	25	29	32	11	14	20·9	13

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† An average of 10 is inserted for Hackney West, instead of 4 the true number.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Sept. 25. Total.	Males.	Females.	In the Week ending Oct. 2. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	135	81	54	155	94	61
45 WORKHOUSES	74	35	39	78	41	37
14 PRISONS . . . . . ‡	1	–	1	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	6	6	–	5	5	–
15 GENERAL HOSPITALS	41	30	11	54	34	20
7 HOSPITALS FOR SPECIAL DISEASES	3	3	–	7	6	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	1	–	1	–	–	–
7 MILITARY AND NAVAL HOSPITALS	5	5	–	6	6	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	1	–	1
19 LUNATIC ASYLUMS	4	2	2	4	2	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 2d October 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	4	26	134	26	42	56
1-6	WEST DISTRICTS - -	376427	-	5	11	9	7	5
7-11	NORTH DISTRICTS - -	490396	2	6	29	3	7	9
12-19	CENTRAL DISTRICTS -	393256	2	3	20	1	6	8
20-25	EAST DISTRICTS - -	485522	-	3	43	4	8	20
26-36	SOUTH DISTRICTS - -	616635	-	9	31	9	14	14
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	1	-	2	1	-
2	St. John Paddington H -	29053	-	2	-	-	-	-
3	Kensington Town *W* L -	29183	-	1	1	-	-	-
4	Brompton HH - -	14870	-	-	-	-	-	1
5	St. Peter Hammersmith -	4467	-	-	-	-	-	-
6	St. Paul Hammersmith -	13293	-	-	-	-	1	-
7	Fulham *W* LLLL - -	11886	-	-	-	-	-	3
2; 1	Chelsea South H - -	19050	-	1	1	-	-	-
2	Chelsea North-west *Ww*	17669	-	-	-	2	1	-
3	Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1	Hanover Square - -	20216	-	-	2	-	-	-
2	May Fair *W* - - -	12980	-	-	-	1	-	-
3	Belgrave H - - -	40034	-	-	1	2	1	1
4; 1	St. John Westmr. HHHP	34295	-	-	3	1	1	-
2	St. Margaret West. *W* HP	31314	-	-	3	-	1	-
5; 1	Charing Cross *W* H -	12587	-	-	-	-	-	-
2	Long Acre - - -	12053	-	-	-	1	1	-
6; 1	Berwick Street - -	10798	-	-	-	-	-	-
2	St. James's Square -	11469	-	-	-	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	1	-	-	1	-
2	Cavendish-square - -	14687	-	-	-	-	-	-
3	Rectory Marylebone *W* -	27633	-	-	1	-	-	-
4	St. Mary Marylebone H	22814	-	-	1	1	1	1
5	Christchurch Marylebone	33895	-	-	3	-	-	-
6	St. John Marylebone -	29826	-	-	-	-	2	-
8; 1	Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1	Regent's Park Pancras -	31918	-	1	1	-	-	1
2	Tottenham-court *w*H -	28433	-	-	1	-	-	1
3	Gray's Inn Lane H -	26523	-	2	4	-	-	-
4	Somers Town - - -	35641	-	1	2	-	1	1
5	Camden Town *W* - -	21115	-	-	-	-	-	-
6	Kentish Town - -	23326	-	1	2	-	-	-
10; 1	Islington West† *W*HHHPP	47881	2	-	8	1	-	1
2	Islington East - -	47448	-	-	4	1	-	4
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	‡	-	-	-	-	-
4	Hackney *W* H*w* - -	20850	-	-	2	-	2	-
5	South Hackney L - -	8458	-	-	-	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	-	-	-	-	2
2	St. Giles South *W* H -	19951	-	1	1	-	1	-
3	St. Giles North - -	17456	-	-	1	-	1	1
13; 1	St. Anne Soho - -	17335	-	-	-	-	-	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15472	-	-	2	-	-	1
14; 1	St. George-the-Martyr H.	18813	-	-	3	-	-	-
2	St. Andrew, East. Holb. *W*	13971	-	1	-	-	-	-
3	Saffron Hill - - -	13837	-	-	1	-	-	-
15; 1	St. James Clerkenwell *W*P	21529	-	-	-	-	1	-
2	Amwell Clerkenwell P -	15720	-	1	-	-	-	-
3	Pentonville - - -	11904	-	-	1	-	-	-
4	Goswell-street - - -	15625	-	-	-	-	2	-
16; 1	Old-street H - - -	10617	1	-	-	-	-	1
2	City-road HL - -	16840	-	-	1	-	-	-
3	Whitecross-street - -	13657	-	-	2	-	-	-
4	Finsbury - - - -	12941	-	-	-	-	-	-
17; 1	St. Botolph East London	23824	-	-	1	1	-	-
2	Cripplegate P - -	20582	1	-	1	-	-	-
18; 1	West London North *W*HP	12946	-	-	3	-	1	2
2	West London South P -	15882	-	-	1	-	-	1
19; 1	London City South-west -	9204	-	-	2	-	-	-
2	London City North-west -	11847	-	-	-	-	-	-
3	London City South - -	11461	-	-	-	-	-	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	-	-	-	-
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	1	-	-	-
2	St. Leonard Shoreditch L	19449	-	1	1	-	1	-
3	Hoxton New Town *w* -	23505	-	1	2	1	-	-
4	Hoxton Old Town - -	17431	-	-	-	-	1	2
5	Haggerstone West *W* -	20276	-	1	1	-	-	1
6	Haggerstone East - -	11351	-	-	-	-	-	-
21; 1	Hackney-road - - -	23910	-	-	2	-	-	1
2	Green, Bethnal Green *W* HL	23555	-	-	4	-	1	2
3	Church, Bethnal Green -	21787	-	-	2	-	1	3
4	Town, Bethnal Green -	20941	-	-	2	-	-	1
22; 1	Artillery Whitechapel -	6769	-	-	-	-	-	-
2	Spitalfields - - -	15336	-	-	-	-	-	-
3	Mile End New Town *W*	14543	-	-	1	-	1	3
4	Whitechapel North *W* -	12530	-	-	1	-	-	-
5	Whitechapel Church H -	7818	-	-	-	-	-	2
6	Goodman's Fields - -	12069	-	-	-	-	-	-
7	Aldgate H - - -	10694	-	-	-	-	-	-
23; 1	St. Mary St. Geo. East -	18067	-	-	1	-	-	-
2	St. Paul St. Geo. East -	20319	-	-	-	-	-	1
3	St. John St. Geo. East *W*	9990	-	-	1	1	-	-
24*a*; 1	Shadwell *W* - - -	16179	-	-	1	-	-	-
2	Ratcliff *W* - - -	15212	-	-	4	-	-	-
3	Limehouse *W* - -	22782	-	-	7	1	-	-
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	2	-	-	3
2	Mile End Old T., East. *Ww*H	27020	-	-	1	1	1	-
25; 1	Bow *w*LH - - -	18778	-	-	6	-	2	1
2	Poplar *W* - - -	28384	-	-	3	-	-	-
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	-	-	2	-
2	St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1	St. Olave Southwark HH	8015	-	-	-	-	-	-
2	St. John Horsleydown *W*	11360	-	-	-	-	-	2
28; 1	St. James Bermondsey -	18899	-	2	-	-	-	-
2	St. Mary Magdalen *W* -	13934	-	-	-	1	-	-
3	Leather Market - -	15295	-	-	-	-	1	1
29; 1	Kent-road - - -	18126	-	-	2	-	-	2
2	Borough-road *W* P -	15862	-	-	-	-	-	-
3	London-road LP - -	17836	-	2	-	-	1	-
30; 1	Trinity Newington P -	20922	-	-	-	-	-	-
2	St. Peter Walworth *W* -	29861	-	-	5	-	2	-
3	St. Mary Newington -	14033	-	-	2	-	1	1
31; 1	Waterloo-road 1st - -	14088	-	1	-	1	-	1
2	Waterloo-road 2nd H -	18348	-	-	-	1	1	-
3	Lambeth Church 1st -	18409	-	-	-	-	2	-
4	Lambeth Church 2nd *W*	26784	-	-	1	-	-	1
5	Kennington 1st - -	24261	-	2	-	1	-	1
6	Kennington 2nd - -	18848	-	-	-	-	-	-
7	Brixton L - - -	14610	-	-	2	-	-	-
8	Norwood *W* - - -	3977	-	-	-	-	-	1
32; 1	Clapham L - - -	16290	-	1	-	-	-	1
2	Battersea *W* - - -	10560	-	-	3	-	-	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	1	-	-	-
5	Streatham - - -	9023	-	-	1	1	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	-	1	-	-	-
3	Peckham - - - -	19444	-	-	1	1	-	1
4	St. George Camberwell -	15849	-	-	1	-	-	-
34; 1	Rotherhithe *W* - -	17805	-	-	1	1	-	-
35; 1	St. Paul Deptford - -	24899	-	-	2	-	2	-
2	St. Nicholas Deptford -	7071	-	-	-	-	-	-
3	Greenwich West H -	18800	-	-	4	-	1	1
4	Greenwich East *W* H -	16228	-	-	-	-	-	-
5	Woolwich Dockyard HP	17140	-	-	2	1	-	-
6	Woolwich Arsenal HPH	15227	-	-	1	-	-	1
36; 1	Plumstead - - -	13191	-	-	1	1	1	-
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	-	-	-	-	-
4	Lewisham Village *W* -	6097	-	1	-	-	-	-
5	Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ The return received too late for insertion above. It contains one death from *diarrhœa*.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 2d October 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
September.																								
Sunday .	26	..	30·297	67·5	47·5	20·0	56·9	53·3	77·5	48·0	61·7	59·2	3·6	12·4	2·3	+ 2·2	84	S.W.	Calm	0·0	0·0	0·0	25	0·00
Monday .	27	..	30·120	66·0	56·1	9·9	59·3	51·1	73·5	54·0	62·2	59·7	8·2	11·6	3·6	+ 4·8	77	Calm	S.W.	0·0	0·0	0·0	75	0·00
Tuesday .	28	..	30·059	60·2	53·5	6·7	56·9	53·8	62·0	55·0	61·7	59·4	3·1	5·1	1·7	+ 2·6	89	S.W.	Calm	0·0	0·0	0·0	30	0·00
Wednesday	29	Greatest Dec. N. Perigee.	29·784	71·8	55·3	16·5	61·6	54·9	85·0	51·8	61·2	59·2	6·7	15·8	2·9	+ 7·6	79	Calm & S.E.	E. & S.E.	0·0	0·0	0·0	65	0·00
Thursday .	30	Last Quarter.	29·549	70·5	52·5	18·0	59·2	52·3	85·0	52·0	61·7	60·2	6·9	14·2	1·9	+ 5·4	79	S.W.	N.W.	4·0	0·0	0·5	155	0·06
October.																								
Friday . .	1	..	29·892	65·4	40·1	25·3	52·5	44·4	88·0	31·0	60·7	59·2	8·1	20·3	4·8	— 1·0	68	S.W.	S.W.	3·5	0·0	0·3	205	0·00
Saturday .	2	..	29·894	67·5	49·8	17·7	57·1	48·5	87·0	43·2	60·7	59·2	8·6	19·6	4·2	+ 3·7	71	S.W.	S.W.	3·5	0·0	1·2	260	0·00
Means . .		..	29·942	67·0	50·7	16·3	57·6	51·2	79·7	47·9	61·4	59·4	6·5	14·1	3·1	+ 3·6	78	S.W.		..	..	..	Sum 815	Sum 0·06
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
September.			
Sunday . .	26		Overcast throughout the day. Haze was prevalent during the earlier portion of the morning.
Monday. .	27		Cloudy till evening, clear afterwards. Hazy during the morning.
Tuesday .	28		Overcast throughout the day.
Wednesday	29		Partially cloudy till evening; overcast afterwards. Rain fell at night.
Thursday .	30		Generally cloudy till noon, at other times of the day the amount of cloud was small. Rain fell during the morning.
October.			
Friday . .	1		During the afternoon the sky was partially cloudy, clear at other times.
Saturday .	2		Partially cloudy till evening, occasionally clear afterwards.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 30·36 in. at the beginning of the week to 29·47 in. by 9h. A.M. on September 30th; increased to 29·92 in. by 9h. A.M. on October 1st; decreased during the day to 29·88 in. by 9h. P.M.; increased to 29·92 in. by 9h. A.M. on the 3d; and decreased to 29·89 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 40. 1858. Vol. XIX.] Week ending Saturday, October 9. [Price 1½d.

General Register Office, Somerset House,
October 11th, 1858.

The Deaths in London, which had been in the previous week 1021, declined in the week ending Saturday October 9th to 993. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1073; but as the deaths returned for last week occurred in an increased population, the average, with a view to comparison, should be raised in proportion to the increase, a correction which will make it 1180. When the deaths from cholera in epidemic seasons are eliminated from the calculation, the comparison will show that the deaths in the present return are less by about a hundred than would have resulted from the average rate of mortality at the beginning of October.

Sixty-three districts of England, in which the mortality is least, have been selected, and their average rate of mortality in the last three months of the year has been ascertained. If the deaths in London last week had been according to "the healthy rate" thus obtained, and which it is useful to adopt as a standard, they would have been 770; and the actual excess, or the number of *unnatural* deaths, is 223.

The mortality from scarlatina continues to increase; the deaths from it having risen from 125 and 134 in the two previous weeks to 145 last week. All of these 145 deaths, with the exception of 10, occurred to children under 10 years of age. The corrected average of this disease for ten corresponding weeks is 76. It reached a higher mortality than the present return shows in the first week of October 1848, when the deaths from it rose to 180. Six deaths from scarlatina were registered last week in the sub-district of St. Margaret, Westminster; 6 in Islington East; 7 in Bow.

Of 41 *violent* deaths registered last week, 11 were cases of suicide.

Last week the births of 810 boys and 711 girls, in all 1521 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1382.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·685 in. The barometric pressure varied from 29·20 in. to 29·92 in. The mean temperature of the air in the week was 52·1°, which is 0·4° below the average of the same week in 43 years (as determined by Mr. Glaisher). The thermometer in the shade attained its *highest* point on Sunday, when it was 69·5°; it fell to its lowest point on Saturday, when it was 35·4°; the range of the week was therefore 34·1°. The mean daily range was 19·7°. The difference between the mean dew-point temperature and air temperature was 6·9°. The mean temperature of the water of the Thames was 58·1°. The mean degree of humidity of the air was 75. The wind was nearly always south-west. The rain-fall was 0·47 in.

In the thirteen Weeks ending Saturday, October 2d, 14,345 deaths were registered in London; a number which differs little from that of the same quarter of last year, when it was 14,259. The mean temperature of the quarter was 61°, which is lower by 2·3° than that of the corresponding period of last year, but higher than those of the preceding three years. Of the 14,345 deaths, 5,032 attributed to diseases of the zymotic character, constitute a high proportion, which is drawn to the extent of more than four fifths from the youngest of the population. Scarlatina has carried off many children, and it has increased manifestly during the latter half of the quarter. The deaths referred to it are 1,243, and are more numerous than in any of the corresponding quarters of 1854–57, in which the numbers varied from 349 to 978. Croup and whooping-cough also exhibit an increase on those quarters. Diarrhœa and summer cholera have been perceptibly less fatal than usual. In the summer quarter of 1857 the deaths from the former of these complaints were 2,343, from the latter 177; while the respective numbers of the quarter now terminated are 1,391 and 90.

Of 500 deaths produced by *means of violence*, 412 were the results of accident or negligence, 21 were by murder or manslaughter, and 67 by suicide.

BIRTHS Registered LAST WEEK, and in the FORTIETH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1273	1182	1402	1429	1350	1375	1402	1445	1596	1368	1382·2	1521
Males . .	642	631	680	729	697	727	711	715	828	690	705·0	810
Females .	631	551	722	700	653	648	691	730	768	678	677·2	711

DEATHS Registered LAST WEEK, and in the FORTIETH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1005	1290	893	1014	984	1001	1532	951	1071	993	1073·4	993†
Males . .	502	622	465	534	496	505	734	484	540	476	535·8	497
Females .	503	668	428	480	488	496	798	467	531	517	537·6	496

DEATHS Registered in the FORTIETH WEEK of each of the Eleven Years 1848–58.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Oct. 7 1848	Oct. 6 1849	Oct. 5 1850	Oct. 4 1851	Oct. 9 1852	Oct. 8 1853	Oct. 7 1854	Oct. 6 1855	Oct. 4 1856	Oct. 10 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Oct. 9 1858.
Mean Temperature . . .			60°·3	51°·2	52°·0	53°·2	46°·3	48°·6	53°·6	56°·2	55°·3	50°·7	52°·7	52°·1
LONDON	78029	2362236	1005	1290	893	1014	984	1001	1532	951	1071	993	1073·4	993
1-6. WEST DISTRICTS .	10786	376427	139	179	123	151	145	146	201	162	166	178	159·0	136
7-11. NORTH DISTRICTS .	13533	490396	173	194	178	207	183	189	235	187	207	192	194·5	204
12-19. CENTRAL DISTRICTS	1938	393256	169	215	138	182	182	154	191	158	164	166	171·9	166
20-25. EAST DISTRICTS .	6230	485522	220	317	202	193	206	205	348	210	210	223	233·4	221
26-36. SOUTH DISTRICTS .	45542	616635	304	385	252	281	268	307	557	234	324	234	314·6	266
1. Kensington* HHHH .	7374	120004	39	53	47	33	47	45	64	52	56	45	48·1	39
2. Chelsea Hw . . .	865	56538	24	29	26	27	25	20	39	24	25	22	26·1	30†
3. St. George Hanover-sq. H	1161	73230	24	37	16	33	26	25	49	28	33	52	32·3	25
4. Westminster* HHHH .	917	65609	36	35	18	29	32	35	31	40	30	33	31·9	34
5. St. Martin-in-the-Fields H	305	24640	11	13	7	14	5	12	11	10	11	9	10·3	3
6. St. James Westminster .	164	36406	5	12	9	15	10	9	7	8	11	17	10·3	5
7. Marylebone HH . .	1509	157696	59	59	59	72	75	54	68	50	70	59	62·5	66
8. Hampstead	2252	11986	8	3	1	6	3	3	7	4	3	11	4·9	6
9. Pancras HHw . . .	2716	166956	57	71	66	73	56	68	76	66	59	59	65·1	69
10. Islington HHH . .	3127	95329	28	27	34	39	28	46	54	42	50	44	39·2	42
11. Hackney* Hw . . .	3929	58429	21	34	18	17	21	18	30	25	25	19	22·8	21
12. St. Giles* H . . .	245	54214	10	29	17	23	30	22	25	26	30	28	24·0	19
13. Strand* H	173	44422	17	22	14	21	26	17	18	15	26	21	19·7	16
14. Holborn* H . . .	196	46621	22	19	16	18	16	9	17	11	15	19	16·2	19
15. Clerkenwell	380	64778	32	29	25	30	25	24	24	30	11	34	26·4	32
16. St. Luke HH . . .	220	54055	25	29	18	17	39	26	30	25	28	13	25·0	22
17. East London* . . .	153	44406	17	29	14	30	18	24	27	18	22	10	20·9	17
18. West London* H . .	137	28828	27	34	14	19	11	18	30	16	19	20	20·8	19
19. London City* . . .	434	55932	19	24	20	24	17	14	20	17	13	21	18·9	22
20. Shoreditch w . . .	646	109257	43	80	38	40	49	47	76	42	57	52	52·4	54
21. Bethnal Green H . .	760	90193	41	54	19	30	30	36	45	31	35	33	35·4	34
22. Whitechapel* HH . .	406	79759	51	66	53	52	39	31	67	45	32	40	47·6	31
23. St. George in the East .	243	48376	21	23	26	21	27	24	38	26	15	24	24·5	20
24a. Stepney*	576	54173	46	62	45	32	34	43	76	40	52	41	47·1	26
24b. Mile-end Old Town Hw	681	56602												24
25. Poplar* Hw . . .	2918	47162	18	32	21	18	27	24	46	26	19	33	26·4	32
26. St. Saviour Southwark* HH	250	35731	26	24	12	20	25	20	48	19	12	11	21·7	16
27. St. Olave Southwark* HH	169	19375	20	20	22	27	4	16	32	14	21	16	19·2	22
28. Bermondsey	688	48128	19	37	27	21	13	31	58	15	18	16	25·5	19
29. St. George Southwark .	282	51824	27	38	32	12	24	40	37	11	23	16	26·0	27
30. Newington	624	64816	27	47	27	27	31	38	49	17	28	15	30·6	32
31. Lambeth H	4015	139325	76	83	51	60	61	43	118	60	61	42	65·5	52
32. Wandsworth* . . .	11695	50764	10	23	14	16	20	20	39	11	27	22	20·2	12
33. Camberwell	4342	54667	27	28	23	21	23	37	41	28	20	18	26·6	17
34. Rotherhithe	886	17805	11	10	9	8	4	7	26	2	16	8	10·1	6
35. Greenwich* HHHHH .	5367	99365	49	62	21	52	47	41	87	47	71	51	52·8	45
36. Lewisham*	17224	34835	12	13	14	17	16	14	22	10	27	19	16·4	18

* See Return No. 39, page 318.

† Averages of 6, 8, and 1 are inserted for the sub-districts of Chelsea North-east, Borough-road, and Eltham, instead of the true numbers, which are respectively 17, 4, and 0.

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTIETH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 7 1848	Oct. 6 1849	Oct. 5 1850	Oct. 4 1851	Oct. 9 1852	Oct. 8 1853	Oct. 7 1854	Oct. 6 1855	Oct. 4 1856	Oct. 10 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 9, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	60°·3	51°·2	52°·0	53°·2	46°·3	48°·6	53°·6	56°·2	55°·3	50°·7	52°·7	52°·1					
	ALL CAUSES . . .	1005	1290	893	1014	984	1001	1532	951	1071	993	1073·4	993†	557	135	137	123	26
	SPECIFIED CAUSES .	987	1268	866	977	970	989	1514	922	1046	985	1052·4	963	548	131	136	122	26
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	436	630	212	277	228	335	798	271	287	259	373·3	347	297	17	17	16	..
II.	CONSTITUTIONAL „ .	167	172	190	198	206	200	235	200	226	220	201·4	207	64	69	55	16	3
III.	LOCAL „ .	279	320	335	322	382	343	332	297	365	342	331·7	260	101	34	53	66	6
IV.	DEVELOPMENTAL „ .	89	130	89	109	129	106	142	135	113	126	116·8	108	72	1	2	18	15
V.	VIOLENT DEATHS . .	16	16	40	71	25	5	7	19	55	38	29·2	41	14	10	9	6	2
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	428	612	192	259	211	321	778	257	254	246	355·8	330	284	16	14	16	..
	2. ENTHETIC „ . .	4	..	3	4	3	7	7	1	7	2	3·8	6	5	..	1	..	..
	3. DIETIC „ . .	1	12	12	11	10	5	10	9	23	10	10·3	8	5	1	2	..	..
	4. PARASITIC „ . .	3	6	5	3	4	2	3	4	3	1	3·4	3	3	..	..	..	..
II.	1. DIATHETIC „ . .	45	32	25	31	38	45	36	35	39	36	36·2	38	3	1	17	14	3
	2. TUBERCULAR „ . .	122	140	165	167	168	155	199	165	187	184	165·2	169	61	68	38	2	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	81	97	119	109	124	105	93	87	98	104	101·7	84	39	5	18	19	3
	2. „ OF ORGANS OF CIRCULATION .	36	23	37	39	32	31	42	30	48	27	34·5	41	5	7	9	20	..
	3. „ OF RESPIRATORY ORGANS . .	107	123	103	98	144	136	114	107	143	137	121·2	70	45	6	10	7	2
	4. „ OF DIGESTIVE ORGANS . . .	41	59	55	55	59	47	51	47	35	50	49·9	46	10	9	10	16	1
	5. „ OF URINARY ORGANS . . .	9	9	8	12	13	19	14	13	22	10	12·9	15	1	6	4	4	..
	6. „ OF ORGANS OF GENERATION .	2	3	3	3	2	1	8	3	8	5	3·8	1	..	..	1	..	..
	7. „ OF ORGANS OF LOCOMOTION .	2	4	4	5	3	1	3	4	7	2	3·5	2	1	1	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM .	1	2	6	1	5	3	7	6	4	7	4·2	1	..	..	1	..	..
IV.	1. DEV. DISEASES OF CHILDREN	23	44	27	41	41	25	50	53	43	48	39·5	34	34	..	..	..	..
	2. „ OF ADULTS .	4	3	5	1	5	2	11	10	5	5	5·1	2	..	1	1	..	..
	3. „ OF OLD PEOPLE	42	48	33	49	48	33	39	41	30	34	39·7	31	..	..	..	17	14
	4. DISEASES OF NUTRITION .	20	35	24	18	35	46	42	31	35	39	32·5	41	38	..	1	1	1
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											28	12	6	4	4	2
	* 3. HOMICIDE												2	2	..	..	..	..
	4. SUICIDE												11	..	4	5	2	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	16	16	40	71	25	5	7	19	55	38	29·2	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	6	5	17	27	4	2	6	5	15	5	9·2	6	2	2	1	1	..
	CAUSES NOT SPECIFIED . .	12	17	10	10	10	10	12	24	10	3	11·8	24†	7	2	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† For averages, see note page 322.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 7 1848	Oct. 6 1849	Oct. 5 1850	Oct. 4 1851	Oct. 9 1852	Oct. 8 1853	Oct. 7 1854	Oct. 6 1855	Oct. 4 1856	Oct. 10 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 9, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·3	51°·2	52°·0	53°·2	46°·3	48°·6	53°·6	56°·2	55°·3	50°·7	52°·7	Mean Temp. 52°·1					
I.	ORDER 1.																	
	1. Small-pox	31	8	10	18	5	2	6	20	6	3	10·9	1	1	..	..	..	..
	2. Measles	17	14	7	17	3	13	10	8	24	21	13·4	36	36	..	..	..	..
	3. Scarlatina	180	39	31	48	70	58	105	63	47	52	69·3	145	143	2	..	..	..
	4. Quinsy	1	2	1	2	..	2	2	..	3	..	1·3	4	3	..	1	..	..
	5. Croup	1	6	10	5	6	10	11	9	6	13	7·7	13	13	..	..	..	..
	6. Whooping-cough	31	27	27	21	16	33	20	34	26	26	26·1	28	28	..	..	..	..
	7. Typhus (and Infantile fever)	67	54	36	61	47	51	88	54	49	57	56·4	42	19	10	6	7	..
	8. Erysipelas	12	14	7	7	5	5	8	8	7	9	8·2	5	2	..	3	..	..
	9. Metria	8	2	2	2	1	2	1	3	2	3	2·6	3	1	2	..	..	..
	10. Carbuncle	..	2	..	2	..	..	2	1	1	1	·9	..	..	..	..	..	..
	11. Influenza	2	2	..	..	3	..	1	..	1	..	·9	..	..	..	..	..	..
	12. Dysentery	12	11	6	3	5	1	4	2	3	12	5·9	6	4	1	..	1	..
	13. Diarrhœa	47	135	41	63	43	71	98	51	64	41	65·4	44	34	..	2	8	..
	14. Cholera	13	288	7	4	1	66	411	..	2	1	79·3	..	..	..	..	..	..
	15. Ague	..	..	..	..	1	..	..	..	2	..	·3	..	..	..	..	..	..
	16. Remittent Fever	2	..	3	1	1	3	4	1	3	1	1·9	..	..	..	..	..	..
	17. Rheumatism	4	8	4	5	4	4	7	3	8	6	5·3	3	..	1	2	..	..
	ORDER 2.																	
	1. Syphilis	4	..	2	3	3	6	4	1	5	1	2·9	5	5	..	..	..	..
	2. Stricture of Urethra	..	..	1	1	..	1	3	..	2	1	·9	1	..	..	1	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	..	..	..	..	..	1	1	..	·3	..	..	..	..	..	..
	2. Want of Breast-milk	..	5	5	3	3	3	8	4	16	8	5·5	4	4	..	..	..	..
	3. Purpura and Scurvy	..	2	1	2	1	..	..	1	..	1	·8	2	1	..	1	..	..
	4. Alcoholism { *a* Del. Tremens	1	4	3	6	3	1	2	3	1	1	2·5	1	..	1	..	..	..
	4. Alcoholism { *b* Intemperance	..	..	3	..	3	1	..	..	5	..	1·2	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	3	6	5	3	4	2	3	4	3	1	3·4	3	3	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	1	1	..	2	3	2	1	..	2	1·2	..	..	..	..	..	..
	2. Dropsy	28	9	11	15	15	8	15	6	10	14	13·1	14	3	..	3	8	..
	3. Cancer	13	19	13	13	15	32	16	23	22	19	18·5	20	..	1	13	5	1
	4. Noma	..	..	..	..	..	..	1	..	2	..	·3	..	..	..	..	..	..
	5. Mortification	4	3	..	3	6	2	2	5	5	1	3·1	4	..	..	1	1	2
	ORDER 2.																	
	1. Scrofula	7	11	6	6	11	12	13	6	2	7	8·1	5	4	1	..	..	..
	2. Tabes Mesenterica	10	17	19	21	21	18	29	20	18	15	18·8	20	19	1	..	..	..
	3. Phthisis	88	92	111	119	111	106	133	117	148	137	116·2	126	21	66	37	2	..
	4. Hydrocephalus	17	20	29	21	25	19	24	22	19	25	22·1	18	17	..	1	..	..
III.	ORDER 1.																	
	1. Cephalitis	5	9	14	9	12	8	10	8	3	6	8·4	10	8	..	2	..	..
	2. Apoplexy	20	20	33	33	28	19	20	15	26	30	24·4	21	3	1	3	11	3
	3. Paralysis	15	15	20	14	24	19	17	20	21	18	18·3	13	..	..	8	5	..
	4. Insanity	1	2	..	1	1	6	4	1	1	..	1·7	..	..	..	..	..	..
	5. Chorea	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	7	4	5	5	8	9	6	2	4	7	5·7	4	2	..	1	1	..
	7. Convulsions	25	38	37	40	42	31	33	26	33	36	34·1	22	22	..	..	..	..
	8. *Brain Disease, &c.*	8	9	10	7	8	13	3	15	10	7	9·0	14	4	4	4	2	..
	ORDER 2.																	
	1. Pericarditis	5	3	2	..	..	1	2	2	..	1	1·6	1	..	..	1	..	..
	2. Aneurism	2	2	4	2	1	1	..	..	..	1	1·3	2	..	..	..	2	..
	3. *Heart Disease, &c.*	29	18	31	37	31	29	40	28	48	25	31·6	38	5	7	8	18	..
	ORDER 3.																	
	1. Laryngitis	2	3	2	2	..	1	5	3	5	4	2·7	4	4	..	..	..	..
	2. Bronchitis	32	37	37	39	55	44	40	48	55	63	45·0	32	16	3	8	4	1
	3. Pleurisy	..	2	1	3	4	1	2	..	4	4	2·1	1	..	..	..	..	1
	4. Pneumonia	58	71	47	43	70	75	60	46	68	56	59·4	21	21	..	..	..	..
	5. Asthma	6	6	9	3	7	8	5	6	5	9	6·4	4	..	..	2	2	..
	6. *Lung Disease, &c.*	9	4	7	8	8	7	2	4	6	1	5·6	8	4	3	..	1	..
	ORDER 4.																	
	1 Gastritis	3	2	..	1	1	3	1	1	1	..	1·3	1	1	..	..	..	..
	2. Enteritis	4	11	7	6	12	10	5	7	3	7	7·2	5	3	..	1	1	..
	3. Peritonitis	5	6	2	4	4	4	5	5	4	2	4·1	4	1	3	..	..	..
	4. Ascites	3	7	2	1	5	2	2	2	..	4	2·8	3	..	..	..	3	..
	5. Ulceration of Intestines	2	..	4	4	4	5	..	3	3	3	2·8	3	..	2	1	..	..
	6. Hernia	4	2	1	2	1	..	2	..	2	1	1·5	2	..	..	1	1	..
	7. Ileus	1	1	3	..	6	5	5	2	3	2	2·8	2	..	..	..	2	..
	8. Intussusception	1	1	..	2	2	..	..	2	2	1	1·1	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FORTIETH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 7 1848	Oct. 6 1849	Oct. 5 1850	Oct. 4 1851	Oct. 9 1852	Oct. 8 1853	Oct. 7 1854	Oct. 6 1855	Oct. 4 1856	Oct. 10 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 9, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	60°·3	51°·2	52°·0	53°·2	46°·3	48°·6	53°·6	56°·2	55°·3	50°·7	52°·7	52°·1					
	9. Stricture of Intestines	1	..	4	3	..	..	2	2	1	..	1·3	1	..	..	..	1	..
	10. Fistula	..	..	..	1	..	2	..	..	..	..	·3	2	..	..	2	..	..
	11. *Stomach Disease, &c.*	2	10	5	4	8	2	3	5	1	2	4·2	6	1	2	1	2	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	4	1	3	6	4	3	5	3	1	4	3·4	3	..	..	1	2	..
	14. Jaundice	4	4	3	3	3	2	3	5	3	7	3·7	5	3	..	..	2	..
	15. *Liver Disease, &c.*	6	14	20	16	9	8	18	10	9	17	12·7	9	1	2	3	2	1
	16. *Spleen Disease, &c.*	1	..	1	2	..	1	..	..	2	..	·7	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	..	1	..	..	1	..	..	·2	..	..	..	..	..	..
	2. Ischuria	..	1	..	..	2	..	1	..	..	..	·4	1	..	..	1	..	..
	3. Nephria (Bright's disease)	2	2	1	1	3	7	4	4	6	2	3·2	6	..	5	1	..	..
	4. Diabetes	..	1	2	1	..	1	3	2	2	..	1·2	..	..	..	..	..	..
	5. Stone	1	..	..	..	..	..	..	1	..	..	·2	..	..	..	..	..	..
	6. Cystitis	..	1	1	..	1	..	..	1	..	..	·4	2	..	..	..	2	..
	7. *Kidney Disease, &c.*	6	4	4	10	6	11	6	4	14	8	7·3	6	1	1	2	2	..
	ORDER 6.																	
	1. Ovarian Dropsy	1	..	1	..	..	1	2	2	3	1	1·1	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	1	3	2	3	2	..	6	1	5	4	2·7	1	..	..	1	..	..
	ORDER 7.																	
	1. Arthritis	..	1	..	..	1	..	..	..	..	1	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	3	4	5	2	1	3	4	7	1	3·2	2	1	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	1	1	3	..	3	2	5	4	3	1	2·3	..	..	..	..	..	..
	2. Ulcer	..	..	3	1	1	..	2	1	..	2	1·0	1	..	..	1	..	..
	3. *Skin Disease, &c.*	..	1	..	..	1	1	..	1	1	4	·9	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	16	24	14	27	26	16	36	36	30	38	26·3	21	21	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848–57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	4	5	2	5	3	1	3	5	3	4	3·5	..	..	..	..	..	..
	5. Teething	3	15	11	9	12	8	11	12	10	6	9·7	11	11	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	1	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	4	3	5	1	5	2	11	9	5	5	5·0	2	..	1	1	..	..
	ORDER 3.																	
	1. Old Age	42	48	33	49	48	33	39	41	30	34	39·7	31	..	..	..	17	14
	ORDER 4.																	
	1. Atrophy and Debility	20	35	24	18	35	46	42	31	35	39	32·5	41	38	..	1	1	1
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	11	2	2	3	2	2
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	3	3	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	3	2	1	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	6	3	3	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	3	2	..	1	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848–57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											2	2	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	4	..	1	2	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	3	..	2	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	3	..	1	1	1	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	16	16	40	71	25	5	7	19	55	38	29·2	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	6	5	17	27	4	2	6	5	15	5	9·2	6	2	2	1	1	..
	Causes not specified or ill-defined	12	17	10	10	10	10	12	24	10	3	11·8	24†	7	2	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† For averages, see note page 322.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 9th October 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	1	36	145	28	44	42
1–6	WEST DISTRICTS - -	376427	-	5	16	6	3	5
7–11	NORTH DISTRICTS - -	490396	1	7	33	4	7	9
12–19	CENTRAL DISTRICTS -	393256	-	9	14	4	6	12
20–25	EAST DISTRICTS - -	485522	-	6	45	4	11	7
26–36	SOUTH DISTRICTS - -	616635	-	9	37	10	17	9
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	-	-	-	-	-
2	St. John Paddington H -	29053	-	-	-	-	-	2
3	Kensington Town *W* L -	29183	-	1	3	1	1	-
4	Brompton HH - -	14870	-	-	-	-	-	-
5	St. Peter Hammersmith -	4467	-	-	-	-	-	-
6	St. Paul Hammersmith -	13293	-	-	1	-	-	-
7	Fulham *W* LLLL - -	11886	-	1	-	1	-	-
2; 1	Chelsea South H - -	19050	-	1	2	-	1	1
2	Chelsea North-west *Ww*	17669	-	1	-	-	1	-
3	Chelsea North-east L -	19819	‡	-	-	-	-	-
3; 1	Hanover-square - -	20216	-	-	-	-	-	-
2	May Fair *W* - - -	12980	-	-	-	-	-	-
3	Belgrave H - - -	40034	-	-	2	3	-	2
4; 1	St. John Westmr. HHHP	34295	-	-	2	1	-	-
2	St. Margaret West. *W* HP	31314	-	1	6	-	-	-
5; 1	Charing Cross *W* H -	12587	-	-	-	-	-	-
2	Long Acre - - -	12053	-	-	-	-	-	-
6; 1	Berwick-street - -	10798	-	-	-	-	-	-
2	St. James's-square - -	11469	-	-	-	-	-	-
3	Golden-square *W* - -	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	1	3	-	-	2
2	Cavendish-square - -	14687	-	-	-	-	-	-
3	Rectory Marylebone *W* -	27633	-	-	1	1	-	1
4	St. Mary Marylebone H -	22814	-	-	2	1	1	-
5	Christchurch Marylebone	33895	-	-	3	1	-	1
6	St. John Marylebone -	29826	-	-	2	-	2	-
8; 1	Hampstead *W* - -	11986	-	-	2	-	-	-
9; 1	Regent's Park Pancras -	31918	-	-	1	-	1	1
2	Tottenham-court *w*H -	28433	-	-	3	-	-	-
3	Gray's-inn-lane H -	26523	-	1	2	-	-	-
4	Somers-town - - -	35641	-	1	-	-	1	-
5	Camden-town *W* - -	21115	-	3	4	-	-	-
6	Kentish-town - - -	23326	-	-	1	-	1	-
10; 1	Islington West† *W* HHHPP	47881	1	1	-	1	-	2
2	Islington East - - -	47448	-	-	6	-	1	2
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford-hill - - -	5549	-	-	1	-	-	-
3	West Hackney L - -	18732	-	-	-	-	-	-
4	Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5	South Hackney L - -	8458	-	-	2	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	-	1	-	-	1
2	St. Giles South *W* H -	19951	-	-	-	1	-	1
3	St. Giles North - -	17456	-	-	-	-	-	-
13; 1	St. Anne Soho - - -	17335	-	-	-	-	-	-
2	St. Mary-le-Strand - -	11615	-	-	2	-	1	-
3	St. Clement Danes H -	15472	-	-	2	-	-	-
14; 1	St. George-the-Martyr H.	18813	-	1	1	-	-	1
2	St. Andrew East. Holb. *W*	13971	-	-	2	-	-	-
3	Saffron-hill - - -	13837	-	-	-	-	-	-
15; 1	St. James Clerkenwell *W* P	21529	-	1	3	-	1	-
2	Amwell Clerkenwell P -	15720	-	-	-	1	2	1
3	Pentonville - - -	11904	-	1	-	-	1	-
4	Goswell-street - -	15625	-	-	1	-	1	-
16; 1	Old-street H - - -	10617	-	-	-	-	-	-
2	City-road HL - -	16840	-	-	-	-	-	2
3	Whitecross-street - -	13657	-	-	-	-	-	1
4	Finsbury - - - -	12941	-	1	-	1	-	1
17; 1	St. Botolph East London	23824	-	-	-	-	-	-
2	Cripplegate P - -	20582	-	1	1	1	-	1
18; 1	West London North *W* HP	12946	-	2	-	-	-	1
2	West London South P -	15882	-	-	-	-	-	-
19; 1	London City South-west -	9204	-	-	-	-	-	-
2	London City North-west -	11847	-	-	-	-	-	-
3	London City South -	11461	-	-	-	-	-	-
4	London City South-east -	10594	-	-	1	-	-	-
5	London City North-east -	12826	-	2	-	-	-	2

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	1	1	-	-
2	St. Leonard Shoreditch L	19449	-	-	1	-	1	-
3	Hoxton New Town *w* -	23505	-	1	3	1	1	2
4	Hoxton Old Town - -	17431	-	-	1	-	-	1
5	Haggerstone West *W* -	20276	-	-	4	-	-	-
6	Haggerstone East - -	11351	-	-	2	-	-	-
21; 1	Hackney Road - -	23910	-	-	1	1	1	-
2	Green, Bethnal Green *W* HL	23555	-	1	4	-	-	-
3	Church, Bethnal Green -	21787	-	-	2	-	1	1
4	Town, Bethnal Green -	20941	-	-	-	-	1	-
22; 1	Artillery Whitechapel -	6769	-	-	-	-	-	-
2	Spitalfields - - -	15336	-	-	2	-	-	-
3	Mile End New Town *W* -	14543	-	-	-	-	-	-
4	Whitechapel North *W* -	12530	-	-	1	1	1	-
5	Whitechapel Church H -	7818	-	-	1	-	-	-
6	Goodman's Fields - -	12069	-	-	1	-	-	-
7	Aldgate H - - -	10694	-	-	-	-	-	-
23; 1	St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2	St. Paul St. Geo. East -	20319	-	-	2	-	-	-
3	St. John St. Geo. East *W*	9990	-	-	1	-	-	-
24*a*; 1	Shadwell *W* - - -	16179	-	-	-	-	-	-
2	Ratcliff *W* - - -	15212	-	-	3	-	-	-
3	Limehouse *W* - -	22782	-	2	4	-	3	-
24*b*; 1	Mile End Old Town, West.	29532	-	2	1	-	1	1
2	Mile End Old T., East. *Ww*H	27020	-	-	2	-	-	-
25; 1	Bow *w*LH - - -	18778	-	-	7	-	-	2
2	Poplar *W* - - -	28384	-	-	1	-	1	-
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	1	-	-	-
2	St. Saviour Southwark HH	19709	-	-	2	2	-	-
27; 1	St. Olave Southwark HH	8015	-	1	2	-	1	1
2	St. John Horsleydown *W*	11360	-	-	-	-	1	-
28; 1	St. James Bermondsey -	18899	-	1	-	-	-	-
2	St. Mary Magdalen *W* -	13934	-	-	1	-	1	1
3	Leather Market - -	15295	-	1	-	-	-	-
29; 1	Kent Road - - -	18126	-	1	3	-	-	-
2	Borough Road *W* P -	15862	‡	-	-	-	-	-
3	London Road LP - -	17836	-	1	1	1	-	1
30; 1	Trinity Newington P -	20922	-	-	1	-	1	-
2	St. Peter Walworth *W* -	29861	-	1	3	1	-	-
3	St. Mary Newington -	14033	-	-	-	-	-	-
31; 1	Waterloo Road 1st - -	14088	-	-	-	-	1	-
2	Waterloo Road 2nd H -	18348	-	1	1	1	1	-
3	Lambeth Church 1st -	18409	-	1	-	-	1	-
4	Lambeth Church 2nd *W*	26784	-	-	1	2	1	1
5	Kennington 1st - -	24261	-	-	1	-	-	-
6	Kennington 2nd - -	18848	-	-	2	-	2	-
7	Brixton L - - -	14610	-	-	2	-	1	-
8	Norwood *W* - - -	3977	-	-	-	-	1	1
32; 1	Clapham L - - -	16290	-	1	-	-	-	-
2	Battersea *W* - - -	10560	-	-	1	-	-	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	-	-	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W* LL -	17742	-	-	2	-	-	-
3	Peckham - - - -	19444	-	-	1	-	-	-
4	St. George Camberwell -	15849	-	-	3	1	-	-
34; 1	Rotherhithe *W* - -	17805	-	-	-	-	-	1
35; 1	St. Paul Deptford - -	24899	-	-	2	1	1	-
2	St. Nicholas Deptford -	7071	-	-	-	-	-	-
3	Greenwich West H -	18800	-	-	3	1	2	2
4	Greenwich East *W* H -	16228	-	-	-	-	-	-
5	Woolwich Dockyard HP	17140	-	-	-	-	2	-
6	Woolwich Arsenal HPH	15227	-	-	2	-	-	-
36; 1	Plumstead - - -	13191	-	-	-	-	-	-
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	-	1	-	-	-
4	Lewisham Village *W* -	6097	-	-	1	-	-	1
5	Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ Returns received too late for insertion in the Tables. In that for Chelsea North-east are one death from whooping-cough, one from diarrhœa, and one from typhus. In Borough-road one from whooping-cough and one from diarrhœa.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 9th October 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Low-est.	Range in day.	Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
October.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	3	..	29·870	69·5	49·7	19·8	57·7	49·4	88·1	42·0	60·2	58·2	8·3	14·4	7·0	+ 4·6	71	S.W.	S.W.	5·0	0·0	2·0	90	0·00
Monday . .	4	..	29·758	69·0	52·5	16·5	58·7	48·9	82·2	45·0	60·2	58·4	9·8	18·1	4·2	+ 5·7	70	S.S.W.	S.S.W.	4·0	0·0	1·5	155	0·00
Tuesday .	5	In Equator.	29·687	62·8	43·2	19·6	50·6	44·1	81·0	39·0	59·7	57·4	6·5	10·8	4·4	— 2·2	78	S.W.	S.W.	6·0	0·0	1·5	175	0·23
Wednesday	6	..	29·878	60·5	39·5	21·0	48·8	41·6	75·2	41·5	58·7	57·2	7·2	13·4	6·7	— 3·7	72	W.S.W.	W. & S.W.	2·0	0·0	0·5	180	0·00
Thursday.	7	New.	29·247	64·0	44·7	19·3	53·7	51·9	70·0	42·5	56·7	56·2	1·8	6·1	1·4	+ 1·4	89	S.W.	W. by S.	14·0	0·0	3·5	205	0·15
Friday . .	8	..	29·594	57·5	41·3	16·2	47·6	38·1	68·0	39·0	58·7	57·2	9·5	17·0	3·1	— 4·5	69	Var.	N.W. & Calm.	2·0	0·0	0·1	75	0·09
Saturday.	9	..	29·761	61·0	35·4	25·6	47·9	42·6	79·5	30·0	57·7	57·2	5·3	14·8	1·7	— 4·0	77	W.S.W.	S.S.W.	2·5	0 0	0·2	160	0·00
Means . .		..	29·685	63·5	43·8	19·7	52·1	45·2	77·7	39·9	58·8	57·4	6·9	13·5	4·1	— 0·4	75			..	..	..	Sum 1040	Sum 0·47
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
October.			
Sunday . .	3	The electrical observations are at present stopped, in consequence of the necessity of renewing the mast which carries the insulating apparatus.	The day was fine throughout; the amount of cloud was at times very varied, and generally of the cumulus kind. A strong wind prevailed during the day.
Monday . .	4		The sky was generally covered with dense clouds, and the day throughout was very gloomy. A high wind, with thin rain, was prevalent in the evening and night.
Tuesday . .	5		The early part of the morning was fine and cloudless, but at noon the sky became overcast, and from that time till night the amount of cloud was very variable; heavy showers were of frequent occurrence, and several claps of thunder were heard between 4h. and 5h.
Wednesday	6		The day was fine, and generally but half the sky was covered; at night it became overcast.
Thursday .	7		The sky was generally covered with cirrus and cirro-cumulus throughout the day, and rain fell at intervals; heavy rain fell in the evening and night.
Friday . .	8		The day was fine, and but little cloud was present; the evening was cloudless.
Saturday .	9		During the early part of the morning the sky was cloudless; from noon the amount was very variable, and showers of rain fell frequently in the evening.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer continued at 29·89 in. from the beginning of the week till noon on the 3d; then decreased slowly to 29·66 in. by 3h. P.M. on the 5th; increased to 29·92 in. by noon on the 6th; decreased to 29·20 in. by 1h. P.M. on the 7th; increased to 29·81 in. by 9h. A.M. on the 9th; and decreased to 29·71 in. by the end of the week.

DEATHS in LONDON from ALL CAUSES *Registered in the Thirteen Weeks forming the Third for the same Thirteen*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, Sept. 30 1854	Sept. 29 1855	Sept. 27 1856	Sept. 26 1857	In the Quarter ending Saturday, Oct. 2, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°·8	60°·4	59°·9	63°·3	Mean Temp. 61°·0					
	ALL CAUSES	24870	13042	14066	14259	14345	8211	1813	1916	1910	445
	SPECIFIED CAUSES	24537	12808	13787	14054	14160	8135	1796	1890	1897	442
	(CLASSES.)										
I.	ZYMOTIC DISEASES	14918	3934	4375	4943	5032	4285	276	235	201	35
II.	CONSTITUTIONAL "	2973	2893	3008	2940	2785	1008	844	634	272	27
III.	LOCAL "	4381	3990	4204	3832	4153	1577	507	888	1061	120
IV.	DEVELOPMENTAL "	1855	1611	1738	1850	1690	1045	61	36	298	250
V.	VIOLENT DEATHS	410	380	462	489	500	220	108	97	65	10
	(ORDERS.)										
I.	1. MIASMATIC DISEASES	14591	3626	4058	4618	4688	4024	244	194	192	34
	2. ENTHETIC "	63	54	51	66	65	53	6	5	..	1
	3. DIETIC "	201	195	208	209	217	146	26	36	9	..
	4. PARASITIC "	63	59	58	50	62	62	..	..	..	..
II.	1. DIATHETIC "	482	538	500	471	491	60	54	161	192	24
	2. TUBERCULAR "	2491	2355	2508	2469	2294	948	790	473	80	3
III.	1. DISEASES OF NERVOUS SYSTEM	1564	1371	1349	1294	1461	704	130	246	340	41
	2. " OF ORGANS OF CIRCULATION	469	475	476	412	544	58	98	181	191	16
	3. " OF RESPIRATORY ORGANS	1374	1202	1357	1110	1167	605	100	180	255	27
	4. " OF DIGESTIVE ORGANS	649	646	672	708	668	153	109	202	180	24
	5. " OF URINARY ORGANS	162	130	177	158	179	19	35	51	64	10
	6. " OF ORGANS OF GENERATION	52	56	36	43	40	1	15	11	13	..
	7. " OF ORGANS OF LOCOMOTION	53	40	56	46	44	13	15	6	10	..
	8. " OF INTEGUMENTARY SYSTEM	58	70	81	61	50	24	5	11	8	2
IV.	1. DEV. DISEASES OF CHILDREN	662	567	614	625	405	405	..	..	..	..
	2. " OF ADULTS	59	62	63	64	74	4	56	14	..	..
	3. " OF OLD PEOPLE	529	416	477	491	466	..	..	..	217	249
	4. DISEASES OF NUTRITION	605	566	584	670	745	636	5	22	81	1
V.	1. ACCIDENT OR NEGLIGENCE	*	*	*	*	412	194	82	73	54	9
	†										
	3. HOMICIDE	*	*	*	*	21	18	3	..	..	..
	4. SUICIDE	*	*	*	*	67	8	23	24	11	1
	5. EXECUTION	*	*	*	*	..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	410	380	462	489	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	134	104	114	80	86	45	11	18	9	3
	CAUSES NOT SPECIFIED	199	130	165	125	99	31	6	8	4	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers,

† Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

Quarter of each of the Five Years 1854 *to* 1858; *and also the Deaths in Five Periods of Life Weeks of* 1858.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, Sept. 30 1854	Sept. 29 1855	Sept. 27 1856	Sept. 26 1857	In the Quarter ending Saturday, Oct. 2, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°·8	60°·4	59°·9	63°·3	61°·0					
I.	ORDER 1.										
	1. Small-pox	142	196	108	41	54	48	5	1	..	..
	2. Measles	210	107	393	269	466	466	..	..	..	..
	3. Scarlatina	978	534	433	349	1243	1205	24	9	4	1
	4. Quinsy	16	13	19	19	18	15	..	3	..	..
	5. Croup	97	91	101	97	115	115	..	..	..	..
	6. Whooping-cough	332	389	382	458	514	513	..	1	..	..
	7. Typhus (and Infantile fever)	687	658	579	587	495	249	109	67	62	8
	8. Erysipelas	109	76	87	60	78	35	12	20	7	4
	9. Metria	38	37	26	29	37	1	30	6	..	..
	10. Carbuncle	19	15	18	17	16	..	2	7	7	..
	11. Influenza	8	8	..	..	4	2	..	..	2	..
	12. Dysentery	70	46	73	84	73	38	6	12	15	2
	13. Diarrhœa	2069	1258	1610	2343	1391	1239	26	44	67	15
	14. Cholera	9708	106	131	177	90	67	8	6	8	1
	15. Ague	11	6	6	6	7	5	2	..	..	..
	16. Remittent fever	25	21	21	16	23	9	5	6	3	..
	17. Rheumatism	72	65	71	66	64	17	15	12	17	3
	ORDER 2.										
	1. Syphilis	47	39	44	47	60	53	6	1	..	..
	2. Stricture of Urethra	12	14	7	18	5	..	..	4	..	1
	3. Hydrophobia	4	1	..	1	..	..	..	..	..	..
	4. Glanders	*	*	*	*	..	..	..	..	..	..
	ORDER 3.										
	1. Privation	8	2	6	5	4	1	..	1	2	..
	2. Want of Breast-milk	117	118	145	134	137	137	..	..	..	..
	3. Purpura and Scurvy	13	10	12	7	11	8	1	1	1	..
	4. Alcoholism { *a* Del. Tremens	45	54	35	43	43	..	19	22	2	..
	4. Alcoholism { *b* Intemperance	18	11	10	20	22	..	6	12	4	..
	ORDER 4.										
	1. Thrush	63	59	58	50	60	60	..	..	..	..
	2. Worms, &c.	*	*	*	*	2	2	..	..	..	..
II.	ORDER 1.										
	1. Gout	8	13	17	13	20	..	..	5	13	2
	2. Dropsy	214	192	177	151	153	40	14	34	58	7
	3. Cancer	226	287	270	272	281	7	39	122	103	10
	4. Noma	4	5	3	9	5	4	1	..	..	..
	5. Mortification	30	41	33	26	32	9	..	..	18	5
	ORDER 2.										
	1. Scrofula	91	99	121	104	114	83	17	9	5	..
	2. Tabes Mesenterica	325	262	284	333	239	235	4	..	..	..
	3. Phthisis	1664	1645	1794	1636	1602	292	768	464	75	3
	4. Hydrocephalus	411	349	309	396	339	338	1	..	..	..
III.	ORDER 1.										
	1. Cephalitis	181	144	136	120	134	106	13	12	3	..
	2. Apoplexy	278	300	297	265	339	60	34	95	134	16
	3. Paralysis	310	235	243	229	253	4	25	65	143	16
	4. Insanity	28	28	16	21	20	..	4	7	7	2
	5. Chorea	4	1	2	..	2	2	..	..	..	..
	6. Epilepsy	97	88	75	84	80	15	27	23	15	..
	7. Convulsions	497	431	433	414	475	473	1	..	1	..
	8. *Brain Disease, &c.*	169	144	147	161	158	44	26	44	37	7
	ORDER 2.										
	1. Pericarditis	25	26	30	14	24	8	8	2	5	1
	2. Aneurism	14	16	23	17	13	..	4	6	2	1
	3. *Heart Disease, &c.*	430	433	423	381	507	50	86	173	184	14
	ORDER 3.										
	1. Laryngitis	43	46	41	59	41	32	..	2	7	..
	2. Bronchitis	538	491	562	474	506	202	35	83	166	20
	3. Pleurisy	32	36	29	22	26	5	7	8	5	1
	4. Pneumonia	609	492	581	455	482	346	38	60	34	4
	5. Asthma	70	50	81	57	45	1	2	11	29	2
	6. *Lung Disease, &c.*	82	87	63	43	67	19	18	16	14	..
	ORDER 4.										
	1. Gastritis	17	22	30	24	24	12	2	3	6	1
	2. Enteritis	92	96	80	98	80	45	15	8	10	2
	3. Peritonitis	43	68	68	51	62	21	18	16	6	1
	4. Ascites	23	45	35	36	26	..	6	6	11	3
	5. Ulceration of Intestines	35	27	32	33	33	9	7	12	4	1
	6. Hernia	33	32	35	35	37	3	6	11	15	2
	7. Ileus	53	37	35	37	32	7	7	6	11	1
	8. Intussusception	11	15	14	15	11	6	2	1	2	..

under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess" with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS in LONDON, from ALL CAUSES, *Registered in the Thirteen Weeks forming the Third Quarter of each of the Five Years* 1854 *to* 1858; *and also the Deaths in Five Periods of Life for the same Thirteen Weeks of* 1858—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, Sept. 30 1854	Sept. 29 1855	Sept. 27 1856	Sept. 26 1857	In the Quarter ending Saturday, Oct. 2, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	59°·8	60°·4	59°·9	63°·3	61°·0					
	9. Stricture of Intestines	18	10	8	8	16	1	3	6	6	..
	10. Fistula	3	1	6	7	4	..	3	1	..	..
	11. *Stomach Disease, &c.*	68	73	71	80	76	16	7	26	22	5
	12. *Pancreas Disease, &c.*	5	..	1	..	1	..	1	..	..	..
	13. Hepatitis	51	47	52	27	48	2	6	20	19	1
	14. Jaundice	62	47	58	66	54	23	4	9	14	4
	15. *Liver Disease, &c.*	129	122	143	187	160	5	22	77	53	3
	16. *Spleen Disease, &c.*	6	4	4	4	4	3	..	..	1	..
	ORDER 5.										
	1. Nephritis	17	5	13	5	12	5	1	4	1	1
	2. Ischuria	2	2	1	..	..	..	..	..	..	..
	3. Nephria	48	53	60	49	49	4	15	15	14	1
	4. Diabetes	14	6	13	15	10	2	2	2	4	..
	5. Stone	6	7	7	1	8	2	1	2	1	2
	6. Cystitis	11	4	8	7	9	..	1	3	5	..
	7. *Kidney Disease, &c.*	64	53	75	81	91	6	15	25	39	6
	ORDER 6.										
	1. Ovarian Dropsy	15	17	13	14	5	..	4	1	..	..
	2. *Uterus Disease, &c.*	37	39	23	29	35	1	11	10	13	..
	ORDER 7.										
	1. Arthritis	3	4	3	1	2	1	..	..	1	..
	2. *Joint Disease, &c.*	50	36	53	45	42	12	15	6	9	..
	ORDER 8.										
	1. Phlegmon	38	35	51	30	28	14	4	9	1	..
	2. Ulcer	7	22	18	19	12	3	1	1	7	..
	3. *Skin Disease, &c.*	13	13	12	12	10	7	..	1	..	2
IV.	ORDER 1.										
	1. Premature Birth	438	388	442	416	224	224	..	..	..	..
	2. Cyanosis	*	*	*	*	18	18	..	..	..	..
	3. Spina Bifida	*	*	*	*	8	8	..	..	..	..
	4. Other Malformations	39	38	50	46	17	17	..	..	..	..
	5. Teething	185	141	122	163	138	138	..	..	..	..
	ORDER 2.										
	1. Paramenia	1	..	3	..	2	2	..	..	..	..
	2. Childbirth (*see* Metria)	58	62	60	64	72	2	56	14	..	..
	ORDER 3.										
	1. Old Age	529	416	477	491	466	..	..	..	217	249
	ORDER 4.										
	1. Atrophy and Debility	605	566	584	670	745	636	5	22	81	1
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)										
	1. Fractures and Contusions	*	*	*	*	195	59	40	48	40	8
	2. Wounds	*	*	*	*	13	3	4	5	1	..
	3. Burns and Scalds	*	*	*	*	42	31	10	1	..	..
	4. Poison	*	*	*	*	13	7	1	3	2	..
	5. Drowning	*	*	*	*	90	47	24	13	6	..
	6. Suffocation	*	*	*	*	45	37	..	3	4	1
	7. Otherwise	*	*	*	*	14	10	3	..	1	..
	ORDER 3. (HOMICIDE.)										
	1. Murder and Manslaughter	*	*	*	*	21	18	3	..	..	..
	ORDER 4. (SUICIDE.)										
	1. Wounds — Gunshot	*	*	*	*	2	..	1	1	..	..
	1. Wounds — Cut, Stab	*	*	*	*	8	1	2	1	3	1
	2. Poison	*	*	*	*	16	3	5	7	1	..
	3. Drowning	*	*	*	*	13	4	5	2	2	..
	4. Hanging	*	*	*	*	20	..	7	10	3	..
	5. Otherwise	*	*	*	*	8	..	3	3	2	..
	ORDER 5. (EXECUTION.)										
	1. Hanging	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	410	380	462	489	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	134	104	114	80	86	45	11	18	9	3
	Causes not specified or ill-defined	199	130	165	125	99	31	6	8	4	..

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the 13 Weeks ending Saturday, 2d October 1858.

No.	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	54	466	1243	514	1391	495
1-6	WEST DISTRICTS - -	376427	4	49	137	80	192	69
7-11	NORTH DISTRICTS -	490396	16	72	228	88	280	98
12-19	CENTRAL DISTRICTS -	393256	16	51	143	61	193	76
20-25	EAST DISTRICTS - -	485522	9	104	333	128	336	126
26-36	SOUTH DISTRICTS -	616635	9	190	402	157	390	126
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W*H	17252	-	3	11	7	17	4
2	St. John Paddington H -	29053	-	5	15	4	6	3
3	Kensington Town *W*L -	29183	-	3	16	3	16	3
4	Brompton HH - -	14870	-	-	4	2	5	1
5	St. Peter Hammersmith -	4467	-	1	-	-	3	-
6	St. Paul Hammersmith -	13293	-	-	1	5	16	3
7	Fulham *W*LLLL - -	11886	-	-	5	3	11	4
2; 1	Chelsea South H - -	19050	2	8	5	4	12	1
2	Chelsea North-west *Ww*	17669	-	7	3	7	14	3
3	Chelsea North-east L -	19819	-	3	3	10	11	9
3; 1	Hanover-square - -	20216	-	-	3	5	5	3
2	May Fair *W* - - -	12980	-	-	3	1	1	4
3	Belgrave H - - -	40034	1	8	16	11	15	11
4; 1	St. John Westmr. HHHP	34295	-	8	14	5	28	7
2	St. Margaret West. *W*HP	31314	-	2	27	4	12	6
5; 1	Charing Cross *W*H -	12587	1	1	2	-	3	3
2	Long Acre - - -	12053	-	-	1	3	6	2
6; 1	Berwick-street - -	10798	-	-	4	4	5	1
2	St. James's-square - -	11469	-	-	2	1	2	1
3	Golden-square *W* - -	14139	-	-	2	1	4	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	8	8	1	9	5
2	Cavendish-square - -	14687	-	2	11	2	4	2
3	Rectory Marylebone *W* -	27633	-	3	8	9	16	5
4	St. Mary Marylebone H -	22814	-	-	6	3	9	1
5	Christchurch Marylebone	33895	-	2	16	5	28	6
6	St. John Marylebone -	29826	-	4	10	-	27	7
8; 1	Hampstead *W* - -	11986	1	-	2	3	5	2
9; 1	Regent's Park Pancras -	31918	-	5	14	6	16	8
2	Tottenham-court *w*H -	28433	-	2	19	6	14	3
3	Gray's-inn-lane H -	26523	-	3	13	7	10	7
4	Somers-town - - -	35641	-	12	22	5	18	5
5	Camden-town *W* - -	21115	-	8	6	6	18	6
6	Kentish-town - - -	23326	1	3	8	1	13	6
10; 1	Islington West *W*HHHPP*	47881	11	4	30	9	31	13
2	Islington East *W* - -	47448	3	9	31	15	32	9
11; 1	Stoke Newington L -	4840	-	1	-	-	2	-
2	Stamford-hill - - -	5549	-	-	1	-	2	-
3	West Hackney L - -	18732	-	2	6	4	10	7
4	Hackney *W*H*w* - -	20850	-	3	15	4	13	4
5	South Hackney L - -	8458	-	1	2	2	3	2
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	4	6	-	4	3
2	St. Giles South *W*H -	19951	-	2	6	5	12	4
3	St. Giles North - -	17456	4	-	12	7	4	4
13; 1	St. Anne Soho - - -	17335	-	1	-	1	8	-
2	St. Mary-le-Strand - -	11615	1	-	2	-	1	3
3	St. Clement Danes H -	15472	-	-	7	2	3	9
14; 1	St. George-the-Martyr H	18813	1	1	20	3	15	1
2	St. Andrew East., Holb. *W*	13971	1	3	5	1	13	1
3	Saffron-hill - - -	13837	-	1	3	3	4	1
15; 1	St. James Clerkenwell *W*P	21529	-	4	4	1	12	3
2	Amwell Clerkenwell P -	15720	-	2	4	2	6	1
3	Pentonville - - -	11904	1	3	3	-	6	-
4	Goswell-street - - -	15625	-	2	8	-	9	3
16; 1	Old-street H - - -	10617	1	1	2	3	8	2
2	City-road HL - -	16840	1	5	3	4	17	8
3	Whitecross-street - -	13657	-	1	10	2	16	2
4	Finsbury - - - -	12941	4	1	4	4	9	1
17; 1	St. Botolph, East London	23824	-	8	11	5	9	5
2	Cripplegate P - -	20582	1	5	6	4	6	5
18; 1	West London North *W*HP	12946	1	6	16	5	13	16
2	West London South P -	15882	-	1	5	-	5	2
19; 1	London City South-west -	9204	-	-	2	1	3	-
2	London City North-west -	11847	-	-	1	-	1	1
3	London City South -	11461	-	-	3	2	3	-
4	London City South-east -	10594	-	-	-	2	3	-
5	London City North-east -	12826	-	-	-	4	3	1

No.	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	8	10	5	13	6
2	St. Leonard Shoreditch L	19449	1	4	10	4	16	6
3	Hoxton New Town *w* -	23505	-	9	19	7	20	10
4	Hoxton Old Town - -	17431	-	1	12	6	21	3
5	Haggerstone West *W* -	20276	-	7	15	6	8	9
6	Haggerstone East - -	11351	-	7	4	6	16	5
21; 1	Hackney Road - -	23910	1	3	6	5	16	4
2	Green, Bethnal Green *W*HL	23555	-	2	32	4	15	6
3	Church, Bethnal Green -	21787	-	3	26	4	16	8
4	Town, Bethnal Green -	20941	4	9	10	3	22	10
22; 1	Artillery Whitechapel -	6769	-	1	4	-	4	2
2	Spitalfields - - -	15336	-	12	8	-	11	3
3	Mile End New Town *W* -	14543	-	1	6	7	23	9
4	Whitechapel North *W* -	12530	-	2	6	5	15	1
5	Whitechapel Church H -	7818	-	3	-	1	3	4
6	Goodman's Fields - -	12069	-	1	3	4	9	-
7	Aldgate H - - -	10694	-	2	2	3	8	1
23; 1	St. Mary, St. Geo. East -	18067	-	8	8	4	12	3
2	St. Paul, St. Geo. East -	20319	-	2	5	3	3	2
3	St. John, St. Geo. East *W*	9990	-	-	11	3	5	3
24*a*; 1	Shadwell *W* - - -	16179	-	3	13	4	3	-
2	Ratcliff *W* - - -	15212	-	1	13	4	6	-
3	Limehouse *W* - -	22782	-	6	29	7	5	7
24*b*; 1	Mile End Old Town, West -	29582	-	4	8	13	8	7
2	Mile End Old T., East *Ww*H	27020	1	2	19	9	20	3
25; 1	Bow *w*LH - - -	18778	2	2	27	7	20	3
2	Poplar *W* - - -	28384	-	1	27	4	18	11
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	5	8	7	20	2
2	St. Saviour Southwark HH	19709	-	24	20	6	17	5
27; 1	St. Olave Southwark HH	8015	-	10	5	-	8	7
2	St. John Horsleydown *W*	11360	-	4	6	3	5	3
28; 1	St. James Bermondsey -	18899	1	8	15	7	12	4
2	St. Mary Magdalen *W* -	13934	-	11	10	7	10	5
3	Leather Market - -	15295	2	16	3	4	16	3
29; 1	Kent Road - - -	18126	1	8	25	4	13	8
2	Borough Road *W*P -	15862	1	14	2	7	24	2
3	London Road LP - -	17836	1	9	4	3	12	5
30; 1	Trinity Newington P -	20922	-	3	31	4	13	2
2	St. Peter Walworth *W* -	29861	-	6	29	8	18	6
3	St. Mary Newington -	14033	-	-	10	5	4	3
31; 1	Waterloo Road 1st - -	14088	-	3	3	3	6	2
2	Waterloo Road 2nd H -	18348	-	1	5	7	13	3
3	Lambeth Church 1st -	18409	-	5	4	7	24	2
4	Lambeth Church 2nd *W*	26784	-	11	13	12	22	4
5	Kennington 1st - -	24261	1	13	14	7	12	2
6	Kennington 2nd - -	18848	-	-	12	1	6	1
7	Brixton L - - -	14610	-	1	13	8	2	3
8	Norwood *W* - - -	3977	-	1	-	-	-	1
32; 1	Clapham L - - -	16290	-	3	9	3	11	3
2	Battersea *W* - - -	10560	-	2	18	1	10	-
3	Wandsworth PL - -	9611	-	-	1	2	1	3
4	Putney - - - -	5280	-	2	2	1	2	1
5	Streatham - - -	9023	-	-	1	1	1	-
33; 1	Dulwich - - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL -	17742	-	1	15	-	3	3
3	Peckham - - -	19444	-	5	12	6	7	2
4	St. George Camberwell -	15849	-	-	35	5	9	2
34; 1	Rotherhithe *W* - -	17805	1	3	12	4	6	6
35; 1	St. Paul Deptford - -	24899	-	9	12	3	23	8
2	St. Nicholas Deptford -	7071	-	2	2	-	5	3
3	Greenwich West H -	18800	1	3	27	6	14	9
4	Greenwich East *W*H -	16228	-	1	6	1	2	1
5	Woolwich Dockyard HP	17140	-	-	3	4	10	4
6	Woolwich Arsenal HPH	15227	-	1	8	5	4	3
36; 1	Plumstead - - -	13191	-	4	3	4	10	2
2	Eltham - - - -	2568	-	-	-	-	3	1
3	Lee - - - -	8478	-	-	-	1	3	1
4	Lewisham Village *W* -	6097	-	1	3	-	6	1
5	Sydenham - - -	4501	-	-	1	-	3	- 1

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Han. Sq. in 2; 2. Chelsea North-west sub-district.
The Strand - - 9; 2. Tottenham-court sub-district.
East London - - 11; 4. Hackney sub-district.
St. Luke, Middlesex - 20; 3. Hoxton New Town sub-district.
London City - { 24*b*; 2. Mile End Old Town Eastern sub-district. 25; 1. Bow sub-district.

* Islington West contains the Small-pox and Fever Hospitals.

LONDON.—DEATHS in 117 PUBLIC INSTITUTIONS, registered in the 13 Weeks ending Saturday 2d October 1858.

—	DEATHS. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS	2068	1203	865
45 WORKHOUSES	1096	520	576
14 PRISONS	9	7	2
4 MILITARY AND NAVAL ASYLUMS	78	78	–
15 GENERAL HOSPITALS	676	444	232
7 HOSPITALS FOR SPECIAL DISEASES	56	41	15
4 LYING-IN HOSPITALS – Women	2	–	2
4 LYING-IN HOSPITALS – Children	7	5	2
7 MILITARY AND NAVAL HOSPITALS	52	52	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS	16	11	5
19 LUNATIC ASYLUMS	76	45	31

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
WORKHOUSES.				
	No.			
Paddington	1; 1. St. Mary Paddington	6	5	1
Kensington	1; 3. Kensington Town	12	4	8
Fulham	1; 7. Fulham	19	11	8
Chelsea	2; 2. Chelsea North-west	29	12	17
St. George Hanover Square	2; 2. *Chelsea North-west*	8	3	5
St. George Hanover Square	3; 2. May Fair	18	11	7
Westminster	4; 2. St. Margaret Westminster	27	13	14
St. Martin-in-the-Fields	5; 1. Charing Cross	17	7	10
St. James Westminster	6; 3. Golden Square	17	5	12
Marylebone	7; 3. Rectory, Marylebone	83	42	41
Hampstead	8; 1. Hampstead	8	7	1
Strand	9; 2. *Tottenham Court*	31	14	17
Pancras	9; 5. Camden Town	80	34	46
Islington	10; 1. Islington West	23	13	10
Islington (*for children*)	10; 2. Islington East	1	1	–
Hackney	11; 4. Hackney	14	6	8
East London	11; 4. *Hackney*	21	10	11
St. Giles	12; 2. St. Giles South	35	16	19
Holborn	14; 2. St. Andrew Eastern	24	13	11
Clerkenwell	15; 1. St. James Clerkenwell	35	15	20
West London	18; 1. West London North	14	8	6
Shoreditch	20; 5. Haggerstone West	51	27	24
St. Luke	20; 3. *Hoxton New Town*	35	15	20
Bethnal Green	21; 2. The Green	49	28	21
Whitechapel	22; 3. Mile End New Town	46	25	21
Whitechapel	22; 4. Whitechapel North	–	–	–
St. George-in-the-East	23; 3. St. John	35	16	19
Stepney	24*a*; 1. Shadwell	20	1	19
Stepney	24*a*; 2. Ratcliff	16	15	1
Stepney	24*a*; 3. Limehouse	3	3	–
Mile End Old Town	24*b*; 2. Eastern	14	5	9
London City	24*b*; 2. *Mile End Old Town Eastern*	5	1	4
London City	25; 1. *Bow*	32	16	16
Poplar	25; 2. Poplar	16	10	6
St. Saviour	26; 1. Christchurch	23	12	11
St. Olave	27; 2. St. John Horsleydn.	18	9	9
Bermondsey	28; 2. St. Mary Magdalen	12	8	4
St. George Southwark	29; 2. Borough Road	28	14	14
Newington	30; 2. St. Peter Walworth	25	11	14
Lambeth	31; 4. Lambeth Church 2d	58	17	41
Lambeth (*for children*)	31; 8. Norwood	1	1	–
Wandsworth	32; 2. Battersea	16	9	7
Camberwell	33; 2. Camberwell	11	5	6
Rotherhithe	34; 1. Rotherhithe	6	4	2
Greenwich	35; 4. East Greenwich	46	14	32
Lewisham	36; 4. Lewisham Village	8	4	4
PRISONS.*				
Westminster House of Correction, Tothill-fields.	4; 2. St. Margaret Westminster	2	–	2
Millbank Prison	4; 1. St. John Westmr.	–	–	–
Pentonville Prison	10; 1. Islington West	1	1	–
City Prison, Holloway	10; 1. Islington West	–	–	–
Middlesex House of Detention.	15; 1. St. James Clerkenwell	1	1	–
Middlesex House of Correction, Coldbath-fields.	15; 2. Amwell Clerkenwell	3	3	–
Whitecross Street Prison	17; 2. Cripplegate	–	–	–
Newgate	18; 1. West London North	–	–	–
Bridewell	18; 2. West London South	–	–	–
Queen's Bench Prison	29; 2. Borough Road	–	–	–
House of Occupations	29; 3. London Road	–	–	–
Surrey County Gaol, Horsemonger-lane.	30; 1. Trinity Newington	1	1	–
Surrey House of Correction	32; 3. Wandsworth	1	1	–
Convict Hulks / Hospital Ship, Unité	35; 5 & 6. Woolwich Dockyard; & Arsenal	–	–	–

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
HOSPITALS, &c.				
Military and Naval Asylums. †	No.			
Royal Hospital Greenwich, *In-Pensioners.*	35; 4. East Greenwich	59	59	–
Naval School, Royal Hospital, Greenwich, *Boys.*	35; 4. East Greenwich	–	–	–
Royal Hospital Chelsea, *In-Pensioners.*	2; 1. Chelsea South	18	18	–
Royal Military Asylum, Chelsea, *Boys.*	2; 1. Chelsea South	1	1	–
General Hospitals.				
St. Mary's	1; 2. St. John Paddington	47	26	21
St. George's	3; 3. Belgrave	64	40	24
Westminster	4; 2. St. Margaret Westminster	12	8	4
Charing Cross	5; 1. Charing Cross	40	29	11
Middlesex	7; 1. All Souls Marylebone	33	24	9
University College	9; 2. Tottenham Court	26	18	8
Royal Free Hospital	9; 3. Gray's-inn Lane	16	7	9
Great Northern	10; 1. Islington West	–	–	–
King's College	13; 3. St. Clement Danes	44	29	15
Hospital for Sick Children	14; 1. St. George the Martyr Holborn	13	5	8
St. Bartholomew's	18; 1. West London, North	130	85	45
London	22; 5. Whitechapel Church	61	46	15
Poplar	25; 1. Bow	8	8	–
Guy's	26; 2. St. Saviour	4	1	3
Guy's	27; 1. St. Olave	93	62	31
St. Thomas's	26; 2. St. Saviour	24	3	21
St. Thomas's	27; 1. St. Olave	61	53	8
Hospitals for Special Diseases.				
Cancer	1; 4. Brompton	1	–	1
Small-pox	10; 1. Islington West	9	8	1
London Fever	10; 1. Islington West	29	20	9
St. Mark's	16; 1. Old Street	–	–	–
Lock	1; 1. St. Mary Paddington	–	–	–
Consumption	1; 4. Brompton	17	13	4
City of London, for Diseases of Chest.	21; 2. The Green, Bethnal Green	–	–	–
Lying-in Hospitals.				
Queen Charlotte's	7; 4. St. Mary Marylebone Women	–	–	–
Queen Charlotte's	7; 4. St. Mary Marylebone Children	3	3	–
British	12; 2. St. Giles South Women	–	–	–
British	12; 2. St. Giles South Children	–	–	–
City of London	16; 2. City Road Women	1	–	1
City of London	16; 2. City Road Children	3	1	2
Hospital, York Road	31; 2. Waterloo, 2d Part Women	1	–	1
Hospital, York Road	31; 2. Waterloo, 2d Part Children	1	1	–
Military and Naval Hospitals.				
Grenadier Guards Hospital.	4; 1. St. John Westminster	7	7	–
Coldstream Guards Hospital.	4; 1. St. John Westminster	–	–	–
Scots Fusileer Guards Hospital.	4; 1. St. John Westminster	6	6	–
Tower	22; 7. Aldgate	1	1	–
Royal Marine Infirmary	35; 5. Woolwich Dockyard	3	3	–
Royal Artillery Hospital	35; 6. Woolwich Arsenal	10	10	–
Dreadnought Ship for Seamen.	35; 3. Greenwich West	25	25	–
Hospitals and Asylums for Foreigners.				
German Hospital	11; 4. Hackney	14	10	4
Portuguese Jews Hospital	24*b*; 2. Mile End Old Town Eastern	2	1	1
Lunatic Asylums.				
Kensington House	1; 3. Kensington Town	1	1	–
Normand House	1; 7. Fulham	–	–	–
Munster House	1; 7. Fulham	–	–	–
Otto House	1; 7. Fulham	–	–	–
Sussex and Brandenburgh House.	1; 7. Fulham	2	2	–
Blacklands House	2; 3. Chelsea North-east	3	3	–
Northumberland House	11; 1. Stoke Newington	1	1	–
Whitmore House	11; 3. West Hackney	–	–	–
Pembroke House	11; 5. South Hackney	1	1	–
St. Luke	16; 2. City Road	2	1	1
Hoxton House ‡	20; 2. St. Leonard	4	1	3
Bethnal House ‡	21; 2. Bethnal Green	12	7	5
Grove Hall ‡	25; 1. Bow	4	2	2
Bethlehem	29; 3. London Road	3	–	3
Effra Hall	31; 7. Brixton	–	–	–
Retreat	32; 1. Clapham	–	–	–
Surrey County ‡	32; 3. Wandsworth	21	13	8
Peckham House ‡	33; 2. Camberwell	16	10	6
Camberwell House ‡	33; 2. Camberwell	6	3	3

* The deaths of infant children of prisoners are not included.
† The deaths of *out-pensioners* of Greenwich and Chelsea Hospitals are not included. ‡ Asylums in which paupers are received.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 41. 1858. Vol. XIX.] Week ending Saturday, October 16. [Price 1½*d.*

General Register Office, Somerset House,
October 18th, 1858.

The deaths registered in London rose from 993 in the previous week to 1149 in the week ending Saturday, October 16th. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1020; but as the deaths of last week occurred in an increased population, the average should be raised in proportion to the increase for the purpose of comparison, and in this case it will become 1122. The number actually returned exceeds the calculated number by 27; and as the average is rather above that which would result from ordinary causes (for the cholera of two epidemic years had not entirely ceased in the second week of October), it will be seen that the mortality as shown in the present return is decidedly high.

If the rate of mortality last week had not been higher than that which has been ascertained to prevail during the last quarter of the year in the healthiest districts of England, the deaths would have been only 770; but they were 1149, and the excess which they exhibit over the healthy standard may be considered as that part of the mortality which is due to acquired conditions of insalubrity in London.

Pulmonary complaints become more frequent; the deaths from bronchitis and pneumonia, which were respectively 32 and 21 in the preceding week, were last week 71 and 64. Scarlatina makes constant progress, and has now attained a not doubtful preeminence among diseases of the zymotic class. The weekly deaths from scarlatina since September 18th have been 125, 134, 145, and 160. Twenty deaths are returned as caused by it in Marylebone, 13 in Pancras, 10 in Lambeth (chiefly Kennington), 9 in Camberwell. The present mortality from this complaint is double the average, and it is much greater than that of any corresponding week of the last ten years, except 1848, when the deaths rose to 188.

A widow died on the 14th inst. at Eagle-place, Mile-end, who is believed, on what appeared to the Registrar to be reasonable grounds, to have lived to the age of a hundred years. Two women died on the 12th inst. from want.

Last week the births of 912 boys and 855 girls, in all 1767 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1497.

Analysis of Metropolitan Waters.

The waters of the metropolis have been analysed during the month of September by Dr. Robert Dundas Thomson, F.R.S., of St. Thomas's Hospital, and have been found to possess the composition stated in the subjoined table. For the sake of comparison, the water about to be introduced for the use of the inhabitants of Glasgow is prefixed, the composition of which approaches that of distilled water. The samples with the largest amount of organic matter were taken after rain.

———	Total Impurity per gallon.	Organic Impurity per gallon.
	grs. *or* °	grs. *or* °
Distilled Water -	0·0	0·0
Loch Katrine new supply to Glasgow - - - -	2·14	0·8
THAMES COMPANIES.		
Chelsea - - -	16·92	1·56
Southwark - - - -	16·92	1·36
Lambeth - - -	18·64	1·92
Grand Junction - - -	15·80	·72
West Middlesex - - -	15·60	·52
OTHER COMPANIES.		
East London - - -	18·48	·96
New River - - -	17·60	·80
Kent - - - -	22·80	2·48

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·742 in. The barometrical readings varied from 29·25 in. to 30·09 in., which point the instrument attained on Thursday. The mean temperature of the week was 53·1°, which is 2·5° above the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average till Wednesday; and on the last four days it was from 5° to 7° above it. The *lowest* temperature was 39·7° on Tuesday; the *highest* 69° on Saturday. The entire range of the week was therefore 29·3°. The mean daily range was 17·1°. The range of Saturday 24·4°; that of Thursday only 10·5°. The mean temperature of the water of the Thames was 56·7°. The difference between the mean dew-point temperature and air temperature was 3·7°. The mean degree of humidity of the air was 85. The rain-fall of the week was 0·13 in.

ST. PANCRAS; *Tottenham-court.*—At 12 Sussex-street, on 12th October, the wife of an upholsterer, aged 51 years, "general debility and emaciation, want of proper nourishment."

POPLAR; *Bow.*—At Old Ford-road, on 12th October, the wife of a carman, aged 34 years, "found dead in an unfinished house, without marks, apparently from want, privation, and exposure to cold." (*Inquest.*)

ST. GEORGE, HANOVER SQUARE; *Belgrave.*—At 14 Gregory-street, on 10th October, the son of a gas fitter and brass finisher, aged 3 weeks, "bilious cholera (3 days), convulsions (24 hours)."

ST. JAMES WESTMINSTER; *St. James' Square.*—In Charles-street, on 9th October, a carpenter, aged 61 years, "choleraic diarrhœa."

MILE END OLD TOWN; *Eastern.*—At 1 Eagle-place, on 14th October, the widow of a silkweaver, aged 100 years, "decay of nature." The registrar says:—"The age of deceased appears to be well authenticated."

ROTHERHITHE; *Rotherhithe.*—At Yeoman-terrace, on 14th October, the son of a gentleman, aged 3 years, "dysentery (9 days)." Dr. Cregeen in his certificate remarks:—"The house adjoins the 'Black Ditch'; and a member of the same family died of malignant cynanche in this house nine months ago." The registrar adds:—"The ditch referred to is about 12 or 14 feet in width, and is a receptacle for the refuse, &c. from various factories in Rotherhithe, Deptford, and Camberwell, and also an immense quantity of sewage; the effluvium arising therefrom is of the most poisonous nature. I have registered several deaths in its vicinity, and in each case my attention has been called to it."

BIRTHS Registered LAST WEEK, and in the FORTY-FIRST Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1303	1271	1369	1415	1607	1573	1542	1564	1539	1785	1496·8	1767
Males . .	706	658	720	741	782	812	779	793	782	936	770·9	912
Females . .	597	613	649	674	825	761	763	771	757	849	725·9	855

DEATHS Registered LAST WEEK, and in the FORTY-FIRST Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . .	991	1075	839	953	1093	1039	1394	870	939	1003	1019·6	1149*
Males . .	470	510	445	494	542	505	714	440	484	507	511·1	592
Females . .	521	565	394	459	551	534	680	430	455	496	508·5	557

* The deaths in the sub-district of St. Andrew Eastern, Holborn, are not inserted above. An average of 9 is substituted for the true number, which has been ascertained to be 4.

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTY-FIRST Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 14 1848	Oct. 13 1849	Oct. 12 1850	Oct. 11 1851	Oct. 16 1852	Oct. 15 1853	Oct. 14 1854	Oct 13 1855	Oct. 11 1856	Oct. 17 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 16, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	52°·1	46°·7	49°·3	54°·6	48°·2	52°·0	50°·9	52°·2	54°·3	55°·2	51°·6	53°·1					
	ALL CAUSES . . .	991	1075	839	953	1093	1039	1394	870	939	1003	1019·6	1149†	630	165	160	153	32
	SPECIFIED CAUSES .	976	1056	814	937	1060	1022	1360	841	930	993	998·9	1137	629	165	159	152	32
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	458	376	222	255	269	310	634	236	253	261	327·4	373	300	38	21	12	2
II.	CONSTITUTIONAL „ .	162	204	191	215	218	215	227	189	197	208	202·6	246	90	72	61	22	1
III.	LOCAL „ .	256	332	289	332	421	363	349	303	349	383	337·7	384	163	41	69	100	11
IV.	DEVELOPMENTAL „ .	84	132	99	111	125	121	124	95	113	111	111·5	105	65	4	3	16	17
V.	VIOLENT DEATHS . .	16	12	13	24	27	13	26	18	18	30	19·7	29	11	10	5	2	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	443	370	206	239	249	293	609	219	236	238	310·2	339	282	28	16	11	2
	2. ENTHETIC „ . .	2	1	2	5	2	2	3	4	4	8	3·3	13	5	7	..	1	..
	3. DIETIC „ . .	9	4	11	9	13	12	18	10	12	9	10·7	16	8	3	5	..	..
	4. PARASITIC „ . .	4	1	3	2	5	3	4	3	1	6	3·2	5	5	..	..	..	..
II.	1. DIATHETIC „ . .	31	47	40	42	36	42	39	32	41	37	38·7	46	9	3	13	20	1
	2. TUBERCULAR „ . .	131	157	151	173	182	173	188	157	156	171	163·9	200	81	69	48	2	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	82	87	90	96	101	97	91	93	109	89	93·5	113	51	14	11	33	4
	2. „ OF ORGANS OF CIRCULATION .	32	34	33	44	44	39	48	42	32	32	38·0	49	9	2	18	19	1
	3. „ OF RESPIRATORY ORGANS . .	90	138	85	111	195	150	131	110	151	183	134·4	146	89	14	12	26	5
	4. „ OF DIGESTIVE ORGANS . . .	38	43	50	57	53	48	54	40	38	51	47·2	39	8	5	16	10	..
	5. „ OF URINARY ORGANS . . .	8	12	17	15	16	17	12	13	15	14	13·9	24	1	3	9	10	1
	6. „ OF ORGANS OF GENERATION .	5	5	4	5	4	4	7	2	1	4	4·1	5	..	1	3	1	..
	7. „ OF ORGANS OF LOCOMOTION .	..	6	5	1	4	4	5	..	..	3	2·8	2	1	1	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM .	1	7	5	3	4	4	1	3	3	7	3·8	6	4	1	..	1	..
IV.	1. DEV. DISEASES OF CHILDREN	27	48	45	53	41	41	42	39	38	40	41·4	31	31	..	..	..	..
	2. „ OF ADULTS . .	4	8	2	5	3	6	3	5	2	3	4·1	4	..	3	1	..	..
	3. „ OF OLD PEOPLE	32	41	35	33	52	40	33	23	37	41	36·7	29	..	..	..	12	17
	4. DISEASES OF NUTRITION .	21	35	17	20	29	34	46	28	36	27	29·3	41	34	1	2	4	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											25	11	7	4	2	1
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												4	..	3	1	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	16	12	13	24	27	13	26	18	18	30	19·7	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	10	12	5	7	12	7	3	5	3	7	7·1	2	1	..	1	..	..
	CAUSES NOT SPECIFIED . .	5	7	20	9	21	10	31	24	6	3	13·6	10†	..	..	..	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 9 is added for St. Andrew Eastern, Holborn.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 14 1848	Oct. 13 1849	Oct. 12 1850	Oct. 11 1851	Oct. 16 1852	Oct. 15 1853	Oct. 14 1854	Oct. 13 1855	Oct. 11 1856	Oct. 17 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 16, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	52°·1	46°·7	49°·3	54°·6	48°·2	52°·0	50°·9	52°·2	54°·3	55°·2	51°·6	53°·1					
I.	ORDER 1.																	
	1. Small-pox	47	6	6	18	11	3	17	16	14	4	14·2	3	2	1	..	..	..
	2. Measles	10	8	15	14	4	18	17	9	25	21	14·1	23	23	..	..	..	..
	3. Scarlatina	188	56	26	55	73	54	112	50	46	49	70·9	160	150	8	2	..	..
	4. Quinsy	1	1	2	..	..	2	1	1	2	2	1·2	1	1	..	..	..	..
	5. Croup	3	3	5	9	14	9	10	13	7	10	8·3	6	6	..	..	..	..
	6. Whooping-cough	24	19	17	11	22	32	24	18	28	27	22·2	29	29	..	..	..	..
	7. Typhus (and Infantile fever)	83	49	57	60	54	54	53	43	42	54	54·9	57	33	13	8	3	..
	8. Erysipelas	7	8	9	5	5	5	8	5	11	5	6·8	9	5	1	1	1	1
	9. Metria	8	1	2	1	6	6	3	3	4	8	4·2	3	..	2	1	..	..
	10. Carbuncle	..	..	..	..	..	2	2	1	2	3	1·0	3	..	..	..	3	..
	11. Influenza	1	2	2	1	3	1	2	2	1	..	1·5	..	..	..	..	..	..
	12. Dysentery	2	14	8	8	3	4	4	4	2	2	5·1	3	2	..	1	..	..
	13. Diarrhœa	37	91	49	46	48	51	102	44	46	39	55·3	31	27	1	..	2	1
	14. Cholera	30	110	1	4	..	45	249	4	..	4	44·7	2	1	..	..	1	..
	15. Ague	..	1	..	..	..	..	..	..	..	1	·2	1	1	..	..	..	..
	16. Remittent fever	..	..	..	2	1	1	..	2	..	3	·9	..	..	..	..	..	..
	17. Rheumatism	2	1	7	5	5	6	5	4	6	6	4·7	8	2	2	3	1	..
	ORDER 2.																	
	1. Syphilis	2	1	2	4	1	2	3	4	4	5	2·8	12	5	7	..	..	..
	2. Stricture of Urethra	..	..	..	1	1	..	..	..	..	3	·5	1	..	..	..	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	3	..	1	..	..	..	..	..	..	..	·4	2	..	1	1	..	..
	2. Want of Breast-milk	2	2	2	5	7	9	13	9	8	3	6·0	7	7	..	..	..	..
	3. Purpura and Scurvy	1	..	4	1	2	1	2	..	2	1	1·4	2	1	1	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	2	4	1	4	1	2	1	2	4	2·3	1	..	..	1	..	..
	4. Alcoholism { *b* Intemperance	1	..	..	2	..	1	1	..	..	1	·6	4	..	1	3	..	..
	ORDER 4.																	
	1. Thrush	4	1	3	2	5	3	4	3	1	6	3·2	5	5	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848-57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	1	..	2	3	1	1	2	..	2	3	1·5	1	..	..	..	1	..
	2. Dropsy	13	13	17	16	11	15	14	8	15	10	13·2	16	9	1	2	4	..
	3. Cancer	14	28	16	18	21	22	19	21	21	22	20·2	29	..	2	11	15	1
	4. Noma	..	1	..	1	..	..	..	..	..	..	·2	..	..	..	..	..	..
	5. Mortification	3	5	5	4	3	4	4	3	3	2	3·6	..	..	..	..	..	..
	ORDER 2.																	
	1. Scrofula	9	4	9	7	8	8	12	10	8	5	8·0	11	9	..	2	..	..
	2. Tabes Mesenterica	10	22	14	15	14	17	27	19	8	17	16·3	18	18	..	..	..	..
	3. Phthisis	96	112	108	132	131	123	129	108	112	126	117·7	141	24	69	46	2	..
	4. Hydrocephalus	16	19	20	19	29	25	20	20	28	23	21·9	30	30	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	5	10	11	6	9	8	9	9	8	7	8·2	9	7	1	1	..	..
	2. Apoplexy	22	24	22	19	17	17	16	23	16	26	20·2	35	3	2	5	21	4
	3. Paralysis	12	16	21	24	14	21	21	16	23	12	18·0	17	..	4	3	10	..
	4. Insanity	3	1	1	..	..	3	3	..	2	3	1·6	2	..	2	..	..	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	6. Epilepsy	6	5	5	7	10	10	5	3	8	7	6·6	4	..	3	..	1	..
	7. Convulsions	26	21	22	31	40	29	30	30	39	27	29·5	38	37	1	..	..	..
	8. *Brain Disease, &c.*	8	10	8	9	11	9	7	12	13	7	9·4	8	4	1	2	1	..
	ORDER 2.																	
	1. Pericarditis	1	1	2	2	2	..	2	..	1	2	1·3	7	4	..	2	1	..
	2. Aneurism	1	3	4	5	..	3	..	..	..	..	1·6	2	..	..	1	1	..
	3. *Heart Disease, &c.*	30	30	27	37	42	36	46	42	31	30	35·1	40	5	2	15	17	1
	ORDER 3.																	
	1. Laryngitis	2	5	1	3	3	2	1	4	5	8	3·4	1	1	..	..	..	..
	2. Bronchitis	25	46	30	38	76	51	53	44	56	83	50·2	71	39	6	4	17	5
	3. Pleurisy	..	2	2	5	1	5	3	3	3	..	2·4	4	2	..	1	1	..
	4. Pneumonia	51	71	40	55	97	79	65	48	74	80	66·0	64	47	7	4	6	..
	5. Asthma	5	8	5	2	10	6	4	5	7	7	5·9	2	..	..	1	1	..
	6. *Lung Disease, &c.*	7	6	7	8	8	7	5	6	6	5	6·5	4	..	1	2	1	..
	ORDER 4.																	
	1. Gastritis	1	2	1	..	4	1	2	1	1	2	1·5	..	..	..	..	..	..
	2. Enteritis	7	7	7	6	12	6	6	5	3	5	6·4	5	3	..	1	1	..
	3. Peritonitis	7	3	3	3	5	1	5	6	3	7	4·3	6	2	..	3	1	..
	4. Ascites	..	2	1	7	1	1	7	3	2	..	2·4	1	..	..	1	..	..
	5. Ulceration of Intestines	..	3	1	4	1	3	5	4	2	1	2·4	2	..	..	1	1	..
	6. Hernia	4	2	2	2	3	3	4	..	2	2	2·4	1	..	..	..	1	..
	7. Ileus	4	2	2	8	3	2	..	2	1	1	2·5	3	2	..	..	1	..
	8. Intussusception	..	..	..	1	..	..	..	2	1	3	·7	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FORTY-FIRST Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 14 1848	Oct. 13 1849	Oct. 12 1850	Oct. 11 1851	Oct. 16 1852	Oct. 15 1853	Oct. 14 1854	Oct. 13 1855	Oct. 11 1856	Oct. 17 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 16, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards
	Mean Temperature	52°·1	46°·7	49°·3	54°·6	48°·2	52°·0	50°·9	52°·2	54°·3	55°·2	51°·6	53°·1					
	9. Stricture of Intestines	1	1	2	1	..	..	..	2	2	2	1·1	1	..	..	1	..	..
	10. Fistula	1	..	..	..	..	1	..	..	..	2	·4	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	3	6	6	5	11	9	8	2	7	5	6·2	5	1	3	..	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	2	3	5	5	4	6	4	..	3	4	3·6	2	..	..	2	..	..
	14. Jaundice	2	4	3	4	..	2	3	3	1	2	2·4	2	..	..	1	1	..
	15. *Liver Disease, &c.*	6	8	16	11	9	12	10	8	10	14	10·4	11	..	2	6	3	..
	16. *Spleen Disease, &c.*	..	..	1	..	..	1	..	2	..	1	·5	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	1	..	3	..	..	2	..	1	..	..	·7	..	..	..	..	..	..
	2. Ischuria	..	..	..	1	1	..	1	..	..	..	·3	..	..	..	..	..	..
	3. Nephria	2	3	4	6	4	6	1	9	6	5	4·6	9	..	1	6	2	..
	4. Diabetes	3	1	2	1	1	2	1	1	2	..	1·4	2	..	..	..	2	..
	5. Stone	..	1	..	..	2	..	..	..	2	1	·6	1	..	..	..	1	..
	6. Cystitis	..	1	..	..	1	2	1	1	..	..	·6	2	..	..	..	2	..
	7. *Kidney Disease, &c.*	2	6	8	7	7	5	8	1	5	8	5·7	10	1	2	3	3	1
	ORDER 6.																	
	1. Ovarian Dropsy	2	1	1	1	..	..	4	..	..	2	1·1	2	..	1	1	..	..
	2. *Uterus Disease, &c.*	3	4	3	4	4	4	3	2	1	2	3·0	3	..	..	2	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	..	6	5	1	3	4	5	..	..	3	2·7	2	1	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	..	3	2	2	1	2	..	2	3	5	2·0	6	4	1	..	1	..
	2. Ulcer	..	3	1	1	1	1	1	..	..	2	1·0	..	..	..	..	..	..
	3. *Skin Disease, &c.*	1	1	2	..	2	1	..	1	..	..	·8	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	20	39	28	35	28	24	23	30	28	30	28·5	17	17	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											4	4	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	5	1	5	3	7	5	5	3	3	2	3·9	1	1	..	..	..	..
	5. Teething	2	8	12	15	6	12	14	6	7	8	9·0	8	8	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	1	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	4	7	2	5	3	6	3	5	2	3	4·0	4	..	3	1	..	..
	ORDER 3.																	
	1. Old Age	32	41	35	33	52	40	33	23	37	41	36·7	29	..	..	..	12	17
	ORDER 4.																	
	1. Atrophy and Debility	21	35	17	20	29	34	46	28	36	27	29·3	41	34	1	2	4	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	10	3	2	4	1	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	3	..	..	..	1
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	6	1	5	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	3	3	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	16	12	13	24	27	13	26	18	18	30	19·7	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	10	12	5	7	12	7	3	5	3	7	7·1	2	1	..	1	..	..
	Causes not specified or ill-defined	5	7	20	9	21	10	31	24	6	3	13·6	10†	..	..	..	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 9 is inserted for St. Andrew Eastern, Holborn.

DEATHS Registered in the FORTY-FIRST WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Oct. 14 1848	Oct. 13 1849	Oct. 12 1850	Oct. 11 1851	Oct. 16 1852	Oct. 15 1853	Oct. 14 1854	Oct. 13 1855	Oct. 11 1856	Oct. 17 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Oct. 16 1858.
Mean Temperature . . .			52·1°	46·7°	49·3°	54·6°	48·2°	52·0°	50·9°	52·2°	54·3°	55·2°	51·6°	53·1°
LONDON	78029	2362236	991	1075	839	953	1093	1039	1394	870	939	1003	1019·6	1149
1–6. WEST DISTRICTS .	10786	376427	139	145	123	144	170	147	211	140	135	156	151·0	140
7–11. NORTH DISTRICTS .	13533	490396	183	176	152	190	213	192	229	190	171	183	187·9	235
12–19. CENTRAL DISTRICTS	1938	393256	170	156	131	144	164	171	200	154	156	151	159·7	170
20–25. EAST DISTRICTS .	6230	485522	233	269	196	218	233	233	304	161	219	266	233·2	276
26–36. SOUTH DISTRICTS .	45542	616635	266	329	237	257	313	296	450	225	258	247	287·8	328
1. Kensington* HHHH .	7374	120004	24	41	35	59	42	55	77	43	49	51	47·6	54
2. Chelsea H*w* . . .	865	56538	32	24	15	29	30	22	37	26	18	39	27·2	15
3. St. George Hanover-sq. H	1161	73230	16	25	26	26	44	28	35	26	29	22	27·7	35
4. Westminster* HHHH .	917	65609	43	27	19	16	37	24	39	29	20	31	28·5	19
5. St. Martin-in-the-Fields H	305	24640	9	15	14	5	10	6	14	5	8	6	9·2	7
6. St. James Westminster .	164	36406	15	13	14	9	7	12	9	11	11	7	10·8	10
7. Marylebone HH . .	1509	157696	63	62	64	52	76	59	72	49	51	55	60·3	70
8. Hampstead	2252	11986	7	2	2	8	5	3	6	3	1	5	4·2	5
9. Pancras HH*w* . . .	2716	166956	57	65	46	67	65	66	76	71	66	56	63·5	80
10. Islington HHH . .	3127	95329	37	30	26	44	42	45	54	37	29	39	38·3	51
11. Hackney* H*w* . . .	3929	58429	19	17	14	19	25	19	21	30	24	28	21·6	29
12. St. Giles* H . . .	245	54214	22	13	14	30	25	29	33	24	24	11	22·5	26
13. Strand* H	173	44422	22	16	23	11	10	18	20	13	19	23	17·5	8
14. Holborn* H . . .	196	46621	19	13	18	16	15	18	20	15	22	22	17·8	17†
15. Clerkenwell	380	64778	33	27	19	19	35	24	23	28	19	19	24·6	27
16. St. Luke HH . . .	220	54055	27	29	11	17	29	13	22	18	26	26	21·8	25
17. East London* . . .	153	44406	16	17	16	16	17	22	28	21	13	12	17·8	16
18. West London* H . .	137	28828	13	19	12	19	16	30	38	18	23	20	20·8	35
19. London City*	434	55932	18	22	18	16	17	17	16	17	10	18	16·9	16
20. Shoreditch *w* . . .	646	109257	51	75	44	48	48	54	60	38	60	54	53·2	63
21. Bethnal Green H . .	760	90193	46	55	42	44	41	42	57	23	33	48	43·1	42
22. Whitechapel* HH . .	406	79759	50	46	27	36	42	35	70	19	31	44	40·0	52
23. St. George-in-the-East .	243	48376	25	13	24	26	32	18	34	27	15	30	24·4	28
24*a*. Stepney*	576	54173	49	54	30	47	44	61	60	28	53	55	48·1	34
24*b*. Mile-end Old Town H*w*	681	56602												25
25. Poplar* H*w* . . .	2918	47162	12	26	29	17	26	23	23	26	27	35	24·4	32
26. St. Saviour Southwark* HH	250	35731	21	32	22	18	25	26	34	11	15	22	22·6	25
27. St. Olave Southwark* HH	169	19375	19	29	15	19	18	22	31	13	10	19	19·5	22
28. Bermondsey	688	48128	21	31	20	28	29	23	49	26	18	21	26·6	24
29. St. George Southwark .	282	51824	22	26	22	29	27	28	53	23	17	20	26·7	32
30. Newington	624	64816	22	33	11	29	23	32	39	21	23	22	25·5	32
31. Lambeth H	4015	139325	59	57	61	44	62	56	90	37	62	60	58·8	68
32. Wandsworth*	11695	50764	21	27	17	10	28	17	34	17	19	6	19·6	21
33. Camberwell	4342	54667	15	23	14	18	21	32	29	18	23	25	21·8	30
34. Rotherhithe	886	17805	10	2	7	9	8	10	21	4	7	6	8·4	7
35. Greenwich* HHHHH .	5367	99365	54	52	41	42	56	41	56	41	49	34	46·6	53
36. Lewisham*	17224	34835	2	17	7	11	16	9	14	14	15	12	11·7	14

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.), consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† An average of 9 is inserted for St. Andrew East, instead of 4 the true number.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Oct. 9. Total.	Males.	Females.	In the Week ending Oct. 16. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	131	81	50	161	99	62
45 WORKHOUSES	68	35	33	65	32	33
14 PRISONS . . . . . ‡	1	1	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	3	3	–	3	3	–
15 GENERAL HOSPITALS	51	35	16	70	47	23
7 HOSPITALS FOR SPECIAL DISEASES	4	3	1	11	6	5
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	1	1	–
7 MILITARY AND NAVAL HOSPITALS	2	2	–	3	3	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	–	–	–
19 LUNATIC ASYLUMS	2	2	–	8	7	1

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 16th October 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	23	160	29	31	57
No.*							
1-6 WEST DISTRICTS - -	376427	-	2	7	-	3	6
7-11 NORTH DISTRICTS - -	490396	1	7	39	10	3	11
12-19 CENTRAL DISTRICTS -	393256	-	3	23	8	2	10
20-25 EAST DISTRICTS - -	485522	1	4	43	5	8	22
26-36 SOUTH DISTRICTS - -	616635	1	7	48	6	15	8
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	-	-	-	-
2 St. John Paddington H -	29053	-	-	-	-	-	2
3 Kensington Town *W* L -	29183	-	-	-	-	-	-
4 Brompton HH - -	14370	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	-	1	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3 Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1 Hanover Square - -	20216	-	-	-	-	-	1
2 May Fair *W* - - -	12980	-	-	1	-	-	-
3 Belgrave H - - -	40034	-	-	3	-	1	-
4; 1 St. John Westmr. HHHP	34295	-	1	-	-	2	1
2 St. Margaret West. *W* HP	31314	-	1	2	-	-	-
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	2
6; 1 Berwick Street - -	10798	-	-	-	-	-	-
2 St. James's Square -	11469	-	-	-	-	-	-
3 Golden Square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	4	-	1	-
2 Cavendish-square - -	14687	-	-	1	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	1	2	1	-
4 St. Mary Marylebone H	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	-	9	3	-	-
6 St. John Marylebone -	29826	-	-	5	-	-	1
8; 1 Hampstead *W* - -	11986	-	-	2	-	-	-
9; 1 Regent's Park Pancras -	31918	-	1	-	-	-	2
2 Tottenham-court *w*H -	28433	-	1	-	1	1	-
3 Gray's Inn Lane H -	26523	-	2	3	1	-	-
4 Somers Town - - -	35641	-	-	5	-	-	-
5 Camden Town *W* - -	21115	-	1	3	-	-	-
6 Kentish Town - -	23326	-	2	2	-	-	-
10; 1 Islington West† *W*HHHPP	47881	1	-	3	-	-	5
2 Islington East - -	47448	-	-	1	1	-	2
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford Hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	2	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	1
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	1	-	-
2 St. Giles South *W* H -	19951	-	-	2	1	-	-
3 St. Giles North - -	17456	-	-	1	-	-	-
13; 1 St. Anne Soho - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	1	-	-	-
2 St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron Hill - - -	13837	-	-	-	-	-	1
15; 1 St. James Clerkenwell *W*P	21529	-	-	2	-	1	-
2 Amwell Clerkenwell P -	15720	-	-	1	1	-	-
3 Pentonville - - -	11904	-	-	1	-	-	-
4 Goswell-street - - -	15625	-	-	2	-	1	-
16; 1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	-	3	2	-	-
3 Whitecross-street - -	13657	-	-	-	-	-	1
4 Finsbury - - - -	12941	-	-	-	1	-	2
17; 1 St. Botolph East London	23824	-	-	-	-	-	1
2 Cripplegate P - -	20582	-	-	1	-	-	1
18; 1 West London North *W*HP	12946	-	1	3	-	-	3
2 West London South P -	15882	-	-	3	1	-	-
19; 1 London City South-west -	9204	-	1	2	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South - -	11461	-	-	-	-	-	1
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	1	1	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	-	-	1	-	1
2 St. Leonard Shoreditch L	19449	-	2	2	-	-	2
3 Hoxton New Town *w* -	23505	-	1	3	-	-	-
4 Hoxton Old Town - -	17431	-	-	-	-	-	-
5 Haggerstone West *W* -	20276	-	-	2	1	-	2
6 Haggerstone East - -	11351	-	-	1	-	-	1
21; 1 Hackney-road - - -	23910	-	-	1	-	-	-
2 Green, Bethnal Green *W*HL	23555	-	-	3	-	-	1
3 Church, Bethnal Green -	21787	-	1	1	1	1	3
4 Town, Bethnal Green -	20941	-	-	-	-	1	2
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	3	-	-	1
3 Mile End New Town *W*	14543	-	-	4	-	-	1
4 Whitechapel North *W* -	12530	-	-	1	-	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	1	1	1	1
7 Aldgate H - - -	10694	-	-	-	-	1	-
23; 1 St. Mary St. Geo. East -	18067	-	-	3	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	1	1	-	-
3 St. John St. Geo. East *W*	9990	-	-	3	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	2	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	1
3 Limehouse *W* - -	22782	-	-	3	-	2	3
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	2	-	-	-
2 Mile End Old T., East. *Ww*H	27020	-	-	1	-	-	-
25; 1 Bow *w*LH - - -	18778	1	-	2	-	2	-
2 Poplar *W* - - -	28384	-	-	4	-	-	3
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	1	-	-	-
2 St. Saviour Southwark HH	19709	-	-	1	-	-	1
27; 1 St. Olave Southwark HH	8015	-	-	-	-	1	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	2	-	1	-	-
2 St. Mary Magdalen *W* -	13934	-	-	1	-	-	1
3 Leather Market - -	15295	1	2	-	-	-	-
29; 1 Kent-road - - -	18126	-	-	2	-	-	-
2 Borough-road *W*P -	15862	-	-	2	-	2	-
3 London-road LP - -	17836	-	-	3	-	-	-
30; 1 Trinity Newington P -	20922	-	-	1	1	-	-
2 St. Peter Walworth *W* -	29861	-	-	4	1	1	1
3 St. Mary Newington -	14033	-	-	1	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	1	-	-	-
2 Waterloo-road 2nd H -	18348	-	1	-	1	1	-
3 Lambeth Church 1st -	18409	-	-	-	-	1	-
4 Lambeth Church 2nd *W*	26784	-	-	1	-	1	-
5 Kennington 1st - -	24261	-	-	5	-	2	-
6 Kennington 2nd - -	18848	-	-	2	-	1	-
7 Brixton L - - -	14610	-	-	1	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	2	-
32; 1 Clapham L - - -	16290	-	-	-	-	-	-
2 Battersea *W* - - -	10560	-	-	3	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W*LL - -	17742	-	-	2	-	-	-
3 Peckham - - - -	19444	-	-	2	-	-	1
4 St. George Camberwell -	15849	-	-	5	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	-	-	-	-
35; 1 St. Paul Deptford - -	24899	-	1	3	-	-	1
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	-	1	1	2
4 Greenwich East *W* H -	16228	-	-	1	-	-	-
5 Woolwich Dockyard HP	17140	-	-	3	1	1	1
6 Woolwich Arsenal HPH	15227	-	-	1	-	-	-
36; 1 Plumstead - - -	13191	-	1	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	1	-	-	-
4 Lewisham Village *W* -	6097	-	-	1	-	-	-
5 Sydenham - - -	4501	-	-	-	-	1	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 16th October 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
October.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday	10	..	29·341	57·2	42·3	14·9	50·5	43·8	68·2	41·2	57·7	56·2	6·7	13·2	2·0	— 1·2	74	S.S.W.	SW. & Calm	10·0	0·0	3·0	145	0·08
Monday	11	..	29·494	57·8	40·1	17·7	46·3	41·2	73·8	36·5	56·7	55·2	5·1	11·2	2·3	— 5·1	82	Var.	WNW.&W.	0·0	0·0	0·0	95	0·00
Tuesday	12	Greatest Dec. S.	29·864	60·5	39·7	20·8	48·6	41·4	77·0	35·0	57·7	56·2	7·2	14·2	5·3	— 2·4	74	W.	W. & SW.	2·0	0·0	0·0	185	0·00
Wednesday	13	Apogee	29·904	63·7	47·5	16·2	55·8	54·8	66·0	45·0	56·7	55·2	1·0	3·2	0·0	+ 5·3	96	SW. & W.	Calm	5·0	0·0	2·0	120	0·02
Thursday	14	..	30·052	63·0	52·5	10·5	57·5	56·1	64·9	48·0	57·7	56·2	1·4	4·4	1·3	+ 7·4	92	Calm & W.	W.S.W.	0·0	0·0	0·0	105	0·03
Friday	15	First Quarter.	29·898	67·1	51·5	15·6	56·8	55·1	78·1	50·2	57·7	56·2	1·7	7·0	0·4	+ 7·0	94	Calm & S.W.	S.W.	0·0	0·0	0·0	55	0·00
Saturday	16	..	29·644	69·0	44·6	24·4	55·9	53·4	83·8	38·2	57·7	56·2	2·5	12·2	0·4	+ 6·3	86	Calm	SW. & W.	0·0	0·0	0·0	75	0·00
Means		..	29·742	62·6	45·5	17·1	53·1	49·4	73·1	42·0	57·4	55·9	3·7	9·3	1·7	+ 2·5	85	S.W.		..	..	..	Sum 780	Sum 0·13
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
October.			
Sunday	10	The electrical observations are at present stopped, in consequence of the necessity of renewing the mast which carries the insulating apparatus.	Cirrus and cirro-cumulus covered the sky, generally, with occasional gleams of sunshine in the morning; thin rain fell generally since 1h. 30m. till night, a strong wind prevailed.
Monday	11		The sky was generally about one half covered till evening, when it became cloudless; a little fog was prevalent at night, and lightning was seen between 8h. and 9h. P.M.
Tuesday	12		In the morning two thirds of the sky were covered with light clouds, one half was covered at noon, and the amount was very variable till 9h. P.M., when it became clear.
Wednesday	13		The sky was overcast throughout the day, and a little thin rain fell occasionally; after 9h. P.M. it became cloudless, and a slight haze prevailed.
Thursday	14		The day was gloomy, and the sky overcast throughout.
Friday	15		Cirrus, cirro-cumulus, and cumulus generally covered the sky till about 3h. P.M., when it began to clear; at night it was cloudless, a little fog was present.
Saturday	16		The day was very fine throughout, and generally cloudless; a little fog and haze was present in the morning.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·71 in. at the beginning of the week to 29·25 in. by 7h. P.M. on the 10th; increased to 30·09 in. by 9h. A.M. on the 14th; decreased to 29·61 in. by 3h. P.M. on the 16th; when it turned to increase slowly, and was 29·63 in. at the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 42. 1858. Vol. XIX.] Week ending Saturday, October 23. [Price $1\frac{1}{2}d$.

General Register Office, Somerset House,
October 25th, 1858.

The total number of deaths registered in London in the week ending Saturday, October 23d, was 1113, showing a small decrease on that of the previous week. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1019; but as the number returned for last week occurred in an increased population, it should be compared with the average, when the latter is raised in proportion to the increase, a correction which will make it 1120. The comparison shows that the mortality of last week is very nearly that which in the usually healthy month of October might be expected to prevail.

If the rate of mortality in London last week had been the same as that which has, on an average of autumnal quarters, been found to prevail in the healthiest districts of England, the deaths would not have exceeded 770; therefore the actual excess, or 343, represents that contingent which is derived from acquired conditions of insalubrity, and which it belongs to sanitary science to reduce.

At the beginning of September the mortality from scarlatina, which had been previously high, rose perceptibly, and during seven weeks showed a continuous increase. Last week the deaths from it were 156, a number which is not quite so high as that of the previous week. The corrected average for last week is 75. The North districts comprising chiefly Marylebone, Pancras, and Islington contribute 43 out of the 156 deaths; those which lie on the South side of the river return 49. Nine cases of scarlatina were fatal in Westminster, 13 in Marylebone, 19 in Pancras, 8 in Islington, 13 in Lambeth.

In one family in St. George-in-the-East three persons, aged respectively 16, 20, and 23 years, died of phthisis pulmonalis within three weeks. A labourer at gas works died of bronchitis, induced by the coal dust among which he worked. Two persons died from want. Of four nonagenarians whose deaths are recorded, the oldest was a widow who had attained her 97th year.

Last week the births of 849 boys and 846 girls, in all 1695 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1480.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·694 in. The readings of the barometer varied from 29·48 in. to 29·93 in. The mean temperature of the week was 51·1°, which is 2·2° above the average of the same week in 43 years (as determined by Mr. Glaisher). The *highest* point attained by the thermometer in the shade was 61·7° on Sunday (the 17th inst.); the *lowest* was 43·2° on the following day. The entire range of the week was therefore 18·5°; the mean daily range was 13·0°. The mean dew-point temperature was 49·3°, and the difference between this and the mean air temperature was only 1·8°. The mean degree of humidity of the air was 92. The mean temperature of the water of the Thames was 56·6°. The wind was generally east or north-east. Rain fell to the amount of 0·32 in., all of it on Monday and Tuesday.

WESTMINSTER; *St. Margaret.*—At Westminster Hospital, on 6th October, an artist, aged 70 years, "necrosis of thumb, exhaustion from starvation."

HACKNEY; *Hackney.*—At East London Workhouse, Homerton, on 19th October, a labourer, aged 36 years, "natural death, apparently from want and privation before he entered the East London Workhouse." (*Inquest.*)

HACKNEY; *West.*—At 2 Frederick-cottages, De Beauvoir-road, on 15th October, the daughter of a bootmaker, aged 5 months and 29 days, "syphilis by vaccination (2 months), dentition."

LONDON CITY; *North East.*—At the Blue Pig public-house, St. Mary Axe, on 12th October, a commercial traveller, aged 62 years, "suicide by taking Batty's Vermin Killer; found dead; temporary insanity from domestic trouble." *Post mort.* (*Inquest.*)

BETHNAL GREEN; *Hackney Road.*—At 6 Ada-place, on 18th October, a gas factory labourer, aged 44 years, "chronic bronchitis (1 year), induced by coal dust passing into the lungs."

ST. GEORGE-IN-THE-EAST; *St. Paul.*—At 21 Cowley-street, on 15th October, the son of a stevedore, aged 16 years, "phthisis pulmonalis," making 3 deaths in one family in three weeks from the same cause, at the respective ages 23, 20, and 16 years.

BIRTHS Registered LAST WEEK, and in the FORTY-SECOND Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1166	1363	1502	1443	1567	1463	1408	1725	1585	1582	1480·4	1695
Males . .	592	715	748	773	796	743	705	915	798	814	759·9	849
Females .	574	648	754	670	771	720	703	810	787	768	720·5	846

DEATHS Registered LAST WEEK, and in the FORTY-SECOND Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	983	1028	860	981	1072	1054	1321	927	974	988	1018·8	1113
Males . .	503	524	439	499	530	536	627	480	461	476	507·5	591
Females .	480	504	421	482	542	518	694	447	513	512	511·3	522

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.
BIRTHS	1657	1553	1496	1558	1696	1531	1537	1641	1657	1726	1521	1767	1695
DEATHS	1161	1200	1147	1112	1108	1039	1060	1046	955	1021	993	1149	1113
DEATHS (except from Violence) . . .	1127	1126	1089	1058	1067	1013	1027	1014	913	981	952	1120	1077
Deaths (except from Violence) at 60 years and upwards . .	153	194	174	194	167	157	163	175	159	143	141	182	173
Small-pox	1	5	3	4	6	5	3	5	5	4	1	3	5
Measles	56	44	25	22	36	20	21	27	21	26	36	23	39
Scarlatina	78	86	85	105	92	110	115	118	125	134	145	160	156
Whooping-cough . .	50	36	38	28	34	42	29	26	26	26	28	29	31
Typhus	22	34	32	43	39	30	45	46	35	56	42	57	47
Diarrhœa	168	130	121	113	146	120	69	53	47	42	44	31	26
Mean Temperature .	59°·6	62°·4	65°·4	63°·3	59°·2	59°·4	59°·4	63°·4	58°·6	57°·6	52°·1	53°·1	51°·1

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTY-SECOND WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 21 1848	Oct. 20 1849	Oct. 19 1850	Oct. 18 1851	Oct. 23 1852	Oct. 22 1853	Oct. 21 1854	Oct. 20 1855	Oct. 18 1856	Oct. 24 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 23, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44°·7	52°·4	49°·0	52°·8	49°·9	48°·6	46°·5	50°·1	53°·0	51°·5	49°·9	51°·1					
	ALL CAUSES	983	1028	860	981	1072	1054	1321	927	974	988	1018·8	1113	641	135	158	151	28
	SPECIFIED CAUSES	971	1015	835	960	1051	1041	1293	914	962	973	1001·5	1105	638	134	155	150	28
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	409	293	212	245	265	321	512	256	244	248	300·5	359	299	27	12	20	1
II.	CONSTITUTIONAL "	184	194	202	232	201	189	219	202	202	206	203·1	221	82	66	47	22	4
III.	LOCAL "	275	365	306	342	443	385	417	331	382	390	363·6	388	176	34	86	81	11
IV.	DEVELOPMENTAL "	90	126	83	119	115	120	133	114	113	112	112·5	101	65	3	..	21	12
V.	VIOLENT DEATHS	13	37	32	22	27	26	12	11	21	17	21·8	36	16	4	10	6	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	394	277	202	229	255	306	494	243	225	231	285·6	346	288	26	11	20	1
	2. ENTHETIC "	6	2	1	5	1	3	4	1	5	3	3·1	4	4	..	..	..	..
	3. DIETIC "	8	11	9	6	7	10	10	10	11	13	9·5	6	4	1	1	..	..
	4. PARASITIC "	1	3	..	5	2	2	4	2	3	1	2·3	3	3	..	..	..	..
II.	1. DIATHETIC "	37	29	45	33	39	36	43	43	43	48	39·6	38	5	1	14	14	4
	2. TUBERCULAR "	147	165	157	199	162	153	176	159	159	158	163·5	183	77	65	33	8	..
III.	1. DISEASES OF NERVOUS SYSTEM	85	119	93	94	109	107	104	102	94	106	101·3	117	58	10	20	26	3
	2. " OF ORGANS OF CIRCULATION	29	27	34	36	47	39	39	43	44	33	37·1	51	7	6	20	16	2
	3. " OF RESPIRATORY ORGANS	102	145	119	129	209	165	195	114	169	173	152·0	159	100	8	25	23	3
	4. " OF DIGESTIVE ORGANS	43	51	47	62	48	56	57	48	47	55	51·4	38	5	6	14	11	2
	5. " OF URINARY ORGANS	7	13	3	12	19	10	11	10	17	12	11·4	10	2	2	3	2	1
	6. " OF ORGANS OF GENERATION	2	3	3	3	1	2	3	2	2	4	2·5	2	1	..	1	..	..
	7. " OF ORGANS OF LOCOMOTION	..	1	5	3	4	2	4	5	2	3	2·9	4	1	..	1	2	..
	8. " OF INTEGUMENTARY SYSTEM	7	6	2	3	6	4	4	7	7	4	5·0	7	2	2	2	1	..
IV.	1. DEV. DISEASES OF CHILDREN	30	42	22	34	41	43	44	37	39	42	37·4	28	28	..	..	..	..
	2. " OF ADULTS	2	3	4	6	4	8	4	6	2	5	4·4	3	..	3	..	..	..
	3. " OF OLD PEOPLE	32	42	37	44	46	30	44	35	35	34	37·9	32	..	..	..	20	12
	4. DISEASES OF NUTRITION	26	39	20	35	24	39	41	36	37	31	32·8	38	37	..	..	1	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											29	15	3	6	5	..
	* 3. HOMICIDE												1	1	..	..	..	..
	4. SUICIDE												6	..	1	4	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	13	37	32	22	27	26	12	11	21	17	21·8	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	10	7	11	14	6	2	2	5	7	6·8	4	1	1	1	1	..
	CAUSES NOT SPECIFIED	8	3	18	10	7	7	26	11	7	8	10·5	4	2	..	2	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 21 1848	Oct. 20 1849	Oct. 19 1850	Oct. 18 1851	Oct. 23 1852	Oct. 22 1853	Oct. 21 1854	Oct. 20 1855	Oct. 18 1856	Oct. 24 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 23, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44°·7	52°·4	49°·0	52°·8	49°·9	48°·6	46°·5	50°·1	53°·0	51°·5	49°·9	51°·1					
I.	ORDER 1.																	
	1. Small-pox	26	6	5	16	5	3	10	16	6	2	9·5	5	2	3	..	..	..
	2. Measles	15	14	16	15	4	14	21	6	25	21	15·1	39	39	..	..	..	..
	3. Scarlatina	147	41	38	43	92	46	103	76	49	52	68·7	156	154	2	..	..	..
	4. Quinsy	2	2	1	2	3	..	3	..	5	2	2·0	1	1	..	..	..	..
	5. Croup	8	4	3	5	6	6	10	7	9	8	6·6	15	15	..	..	..	..
	6. Whooping-cough	30	26	23	14	34	38	23	34	20	27	26·9	31	31	..	..	..	..
	7. Typhus (and Infantile fever)	65	63	54	68	62	47	58	43	52	55	56·7	47	21	11	6	8	1
	8. Erysipelas	5	8	7	6	2	5	10	3	8	3	5·7	8	2	1	2	3	..
	9. Metria	4	3	7	4	1	2	1	4	6	2	3·4	6	..	6	..	..	..
	10. Carbuncle	..	..	..	2	2	2	..	1	1	..	·8	..	..	..	..	..	..
	11. Influenza	1	..	..	1	..	1	..	..	3	..	·6	1	..	..	..	1	..
	12. Dysentery	14	12	2	1	..	3	5	5	..	2	4·4	5	3	1	..	1	..
	13. Diarrhœa	23	51	35	42	37	45	78	41	30	42	42·4	26	18	..	1	7	..
	14. Cholera	45	41	4	1	2	83	163	2	..	6	34·7	..	..	..	..	..	..
	15. Ague	..	1	..	..	..	1	..	1	1	2	·6	1	..	1	..	..	..
	16. Remittent Fever	2	..	3	3	..	7	3	..	6	2	2·6	2	..	1	1	..	..
	17. Rheumatism	7	5	4	6	5	3	6	4	4	5	4·9	3	2	..	1	..	..
	ORDER 2.																	
	1. Syphilis	3	2	1	3	1	2	4	1	5	3	2·5	4	4	..	..	..	..
	2. Stricture of Urethra	3	..	..	2	..	1	..	..	..	..	·6	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	..	..	..	1	1	..	1	..	·4	1	..	1	..	..	..
	2. Want of Breast-milk	4	2	2	3	4	5	4	6	3	7	4·0	4	4	..	..	..	..
	3. Purpura and Scurvy	2	1	..	..	..	1	..	1	1	..	·6	1	..	..	1	..	..
	4. Alcoholism { *a* Del. Tremens	2	7	6	3	1	3	4	1	4	4	3·5	..	..	..	..	..	..
	4. Alcoholism { *b* Intemperance	..	..	1	..	2	..	1	2	2	2	1·0	..	..	..	..	..	..
	ORDER 4.																	
	1. Thrush	1	3	..	5	2	2	4	2	3	1	2·3	3	3	..	..	..	..
	2. Worms, &c.	Deaths in 1848-57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	1	2	1	1	..	..	1	..	1	·9	1	..	..	1	..	..
	2. Dropsy	15	12	19	10	18	15	22	15	17	11	15·4	13	5	1	5	2	..
	3. Cancer	17	14	20	18	17	19	18	24	23	33	20·3	20	..	..	7	9	4
	4. Noma	..	..	..	1	1	..	1	..	1	..	·4	..	..	..	..	..	..
	5. Mortification	3	2	4	3	2	2	2	3	2	3	2·6	4	..	..	1	3	..
	ORDER 2.																	
	1. Scrofula	6	10	7	10	4	8	8	9	5	3	7·0	8	5	2	..	1	..
	2. Tabes Mesenterica	15	16	17	17	15	11	18	14	17	14	15·4	17	17	..	..	..	..
	3. Phthisis	103	110	120	138	128	111	130	112	120	121	119·3	132	30	62	33	7	..
	4. Hydrocephalus	23	29	13	34	15	23	20	24	17	20	21·8	26	25	1	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	7	13	3	10	12	14	8	8	6	10	9·1	12	8	1	..	3	..
	2. Apoplexy	18	26	31	26	22	19	24	21	21	21	22·9	27	5	3	8	10	1
	3. Paralysis	13	18	15	14	12	15	17	17	23	24	16·8	19	..	3	4	10	2
	4. Insanity	1	4	2	2	2	3	..	2	2	..	1·8	1	..	..	..	1	..
	5. Chorea	..	1	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	3	6	5	7	10	4	6	6	..	4	5·1	6	2	1	3	..	..
	7. Convulsions	30	38	28	22	35	39	38	39	27	35	33·1	37	37	..	..	..	..
	8. *Brain Disease, &c.*	13	13	9	13	16	13	11	9	15	12	12·4	15	6	2	5	2	..
	ORDER 2.																	
	1. Pericarditis	3	2	2	2	4	2	3	5	2	1	2·6	1	1	..	..	..	..
	2. Aneurism	..	2	1	1	1	2	3	2	..	1	1·3	1	..	1	..	..	..
	3. *Heart Disease, &c.*	26	23	31	33	42	35	33	36	42	31	33·2	49	6	5	20	16	2
	ORDER 3.																	
	1. Laryngitis	6	2	1	3	3	6	6	2	6	6	4·1	7	7	..	..	..	..
	2. Bronchitis	31	42	37	53	92	68	80	49	75	79	60·6	72	36	3	14	16	3
	3. Pleurisy	1	3	4	5	..	4	2	5	2	..	2·6	1	..	..	1	..	..
	4. Pneumonia	43	80	53	55	95	79	94	43	73	77	69·2	69	55	4	6	4	..
	5. Asthma	14	10	15	8	10	8	10	4	5	7	9·1	6	..	1	2	3	..
	6. *Lung Disease, &c.*	7	8	9	5	9	..	3	11	8	4	6·4	4	2	..	2	..	..
	ORDER 4.																	
	1 Gastritis	1	..	1	4	1	..	1	3	2	3	1·6	..	..	..	..	..	..
	2. Enteritis	10	9	8	7	10	11	10	6	7	6	8·4	5	2	2	..	..	1
	3. Peritonitis	1	7	7	5	2	2	5	7	3	5	4·4	7	1	2	2	2	..
	4. Ascites	3	5	1	2	2	3	4	3	3	4	3·0	2	..	..	2	..	..
	5. Ulceration of Intestines	3	2	2	4	1	1	2	1	3	3	2·2	2	..	..	1	1	..
	6. Hernia	2	3	2	3	4	5	6	2	2	2	3·1	2	..	..	1	1	..
	7. Ileus	2	..	5	4	6	3	2	4	2	6	3·4	1	..	1	..	..	..
	8. Intussusception	..	..	..	..	1	1	1	..	..	..	·3	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FORTY-SECOND Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 21 1848	Oct. 20 1849	Oct. 19 1850	Oct. 18 1851	Oct. 23 1852	Oct. 22 1853	Oct. 21 1854	Oct. 20 1855	Oct. 18 1856	Oct. 24 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 23, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44°·7	52°·4	49°·0	52°·8	49°·9	48°·6	46°·5	50°·1	53°·0	51°·5	49°·9	Mean Temp. 51°·1					
	9. Stricture of Intestines	..	2	..	1	..	2	2	2	1	2	1·2	3	1	..	1	1	..
	10. Fistula	..	..	..	..	..	..	..	..	..	1	·1	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	8	5	3	3	2	8	2	4	8	3	4·6	5	..	..	2	3	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	2	1	5	7	5	3	4	3	2	5	3·7	1	..	..	1	..	..
	14. Jaundice	6	6	2	7	3	2	3	2	4	..	3·5	3	1	..	..	2	..
	15. *Liver Disease, &c.*	5	11	11	15	11	15	15	11	9	15	11·8	7	..	1	4	1	1
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	..	1	..	·1	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	1	..	1	1	..	..	..	1	1	·5	..	..	..	..	..	..
	2. Ischuria	..	..	..	1	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria (Bright's disease)	3	..	1	4	3	3	2	4	6	4	3·0	2	1	..	1	..	..
	4. Diabetes	1	3	..	1	6	1	2	..	..	1	1·5	2	1	..	..	1	..
	5. Stone	..	2	..	..	..	1	..	..	2	1	·6	..	..	..	..	..	..
	6. Cystitis	1	..	..	..	1	1	..	3	2	..	·8	1	..	..	..	..	1
	7. *Kidney Disease, &c.*	2	7	2	5	8	4	7	3	6	5	4·9	5	..	2	2	1	..
	ORDER 6.																	
	1. Ovarian Dropsy	1	2	..	1	..	1	2	2	1	..	1·0	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	1	1	3	2	1	1	1	..	1	4	1·5	2	1	..	1	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	..	1	5	3	3	2	4	5	2	3	2·8	4	1	..	1	2	..
	ORDER 8.																	
	1. Phlegmon	2	2	1	2	3	3	1	4	3	2	2·3	3	..	1	2	..	..
	2. Ulcer	2	2	1	1	2	1	..	1	2	2	1·4	2	..	1	..	1	..
	3. *Skin Disease, &c.*	3	2	..	..	1	..	3	2	2	..	1·3	2	2	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	19	24	16	27	28	28	30	29	24	31	25·6	11	11	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											..	..	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	4	4	1	3	8	3	5	2	3	1	3·4	3	3	..	..	..	..
	5. Teething	7	14	5	4	5	12	9	6	12	10	8·4	13	13	..	..	..	..
	ORDER 2.																	
	1. Paramenia	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	1	3	4	6	4	8	4	6	2	5	4·3	3	..	3	..	..	..
	ORDER 3.																	
	1. Old Age	32	42	37	44	46	30	44	35	35	34	37·9	32	..	..	..	20	12
	ORDER 4.																	
	1. Atrophy and Debility	26	39	20	35	24	39	41	36	37	31	32·8	38	37	..	..	1	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	16	7	2	4	3	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	3	1	1	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	4	3	..	1	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	4	3	..	..	1	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	1	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	3	..	..	3	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	13	37	32	22	27	26	12	11	21	17	21·8	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	4	10	7	11	14	6	2	2	5	7	6·8	4	1	1	1	1	..
	Causes not specified or ill-defined	8	3	18	10	7	7	26	11	7	8	10·5	4	2	..	2	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the FORTY-SECOND WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Oct. 21 1848	Oct. 20 1849	Oct. 19 1850	Oct. 18 1851	Oct. 23 1852	Oct. 22 1853	Oct. 21 1854	Oct. 20 1855	Oct. 18 1856	Oct. 24 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Oct. 23 1858.
Mean Temperature . . .			44·7°	52·4°	49·0°	52·8°	49·9°	48·6°	46·5°	50·1°	53·0°	51·5°	49·9°	51·1°
LONDON	78029	2362236	983	1028	860	981	1072	1054	1321	927	974	988	1018·8	1113
1-6. WEST DISTRICTS .	10786	376427	135	163	123	167	155	142	171	143	159	148	150·6	137
7-11. NORTH DISTRICTS .	13533	490396	161	172	148	191	232	197	242	161	198	212	191·4	244
12-19. CENTRAL DISTRICTS	1938	393256	166	169	147	187	190	151	177	160	166	162	167·5	185
20-25. EAST DISTRICTS .	6230	485522	214	248	232	195	234	263	276	210	200	221	229·3	230
26-36. SOUTH DISTRICTS .	45542	616635	307	276	210	241	261	301	455	253	251	245	280·0	317
1. Kensington* HHHH .	7374	120004	36	41	34	55	53	43	57	43	53	54	46·9	56
2. Chelsea H*w* . . .	865	56538	25	23	29	23	26	27	34	21	18	21	24·7	15
3. St. George Hanover-sq. H	1161	73230	25	43	17	28	17	23	41	19	17	21	25·1	17
4. Westminster* HHHH .	917	65609	33	26	25	31	40	30	24	42	39	28	31·8	33
5. St. Martin-in-the-Fields H	305	24640	6	11	9	16	6	9	6	8	11	12	9·4	7
6. St. James Westminster .	164	36406	10	19	9	14	13	10	9	10	21	12	12·7	9
7. Marylebone HH . .	1509	157696	58	66	53	55	85	66	96	43	52	70	64·4	69
8. Hampstead	2252	11986	5	3	4	2	5	5	1	2	4	2	3·3	4
9. Pancras HH*w* . . .	2716	166956	38	56	50	73	80	54	76	64	74	68	63·3	94
10. Islington HHH . .	3127	95329	42	28	24	40	47	46	50	34	42	47	40·0	45
11. Hackney* H*w* . . .	3929	58429	18	19	17	21	15	26	19	18	26	25	20·4	32
12. St. Giles* H . . .	245	54214	16	25	25	39	23	28	20	25	22	26	24·9	27
13. Strand* H	173	44422	23	15	23	14	19	20	12	15	21	15	17·7	18
14. Holborn* H . . .	196	46621	22	12	14	24	20	18	24	19	19	23	19·5	27
15. Clerkenwell	380	64778	21	40	15	27	26	18	26	23	29	23	24·8	31
16. St. Luke HH . . .	220	54055	28	19	15	23	38	25	24	28	20	29	24·9	17
17. East London* . . .	153	44406	17	20	22	16	22	16	34	10	14	6	17·7	25
18. West London* H . .	137	28828	21	19	14	27	22	17	20	26	24	24	21·4	23
19. London City* . . .	434	55932	18	19	19	17	20	9	17	14	17	16	16·6	17
20. Shoreditch *w* . . .	646	109257	48	71	49	46	64	60	59	51	37	50	53·5	58
21. Bethnal Green H . .	760	90193	38	36	36	22	29	25	51	36	33	42	34·8	36
22. Whitechapel* HH . .	406	79759	32	41	68	40	55	63	53	43	26	34	45·5	31
23. St. George in the East .	243	48376	36	22	15	22	21	23	35	10	26	17	22·7	19
24*a*. Stepney*	576	54173	43	49	42	44	47	61	52	43	50	45	47·6	33
24*b*. Mile-end Old Town H*w*	681	56602												31
25. Poplar* H*w* . . .	2918	47162	17	29	22	21	18	31	26	27	28	33	25·2	22
26. St. Saviour Southwark* HH	250	35731	39	18	6	18	24	17	29	28	24	19	22·2	14
27. St. Olave Southwark* HH	169	19375	20	7	19	18	14	17	38	21	24	24	20·2	24
28. Bermondsey	688	48128	33	29	15	16	29	28	47	15	28	19	25·9	17
29. St. George Southwark .	282	51824	33	23	26	27	24	26	42	22	17	11	25·1	36
30. Newington	624	64816	29	35	30	28	19	40	51	23	26	19	30·0	30
31. Lambeth H	4015	139325	54	60	32	52	51	44	107	41	50	56	54·7	74
32. Wandsworth* . . .	11695	50764	11	15	14	21	18	21	28	21	16	24	18·9	28
33. Camberwell	4342	54667	21	23	20	16	22	29	34	10	17	20	21·2	23
34. Rotherhithe	886	17805	9	13	8	5	5	14	16	8	8	5	9·1	6
35. Greenwich* HHHHH .	5367	99365	53	40	34	31	41	54	53	45	33	35	41·9	48
36. Lewisham*	17224	34835	5	13	6	9	14	11	10	19	8	13	10·8	17

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848–57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Oct. 16. Total.	Males.	Females.	In the Week ending Oct. 23. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	161	99	62	144	82	62
45 WORKHOUSES	65	32	33	75	33	42
14 PRISONS . . . . . ‡	–	–	–	2	2	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	3	3	–	2	2	–
15 GENERAL HOSPITALS	70	47	23	53	36	17
7 HOSPITALS FOR SPECIAL DISEASES	11	6	5	5	4	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	1	1	–	1	1	–
7 MILITARY AND NAVAL HOSPITALS	3	3	–	2	2	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	1	1	–
19 LUNATIC ASYLUMS	8	7	1	3	1	2

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 23d October 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	5	39	156	31	26	47
No.*							
1–6 WEST DISTRICTS - -	376427	-	2	21	1	3	6
7–11 NORTH DISTRICTS - -	490396	2	9	43	8	5	9
12–19 CENTRAL DISTRICTS -	393256	3	12	18	6	5	13
20–25 EAST DISTRICTS - -	485522	-	5	25	9	4	10
26–36 SOUTH DISTRICTS - -	616635	-	11	49	7	9	9
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	2	-	1	-
2 St. John Paddington H -	29053	-	-	3	-	1	-
3 Kensington Town *W* L -	29183	-	2	-	-	-	-
4 Brompton HH - -	14870	-	-	1	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	1	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	1	-	-	-
2; 1 Chelsea South H - -	19050	-	-	-	-	-	1
2 Chelsea North-west *Ww*	17669	-	-	1	1	-	1
3 Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1 Hanover-square - -	20216	-	-	3	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	-	-	-	1
4; 1 St. John Westmr. HHHP	34295	-	-	3	-	1	-
2 St. Margaret West. *W* HP	31314	-	-	6	-	-	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	1
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	1
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	2	1	-	-
2 Cavendish-square - -	14687	1	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	1	2	-	-	1
4 St. Mary Marylebone H -	22814	-	-	2	-	1	1
5 Christchurch Marylebone	33895	-	1	4	2	-	-
6 St. John Marylebone -	29826	-	-	3	-	1	-
8; 1 Hampstead *W* - -	11986	-	1	-	-	-	1
9; 1 Regent's Park Pancras -	31918	-	-	1	1	-	-
2 Tottenham-court *w*H -	28433	-	1	7	1	-	-
3 Gray's-inn-lane H -	26523	-	1	6	1	-	-
4 Somers-town - - -	35641	-	1	2	-	1	1
5 Camden-town *W* - -	21115	-	-	3	-	1	-
6 Kentish-town - - -	23326	-	2	-	-	1	3
10; 1 Islington West† *W* HHHPP	47881	1	1	5	-	-	-
2 Islington East - - -	47448	-	-	3	1	-	1
11; 1 Stoke Newington L -	4840	-	-	1	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	2	1	-	1
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5 South Hackney L - -	8458	-	-	-	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	1	-	-	-	-
2 St. Giles South *W* H -	19951	-	2	2	1	-	-
3 St. Giles North - -	17456	-	-	-	1	1	1
13; 1 St. Anne Soho - - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15472	-	-	1	-	1	2
14; 1 St. George-the-Martyr H.	18813	-	1	*3	-	1	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	1	-	-
3 Saffron-hill - - -	13837	-	-	-	1	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	1	-	-	-	-
2 Amwell Clerkenwell P -	15720	-	2	1	-	-	1
3 Pentonville - - -	11904	-	1	1	-	-	-
4 Goswell-street - -	15625	-	-	-	-	-	1
16; 1 Old-street H - - -	10617	-	-	1	-	-	-
2 City-road HL - -	16840	1	-	-	-	-	1
3 Whitecross-street - -	13657	-	-	1	-	-	-
4 Finsbury - - - -	12941	1	1	-	-	-	-
17; 1 St. Botolph East London	23824	-	-	1	1	-	2
2 Cripplegate P - -	20582	1	-	1	1	-	2
18; 1 West London North *W* HP	12946	-	2	3	-	-	2
2 West London South P -	15882	-	-	3	-	2	1
19; 1 London City South-west -	9204	-	1	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	1	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	-	-	1	-
3 Hoxton New Town *w* -	23505	-	-	1	1	-	1
4 Hoxton Old Town - -	17431	-	-	1	-	-	1
5 Haggerstone West *W* -	20276	-	-	-	-	1	1
6 Haggerstone East - -	11351	-	-	-	1	-	1
21; 1 Hackney Road - -	23910	-	-	-	2	1	1
2 Green, Bethnal Green *W* HL	23555	-	1	2	-	-	-
3 Church, Bethnal Green -	21787	-	-	-	-	-	1
4 Town, Bethnal Green -	20941	-	-	-	1	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	2	-	-	-
3 Mile End New Town *W* -	14543	-	-	2	-	-	1
4 Whitechapel North *W* -	12530	-	-	1	1	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	1	-	-
7 Aldgate H - - -	10694	-	-	-	2	-	-
23; 1 St. Mary St. Geo. East -	18067	-	2	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	1	1	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	3	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	-
3 Limehouse *W* - -	22782	-	-	4	-	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	5	-	-	1
2 Mile End Old T., East. *Ww* H	27020	-	-	-	-	1	2
25; 1 Bow *w*LH - - -	18778	-	-	1	-	-	-
2 Poplar *W* - - -	28384	-	-	2	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	1	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	2	-	-	1
27; 1 St. Olave Southwark HH	8015	-	-	1	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	1	-	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3 Leather Market - -	15295	-	1	1	-	-	-
29; 1 Kent Road - - -	18126	-	-	3	-	1	1
2 Borough Road *W* P -	15862	-	-	1	1	1	-
3 London Road LP - -	17836	-	1	3	-	1	1
30; 1 Trinity Newington P -	20922	-	1	3	2	1	-
2 St. Peter Walworth *W* -	29861	-	1	1	-	-	-
3 St. Mary Newington -	14033	-	-	2	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	1	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	-	-
3 Lambeth Church 1st -	18409	-	1	2	2	-	-
4 Lambeth Church 2nd *W*	26784	-	3	1	-	1	-
5 Kennington 1st - -	24261	-	-	2	-	1	1
6 Kennington 2nd - -	18848	-	-	5	-	-	-
7 Brixton L - - -	14610	-	-	2	-	1	-
8 Norwood *W* - - -	3977	-	-	-	-	-	1
32; 1 Clapham L - - -	16290	-	-	1	-	-	-
2 Battersea *W* - - -	10560	-	-	5	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	1	2	-	-	-
3 Peckham - - - -	19444	-	-	2	-	-	-
4 St. George Camberwell -	15849	-	-	-	1	1	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	1	-	-	3
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	2	-	1	-
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	1	1	-	-
36; 1 Plumstead - - -	13191	-	-	2	-	-	1
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	1	-	-	-
4 Lewisham Village *W* -	6097	-	-	1	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 23D OCTOBER 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
October.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	17	..	29·703	61·7	46·3	15·4	51·3	48·1	66·0	45·3	57·7	56·2	3·2	7·0	1·1	+ 1·9	82	W.	W.N.W. & N.E.	0·0	0·0	0·0	40	0·00
Monday . .	18	..	29·586	50·2	43·2	7·0	47·1	46·5	60·1	36·0	57·7	56·2	0·6	2·3	0·4	— 2·1	98	E.N.E.	E.N.E.	3·0	0·0	0·7	150	0·20
Tuesday .	19	..	29·488	56·0	47·7	8·3	52·5	51·5	57·2	45·5	55·7	54·2	1·0	2·2	0·1	+ 3·4	97	ENE.&E.	E.S.E.	9·0	0·0	2·5	105	0·12
Wednesday	20	In Equator.	29·528	59·4	49·7	9·7	53·9	52·5	61·3	48·2	57·2	55·2	1·4	4·2	1·3	+ 4·8	94	E.	E.	0·0	0·0	0·0	35	0·00
Thursday.	21	..	29·747	61·5	43·6	17·9	51·2	50·0	72·8	38·0	57·7	56·2	1·2	6·4	0·0	+ 2·3	93	Calm	E.S.E.	0·0	0·0	0·0	30	0·00
Friday . .	22	Full	29·904	61·0	46·0	15·0	50·9	47·1	75·0	—	57·7	56·2	3·8	9·8	0·2	+ 2·3	91	N.E.	E & Calm	0·0	0·0	0·0	40	0·00
Saturday.	23	..	29·901	61·0	43·5	17·5	50·8	49·2	68·0	38·2	57·7	56·2	1·6	6·5	0·6	+ 2·5	92	N.E. & E.S.E.	E.S.E. & E.N.E.	0·0	0·0	0·0	40	0·00
Means . .		..	29·694	58·7	45·7	13·0	51·1	49·3	65·8	41·9	57·3	55·8	1·8	5·5	0·5	+ 2·2	92	E. & N.E.		..	..	..	Sum 440	Sum 0·32
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
October.			
Sunday . .	17	The electrical observations are for the present stopped, in consequence of the necessity of renewing the mast which carries the insulating apparatus.	The sky was overcast, and much fog and haze prevailed till after noon, when the amount of cloud was small and the day fine; generally cloudy at night.
Monday . .	18		Cirrus and cirro-cumulus covered the sky during the day; thin rain fell occasionally in the morning, and again from 6h. P.M.
Tuesday . .	19		Overcast throughout the day, rain fell at intervals; in the evening scud and nimbus was prevalent. Strong wind.
Wednesday	20		Overcast till noon, and generally two thirds covered after that time.
Thursday .	21		In the morning the sky was obscured by fog, haze, and light cirrus; it was cloudless at 10h. A.M., and before noon it again became cloudy, and remained so for the rest of the day.
Friday . .	22		The amount of cloud was very variable up to about 7h. P.M., till which time cirrus and cirro-cumulus were present; the night was very fine.
Saturday .	23		The sky was generally more than one half covered, but the amount of clouds at times was very variable till 7h. P.M., when it became quite overcast; a slight fog prevailed in the morning.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·63 in. at the beginning of the week to 29·73 in. by 9h. P.M. on the 17th; decreased to 29·48 in. by 9h. A.M. on the 19th; turned to increase by 3h. P.M. on the same day; was 29·93 in. at 9h. A.M. on the 23d; decreased to 29·88 in. by 3h. P.M. on the same day; and was 29·90 in. at the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty' Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 43. 1858. Vol. XIX.] Week ending Saturday, October 30. [Price 1½*d.*

General Register Office, Somerset House,
November 1st, 1858.

The deaths from all causes registered in London in the week ending Saturday, October 30th, were 1133, and they exhibit an increase, though it is not considerable, on those of the previous week. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1020; but as the deaths of last week occurred in a population which has increased, they can only be compared with the average when the latter has been raised proportionally to the increase, a correction by which it will become 1122. Hence it appears that the rate of mortality now prevailing is but slightly in excess of that which is deduced from former experience at the end of October. The Greenwich meteorology for the week shows that, though the mean temperature of the air fell considerably on the last two days, it was altogether neither higher nor lower than the average of a long series of corresponding weeks.

If the mortality shown in the present return had been according to the rate which has been obtained for the autumnal months in certain selected districts of England, the deaths would not have exceeded 770; and the actual excess, or 363, must be referred, as the result of a week, to those conditions of insalubrity that still exist in large town populations.

Scarlatina has maintained a high mortality throughout October. The deaths from it last week were the same in number as those of the previous week, namely, 156; the corrected average of ten corresponding weeks is 77; and the only week within this series in which scarlatina was more fatal was that of 1848, when the deaths rose to 182. Last week it was fatal in 11 cases in Westminster, a like number in Marylebone, 16 in Pancras, 12 in Islington, 8 in Poplar, 9 in Newington, 11 in Lambeth. It may be added that no cases are recorded in the districts of St. George (Hanover-square), St. Martin-in-the-fields, St. James Westminster, St. Giles, St. Luke, or London City.

Mr. Goodhugh, the Registrar of St. George the Martyr, Holborn, remarks that scarlatina has been very prevalent among children in his sub-district lately, and the mortality has been higher than it was for some time previously. Last week he registered 19 deaths from all causes (nearly one to a thousand of the population); and 17 of these were deaths of children, 6 of whom died of scarlatina.

It will be seen in the Tables that five persons died from delirium tremens, and the deaths of six others are expressly referred to intemperance. The *weekly average* of deaths under these two heads is not so formidable, it is 3; and no cases occurred in the previous week.

Last week the births of 909 boys and 871 girls, in all 1780 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1527.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 30·118 in. The mean daily reading was above 30 in. on five days; the *highest* reading was 30·45 in. on Saturday. The mean temperature of the week was 47·2°, which is the same as the average for the same week in 43 years (as determined by Mr. Glaisher). The *highest* reading of the thermometer in the shade was 57·8° on Monday; the *lowest* 33° on Saturday. The whole range of the week was therefore 24·8°. The mean daily range was 12·5°. The range on Sunday was only 5·2°. The difference between the mean dew-point temperature and air temperature was 3·9°. The mean degree of humidity of the air was 88. The mean temperature of the water of the Thames was 55·3°, or 8° higher than that of the air. The direction of the wind was almost always north-east. The rain-fall was 0·24 in.

Marylebone; *All Souls.*—At 13 Bolsover-street, on 26th October, the daughter of a house-painter, aged 5 months, "variola confluens." The medical attendant adds to his certificate:—"Vaccinated only a few days before the eruption appeared. Two children of the same family were suffering from small-pox, and both were unprotected by vaccination." The informant stated that these two children had been three times unsuccessfully vaccinated, and considered that it was useless to try any more.

Lambeth; *Lambeth Church (2d part).*—At 8 Market-street, on 23d October, a house-painter, aged 17 years, "cholera (39 hours)."

Wandsworth; *Battersea.*—At Union-road, on 23d and 24th October, two daughters of a distillery labourer, aged respectively 1 year and 3 years, "putrid sore throat."

Births Registered last Week, and in the Forty-third Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1411	1328	1362	1673	1400	1617	1447	1527	1716	1785	1526·6	1780
Males . .	718	686	693	876	686	817	733	737	848	921	771·5	909
Females . .	693	642	669	797	714	800	714	790	868	864	755·1	871

Deaths Registered last Week, and in the Forty-third Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1107	902	845	977	1090	1144	1228	903	960	1047	1020·3	1133
Males . .	568	442	417	512	562	592	615	462	508	531	520·9	600
Females . .	539	460	428	465	528	552	613	441	452	516	499·4	533

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.
Births	1553	1496	1558	1696	1531	1537	1641	1657	1726	1521	1767	1695	1780
Deaths	1200	1147	1112	1108	1039	1060	1046	955	1021	993	1149	1113	1133
Deaths (except from Violence) . . .	1126	1089	1058	1067	1013	1027	1014	913	981	952	1120	1077	1103
Deaths (except from Violence) at 60 years and upwards . .	194	174	194	167	157	163	175	159	143	141	182	173	185
Small-pox	5	3	4	6	5	3	5	5	4	1	3	5	6
Measles	44	25	22	36	20	21	27	21	26	36	23	39	33
Scarlatina	86	85	105	92	110	115	118	125	134	145	160	156	156
Whooping-cough . .	36	38	28	34	42	29	26	26	26	28	29	31	31
Typhus	34	32	43	39	30	45	46	35	56	42	57	47	47
Diarrhœa	130	121	113	146	120	69	53	47	42	44	31	26	16
Mean Temperature .	62·4°	65·4°	63·3°	59·2°	59·4°	59·4°	63·4°	58·6°	57·6°	52·1°	53·1°	51·1°	47·2°

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTY-THIRD Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 28 1848	Oct. 27 1849	Oct. 26 1850	Oct. 25 1851	Oct. 30 1852	Oct. 29 1853	Oct. 28 1854	Oct. 27 1855	Oct. 25 1856	Oct. 31 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 30, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	51°·5	55°·0	42°·3	54°·5	45°·6	55°·5	44°·9	50°·2	51°·2	51°·6	50°·2	47°·2					
	ALL CAUSES	1107	902	845	977	1090	1144	1228	903	960	1047	1020·3	1133	643	140	161	148	41
	SPECIFIED CAUSES	1100	891	808	965	1081	1117	1198	892	932	1036	1002·0	1118	637	136	160	144	41
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	470	239	204	286	246	366	381	228	217	244	288·1	345	295	19	18	10	3
II.	CONSTITUTIONAL "	196	168	179	207	210	204	242	208	198	224	203·6	219	65	70	54	29	1
III.	LOCAL "	333	353	324	336	492	402	431	337	363	431	380·2	408	199	37	82	79	11
IV.	DEVELOPMENTAL "	84	102	85	117	117	126	107	92	127	116	107·3	116	64	3	1	24	24
V.	VIOLENT DEATHS	17	29	16	19	16	19	37	27	27	21	22·8	30	14	7	5	2	2
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	460	230	189	263	235	342	369	219	197	221	272·5	322	284	15	11	9	3
	2. ENTHETIC "	1	1	4	6	2	5	3	3	6	4	3·5	3	2	..	..	1	..
	3. DIETIC "	7	5	7	12	9	16	5	5	13	17	9·6	17	6	4	7	..	..
	4. PARASITIC "	2	3	4	5	..	3	4	1	1	2	2·5	3	3	..	..	..	..
II.	1. DIATHETIC "	30	29	33	33	42	35	43	41	28	51	36·5	49	8	5	12	23	1
	2. TUBERCULAR "	166	139	146	174	168	169	199	167	170	173	167·1	170	57	65	42	6	..
III.	1. DISEASES OF NERVOUS SYSTEM	110	107	96	121	117	105	105	110	105	122	109·8	121	59	12	25	23	2
	2. " OF ORGANS OF CIRCULATION	26	41	38	43	33	34	42	40	39	47	38·3	37	4	6	13	13	1
	3. " OF RESPIRATORY ORGANS	120	132	120	109	262	200	206	122	147	190	160·8	181	118	8	23	28	4
	4. " OF DIGESTIVE ORGANS	54	48	42	44	51	46	54	39	48	44	47·0	39	11	6	10	10	2
	5. " OF URINARY ORGANS	10	10	18	16	13	10	13	12	16	13	13·1	17	2	4	7	3	1
	6. " OF ORGANS OF GENERATION	4	6	4	..	3	2	5	3	2	7	3·6	4	2	..	1	..	1
	7. " OF ORGANS OF LOCOMOTION	6	3	..	2	7	2	4	6	2	..	3·2	4	1	1	2	..	..
	8. " OF INTEGUMENTARY SYSTEM	3	6	6	1	6	3	2	5	4	8	4·4	5	2	..	1	2	..
IV.	1. DEV. DISEASES OF CHILDREN	32	28	27	42	45	49	32	21	43	41	36·0	24	24	..	..	..	..
	2. " OF ADULTS	3	10	4	5	6	6	3	8	8	10	6·3	3	..	2	1	..	..
	3. " OF OLD PEOPLE	34	39	37	43	45	36	39	35	29	35	37·2	39	..	..	..	16	23
	4. DISEASES OF NUTRITION	15	25	17	27	21	35	33	28	47	30	27·8	50	40	1	..	8	1
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											27	14	6	3	2	2
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												3	..	1	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	17	29	16	19	16	19	37	27	27	21	22·8	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	8	20	2	2	5	10	2	10	1	6·3	10	3	3	1	3	..
	CAUSES NOT SPECIFIED	4	3	17	10	7	22	20	9	18	10	12·0	5	3	1	..	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 28 1848	Oct. 27 1849	Oct. 26 1850	Oct. 25 1851	Oct. 30 1852	Oct. 29 1853	Oct. 28 1854	Oct. 27 1855	Oct. 25 1856	Oct. 31 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 30, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	51·5°	55·0°	42·3°	54·5°	45·6°	55·5°	44·9°	50·2°	51·2°	51·6°	50·2°	Mean Temp. 47·2°					
I.	ORDER 1.																	
	1. Small-pox	47	7	5	22	7	1	22	10	4	..	12·5	6	4	1	..	1	..
	2. Measles	16	20	24	13	8	25	22	13	23	11	17·5	33	33	..	..	..	..
	3. Scarlatina	182	33	32	67	104	44	93	58	38	53	70·4	156	155	1	..	..	..
	4. Quinsy	3	2	4	1	1	..	1	1	1	3	1·7	4	3	1	..	..	..
	5. Croup	5	5	5	7	5	9	11	14	9	8	7·8	8	8	..	..	..	..
	6. Whooping-cough	33	16	24	11	28	52	26	22	25	35	27·2	31	30	1	..	..	..
	7. Typhus (and Infantile fever)	74	52	49	80	45	52	53	51	52	57	56·5	47	31	4	7	3	2
	8. Erysipelas	5	7	4	11	3	6	10	9	4	2	6·1	4	..	2	..	1	1
	9. Metria	5	4	2	5	2	5	6	1	4	4	3·8	4	..	3	1	..	..
	10. Carbuncle	..	..	1	1	..	..	2	..	3	1	·8	1	..	..	1	..	..
	11. Influenza	..	2	1	2	4	2	2	..	..	1	1·4	2	2	..	..	..	..
	12. Dysentery	8	9	3	4	1	2	2	..	1	4	3·4	4	2	..	..	2	..
	13. Diarrhœa	38	42	27	30	17	41	46	27	22	31	32·1	16	11	1	2	2	..
	14. Cholera	34	25	3	1	2	96	66	7	..	3	23·7	1	1	..	..	..	..
	15. Ague	2	..	..	..	1	1	1	2	3	..	1·0	..	..	..	..	..	..
	16. Remittent fever	2	2	2	1	1	1	1	..	1	3	1·4	3	3	..	..	..	..
	17. Rheumatism	6	4	3	7	6	5	5	4	7	5	5·2	2	1	1	..	..	..
	ORDER 2.																	
	1. Syphilis	1	..	3	5	1	3	2	3	4	4	2·6	2	2	..	..	..	..
	2. Stricture of Urethra	..	1	1	1	1	2	1	..	2	..	·9	1	..	..	..	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	1	..	..	2	1	..	..	..	·4	..	..	..	..	..	..
	2. Want of Breast-milk	2	3	4	6	8	9	2	1	10	8	5·3	5	5	..	..	..	..
	3. Purpura and Scurvy	1	1	..	1	..	1	1	..	..	2	·7	1	1	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	4	1	1	5	1	3	..	2	1	4	2·2	5	..	3	2	..	..
	4. Alcoholism { *b* Intemperance	..	..	1	..	..	1	1	2	2	3	1·0	6	..	1	5	..	..
	ORDER 4.																	
	1. Thrush	2	3	4	5	..	3	4	1	1	2	2·5	3	3	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	2	..	..	..	1	1	..	1	..	·5	2	..	..	1	1	..
	2. Dropsy	19	8	13	14	20	8	18	19	9	26	15·4	17	6	1	..	9	1
	3. Cancer	9	15	19	17	22	22	19	18	17	19	17·7	25	..	4	10	11	..
	4. Noma	..	..	..	..	..	..	2	1	..	..	·3	2	2	..	..	..	..
	5. Mortification	2	4	1	2	..	4	3	3	1	6	2·6	3	..	..	1	2	..
	ORDER 2.																	
	1. Scrofula	10	4	5	9	7	6	10	7	9	6	7·3	8	5	2	..	1	..
	2. Tabes Mesenterica	14	13	8	17	14	14	20	18	10	14	14·2	13	12	1	..	..	..
	3. Phthisis	124	97	114	123	125	129	137	116	130	129	122·4	133	24	62	42	5	..
	4. Hydrocephalus	18	25	19	25	22	20	32	26	21	24	23·2	16	16	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	14	12	3	10	4	11	13	8	7	16	9·8	12	9	2	1	..	..
	2. Apoplexy	34	25	16	22	18	17	23	33	21	26	23·5	22	1	2	9	9	1
	3. Paralysis	20	17	26	27	23	13	15	21	22	19	20·3	17	..	1	5	11	..
	4. Insanity	2	..	1	8	1	2	1	..	3	2	2·0	3	..	..	1	1	1
	5. Chorea	1	..	..	..	..	..	..	..	..	1	·2	..	..	..	..	..	..
	6. Epilepsy	6	4	5	7	11	11	5	2	2	7	6·0	6	1	2	2	1	..
	7. Convulsions	25	41	35	36	44	35	40	35	38	40	36·9	42	42	..	..	..	..
	8. *Brain Disease, &c.*	8	8	10	11	16	16	8	11	12	11	11·1	19	6	5	7	1	..
	ORDER 2.																	
	1. Pericarditis	..	..	1	2	1	1	2	2	1	1	1·1	5	1	1	2	1	..
	2. Aneurism	2	..	1	2	1	..	..	3	1	2	1·2	3	..	2	1	..	..
	3. *Heart Disease, &c.*	24	41	36	39	31	33	40	35	37	44	36·0	29	3	3	10	12	1
	ORDER 3.																	
	1. Laryngitis	2	3	2	3	2	3	5	3	3	6	3·2	8	5	1	2	..	..
	2. Bronchitis	48	50	54	43	124	91	81	60	56	87	69·4	83	44	1	13	22	3
	3. Pleurisy	2	2	5	3	7	3	5	2	3	1	3·3	4	..	1	2	1	..
	4. Pneumonia	51	61	45	45	109	83	95	45	75	77	68·6	77	68	2	4	3	..
	5. Asthma	12	8	8	7	16	11	13	7	5	13	10·0	2	..	..	..	1	1
	6. *Lung Disease, &c.*	5	8	6	8	4	9	7	5	5	6	6·3	7	1	3	2	1	..
	ORDER 4.																	
	1. Gastritis	2	2	..	1	..	1	2	..	1	1	1·0	3	2	1	..	..	..
	2. Enteritis	7	7	9	9	10	8	5	10	4	3	7·2	2	1	1	..	..	..
	3. Peritonitis	6	2	..	2	6	2	1	3	1	4	2·7	2	2	..	..	..	..
	4. Ascites	..	5	5	2	..	5	2	4	5	1	2·9	2	1	..	..	1	..
	5. Ulceration of Intestines	4	3	2	1	6	2	2	1	5	1	2·7	3	..	3	..	..	..
	6. Hernia	7	3	2	1	4	1	2	2	6	1	2·9	1	..	..	1	..	..
	7. Ileus	2	2	1	1	2	3	2	2	2	3	2·0	3	..	..	1	1	1
	8. Intussusception	..	..	..	1	..	2	1	2	1	1	·8	1	1	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FORTY-THIRD Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Oct. 28 1848	Oct. 27 1849	Oct. 26 1850	Oct. 25 1851	Oct. 30 1852	Oct. 29 1853	Oct. 28 1854	Oct. 27 1855	Oct. 25 1856	Oct. 31 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Oct. 30, 1858. Deaths of Persons of the Ages: ALL AGES.	Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards
	Mean Temperature	51°·5	55°·0	42°·3	54°·5	45°·6	55°·5	44°·9	50°·2	51°·2	51°·6	50°·2		47°·2					
	9. Stricture of Intestines	2	..	..	..	..	..	1	..	..	..	·3	..		..	..	..	..	..
	10. Fistula	1	..	..	..	..	..	..	1	..	..	·2	..		..	..	..	..	..
	11. *Stomach Disease, &c.*	8	5	5	10	2	8	7	2	7	..	5·4	9		2	..	3	3	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..
	13. Hepatitis	2	1	3	5	5	3	10	1	3	7	4·0	2		1	..	..	1	..
	14. Jaundice	1	6	3	2	5	2	3	7	4	7	4·0	3		1	..	..	2	..
	15. *Liver Disease, &c.*	10	11	12	9	10	9	16	4	9	15	10·5	8		..	1	5	2	..
	16. *Spleen Disease, &c.*	2	1	..	..	1	..	..	..	..	..	·4	..		..	..	..	..	..
	ORDER 5.																		
	1. Nephritis	..	1	..	..	1	..	1	..	..	..	·3	..		..	..	..	..	..
	2. Ischuria	..	..	1	..	..	1	..	..	1	..	·3	..		..	..	..	..	..
	3. Nephria	3	3	4	3	3	3	3	3	6	2	3·3	7		..	1	5	1	..
	4. Diabetes	..	..	1	..	2	..	1	1	3	3	1·1	1		1	..	..	..	..
	5. Stone	..	..	1	3	1	1	..	1	..	..	·7	1		..	..	..	1	..
	6. Cystitis	..	1	..	1	3	..	1	..	..	..	·6	1		..	..	..	..	1
	7. *Kidney Disease, &c.*	7	5	11	9	3	5	7	7	6	8	6·8	7		1	3	2	1	..
	ORDER 6.																		
	1. Ovarian Dropsy	1	..	..	..	..	1	1	1	..	1	·5	..		..	..	..	..	..
	2. *Uterus Disease, &c.*	3	6	4	..	3	1	4	2	2	6	3·1	4		2	..	1	..	1
	ORDER 7.																		
	1. Arthritis	..	..	..	..	1	..	1	..	..	..	·2	..		..	..	..	..	..
	2. *Joint Disease, &c.*	6	3	..	2	6	2	3	6	2	..	3·0	4		1	1	2	..	..
	ORDER 8.																		
	1. Phlegmon	2	3	5	1	3	2	1	4	2	4	2·7	4		2	..	1	1	..
	2. Ulcer	1	2	..	..	2	1	1	..	1	1	·9	..		..	..	..	..	..
	3. *Skin Disease, &c.*	..	1	1	..	1	..	..	1	1	3	·8	1		..	..	..	1	..
IV.	ORDER 1.																		
	1. Premature Birth	24	19	22	35	32	38	25	12	32	29	26·8	14		14	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1		1	..	..	..	..
	3. Spina Bifida												2		2	..	..	..	..
	4. Other Malformations	3	1	2	4	7	5	1	1	1	4	2·9	1		1	..	..	..	..
	5. Teething	5	8	3	3	6	6	6	8	10	8	6·3	6		6	..	..	..	..
	ORDER 2.																		
	1. Paramenia	..	1	..	..	..	..	1	..	..	..	·2	..		..	..	..	..	..
	2. Childbirth (*see* Metria)	3	9	4	5	6	6	2	8	8	10	6·1	3		..	2	1	..	..
	ORDER 3.																		
	1. Old Age	34	39	37	43	45	36	39	35	29	35	37·2	39		..	..	..	16	23
	ORDER 4.																		
	1. Atrophy and Debility	15	25	17	27	21	35	33	28	47	30	27·8	50		40	1	..	8	1
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																		
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	12		3	3	3	1	2
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..		..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	8		7	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..		..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	2		..	2	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	4		4	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1		..	..	..	1	..
	ORDER 3. (HOMICIDE.)																		
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..		..	..	..	..	..
	ORDER 4. (SUICIDE.)																		
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..		..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..		..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..		..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	2		..	1	1	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1		..	..	1	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..		..	..	..	..	..
	ORDER 5. (EXECUTION.)																		
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..		..	..	..	..	..
	Violent Deaths (not classed)	17	29	16	19	16	19	37	27	27	21	22·8	..		..	..	..	..	..
	Sudden Deaths (Cause unascertained)	3	8	20	2	2	5	10	2	10	1	6·3	10		3	3	1	3	..
	Causes not specified or ill-defined	4	3	17	10	7	22	20	9	18	10	12·0	5		3	1	..	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the FORTY-THIRD WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Oct. 28 1848	Oct. 27 1849	Oct. 26 1850	Oct. 25 1851	Oct. 30 1852	Oct. 29 1853	Oct. 28 1854	Oct. 27 1855	Oct. 25 1856	Oct. 31 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday Oct. 30 1858.
Mean Temperature . . .			51·5°	55·0°	42·3°	54·5°	45·6°	55·5°	44·9°	50·2°	51·2°	51·6°	50·2°	47·2°
LONDON	78029	2362236	1107	902	845	977	1090	1144	1228	903	960	1047	1020·3	1133
1–6. WEST DISTRICTS .	10786	376427	179	112	137	126	167	168	153	155	146	167	151·0	171
7–11. NORTH DISTRICTS .	13533	490396	162	154	158	183	216	215	228	189	204	201	191·0	257
12–19. CENTRAL DISTRICTS	1938	393256	164	133	144	161	183	159	186	145	134	171	158·0	164
20–25. EAST DISTRICTS .	6230	485522	264	241	158	221	241	267	272	199	223	234	232·0	243
26–36. SOUTH DISTRICTS .	45542	616635	338	262	248	286	283	335	389	215	253	274	288·3	298
1. Kensington* HHHH .	7374	120004	42	24	37	39	41	51	43	52	41	66	43·6	67
2. Chelsea H*w* . . .	865	56538	24	18	26	16	28	22	30	19	22	22	22·7	22
3. St. George Hanover-sq. H	1161	73230	31	21	31	29	33	23	37	30	33	31	29·9	31
4. Westminster* HHHH .	917	65609	53	24	23	14	45	45	22	37	32	26	32·1	32
5. St. Martin-in-the-Fields H	305	24640	12	11	13	14	5	10	13	8	12	9	10·7	11
6. St. James Westminster .	164	36406	17	14	7	14	15	17	8	9	6	13	12·0	8
7. Marylebone HH . .	1509	157696	54	44	54	64	56	59	74	40	46	59	55·0	76
8. Hampstead	2252	11986	1	6	3	3	4	2	1	..	6	4	3·0	7
9. Pancras HH*w* . . .	2716	166956	68	56	62	60	81	63	72	87	84	70	70·3	93
10. Islington HHH . .	3127	95329	32	29	24	47	53	56	47	42	38	46	41·4	53
11. Hackney* H*w* . . .	3929	58429	7	19	15	9	22	35	34	20	30	22	21·3	28
12. St. Giles* H . . .	245	54214	21	11	29	21	26	25	27	22	18	17	21·7	28
13. Strand* H	173	44422	18	9	12	13	15	15	16	18	20	20	15·6	12
14. Holborn* H . . .	196	46621	26	25	20	15	22	10	18	17	14	24	19·1	33
15. Clerkenwell	380	64778	28	18	18	32	35	24	35	20	25	25	26·0	27
16. St. Luke HH . . .	220	54055	18	11	25	23	26	19	22	19	25	24	21·2	20
17. East London* . . .	153	44406	19	15	9	24	25	21	22	19	5	16	17·5	17
18. West London* H . .	137	28828	19	22	17	13	15	25	29	22	18	30	21·0	15
19. London City*	434	55932	15	22	14	20	19	20	17	8	9	15	15·9	12
20. Shoreditch *w* . . .	646	109257	72	61	35	43	54	63	64	47	46	48	53·3	58
21. Bethnal Green H . .	760	90193	49	40	26	44	37	40	52	29	27	42	38·6	42
22. Whitechapel* HH . .	406	79759	41	50	34	41	45	55	43	37	39	37	42·2	44
23. St. George-in-the-East .	243	48376	23	24	12	21	30	22	25	26	27	22	23·2	13
24*a*. Stepney*	576	54173	64	45	32	53	54	55	62	42	52	59	51·8	26
24*b*. Mile-end Old Town H*w*	681	56602												23
25. Poplar* H*w* . . .	2918	47162	15	21	19	19	21	32	26	18	32	26	22·9	37
26. St. Saviour Southwark* HH	250	35731	22	16	20	33	20	33	27	19	13	15	21·8	20
27. St. Olave Southwark* HH	169	19375	21	25	19	16	14	31	18	25	20	17	20·6	24
28. Bermondsey	688	48128	33	15	18	31	25	31	54	10	28	33	27·8	19
29. St. George Southwark .	282	51824	32	29	26	24	32	33	31	13	16	23	26·4	13
30. Newington	624	64816	21	36	16	30	32	27	31	15	22	30	26·0	31
31. Lambeth H	4015	139325	80	49	52	61	63	57	76	40	57	59	59·4	58
32. Wandsworth*	11695	50764	22	19	14	21	16	14	23	16	24	18	18·7	14
33. Camberwell	4342	54667	19	25	23	22	23	22	40	15	13	17	21·9	30
34. Rotherhithe	886	17805	8	4	8	1	9	12	14	7	1	8	7·2	8
35. Greenwich* HHHHH .	5367	99365	69	36	42	36	41	57	63	43	46	37	47·0	66
36. Lewisham*	17224	34835	11	8	10	11	8	18	12	12	13	12	11·5	15

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847–56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Oct. 23. Total.	Males.	Females.	In the Week ending Oct. 30. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	144	82	62	187	115	72
45 WORKHOUSES	75	33	42	89	47	42
14 PRISONS . . . . . ‡	2	2	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	2	2	–	5	5	–
15 GENERAL HOSPITALS	53	36	17	79	52	27
7 HOSPITALS FOR SPECIAL DISEASES	5	4	1	5	3	2
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	1	–	1
4 LYING-IN HOSPITALS . . . . Children .	1	1	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	2	2	–	5	5	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	2	2	–
19 LUNATIC ASYLUMS	3	1	2	1	1	–

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 30th October 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	6	33	156	31	16	47
1-6	WEST DISTRICTS - -	376427	-	2	18	-	4	7
7-11	NORTH DISTRICTS - -	490396	1	10	41	5	2	8
12-19	CENTRAL DISTRICTS -	393256	-	10	17	8	2	5
20-25	EAST DISTRICTS - -	485522	2	6	36	9	3	15
26-36	SOUTH DISTRICTS - -	616635	3	5	44	9	5	12
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	-	2	-	-	-
2	St. John Paddington H -	29053	-	-	-	-	-	1
3	Kensington Town *W* L -	29183	-	-	-	-	1	1
4	Brompton HH - -	14870	-	-	-	-	-	1
5	St. Peter Hammersmith -	4467	-	-	-	-	-	-
6	St. Paul Hammersmith -	13293	-	-	3	-	1	-
7	Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1	Chelsea South H - -	19050	-	1	-	-	-	1
2	Chelsea North-west *Ww*	17669	-	-	1	-	-	1
3	Chelsea North-east L -	19819	-	1	1	-	-	-
3; 1	Hanover Square - -	20216	-	-	-	-	-	-
2	May Fair *W* - - -	12980	-	-	-	-	-	-
3	Belgrave H - - -	40034	-	-	-	-	-	1
4; 1	St. John Westmr. HHHP	34295	-	-	5	-	-	-
2	St. Margaret West. *W* HP	31314	-	-	6	-	-	1
5; 1	Charing Cross *W* H -	12587	-	-	-	-	-	-
2	Long Acre - - -	12053	-	-	-	-	1	-
6; 1	Berwick Street - -	10798	-	-	-	-	1	-
2	St. James's Square -	11469	-	-	-	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	1	-	1	-	-	2
2	Cavendish-square - -	14687	-	-	1	-	-	-
3	Rectory Marylebone *W* -	27633	-	-	-	-	-	-
4	St. Mary Marylebone H	22814	-	-	-	-	-	-
5	Christchurch Marylebone	33895	-	2	7	-	-	-
6	St. John Marylebone -	29826	-	-	2	-	-	-
8; 1	Hampstead *W* - -	11986	-	3	-	-	-	-
9; 1	Regent's Park Pancras -	31918	-	-	2	-	-	1
2	Tottenham-court *w*H -	28433	-	1	2	1	1	1
3	Gray's Inn Lane H -	26523	-	1	5	1	-	-
4	Somers Town - - -	35641	-	-	5	-	1	-
5	Camden Town *W* - -	21115	-	-	-	-	-	1
6	Kentish Town - -	23326	-	1	2	-	-	-
10; 1	Islington West† *W*HHHPP	47881	-	2	4	1	-	1
2	Islington East - -	47448	-	-	8	1	-	-
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	-	-	-	-	1
4	Hackney *W* H*w* - -	20850	-	-	1	1	-	-
5	South Hackney L - -	8458	-	-	1	-	-	1
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	2	-	-	-	-
2	St. Giles South *W* H -	19951	-	-	-	1	-	-
3	St. Giles North - -	17456	-	-	-	-	-	-
13; 1	St. Anne Soho - -	17335	-	-	1	-	-	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15472	-	-	-	-	-	1
14; 1	St. George-the-Martyr H.	18813	-	1	6	2	-	1
2	St. Andrew, East. Holb. *W*	13971	-	-	-	-	-	1
3	Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1	St. James Clerkenwell *W*P	21529	-	-	1	-	-	-
2	Amwell Clerkenwell P -	15720	-	2	-	-	1	-
3	Pentonville - - -	11904	-	-	3	-	-	-
4	Goswell-street - - -	15625	-	1	1	-	-	1
16; 1	Old-street H - - -	10617	-	-	-	-	-	-
2	City-road HL - -	16840	-	-	-	1	1	-
3	Whitecross-street - -	13657	-	-	-	1	-	-
4	Finsbury - - - -	12941	-	-	-	-	-	1
17; 1	St. Botolph East London	23824	-	-	1	-	-	-
2	Cripplegate P - -	20582	-	1	3	1	-	-
18; 1	West London North *W*HP	12946	-	1	1	1	-	-
2	West London South P -	15882	-	-	-	-	-	-
19; 1	London City South-west -	9204	-	1	-	-	-	-
2	London City North-west -	11847	-	-	-	1	-	-
3	London City South - -	11461	-	1	-	-	-	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	-	-	-	-
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	-	2	-	-
2	St. Leonard Shoreditch L	19449	-	1	1	-	-	-
3	Hoxton New Town *w* -	23505	-	-	3	-	1	1
4	Hoxton Old Town - -	17431	-	1	-	-	-	-
5	Haggerstone West *W* -	20276	-	1	1	-	-	1
6	Haggerstone East - -	11351	-	-	1	-	-	1
21; 1	Hackney-road - - -	23910	1	1	-	1	-	2
2	Green, Bethnal Green *W* HL	23555	-	-	2	1	1	1
3	Church, Bethnal Green -	21787	-	-	1	2	-	1
4	Town, Bethnal Green -	20941	-	-	3	1	1	-
22; 1	Artillery Whitechapel -	6769	-	-	1	-	-	-
2	Spitalfields - - -	15336	1	-	1	1	-	-
3	Mile End New Town *W*	14543	-	-	1	-	-	-
4	Whitechapel North *W* -	12530	-	-	-	-	-	-
5	Whitechapel Church H -	7818	-	-	1	-	-	1
6	Goodman's Fields - -	12069	-	-	-	-	-	-
7	Aldgate H - - -	10694	-	-	-	-	-	-
23; 1	St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2	St. Paul St. Geo. East -	20319	-	-	3	-	-	-
3	St. John St. Geo. East *W*	9990	-	-	2	-	-	-
24*a*; 1	Shadwell *W* - - -	16179	-	-	1	-	-	-
2	Ratcliff *W* - - -	15212	-	-	2	-	-	2
3	Limehouse *W* - -	22782	-	1	2	1	-	2
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	1	-	-	-
2	Mile End Old T., East. *Ww*H	27020	-	-	1	-	-	3
25; 1	Bow *w*LH - - -	18778	-	-	2	-	-	-
2	Poplar *W* - - -	28384	-	1	6	-	-	-
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	1	-	-	-
2	St. Saviour Southwark HH	19709	-	-	-	1	-	2
27; 1	St. Olave Southwark HH	8015	-	-	1	-	1	-
2	St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1	St. James Bermondsey -	18899	-	-	2	-	-	-
2	St. Mary Magdalen *W* -	13934	-	-	1	-	-	-
3	Leather Market - -	15295	1	-	2	-	-	-
29; 1	Kent-road - - -	18126	-	-	3	-	-	-
2	Borough-road *W*P -	15862	-	-	1	-	-	-
3	London-road LP - -	17836	-	1	-	-	-	-
30; 1	Trinity Newington P -	20922	-	-	1	-	-	-
2	St. Peter Walworth *W* -	29861	-	1	6	-	2	-
3	St. Mary Newington -	14033	-	-	2	-	-	-
31; 1	Waterloo-road 1st - -	14088	-	-	2	-	-	-
2	Waterloo-road 2nd H -	18348	-	-	-	2	-	-
3	Lambeth Church 1st -	18409	-	1	-	-	-	-
4	Lambeth Church 2nd *W*	26784	-	-	2	4	-	1
5	Kennington 1st - -	24261	-	1	2	-	-	-
6	Kennington 2nd - -	18848	-	-	1	-	-	-
7	Brixton L - - -	14610	-	-	3	-	-	-
8	Norwood *W* - - -	3977	-	-	1	-	-	-
32; 1	Clapham L - - -	16290	-	-	1	-	1	1
2	Battersea *W* - - -	10560	-	-	2	-	-	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	-	-	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	-	-	-	-	-
3	Peckham - - - -	19444	1	-	-	1	-	-
4	St. George Camberwell -	15849	-	-	1	1	-	1
34; 1	Rotherhithe *W* - -	17805	-	1	2	-	-	-
35; 1	St. Paul Deptford - -	24899	1	-	1	-	1	1
2	St. Nicholas Deptford -	7071	-	-	-	-	-	1
3	Greenwich West H -	18800	-	-	1	-	-	1
4	Greenwich East *W* H -	16228	-	-	1	-	-	3
5	Woolwich Dockyard HP	17140	-	-	1	-	-	-
6	Woolwich Arsenal HPH	15227	-	-	-	-	-	1
36; 1	Plumstead - - -	13191	-	-	2	-	-	-
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	-	-	-	-	-
4	Lewisham Village *W* -	6097	-	-	-	-	-	-
5	Sydenham - - -	4501	-	-	1	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 30th October 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
October.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday	24	..	29·925	54·5	49·3	5·2	51·3	48·4	56·4	48·0	56·7	55·2	2·9	4·0	2·0	+ 3·4	92	N.E.	N.E.	0·0	0·0	0·0	85	0·00
Monday	25	Perigee	30·104	57·8	45·3	12·5	50·1	45·0	61·5	45·0	56·7	55·2	5·1	8·9	3·2	+ 2·6	88	N.E.	E.	0·0	0·0	0·0	40	0·00
Tuesday	26	Greatest Dec. N.	30·145	54·5	42·7	11·8	49·1	45·1	63·5	39·4	55·7	54·2	4·0	9·6	2·2	+ 1·7	91	E.N.E.	N.E.	1·5	0·0	0·0	60	0·00
Wednesday	27	..	30·083	57·6	43·0	14·6	48·6	42·9	71·2	38·1	55·7	54·6	5·7	9·8	3·1	+ 1·4	85	N.E.	N.E. & W.	0·0	0·0	0·0	90	0·00
Thursday	28	..	29·884	54·0	43·5	10·5	49·3	48·4	54·0	39·0	55·7	54·9	0·9	2·5	0·0	+ 2·3	96	W.	W. & N.E.	4·5	0·0	0·5	140	0·24
Friday	29	Last Quarter.	30·251	48·2	34·8	13·4	41·1	35·7	60·0	30·0	—	—	5·4	9·2	4·7	— 5·7	78	N.N.E.	N.N.E.	5·3	0·0	0·8	100	0·00
Saturday	30	..	30·432	52·5	33·0	19·5	41·1	37·6	65·7	27·0	53·8	—	3·5	10·1	1·2	— 5·5	86	N.E.	NE. & Calm	0·0	0·0	0·0	15	0·00
Means		..	30·118	54·2	41·7	12·5	47·2	43·3	61·8	38·1	55·7	54·8	3·9	7·7	2·3	0·0	88	N.E.		..	..	..	Sum 530	Sum 0·24
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
October.			
Sunday	24	The electrical observations are for the present stopped, in consequence of the necessity of renewing the mast which carries the insulating apparatus.	Cloudy throughout the day. Thin rain fell for a short time at 4h. P.M.
Monday	25		Cloudy till noon; partially clear during the afternoon, and clear at night.
Tuesday	26		Cloudy for the most part till noon; during the afternoon the amount of cloud was variable; cloudless at night; fog prevailed during the evening.
Wednesday	27		Cloudy during the earlier portion of the morning; at other times of the day the sky was generally free from cloud. Fog prevailed at night.
Thursday	28		Overcast till evening, generally clear afterwards; great gloom prevailed at 3h. 50m. P.M. Rain fell, with slight cessations, till evening.
Friday	29		Partially cloudy till noon; generally overcast afterwards. Rain fell for a short time at 3h. P.M.
Saturday	30		The day was fine, and the amount of cloud was small at all times. Fog prevailed at night.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·90 in. at the beginning of the week to 30·16 in. by noon. on the 26th; remained at this reading nearly till 9h. A.M. on the 27th; decreased to 29·82 in. by 3h. P.M. on the 28th; and increased to 30·45 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 44. 1858. Vol. XIX.] Week ending Saturday, November 6. [Price $1\frac{1}{2}d$.

General Register Office, Somerset House,
November 8th, 1858.

The present Return shows a rather high mortality. In the two previous weeks the deaths were 1113 and 1133; in the last week ending Saturday, November 6th, they rose to 1217. The mean temperature of the air in the first week of November was 6° lower than in the latter half of October; and to this cause apparently the increase of mortality is due. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1028; but as the deaths now returned occurred in a population which has increased, they can only be compared with the average, when the latter is raised proportionally to the increase, a correction by which it becomes 1130. The comparison shows that 87 persons died last week who would have survived if the average rate of mortality, as found at this season in former years, had prevailed.

If the deaths of last week had been according to the rate of mortality that prevails in autumn in the healthiest country districts of England, they would have been 770; and the actual excess above this limit which the return exhibits, amounting to 447, is therefore to be referred to causes that are only or chiefly found in operation in London and other city populations.

Scarlatina reached its highest point in October, and was stationary during the greater part of that month. It is satisfactory now to mark a decrease in its mortality, the deaths having fallen from 156 to 138. Last week it was decidedly more fatal in the Northern than in any of the four other divisions of the metropolis. Fifteen deaths from scarlatina occurred in Marylebone, of which more than half were recorded in the sub district of Christchurch; 13 were returned in Pancras; 8 in Islington; 8 in the sub-districts of Kennington and Brixton; 4 in that of St. Paul, Deptford. A shoemaker and two of his sons died of diphtheria at 209 Bethnal Green-road within a period of six days.

The increase of the deaths in the present return over those of the previous week, which has been shown above, arises principally from bronchitis and pneumonia, the former of which rose from 83 deaths to 128, the latter from 77 to 99.

Last week the births of 890 boys and 916 girls, in all 1806 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1535.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 30·212 in. The barometrical readings were high, their daily means having been above 30 in. throughout the week. The *highest* reading was 30·45 in. on Sunday (October 31st). The mean temperature of the air in the week was 43·3°, which is 2·7° below the average of the same week in 43 years. On Monday, the coldest day, the mean temperature was 8·5° below the average. The thermometer ranged from its *lowest* point 28·2° on Monday to its *highest*

point 54° on Wednesday; the mean daily range was 15°. The difference between the mean dew-point temperature and air temperature was 4·1°. The mean degree of humidity of the air was 85; on Monday the humidity was 96, being near the point of complete saturation. The wind was nearly always north-east; during the greater part of the week the air was very calm. Hardly any rain fell.

MARYLEBONE; *Cavendish-square.*—At 41 Margaret-street, on 3d November, the son of a tailor, aged 2 months, "choleraic diarrhœa (10 days).

PANCRAS; *Somers Town.*—At 9 Gee-street, on 31st October, the wife of a fencing-master, aged 51 years, "extravasation of blood on the brain produced by fright." *Post mort.* (*Inquest.*)

ST. GILES; *St. George Bloomsbury.*—At 3 Upper Montague-mews, on 2d November, the wife of a coachman, domestic servant, aged 58 years, "liver and kidney disease. *Post mort.* Liver healthy, kidney large and nearly black, but no structural disease apparent." Dr. Engall, the medical attendant, adds:—"Notwithstanding the healthy appearance of the liver, gallons of bile were vomited, and that although no structural disease of kidney appeared, bloody venous urine was passed for 10 days before death."

BETHNAL GREEN; *Church.*—At 209 Bethnal Green-road, on 31st October and 2d and 5th November, a shoemaker, aged 35 years, and his two sons aged respectively 7 years and 9 years, "diphtheria," the father after 10 days' illness, the sons after 14 days'.

BIRTHS Registered LAST WEEK, and in the FORTY-FOURTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1461	1416	1519	1480	1644	1658	1575	1346	1569	1682	1535·0	1806
Males . .	734	712	770	759	830	847	814	671	777	859	777·3	890
Females .	727	704	749	721	814	811	761	675	792	823	757·7	916

DEATHS Registered LAST WEEK, and in the FORTY-FOURTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1115	837	945	861	1101	1112	1252	919	969	1166	1027·7	1217
Males . .	565	404	464	436	578	584	627	451	519	572	520·0	609
Females .	550	433	481	425	523	528	625	468	450	594	507·7	608

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.
BIRTHS	1496	1558	1696	1531	1537	1641	1657	1726	1521	1767	1695	1780	1806
DEATHS	1147	1112	1108	1039	1060	1046	955	1021	993	1149	1113	1133	1217
DEATHS (except from Violence) . . .	1089	1058	1067	1013	1027	1014	913	981	952	1120	1077	1103	1184
Deaths (except from Violence) at 60 years and upwards . .	174	194	167	157	163	175	159	143	141	182	173	185	203
Small-pox	3	4	6	5	3	5	5	4	1	3	5	6	3
Measles	25	22	36	20	21	27	21	26	36	23	39	33	42
Scarlatina	85	105	92	110	115	118	125	134	145	160	156	156	138
Whooping-cough . .	38	28	34	42	29	26	26	26	28	29	31	31	38
Typhus	32	43	39	30	45	46	35	56	42	57	47	47	40
Diarrhœa	121	113	146	120	69	53	47	42	44	31	26	16	19
Mean Temperature .	65°·4	63°·3	59°·2	59°·4	59°·4	63°·4	58°·6	57°·6	52°·1	53°·1	51°·1	47°·2	43°·3

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTY-FOURTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 4 1848	Nov 3 1849	Nov 2 1850	Nov 1 1851	Nov 6 1852	Nov 5 1853	Nov 4 1854	Nov 3 1855	Nov 1 1856	Nov 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 6, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44°·9	50°·3	46°·3	46°·3	54°·2	48°·9	49°·7	42°·8	44°·7	53°·8	48°·2	Mean Temp. 43°·3					
	ALL CAUSES	1115	837	945	861	1101	1112	1252	919	969	1166	1027·7	1217	677	156	173	182	29
	SPECIFIED CAUSES	1095	822	923	831	1069	1082	1230	897	949	1148	1004·6	1203	667	154	173	180	29
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	436	227	227	239	234	342	378	242	200	261	278·6	333	286	16	16	14	1
II.	CONSTITUTIONAL "	199	196	189	202	232	217	229	200	228	233	212·5	229	68	82	55	23	1
III.	LOCAL "	345	297	355	269	456	372	471	319	373	511	376·8	506	238	47	93	114	14
IV.	DEVELOPMENTAL "	99	87	125	105	114	127	128	89	111	127	111·2	102	62	4	2	21	13
V.	VIOLENT DEATHS	16	15	27	16	33	24	24	47	37	16	25·5	33	13	5	7	8	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	423	210	215	220	222	329	354	227	177	233	261·0	319	275	15	15	13	1
	2. ENTHETIC "	4	3	1	3	4	5	5	4	4	8	4·1	6	4	1	..	1	..
	3. DIETIC "	5	8	10	14	7	5	13	10	16	18	10·6	5	4	..	1	..	..
	4. PARASITIC "	4	6	1	2	1	3	6	1	3	2	2·9	3	3	..	..	..	..
II.	1. DIATHETIC "	41	34	31	46	48	41	34	37	48	54	41·4	44	9	5	10	19	1
	2. TUBERCULAR "	158	162	158	156	184	176	195	163	180	179	171·1	185	59	77	45	4	..
III.	1. DISEASES OF NERVOUS SYSTEM	107	90	112	73	105	112	123	85	78	109	99·4	121	55	12	22	30	2
	2. " OF ORGANS OF CIRCULATION	42	28	51	33	37	38	45	35	37	46	39·2	49	7	7	18	15	2
	3. " OF RESPIRATORY ORGANS	125	120	138	105	234	158	217	140	190	261	168·8	250	155	15	26	48	6
	4. " OF DIGESTIVE ORGANS	53	39	33	43	51	47	65	41	38	65	47·5	54	15	5	18	12	4
	5. " OF URINARY ORGANS	5	13	8	5	12	8	10	9	16	15	10·1	18	2	4	5	7	..
	6. " OF ORGANS OF GENERATION	5	5	3	6	8	..	4	4	5	5	4·5	5	..	3	2	..	..
	7. " OF ORGANS OF LOCOMOTION	6	..	3	1	4	5	2	4	3	3	3·1	4	2	..	1	1	..
	8. " OF INTEGUMENTARY SYSTEM	2	2	7	3	5	4	5	1	6	7	4·2	5	2	1	1	1	..
IV.	1. DEV. DISEASES OF CHILDREN	38	25	46	48	35	42	42	33	34	48	39·1	25	25	..	..	..	..
	2. " OF ADULTS	7	3	3	8	5	4	7	3	5	6	5·1	5	..	4	1	..	..
	3. " OF OLD PEOPLE	33	38	41	33	45	43	39	28	40	45	38·5	28	..	..	..	16	12
	4. DISEASES OF NUTRITION	21	21	35	16	29	38	40	25	32	28	28·5	44	37	..	1	5	1
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											27	13	5	4	5	..
	* 3. HOMICIDE												..	..	..	..	..	..
	4. SUICIDE												6	..	..	3	3	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	16	15	27	16	33	24	24	47	37	16	25·5	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	16	10	10	5	2	5	6	14	9	9	8·6	8	6	1	..	1	..
	CAUSES NOT SPECIFIED	4	5	12	25	30	25	16	8	11	9	14·5	6	4	1	..	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 4 1848	Nov 3 1849	Nov 2 1850	Nov 1 1851	Nov 6 1852	Nov 5 1853	Nov 4 1854	Nov 3 1855	Nov 1 1856	Nov 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 6, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44·9°	50·3°	46·3°	46·3°	54·2°	48·9°	49·7°	42·8°	44·7°	53·8°	48·2°	43·3°					
I.	ORDER 1.																	
	1. Small-pox	36	9	9	17	8	6	20	14	4	5	12·8	3	3	..	..	..	..
	2. Measles	11	16	21	13	6	24	18	11	18	23	16·1	42	42	..	..	..	..
	3. Scarlatina	135	41	41	50	82	52	113	70	40	52	67·6	138	135	3	..	..	..
	4. Quinsy	1	3	1	3	1	3	1	2	2	2	1·9	3	2	1	..	..	..
	5. Croup	3	7	8	5	5	10	11	13	6	9	7·7	17	17	..	..	..	..
	6. Whooping-cough	27	22	20	19	33	33	32	22	28	40	27·6	38	38	..	..	..	..
	7. Typhus (and Infantile fever)	78	38	67	61	47	50	63	49	32	55	54·0	40	17	6	9	7	1
	8. Erysipelas	8	6	7	7	4	4	15	7	10	7	7·5	9	3	2	3	1	..
	9. Metria	5	6	7	3	5	..	3	2	1	1	3·3	1	..	1	..	..	..
	10. Carbuncle	2	..	..	..	1	2	1	..	3	..	·9	2	..	1	1	..	..
	11. Influenza	3	3	2	1	5	..	3	1	1	4	2·3	..	..	..	..	..	..
	12. Dysentery	4	9	3	2	2	4	4	1	3	2	3·4	1	..	1	..	..	..
	13. Diarrhœa	38	31	19	34	18	38	33	24	21	27	28·3	19	14	..	1	4	..
	14. Cholera	65	11	3	1	..	102	31	3	..	2	21·8	1	1	..	..	..	..
	15. Ague	..	..	2	1	..	..	..	..	..	1	·4	..	..	..	..	..	..
	16. Remittent Fever	2	4	..	1	2	1	2	2	2	..	1·6	1	..	..	..	1	..
	17. Rheumatism	5	4	5	2	3	..	4	6	6	3	3·8	4	3	..	1	..	..
	ORDER 2.																	
	1. Syphilis	3	3	1	2	4	3	3	3	4	7	3·3	5	4	1	..	..	..
	2. Stricture of Urethra	1	..	..	1	..	2	2	..	..	1	·7	1	..	..	..	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	1	..	..	·1	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	2	1	..	1	..	..	1	1	..	..	·6	..	..	..	..	..	..
	2. Want of Breast-milk	..	2	6	5	3	5	5	6	12	13	5·7	4	4	..	..	..	..
	3. Purpura and Scurvy	1	..	..	2	1	..	..	..	..	..	·4	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	3	4	5	2	..	7	3	4	3	3·2	..	..	..	..	..	..
	4. Alcoholism { *b* Intemperance	1	2	..	1	1	..	..	..	..	2	·7	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	4	6	1	2	1	3	6	1	3	2	2·9	3	3	..	..	..	..
	2. Worms, &c.	Deaths in 1848-57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	1	..	1	1	2	..	2	2	..	·9	2	..	..	..	2	..
	2. Dropsy	16	15	11	22	24	12	9	11	14	20	15·4	18	7	3	..	7	1
	3. Cancer	22	16	15	16	19	22	21	19	26	28	20·4	23	2	2	10	9	..
	4. Noma	..	..	..	1	..	1	1	..	..	1	·4	..	..	..	..	..	..
	5. Mortification	3	2	5	6	4	4	3	5	6	5	4·3	1	..	..	..	1	..
	ORDER 2.																	
	1. Scrofula	4	3	4	4	2	13	6	8	4	5	5·3	6	6	..	..	..	..
	2. Tabes Mesenterica	17	19	20	12	23	19	18	14	15	17	17·4	15	15	..	..	..	..
	3. Phthisis	110	113	112	111	135	123	144	124	139	137	124·8	141	15	77	45	4	..
	4. Hydrocephalus	27	27	22	29	24	21	27	17	22	20	23·6	23	23	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	7	5	13	8	10	8	13	7	8	10	8·9	9	4	2	2	1	..
	2. Apoplexy	25	11	17	18	19	26	25	20	18	27	20·6	26	2	4	6	13	1
	3. Paralysis	15	26	20	13	15	18	21	13	20	20	18·1	16	..	2	4	9	1
	4. Insanity	4	..	3	..	2	..	4	1	..	3	1·7	4	..	2	1	1	..
	5. Chorea	..	..	..	..	..	..	2	..	..	..	·2	..	..	..	..	..	..
	6. Epilepsy	3	7	9	2	6	4	10	6	3	5	5·5	6	2	..	4	..	..
	7. Convulsions	37	31	38	24	43	39	34	31	22	29	32·8	43	42	..	1	..	..
	8. *Brain Disease, &c.*	16	10	12	8	10	17	14	7	7	15	11·6	17	5	2	4	6	..
	ORDER 2.																	
	1. Pericarditis	..	..	8	2	2	2	1	2	2	3	2·2	6	4	1	..	1	..
	2. Aneurism	..	1	2	2	1	3	2	..	..	1	1·2	..	..	..	..	..	..
	3. *Heart Disease, &c.*	42	27	41	29	34	33	42	33	35	42	35·8	43	3	6	18	14	2
	ORDER 3.																	
	1. Laryngitis	3	5	..	5	2	5	4	6	2	7	3·9	10	10	..	..	..	..
	2. Bronchitis	43	34	59	47	105	54	97	63	81	116	69·9	128	63	5	16	38	6
	3. Pleurisy	5	..	1	2	1	2	2	2	1	2	1·8	2	..	..	..	2	..
	4. Pneumonia	57	70	61	39	102	84	107	59	94	115	78·8	99	82	7	7	3	..
	5. Asthma	8	7	5	11	15	6	5	6	5	14	8·2	6	..	1	2	3	..
	6. *Lung Disease, &c.*	9	4	12	1	9	7	2	4	7	7	6·2	5	..	2	1	2	..
	ORDER 4.																	
	1 Gastritis	2	..	2	2	2	1	1	9	1	1	2·1	..	..	..	..	..	..
	2. Enteritis	10	6	8	4	7	6	6	4	6	7	6·4	5	3	..	2	..	..
	3. Peritonitis	5	4	2	4	4	6	8	2	5	4	4·4	5	1	2	2	..	..
	4. Ascites	..	2	1	1	2	3	6	2	2	3	2·2	2	1	1	..	..	..
	5. Ulceration of Intestines	1	2	..	3	5	3	4	2	3	4	2·7	3	..	..	1	1	1
	6. Hernia	1	..	1	..	6	2	1	1	..	1	1·3	4	..	..	1	2	1
	7. Ileus	3	1	..	1	2	4	3	2	1	4	2·1	1	..	..	..	1	..
	8. Intussusception	1	..	1	1	1	..	1	1	..	..	·6	2	2	..	..	.	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

n the FORTY-FOURTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 4 1848	Nov 3 1849	Nov 2 1850	Nov 1 1851	Nov 6 1852	Nov 5 1853	Nov 4 1854	Nov 3 1855	Nov 1 1856	Nov 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 6, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	44·9°	50·3°	46·3°	46 3°	54·2°	48·9°	49·7°	42·8°	44·7°	53·8°	48·2°	43·3°					
	9. Stricture of Intestines	2	..	..	1	..	1	3	..	1	2	1·0	..	..	..	..	..	..
	10. Fistula	..	..	..	..	..	1	..	..	2	1	·4	2	..	..	1	1	..
	11. *Stomach Disease, &c.*	7	6	2	7	7	3	6	4	1	11	5·4	6	2	1	2	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	2	..	..	..	..	·2	..	..	..	..	..	..
	13. Hepatitis	6	4	..	4	5	5	5	1	..	4	3·4	4	..	..	3	..	1
	14. Jaundice	4	..	4	4	1	..	2	4	2	3	2·4	6	4	..	1	1	..
	15. *Liver Disease, &c.*	11	14	12	10	9	10	18	7	14	20	12·5	14	2	1	5	5	1
	16. *Spleen Disease, &c.*	..	..	..	1	..	..	1	2	..	..	·4	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	1	..	..	4	..	..	..	1	1	·7	1	..	..	..	1	..
	2. Ischuria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	3. Nephria (Bright's disease)	1	4	4	1	2	3	8	5	7	7	4·2	3	..	2	..	1	..
	4. Diabetes	..	1	1	1	..	1	..	1	..	..	·5	1	..	1	..	..	..
	5. Stone	..	..	..	1	1	1	..	..	..	..	·3	..	..	..	..	..	..
	6. Cystitis	..	..	..	..	..	..	..	2	1	..	·3	2	1	..	..	1	..
	7. *Kidney Disease, &c.*	4	7	3	2	5	3	2	1	7	7	4·1	11	1	1	5	4	..
	ORDER 6.																	
	1. Ovarian Dropsy	1	1	1	1	..	..	1	2	3	3	1·3	1	..	..	1	..	..
	2. *Uterus Disease, &c.*	4	4	2	5	8	..	3	2	2	2	3·2	4	..	3	1	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	2. *Joint Disease, &c.*	6	..	3	1	3	5	2	4	3	3	3·0	4	2	..	1	1	..
	ORDER 8.																	
	1. Phlegmon	..	1	3	1	2	3	3	..	2	6	2·1	1	..	1	..	..	..
	2. Ulcer	2	..	2	..	3	1	2	..	3	1	1·4	2	..	..	1	1	..
	3. *Skin Disease, &c.*	..	1	2	2	..	..	..	1	1	..	·7	2	2	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	23	16	30	34	32	30	25	25	22	34	27·1	7	7	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												4	4	..	..	..	..
	4. Other Malformations	10	3	1	6	1	2	2	3	3	1	3·2	1	1	..	..	..	..
	5. Teething	5	6	15	8	2	10	15	5	9	13	8·8	12	12	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	7	3	3	8	5	4	7	3	5	6	5·1	5	..	4	1	..	..
	ORDER 3.																	
	1. Old Age	33	38	41	33	45	43	39	28	40	45	38·5	28	..	..	..	16	12
	ORDER 4.																	
	1. Atrophy and Debility	21	21	35	16	29	38	40	25	32	28	28·5	44	37	..	1	5	1
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	13	2	3	4	4	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	7	7	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	1	1	..	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	3	3	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	..	..	1	1	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	16	15	27	16	33	24	24	47	37	16	25·5	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	16	10	10	5	2	5	6	14	9	9	8·6	8	6	1	..	1	..
	Causes not specified or ill-defined	4	5	12	25	30	25	16	8	11	9	14·5	6	4	1	..	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the FORTY-FOURTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Nov. 4 1848	Nov. 3 1849	Nov. 2 1850	Nov. 1 1851	Nov. 6 1852	Nov. 5 1853	Nov. 4 1854	Nov. 3 1855	Nov. 1 1856	Nov. 7 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Nov. 6 1858.
Mean Temperature . . .			44·9°	50·3°	46·3°	46·3°	54·2°	48·9°	49·7°	42·8°	44·7°	53·8°	48·2°	43·3°
LONDON	78029	2362236	1115	837	945	861	1101	1112	1252	919	969	1166	1027·7	1217
1-6. WEST DISTRICTS .	10786	376427	156	117	110	128	157	146	189	171	163	189	152·6	174
7-11. NORTH DISTRICTS .	13533	490396	161	167	181	177	219	213	247	177	205	198	194·5	268
12-19. CENTRAL DISTRICTS	1938	393256	168	151	174	133	181	174	192	133	126	210	164·2	194
20-25. EAST DISTRICTS .	6230	485522	259	180	213	190	238	229	285	204	217	268	228·3	262
26-36. SOUTH DISTRICTS .	45542	616635	371	222	267	233	306	350	339	234	258	301	288·1	319
1. Kensington* HHHH .	7374	120004	42	34	28	33	54	46	75	62	61	56	49·1	55
2. Chelsea H*w* . . .	865	56538	31	24	17	24	29	25	23	37	23	48	28·1	35
3. St. George Hanover-sq. H	1161	73230	24	20	15	22	29	25	27	39	23	30	25·4	32
4. Westminster* HHHH .	917	65609	30	20	25	27	28	25	36	18	38	35	28·2	30
5. St. Martin-in-the-Fields H	305	24640	11	13	11	9	9	5	16	6	8	9	9·7	11
6. St. James Westminster .	164	36406	18	6	14	13	8	20	12	9	10	11	12·1	11
7. Marylebone HH . .	1509	157696	55	57	62	64	67	69	80	52	63	66	63·5	93
8. Hampstead	2252	11986	3	1	3	2	1	2	3	1	9	6	3·1	2
9. Pancras HH*w* . . .	2716	166956	63	68	68	57	90	66	82	65	61	54	68·4	88
10. Islington HHH . .	3127	95329	22	21	31	39	36	62	59	38	49	41	39·8	47
11. Hackney* H*w* . . .	3929	58429	18	20	17	15	25	14	23	21	23	21	19·7	38
12. St. Giles* H . . .	245	54214	11	26	26	27	27	18	27	15	19	32	22·8	15
13. Strand* H	173	44422	20	16	25	13	25	24	22	14	10	22	19·1	19
14. Holborn* H . . .	196	46621	25	16	20	16	17	28	23	18	17	15	19·5	23
15. Clerkenwell	380	64778	28	12	26	15	28	16	25	17	22	30	21·9	39
16. St. Luke HH . . .	220	54055	28	20	22	12	24	25	26	24	16	38	23·5	27
17. East London* . . .	153	44406	16	26	12	19	12	22	26	13	15	23	18·4	26
18. West London* H . .	137	28828	20	15	26	16	30	28	24	15	19	29	22·2	28
19. London City* . . .	434	55932	20	20	17	15	18	13	19	17	8	21	16·8	17
20. Shoreditch *w* . . .	646	109257	64	34	40	54	54	38	66	41	49	66	50·6	63
21. Bethnal Green H . .	760	90193	35	38	41	25	37	32	45	31	52	48	38·4	49
22. Whitechapel* HH . .	406	79759	51	40	41	36	35	54	52	40	35	50	43·4	40
23. St. George in the East .	243	48376	21	20	22	15	29	26	32	22	19	23	22·9	22
24*a*. Stepney*	576	54173	66	35	45	42	59	52	58	47	37	46	48·7	27
24*b*. Mile-end Old Town H*w*	681	56602												28
25. Poplar* H*w* . . .	2918	47162	22	13	24	18	24	27	32	23	25	35	24·3	33
26. St. Saviour Southwark* HH	250	35731	31	18	24	14	22	30	25	29	9	20	22·2	24
27. St. Olave Southwark* HH	169	19375	20	10	34	17	7	29	11	9	23	15	17·5	18
28. Bermondsey	688	48128	26	18	22	24	28	25	24	10	23	26	22·6	23
29. St. George Southwark .	282	51824	57	15	18	21	21	47	22	17	21	33	27·2	26
30. Newington	624	64816	34	33	24	27	27	40	36	23	22	29	29·5	41
31. Lambeth H	4015	139325	74	42	56	51	80	62	74	45	65	67	61·6	61
32. Wandsworth* . . .	11695	50764	10	10	18	17	22	16	26	18	18	16	17·1	27
33. Camberwell	4342	54667	37	22	22	10	32	31	33	18	25	22	25·2	23
34. Rotherhithe	886	17805	17	4	5	7	9	9	6	10	10	6	8·3	9
35. Greenwich* HHHHH .	5367	99365	57	34	34	36	43	50	64	43	28	59	44·8	50
36. Lewisham*	17224	34835	8	16	10	9	15	11	18	12	14	8	12·1	17

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Oct. 30. Total.	Males.	Females.	In the Week ending Nov. 6. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	187	115	72	172	94	78
45 WORKHOUSES	89	47	42	99	43	56
14 PRISONS . . . . . ‡	–	–	–	1	1	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	5	5	–	8	8	–
15 GENERAL HOSPITALS	79	52	27	41	26	15
7 HOSPITALS FOR SPECIAL DISEASES	5	3	2	7	4	3
4 LYING-IN HOSPITALS . . . . Women .	1	–	1	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	5	5	–	1	1	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	2	2	–	–	–	–
19 LUNATIC ASYLUMS	1	1	–	15	11	4

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 6th November 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	3	42	138	38	19	40
No.*							
1-6 WEST DISTRICTS - -	376427	-	3	15	1	3	6
7-11 NORTH DISTRICTS - -	490396	-	9	40	14	4	7
12-19 CENTRAL DISTRICTS -	393256	1	17	18	6	3	6
20-25 EAST DISTRICTS - -	485522	1	4	29	6	6	12
26-36 SOUTH DISTRICTS - -	616635	1	9	36	11	3	9
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	-	-	-	-
2 St. John Paddington H -	29053	-	1	2	-	-	-
3 Kensington Town *W* L -	29183	-	1	1	1	-	-
4 Brompton HH - -	14870	-	-	-	-	-	1
5 St. Peter Hammersmith -	4467	-	-	1	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	1	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	-	-	-	-	1
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	2
3 Chelsea North-east L -	19819	-	-	-	-	2	-
3; 1 Hanover-square - -	20216	-	-	1	-	-	1
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	3	-	-	-
4; 1 St. John Westmr. HHHP	34295	-	-	2	-	-	-
2 St. Margaret West. *W* HP	31314	-	1	2	-	-	-
5; 1 Charing Cross *W* H -	12587	-	-	1	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	1	-	-	-
2 St. James's-square - -	11469	-	-	1	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	1
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	5	-	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	1
3 Rectory Marylebone *W* -	27633	-	-	-	-	-	1
4 St. Mary Marylebone H -	22814	-	-	-	1	-	1
5 Christchurch Marylebone	33895	-	2	9	3	-	-
6 St. John Marylebone -	29826	-	-	1	2	1	1
8; 1 Hampstead *W* - -	11986	-	1	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	-	2	-	-	-
2 Tottenham-court *w*H -	28423	-	1	1	1	-	-
3 Gray's-inn-lane H -	26523	-	-	1	-	-	-
4 Somers-town - - -	35641	-	2	4	1	-	-
5 Camden-town *W* - -	21115	-	1	1	1	1	-
6 Kentish-town - - -	23326	-	-	4	3	-	1
10; 1 Islington West† *W*HHHPP	47881	-	1	5	1	-	1
2 Islington East - - -	47448	-	-	3	-	1	1
11; 1 Stoke Newington L -	4840	-	-	1	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	1	1	-
4 Hackney *W* H*w* - -	20850	-	-	2	-	-	-
5 South Hackney L - -	8458	-	-	1	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	1	-	-	-
3 St. Clement Danes H -	15472	-	-	-	1	-	1
14; 1 St. George-the-Martyr H.	18813	-	-	3	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	1	2	-	-	-
3 Saffron-hill - - -	13837	-	-	1	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	2	2	-
2 Amwell Clerkenwell P -	15720	-	2	-	-	1	-
3 Pentonville - - -	11904	-	-	3	-	-	-
4 Goswell-street - -	15625	-	-	2	-	-	1
16; 1 Old-street H - - -	10617	-	-	-	1	-	-
2 City-road HL - -	16840	-	-	2	-	-	-
3 Whitecross-street - -	13657	-	2	-	-	-	1
4 Finsbury - - - -	12941	-	2	1	-	-	-
17; 1 St. Botolph East London	23824	-	1	1	-	-	-
2 Cripplegate P - -	20582	-	3	1	2	-	-
18; 1 West London North *W*HP	12946	-	3	1	-	-	2
2 West London South P -	15882	-	2	-	-	-	1
19; 1 London City South-west -	9204	1	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	1	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	1	1	-	-	-
2 St. Leonard Shoreditch L	19449	-	-	1	-	-	-
3 Hoxton New Town *w* -	23505	-	-	-	-	-	2
4 Hoxton Old Town - -	17431	1	1	2	-	-	-
5 Haggerstone West *W* -	20276	-	-	1	-	-	3
6 Haggerstone East - -	11351	-	-	1	1	1	-
21; 1 Hackney Road - -	23910	-	-	1	1	-	-
2 Green, Bethnal Green *W* HL	23555	-	-	2	-	-	1
3 Church, Bethnal Green -	21787	-	1	3	-	-	-
4 Town, Bethnal Green -	20941	-	-	-	-	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	1	-
2 Spitalfields - - -	15336	-	-	1	-	-	-
3 Mile End New Town *W* -	14543	-	-	2	-	1	2
4 Whitechapel North *W* -	12530	-	-	-	-	-	1
5 Whitechapel Church H -	7818	-	-	1	-	-	-
6 Goodman's Fields - -	12069	-	-	-	1	-	-
7 Aldgate H - - -	10694	-	-	-	-	1	-
23; 1 St. Mary St. Geo. East -	18067	-	-	1	1	-	1
2 St. Paul St. Geo. East -	20319	-	-	1	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	1	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	-	1
2 Ratcliff *W* - - -	15212	-	-	1	-	-	-
3 Limehouse *W* - -	22782	-	-	3	2	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	2	-	1	-
2 Mile End Old T., East. *Ww*H	27020	-	-	2	-	-	-
25; 1 Bow *w*LH - - -	18778	-	-	2	-	-	-
2 Poplar *W* - - -	28384	-	1	1	-	-	1
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	2	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	1	-	-
27; 1 St. Olave Southwark HH	8015	-	-	1	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	1	2	-	-	-
2 St. Mary Magdalen *W* -	13934	-	-	1	-	-	-
3 Leather Market - -	15295	-	-	1	1	-	-
29; 1 Kent Road - - -	18126	-	2	1	1	1	-
2 Borough Road *W* P -	15862	-	-	1	1	-	1
3 London Road LP - -	17836	-	-	1	-	1	-
30; 1 Trinity Newington P -	20922	-	-	-	-	-	-
2 St. Peter Walworth *W* -	29861	-	-	2	2	-	-
3 St. Mary Newington -	14033	1	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	-	-
3 Lambeth Church 1st -	18409	-	2	1	-	-	1
4 Lambeth Church 2nd *W*	26784	-	-	-	3	-	2
5 Kennington 1st - -	24261	-	-	3	-	-	-
6 Kennington 2nd - -	18848	-	-	2	-	-	-
7 Brixton L - - -	14610	-	-	3	-	-	-
8 Norwood *W* - - -	3977	-	-	1	-	-	-
32; 1 Clapham L - - -	16290	-	-	1	-	-	-
2 Battersea *W* - - -	10560	-	-	1	-	-	-
3 Wandsworth PL - -	9611	-	-	1	-	-	-
4 Putney - - - -	5280	-	-	2	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	-	1	-	-
3 Peckham - - - -	19444	-	1	-	-	-	-
4 St. George Camberwell -	15849	-	1	2	1	-	1
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	-
35; 1 St. Paul Deptford - -	24899	-	-	4	-	-	2
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	-	-	-	-
4 Greenwich East *W* H -	16228	-	-	-	-	1	1
5 Woolwich Dockyard HP	17140	-	-	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	1	-	-	1
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	2	-	-	-
5 Sydenham - - -	4501	-	-	1	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - „ Tottenham-court sub-district.
East London - - „ Hackney sub-district.
St. Luke Middlesex - „ Hoxton New Town sub-district.
London City - - { „ Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 6th November 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
			in.	°	°	°	°	°	°	°			°	°	°	°				lbs.	lbs.	lbs.	Miles.	
October.																								
Sunday . .	31	..	30·399	52·0	35·1	16·9	41·1	37·4	63·0	34·0	—	—	3·7	10·1	1·5	— 5·4	86	Calm	N.E.	0·0	0·0	0·0	25	0·00
November.																								
Monday . .	1	..	30·335	46·5	28·2	18·3	37·9	36·9	47·7	—	—	—	1·0	4·6	0·9	— 8·5	96	Calm	Calm	0·0	0·0	0·0	15	0·00
Tuesday .	2	In Equator.	30·241	52·0	36·0	16·0	42·9	39·8	61·0	29·8	—	—	3·1	9·4	1·6	— 3·3	90	N.E.	N.E. & E.	0·0	0·0	0·0	30	0·00
Wednesday	3	..	30·199	54·0	33·2	20·8	43·8	38·7	65·0	27·0	—	—	5·1	13·2	0·0	— 2·3	79	Calm	E.	0·0	0·0	0·0	20	0·01
Thursday.	4	..	30·122	52·0	40·5	11·5	47·2	45·5	57·0	37·8	—	—	1·7	5·7	0·3	+ 1·3	90	Calm & NE.	E. & N.E.	0·0	0·0	0·0	35	0·00
Friday . .	5	New.	30·018	51·4	43·8	7·6	47·5	41·8	55·0	40·2	—	—	5·7	9·2	2·3	+ 1·8	81	N.N.E.	N.E.	3·5	0·0	0·3	110	0·02
Saturday.	6	..	30·172	51·0	37·0	14·0	43·0	34·2	60·0	31·2	—	—	8·8	13·9	4·6	— 2·5	72	N.E.	N.E.	5·0	0·0	1·3	110	0·00
Means . .		..	30·212	51·3	36·3	15·0	43·3	39·2	58·4	33·3	—	—	4·1	9·4	1·6	— 2·7	85	N.E.		..	..	..	Sum 345	Sum 0·03
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
October.			
Sunday . .	31		The day was fine, and the amount of cloud was small. At night fog prevailed.
November. Monday . .	1		Partially clear during the afternoon; at other times of the day the sky was overcast.
Tuesday . .	2	The electrical observations are for the present stopped, in consequence of the necessity of renewing the mast which carries the insulating apparatus.	Generally cloudy till evening; clear afterwards. Rain fell near 4h. P.M.
Wednesday	3		Cloudless for the most part till noon; during the afternoon one half of the sky was covered; overcast at night. Rain fell at night. Fog prevailed during the morning.
Thursday .	4		Cloudy for the most part throughout the day.
Friday . .	5		Partially clear during the afternoon, cloudy at other times of the day. Rain fell during the evening.
Saturday .	6		The amount of cloud was variable till evening, generally overcast afterwards.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship. The instruments were under repair during the week.

The reading of the barometer decreased from 30·45 in. at the beginning of the week to 29·99 in. by 3h. P.M. on Nov. 5th; and increased to 30·22 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty: For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 45. 1858. Vol. XIX.] Week ending Saturday, November 13. [Price $1\frac{1}{2}d$.

General Register Office, Somerset House,
November 15th, 1858.

Under the influence of cold air and fogs the mortality has much increased. The deaths registered in London were in the two previous weeks 1133 and 1217; in the last week ending Saturday, November 13th, they rose to 1349. In those three weeks the mean weekly temperature has constantly fallen, and having been 51° in the third week of October, it was only 39° last week. The weather was cold even for the second week of November, and on the last five nights the thermometer fell below the freezing point of water.

In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1050; but as the deaths that are now returned occurred in a population that has increased, they should be compared with the average when the latter is raised in proportion to the increase, a correction by which it becomes 1155. The comparison shows that the deaths of last week were more numerous, to the extent of nearly two hundred, than they would have been if the average rate of mortality for the same season had prevailed.

If the deaths of last week had been according to the rate of mortality that prevails in autumn in the healthiest country districts of England, they would have been 770; and the greater part of the excess above this limit which the return exhibits, amounting to 579, is therefore to be referred to causes that are only or chiefly found in operation in London and other city populations. A certain number of the 579 persons died from the unusual cold; and a certain number, though less, would have died in the country, from the same cause.

In comparing the results of the last two weeks the increase of mortality is found chiefly amongst young and old persons, the deaths of the former class having risen from 677 to 766, and those of the latter from 211 to 237. The increase is found also under most of the general heads, under which the causes of death are arranged, but chiefly in diseases of the respiratory organs, which were fatal in the two weeks in 250 and 312 cases respectively. Phthisis in the tubercular order decreased from 141 to 131.

Scarlatina is still very fatal. The deaths from it last week were 145, which is nearly double the corrected average for ten corresponding weeks. The North districts, in which nearly a third of the deaths from it occurred, continue to suffer most. Nineteen fatal cases are returned in the Pancras district; 6 in the sub-district of Bow, and 6 in that of Kennington (1st part). The deaths from small-pox have increased from 3 to 15, of which 8 occurred in the Small-pox Hospital, Islington, to which many patients are brought from country parts.

Last week the births of 910 boys and 904 girls, in all 1814 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1547.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 30·062 in. The mean daily reading was above 30 in. till Friday. The barometrical readings varied from 30·34 in. to 29·31 in. The mean temperature of the week was 39·0°, which is 5·3° below the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average throughout the week, and on Wednesday the extent of depres-

sion was 9·7°. The thermometer in the shade fell from 50·5°, its highest point which was attained on Sunday, to 26·8° on Wednesday, its lowest point in the week. Its entire range was 23·7°; the mean daily range was 15·6°. The difference between the mean dew-point temperature and air temperature was 3·6°. The mean degree of humidity of the air was 84. The mean temperature of the water of the Thames was 45·8°, or about 7° higher than that of the air. The wind blew on the first three days from the north, afterwards from the south-west and east. Dense fog prevailed on the night of Wednesday. No rain was measured by the gauge.

WESTMINSTER; *St. Margaret's.*—At the Workhouse, on 4th November, a general grocer, aged 44 years, "pulmonary disease, destitution."

PANCRAS; *Somers Town.*—At 21 St. James's-place, on 5th November, the son of an engine feeder at an upholsterer's, aged 10 months, "choleraic diarrhœa, collapse (6 days)."

LONDON CITY; *South.*—At 34 Poultry, on 10th November, a boot maker, aged 73 years, "pneumonia (16 days), purulent effusion."

In same sub-district and house, on 12th November, the widow of the above, aged 73 years, "natural decay, anasarca (12 months)."

POPLAR; *Poplar.*—At Blenheim House, Blackwall, on 3d November, the wife of a boarding-house keeper, aged 29 years, "died from imbibing an ounce of chloroform taken on the 27th October last in a temporary state of insanity." (*Inquest.*)

LAMBETH; *Waterloo* (*2d part*).—At 91 Lower Marsh, on 11th November, a female domestic servant, aged 16 years, "catalepsy and cerebral congestion (7 days)."

BIRTHS Registered LAST WEEK, and in the FORTY-FIFTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1367	1413	1577	1480	1450	1614	1566	1714	1611	1682	1547·4	1814
Males . .	673	698	851	770	691	866	839	896	820	859	796·3	910
Females . .	694	715	726	710	759	748	727	818	791	823	751·1	904

DEATHS Registered LAST WEEK, and in the FORTY-FIFTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1165	893	921	989	1022	1192	1160	986	1006	1161	1049·5	1349
Males . .	586	460	451	484	516	617	592	473	533	590	530·2	693
Females . .	579	433	470	505	506	575	568	513	473	571	519·3	656

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.
BIRTHS	1558	1696	1531	1537	1641	1657	1726	1521	1767	1695	1780	1806	1814
DEATHS	1112	1108	1039	1060	1046	955	1021	993	1149	1113	1133	1217	1349
DEATHS (except from Violence) . . .	1058	1067	1013	1027	1014	913	981	952	1120	1077	1103	1184	1321
Deaths (except from Violence) at 60 years and upwards . .	194	167	157	163	175	159	143	141	182	173	185	203	235
Small-pox	4	6	5	3	5	5	4	1	3	5	6	3	15
Measles	22	36	20	21	27	21	26	36	23	39	33	42	38
Scarlatina	105	92	110	115	118	125	134	145	160	156	156	138	145
Whooping-cough . .	28	34	42	29	26	26	26	28	29	31	31	38	42
Typhus	43	39	30	45	46	35	56	42	57	47	47	40	36
Diarrhœa	113	146	120	69	53	47	42	44	31	26	16	19	12
Mean Temperature .	63°·3	59°·2	59°·4	59°·4	63°·4	58°·6	57°·6	52°·1	53°·1	51°·1	47°·2	43°·3	39°·0

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTY-FIFTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 11 1848	Nov 10 1849	Nov 9 1850	Nov 8 1851	Nov 13 1852	Nov 12 1853	Nov 11 1854	Nov 10 1855	Nov 8 1856	Nov 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 13, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40°·3	50°·2	50°·2	40°·0	51°·2	45°·7	42°·2	46°·0	43°·4	45°·1	45°·4	Mean Temp. 39°·0					
	ALL CAUSES	1165	893	921	989	1022	1192	1160	986	1006	1161	1049·5	1349	766	170	176	203	34
	SPECIFIED CAUSES	1142	879	901	969	973	1182	1123	971	993	1144	1027·7	1336	755	170	175	202	34
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	430	226	217	260	241	363	331	232	251	251	280·2	348	300	27	13	8	..
II.	CONSTITUTIONAL "	199	190	163	209	190	237	190	200	226	228	203·2	251	88	82	45	31	5
III.	LOCAL "	408	338	390	375	403	427	461	391	398	521	411·2	582	285	51	108	128	10
IV.	DEVELOPMENTAL "	87	104	117	96	115	115	127	124	100	133	111·8	127	69	6	..	34	18
V.	VIOLENT DEATHS	18	21	14	29	24	40	14	24	18	11	21·3	28	13	4	9	1	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	416	214	200	237	226	353	318	214	234	231	264·3	329	288	25	9	7	..
	2. ENTHETIC "	5	4	7	6	8	1	3	4	6	6	5·0	4	2	..	1	1	..
	3. DIETIC "	4	4	6	13	7	8	9	11	9	12	8·3	11	6	2	3	..	..
	4. PARASITIC "	5	4	4	4	..	1	1	3	2	2	2·6	4	4	..	..	..	..
II.	1. DIATHETIC "	33	42	30	38	23	41	25	43	33	47	35·5	58	10	4	11	28	5
	2. TUBERCULAR "	166	148	133	171	167	196	165	157	193	181	167·7	193	78	78	34	3	..
III.	1. DISEASES OF NERVOUS SYSTEM	130	103	100	113	95	127	97	128	90	124	110·7	134	73	12	21	27	1
	2. " OF ORGANS OF CIRCULATION	45	38	47	40	28	36	45	41	47	45	41·2	50	7	15	14	14	..
	3. " OF RESPIRATORY ORGANS	147	143	171	148	192	189	257	157	200	291	189·5	312	183	16	44	63	6
	4. " OF DIGESTIVE ORGANS	61	33	51	54	57	49	42	40	35	34	45·6	55	12	6	20	16	1
	5. " OF URINARY ORGANS	12	9	10	11	14	12	8	11	18	16	12·1	15	3	1	5	5	1
	6. " OF ORGANS OF GENERATION	2	5	2	4	4	7	1	6	3	2	3·6	4	1	..	2	1	..
	7. " OF ORGANS OF LOCOMOTION	6	4	5	4	8	5	6	4	3	1	4·6	3	2	..	..	1	..
	8. " OF INTEGUMENTARY SYSTEM	5	3	4	1	5	2	5	4	2	8	3·9	9	4	1	2	1	1
IV.	1. DEV. DISEASES OF CHILDREN	31	32	36	35	44	45	43	39	41	45	39·1	28	28	..	..	..	..
	2. " OF ADULTS	3	4	3	5	8	6	6	4	5	3	4·7	5	..	5	..	..	..
	3. " OF OLD PEOPLE	37	42	55	33	42	33	35	47	28	44	39·6	40	..	..	..	22	18
	4. DISEASES OF NUTRITION	16	26	23	23	21	31	43	34	26	41	28·4	54	41	1	..	12	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											24	12	3	7	1	1
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												4	1	1	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	18	21	14	29	24	40	14	24	18	11	21·3	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	7	5	8	9	5	7	6	8	5	6·7	9	7	..	1	1	..
	CAUSES NOT SPECIFIED	16	7	15	12	40	5	30	9	5	12	15·1	4	4	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 11 1848	Nov 10 1849	Nov 9 1850	Nov 8 1851	Nov 13 1852	Nov 12 1853	Nov 11 1854	Nov 10 1855	Nov 8 1856	Nov 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 13, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 39·0	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	40·3	50·2	50·2	40·0	51·2	45·7	42·2	46·0	43·4	45·1	45·4						
I.	ORDER 1.																	
	1. Small-pox	34	5	12	25	7	8	16	9	6	3	12·5	15	10	4	1	..	..
	2. Measles	17	23	22	12	8	25	24	15	26	20	19·2	38	38	..	..	..	..
	3. Scarlatina	135	58	33	59	88	56	101	61	56	56	70·3	145	144	1	..	..	..
	4. Quinsy	3	2	3	2	1	1	4	4	..	3	2·3	3	3	..	..	..	..
	5. Croup	4	6	7	6	3	7	7	13	15	7	7·5	15	15	..	..	..	..
	6. Whooping-cough	27	19	23	17	18	41	27	28	37	45	28·2	42	42	..	..	..	..
	7. Typhus (and Infantile fever)	66	46	58	59	56	43	54	40	50	55	52·7	36	17	14	4	1	..
	8. Erysipelas	13	6	6	7	4	5	6	9	12	5	7·3	7	2	1	1	3	..
	9. Metria	10	2	6	4	5	7	..	1	5	2	4·2	1	..	1	..	..	..
	10. Carbuncle	1	..	..	..	3	2	1	..	..	1	·8	1	..	..	..	1	..
	11. Influenza	..	2	1	1	4	1	4	..	1	6	2·0	1	1	..	..	..	..
	12. Dysentery	7	4	4	6	2	5	..	1	3	3	3·5	2	2	..	..	..	..
	13. Diarrhœa	26	25	16	28	19	45	35	27	15	19	25·5	12	8	1	1	2	..
	14. Cholera	62	6	1	1	1	98	23	2	..	..	19·4	1	1	..	..	..	..
	15. Ague	..	..	1	2	..	..	..	..	1	..	·4	..	..	..	..	..	..
	16. Remittent fever	3	3	2	1	1	2	8	1	3	2	2·6	3	2	1	..	..	..
	17. Rheumatism	8	7	5	7	6	7	8	3	4	4	5·9	7	3	2	2	..	..
	ORDER 2.																	
	1. Syphilis	5	3	6	6	7	1	2	4	4	5	4·3	2	2	..	..	..	..
	2. Stricture of Urethra	..	1	1	..	1	..	1	..	2	1	·7	2	..	..	1	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	1	..	..	..	..	1	..	..	·2	1	..	..	1	..	..
	2. Want of Breast-milk	1	1	..	9	1	2	5	4	5	7	3·5	6	6	..	..	..	..
	3. Purpura and Scurvy	..	2	2	..	2	3	1	1	2	1	1·4	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	1	1	1	2	3	1	2	3	..	3	1·7	2	..	2	..	..	..
	4. Alcoholism { *b* Intemperance	2	..	2	2	1	2	1	2	2	1	1·5	2	..	..	2	..	..
	ORDER 4.																	
	1. Thrush	5	4	4	4	..	1	1	3	2	2	2·6	4	4	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	3	..	..	1	1	..	..	2	..	·7	1	..	..	1	..	..
	2. Dropsy	15	19	15	17	8	13	14	19	10	21	15·1	28	7	2	2	16	1
	3. Cancer	15	17	15	17	13	23	10	22	18	23	17·3	21	..	2	8	9	2
	4. Noma	..	..	..	1	..	..	..	1	..	1	·3	1	1	..	..	..	..
	5. Mortification	3	3	..	3	1	4	1	1	3	2	2·1	7	2	..	..	3	2
	ORDER 2.																	
	1. Scrofula	6	8	4	6	14	5	9	7	7	9	7·5	8	3	4	1	..	..
	2. Tabes Mesenterica	11	10	14	16	10	22	16	13	12	7	13·1	22	21	..	1	..	..
	3. Phthisis	127	107	93	125	123	135	113	114	149	151	123·7	131	22	74	32	3	..
	4. Hydrocephalus	22	23	22	24	20	34	27	23	25	14	23·4	32	32	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	10	9	11	7	9	16	4	13	7	10	9·6	13	11	1	..	1	..
	2. Apoplexy	30	18	21	30	18	18	25	28	24	22	23·4	25	8	1	7	9	..
	3. Paralysis	21	11	23	22	19	22	20	25	19	23	20·5	25	..	3	8	13	1
	4. Insanity	..	4	3	1	2	2	1	..	..	3	1·6	2	..	..	..	2	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	6. Epilepsy	7	5	3	2	7	8	1	8	4	8	5·3	12	2	7	3	..	..
	7. Convulsions	51	42	26	41	34	47	38	43	24	44	39·0	44	44	..	..	..	..
	8. *Brain Disease, &c.*	11	14	13	10	6	14	8	11	12	14	11·3	13	8	..	3	2	..
	ORDER 2.																	
	1. Pericarditis	7	9	2	3	..	2	3	1	3	6	3·6	2	..	1	1	..	..
	2. Aneurism	..	..	1	1	1	2	2	2	1	2	1·2	4	..	2	1	1	..
	3. *Heart Disease, &c.*	38	29	44	36	27	32	40	38	43	37	36·4	44	7	12	12	13	..
	ORDER 3.																	
	1. Laryngitis	4	2	5	4	3	2	10	4	3	3	4·0	7	7	..	..	..	..
	2. Bronchitis	58	51	70	40	78	82	119	73	88	152	81·1	171	76	7	32	50	6
	3. Pleurisy	..	1	5	1	3	4	3	..	5	4	2·6	4	1	1	1	1	..
	4. Pneumonia	63	76	77	76	91	87	105	70	90	108	84·3	112	98	6	4	4	..
	5. Asthma	15	7	12	19	11	7	11	8	10	19	11·9	13	..	..	6	7	..
	6. *Lung Disease, &c.*	7	6	2	8	6	7	9	2	4	5	5·6	5	1	2	1	1	..
	ORDER 4.																	
	1. Gastritis	3	2	..	4	1	1	3	2	..	..	1·6	..	..	..	..	..	..
	2. Enteritis	5	5	8	6	6	7	6	3	3	5	5·4	6	4	1	1	..	..
	3. Peritonitis	5	2	7	6	8	3	1	4	2	1	3·9	4	2	1	..	1	..
	4. Ascites	4	..	2	2	1	5	7	2	2	2	2·7	6	..	1	2	3	..
	5. Ulceration of Intestines	3	4	1	4	2	3	3	2	6	3	3·1	3	..	..	2	1	..
	6. Hernia	8	1	4	1	1	1	1	2	2	3	2·4	3	..	1	2	..	..
	7. Ileus	3	2	1	6	7	1	1	4	1	2	2·8	1	..	..	1	..	..
	8. Intussusception	..	2	3	..	1	3	2	..	..	1	1·2	3	2	..	..	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FORTY-FIFTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 11 1848	Nov 10 1849	Nov 9 1850	Nov 8 1851	Nov 13 1852	Nov 12 1853	Nov 11 1854	Nov 10 1855	Nov 8 1856	Nov 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 13, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards
	Mean Temperature	40°·3	50°·2	50°·2	40°·0	51°·2	45°·7	42°·2	46°·0	43°·4	45°·1	45°·4	39°·0					
	9. Stricture of Intestines	1	..	..	2	2	1	2	..	3	..	1·1	1	..	..	..	1	..
	10. Fistula	..	..	..	..	..	1	..	..	1	..	·2	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	11	5	9	6	6	8	2	7	4	4	6·2	6	2	2	..	1	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	4	..	5	1	2	3	2	3	2	4	2·6	4	..	..	3	1	..
	14. Jaundice	..	1	3	4	7	2	2	3	1	1	2·4	3	1	..	1	1	..
	15. *Liver Disease, &c.*	14	8	8	12	13	10	9	8	8	7	9·7	15	1	..	8	6	..
	16. *Spleen Disease, &c.*	..	1	..	..	..	..	1	..	..	1	·3	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	1	..	..	..	..	..	1	..	..	·2	1	1	..	..	..	..
	2. Ischuria	1	..	..	..	..	..	..	..	..	1	·2	..	..	..	..	..	..
	3. Nephria	4	1	4	3	4	2	5	2	5	7	3·7	4	..	..	2	2	..
	4. Diabetes	..	..	2	1	1	1	..	..	2	1	·8	1	..	..	1	..	..
	5. Stone	1	..	1	..	..	1	..	..	1	..	·4	..	..	..	..	..	..
	6. Cystitis	..	..	..	..	2	1	..	..	2	3	·8	1	..	..	..	1	..
	7. *Kidney Disease, &c.*	6	7	3	7	7	7	3	8	8	4	6·0	8	2	1	2	2	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	..	1	2	2	..	1	..	..	·6	2	..	..	2	..	..
	2. *Uterus Disease, &c.*	2	5	2	3	2	5	1	5	3	2	3·0	2	1	..	..	1	..
	ORDER 7.																	
	1. Arthritis	..	..	1	..	..	1	2	1	..	..	·5	..	..	..	..	..	..
	2. *Joint Disease, &c.*	6	4	4	4	8	4	4	3	3	1	4·1	3	2	..	..	1	..
	ORDER 8.																	
	1. Phlegmon	4	3	2	1	2	1	2	2	..	2	1·9	7	2	1	2	1	1
	2. Ulcer	1	..	1	..	2	1	1	2	..	1	·9	1	1	..	..	..	..
	3. *Skin Disease, &c.*	..	..	1	..	1	..	2	..	2	5	1·1	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	23	23	29	26	32	25	31	29	27	29	27·4	9	9	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											3	3	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	1	3	3	2	3	7	4	2	5	4	3·4	1	1	..	..	..	..
	5. Teething	7	6	4	7	9	13	8	8	9	12	8·3	15	15	..	..	..	..
	ORDER 2.																	
	1. Paramenia	1	..	..	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	2	4	3	5	8	6	6	4	5	3	4·6	5	..	5	..	..	..
	ORDER 3.																	
	1. Old Age	37	42	55	33	42	33	35	47	28	44	39·6	40	..	..	..	22	18
	ORDER 4.																	
	1. Atrophy and Debility	16	26	23	23	21	31	43	34	26	41	28·4	54	41	1	..	12	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	13	4	1	7	..	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	7	7	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	..	2	..	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	18	21	14	29	24	40	14	24	18	11	21·3	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	7	7	5	8	9	5	7	6	8	5	6·7	9	7	..	1	1	..
	Causes not specified or ill-defined	16	7	15	12	40	5	30	9	5	12	15·1	4	4	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the FORTY-FIFTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Nov. 11 1848	Nov. 10 1849	Nov. 9 1850	Nov. 8 1851	Nov. 13 1852	Nov. 12 1853	Nov. 11 1854	Nov. 10 1855	Nov. 8 1856	Nov. 14 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday Nov. 13 1858.
Mean Temperature . . .			40·3°	50·2°	50·2°	40·0°	51·2°	45·7°	42·2°	46·0°	43·4°	45·1°	45·4°	39·0°
LONDON	78029	2362236	1165	893	921	989	1022	1192	1160	986	1006	1161	1049·5	1349
1–6. WEST DISTRICTS .	10786	376427	156	142	111	140	145	185	182	149	159	187	155·6	170
7–11. NORTH DISTRICTS .	13533	490396	195	150	205	194	199	221	221	204	175	246	201·0	294
12–19. CENTRAL DISTRICTS	1938	393256	235	146	146	186	170	153	175	148	160	169	168·8	205
20–25. EAST DISTRICTS .	6230	485522	233	190	214	213	234	291	272	216	219	269	235·1	321
26–36. SOUTH DISTRICTS .	45542	616635	346	265	245	256	274	342	310	269	293	290	289·0	359
1. Kensington* HHHH .	7374	120004	36	53	32	41	52	71	54	58	57	62	51·6	50
2. Chelsea H*w* . . .	865	56538	21	13	19	27	21	27	33	20	37	35	25·3	20
3. St. George Hanover-sq. H	1161	73230	27	23	21	27	23	28	31	28	21	33	26·2	27
4. Westminster* HHHH .	917	65609	45	25	25	25	28	37	32	22	26	36	30·1	42
5. St. Martin-in-the-Fields H	305	24640	14	16	7	12	9	11	7	13	6	8	10·3	17
6. St. James Westminster .	164	36406	13	12	7	8	12	11	25	8	12	13	12·1	14
7. Marylebone HH . .	1509	157696	61	47	73	66	65	67	72	66	51	74	64·2	69
8. Hampstead	2252	11986	3	5	4	1	3	4	4	4	5	7	4·0	6
9. Pancras HH*w* . . .	2716	166956	83	56	76	64	56	77	78	65	61	81	69·7	120
10. Islington HHH . .	3127	95329	33	24	36	44	51	41	47	41	42	59	41·8	61
11. Hackney* H*w* . . .	3929	58429	15	18	16	19	24	32	20	28	16	25	21·3	38
12. St. Giles* H . . .	245	54214	35	17	28	32	28	14	22	21	17	23	23·7	26
13. Strand* H	172	†44417	30	20	12	19	25	21	11	16	21	14	18·9	14
14. Holborn* H . . .	196	46621	20	17	19	19	17	28	22	14	24	20	20·0	28
15. Clerkenwell	380	64778	30	12	19	22	19	16	37	33	17	19	22·4	34
16. St. Luke HH . . .	220	54055	30	27	22	20	25	18	22	20	18	36	23·8	33
17. East London* . . .	153	44406	26	19	15	14	24	17	23	11	22	19	19·0	19
18. West London* H . .	138	†28833	48	15	16	34	17	28	19	21	21	21	24·0	27
19. London City*	434	55932	16	19	15	26	15	11	19	12	20	17	17·0	24
20. Shoreditch *w* . . .	646	109257	56	57	44	53	56	65	52	65	31	60	53·9	64
21. Bethnal Green H . .	760	90193	44	38	33	30	24	47	43	33	37	44	37·3	51
22. Whitechapel* HH . .	406	79759	38	30	44	40	39	61	49	31	54	47	43·3	60
23. St. George-in-the-East .	243	48376	27	25	29	20	28	33	36	20	25	25	26·8	26
24*a*. Stepney*	576	54173	53	29	39	50	51	54	60	43	45	58	48·2	48
24*b*. Mile-end Old Town H*w*	681	56602												31
25. Poplar* H*w* . . .	2918	47162	15	11	25	20	36	31	32	24	27	35	25·6	41
26. St. Saviour Southwark* HH	250	35731	25	22	23	16	23	22	19	14	18	15	19·7	27
27. St. Olave Southwark* HH	169	19375	27	15	16	13	24	38	14	29	20	21	21·7	20
28. Bermondsey	688	48128	34	30	18	21	23	35	27	19	18	27	25·2	25
29. St. George Southwark .	282	51824	37	21	24	23	16	32	28	21	20	31	25·3	28
30. Newington	624	64816	35	23	25	33	27	38	28	19	29	30	28·7	31
31. Lambeth H	4015	139325	59	53	56	69	49	60	64	45	69	52	57·6	82
32. Wandsworth*	11695	50764	15	24	12	11	19	23	28	21	18	17	18·8	26
33. Camberwell	4342	54667	35	20	17	17	29	30	24	27	31	24	25·4	34
34. Rotherhithe	886	17805	9	8	5	6	6	9	10	9	4	11	7·7	14
35. Greenwich* HHHHH .	5367	99365	61	37	38	36	43	44	49	52	52	49	46·1	58
36. Lewisham*	17224	34835	9	12	11	11	15	11	19	13	14	13	12·8	14

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† A slight change has been made in the Area and Population of these districts by the transference of Serjeants' Inn, Chancery Lane, containing 5 persons in 1851, from the sub-district of St. Clement Danes (Strand District, 13) to the West London South sub-district (West London district, 18).

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Nov. 6. Total.	Males.	Females.	In the Week ending Nov. 13. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	172	94	78	202	113	89
45 WORKHOUSES	99	43	56	104	54	50
14 PRISONS . . . . . ‡	1	1	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	8	8	–	3	3	–
15 GENERAL HOSPITALS	41	26	15	63	39	24
7 HOSPITALS FOR SPECIAL DISEASES	7	4	3	12	9	3
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	1	–	1
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	1	–	1
7 MILITARY AND NAVAL HOSPITALS	1	1	–	6	6	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	2	2	–
19 LUNATIC ASYLUMS	15	11	4	10	4	6

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 13th November 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	15	38	145	42	12	36
No.*							
1-6 WEST DISTRICTS - -	376427	-	-	14	3	2	4
7-11 NORTH DISTRICTS - -	490396	8	9	44	12	2	4
12-19 CENTRAL DISTRICTS -	393256	4	11	18	8	2	8
20-25 EAST DISTRICTS - -	485522	2	6	37	11	2	13
26-36 SOUTH DISTRICTS - -	616635	1	12	32	8	4	7
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	2	-	-	-
2 St. John Paddington H -	29053	-	-	2	-	-	-
3 Kensington Town *W* L -	29183	-	-	2	-	-	-
4 Brompton HH - -	14870	-	-	1	-	-	1
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	1	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	1
2; 1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3 Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1 Hanover Square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	-	1	-	-
4; 1 St. John Westmr. HHHP	34295	-	-	1	-	-	1
2 St. Margaret West. *W* HP	31314	-	-	2	-	-	1
5; 1 Charing Cross *W* H -	12587	-	-	2	-	-	-
2 Long Acre - - -	12053	-	-	1	-	1	-
6; 1 Berwick Street - -	10798	-	-	1	-	-	-
2 St. James's Square -	11469	-	-	-	1	-	-
3 Golden Square *W* - -	14139	-	-	-	1	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	3	-	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	2	-	-	-
4 St. Mary Marylebone H	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	-	4	2	-	-
6 St. John Marylebone -	29826	-	1	3	-	-	-
8; 1 Hampstead *W* - -	11986	-	3	-	1	-	-
9; 1 Regent's Park Pancras -	31918	-	-	2	-	-	1
2 Tottenham-court *w*H -	28433	-	3	5	-	-	1
3 Gray's Inn Lane H -	26523	-	-	1	1	-	-
4 Somers Town - - -	35641	-	-	3	2	-	-
5 Camden Town *W* - -	21115	-	1	3	-	-	-
6 Kentish Town - -	23326	-	-	5	1	-	-
10; 1 Islington West† *W*HHHPP	47881	8	-	4	3	-	1
2 Islington East - -	47448	-	-	4	1	1	1
11; 1 Stoke Newington L -	4840	-	-	1	-	-	-
2 Stamford Hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	2	1	-	-
4 Hackney *W* H*w* - -	20850	-	-	1	-	-	-
5 South Hackney L - -	8458	-	1	1	-	1	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	1	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	-	1	-
3 St. Giles North - -	17456	-	1	1	-	-	1
13; 1 St. Anne Soho - -	17335	-	-	-	-	-	-
2 St. Mary-le-Strand -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15467	-	-	1	-	-	-
14; 1 St. George-the-Martyr H.	18813	1	-	-	-	-	-
2 St. Andrew, East. Holb. *W*	13971	-	2	-	1	-	-
3 Saffron Hill - - -	13837	-	-	1	1	-	-
15; 1 St. James Clerkenwell *W*P	21529	-	1	-	1	-	-
2 Amwell Clerkenwell P -	15720	-	1	-	-	-	-
3 Pentonville - - -	11904	-	-	-	2	-	-
4 Goswell-street - - -	15625	-	-	2	-	-	1
16; 1 Old-street H - - -	10617	-	-	1	1	-	-
2 City-road HL - -	16840	-	-	1	-	-	1
3 Whitecross-street - -	13657	2	3	-	-	-	-
4 Finsbury - - - -	12941	-	-	1	-	-	1
17; 1 St. Botolph East London	23824	-	-	1	1	-	-
2 Cripplegate P - -	20582	1	1	1	-	-	2
18; 1 West London North *W*HP	12946	-	-	3	-	-	1
2 West London South P -	15887	-	-	3	-	-	-
19; 1 London City South-west -	9204	-	-	1	-	1	1
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South - -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	2	-	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	-	-
2 St. Leonard Shoreditch L	19449	1	1	1	-	-	-
3 Hoxton New Town *w* -	23505	-	-	1	-	-	-
4 Hoxton Old Town - -	17431	-	1	2	2	-	1
5 Haggerstone West *W* -	20276	-	-	2	-	-	1
6 Haggerstone East - -	11351	-	-	-	2	-	-
21; 1 Hackney-road - - -	23910	-	2	1	-	-	1
2 Green, Bethnal Green *W* HL	23555	-	-	2	1	-	1
3 Church, Bethnal Green -	21787	-	-	4	-	-	-
4 Town, Bethnal Green -	20941	-	-	-	1	-	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	1	-	-
3 Mile End New Town *W*	14543	-	-	1	-	-	-
4 Whitechapel North *W* -	12530	-	-	2	-	-	1
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	1	1	-	-
7 Aldgate H - - -	10694	-	-	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	1	1	-	3
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	1	1	-
2 Ratcliff *W* - - -	15212	-	-	2	-	-	-
3 Limehouse *W* - -	22782	-	1	5	-	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	1	-	-	2
2 Mile End Old T., East. *Ww*H	27020	-	1	2	1	-	-
25; 1 Bow *w*LH - - -	18778	1	-	6	-	1	-
2 Poplar *W* - - -	28384	-	-	2	-	-	2
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	1	1	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	1	-	-
27; 1 St. Olave Southwark HH	8015	-	-	1	-	-	1
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	1	2	3	3	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3 Leather Market - -	15295	-	-	-	-	-	-
29; 1 Kent-road - - -	18126	-	-	1	-	-	-
2 Borough-road *W* P -	15862	-	-	-	1	1	-
3 London-road LP - -	17836	-	2	1	-	-	-
30; 1 Trinity Newington P -	20922	-	-	-	-	-	-
2 St. Peter Walworth *W* -	29861	-	-	2	-	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	-	-	-	-
2 Waterloo-road 2nd H -	18348	-	1	-	-	-	-
3 Lambeth Church 1st -	18409	-	2	1	1	-	-
4 Lambeth Church 2nd *W*	26784	-	-	2	-	-	-
5 Kennington 1st - -	24261	-	-	6	-	-	-
6 Kennington 2nd - -	18848	-	-	2	-	-	-
7 Brixton L - - -	14610	-	1	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	1	-	-
32; 1 Clapham L - - -	16290	-	-	-	-	-	-
2 Battersea *W* - - -	10560	-	-	2	-	1	-
3 Wandsworth PL - -	9611	-	-	1	1	-	1
4 Putney - - - -	5280	-	-	1	-	-	-
5 Streatham - - -	9023	-	-	1	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W*LL - -	17742	-	-	-	-	-	-
3 Peckham - - - -	19444	-	-	-	-	-	1
4 St. George Camberwell -	15849	-	1	1	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	-	-	1	-
35; 1 St. Paul Deptford - -	24899	-	-	-	-	-	1
2 St. Nicholas Deptford -	7071	-	-	1	-	-	-
3 Greenwich West H -	18800	-	2	2	-	1	2
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	2	-	-	1
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	1	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 13th November 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Great-est.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Great-est.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
November.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday	7	..	30·255	50·5	35·5	15·0	41·5	36·7	60·0	30·0	48·8	47·8	4·8	10·5	1·8	— 3·6	85	N.E.	N.	2·0	0·0	0·0	60	0·00
Monday	8	..	30·170	49·5	38·0	11·5	43·7	40·8	55·1	32·0	46·9	46·4	2·9	6·1	1·3	— 1·1	88	N.	N.	2·0	0·0	0·0	45	0·00
Tuesday	9	Greatest Dec. S.	30·316	47·0	29·3	17·7	38·1	32·6	60·0	31·8	46·9	46·0	5·5	13·4	0·0	— 6·4	76	N. & NE.	NE. & Calm	0·0	0·0	0·0	10	0·00
Wednesday	10	Apogee	30·257	43·0	26·8	16·2	34·6	31·5	43·0	22·5	45·3	45·0	3·1	6·6	0·6	— 9·7	87	Calm & SW.	SW. & Calm	0·0	0·0	0·0	0	0·00
Thursday	11	..	30·144	49·5	30·0	19·5	39·8	36·5	58·0	23·0	45·0	45·0	3·3	11·3	0·0	— 4·2	86	Calm	E.	1·8	0·0	0·1	40	0·00
Friday	12	..	29·888	45·9	30·0	15·9	36·9	34·2	53·0	24·0	44·5	44·5	2·7	9·3	2·0	— 7·0	82	E.S.E.	E.	0·0	0·0	0·0	50	0·00
Saturday	13	First Quarter.	29·407	45·0	31·4	13·6	38·7	35·6	47·8	25·0	44·3	44·0	3·1	7·7	1·4	— 4·8	87	E.	E.N.E.	2·0	0·0	0·2	75	0·00
Means		..	30·062	47·2	31·6	15·6	39·0	35·4	53·8	26·9	46·0	45·5	3·6	9·3	1·0	— 5·3	84	N.E.		..	..	..	Sum 280	Sum 0·00
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
November.			
Sunday	7	The electrical observations are for the present stopped, in consequence of the necessity of renewing the mast which carries the insulating apparatus.	Partially cloudy during the morning and afternoon; at night the sky was clear. A slight shower of rain fell at 1h. 30m. P.M.
Monday	8		Cloudy till evening, clear afterwards. Rain fell slightly between 2h. and 3h. P.M.
Tuesday	9		The day was very fine, and the amount of cloud was small at all times; fog prevailed at night.
Wednesday	10		Cloudy during the morning; cloudless at other times of the day. Thick fog prevailed at night.
Thursday	11		Fog prevailed early in the morning; afterwards the day was fine, and the sky was free from cloud.
Friday	12		During the afternoon light clouds nearly covered the sky, at other times of the day the sky was nearly free from clouds.
Saturday	13		Partially clear till noon, cloudy for the most part during the remainder of the day.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 30·22 in. at the beginning of the week to 30·27 in. by 10h. A.M. on the 7th; decreased to 30·16 in. by noon on the 8th; increased to 30·34 in. by 9h. P.M. on the 9th; and decreased to 29·31 in. by the end of the week, having passed below 30 inches at about 7h. A.M. on the 12th.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 46. 1858. Vol. XIX.] Week ending Saturday, November 20. [Price 1½*d.*

General Register Office, Somerset House,
November 22d, 1858.

The mortality of London continues to increase rapidly with increasing cold. In the third week of October the deaths were 1113; in the third week of November, ending last Saturday, they were 1487. In the first of the five weeks comprised within these limits the mean temperature of the air was 51·1°, in the last 35·5°. A reduction in the temperature, gradually effected, to the extent of 16°, has been attended by an increase of nearly four hundred in the deaths of a week.

In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1084; but as the 1487 deaths of last week occurred in a population which has increased, they should be compared with the average, after it is raised in proportion to the increase, a correction by which it becomes 1192. An excess of deaths, nearly equal to 300, attests the unusual severity of the present November, to which as its principal cause the excess is to be attributed.

The deaths referred to pulmonary diseases, including bronchitis, pneumonia, asthma, and others less extensively fatal, but excluding phthisis and whooping-cough, were in the last four weeks successively 181, 250, 312, and 413; those referred specially to bronchitis 83, 128, 171, and 211; to pneumonia 77, 99, 112, and 166; to asthma 2, 6, 13, and 20. The mortality from phthisis is more slowly affected by cold, for it did not increase till last week, when the deaths rose from 131 to 166. Five nonagenarians died last week, of whom the oldest was 94 years of age.

From scarlatina 133 persons died last week, of whom all, except 5, were children under 15 years of age. Six deaths from it occurred in the sub-district of Poplar. This disease shows a very slight decrease; small-pox, on the other hand, which was fatal in ten cases, shows an increase.

Analysis of Metropolitan Waters for October 1858.

The composition of the waters supplied to the inhabitants of the metropolis has been determined for the month of October by Dr. Robert Dundas Thomson, F.R.S., of St. Thomas' Hospital, and is exhibited in the subsequent table. For the sake of comparison, the constitution of Loch Katrine water, in process of being supplied to the city of Glasgow, is appended. The composition of one of the shallow wells of London is likewise given, as it is now well known that such waters are mixed with sewage, and have been known to prove prejudicial to health. The substitution of fountains for wells in the streets, supplied with water from a purer source, would be a boon to the poorer inhabitants.

	Total Impurity per gallon.	Organic Impurity per gallon.
	grs. *or* °	grs. *or* °
Distilled Water -	0·0	0·0
Loch Katrine water, new supply to Glasgow - - -	2·14	0·80
Well, Oxford-street, Marylebone-lane - - - -	86·24	12·96
THAMES COMPANIES.		
Southwark - - - -	16·52	1·84
Lambeth - - -	17·44	1·16
Chelsea - - -	17·52	1·76
West Middlesex - - -	17·56	1·12
Grand Junction - - -	18·80	1·72
OTHER COMPANIES.		
New River - - -	17·60	·96
East London - - -	19·20	·80
Kent - - - -	22·76	1·40

The Table is read thus : the total impurity in every gallon of Loch Katrine water is 2·14 degrees or grains, of which ·8 degrees or grains is derived from plants or animals.

Last week the births of 865 boys and 768 girls, in all 1633 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1491.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·535 in. The barometrical readings varied from 29·27 in. to 29·96 in. The mean temperature of the week was 35·5°, which is 7° below the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average throughout the week, and on the last two days, which were the coldest, the extent of depression was respectively 13·1° and 10·5°. The highest reading of the thermometer in the shade was obtained on Sunday (the 14th), and was 45·8°. Its lowest point was 24·6° on Saturday. The entire range was therefore 21·2° ; the mean daily range was 9·3°. The difference between the mean dew-point temperature and air temperature was 5°. The mean degree of humidity of the air was 83. The mean temperature of the water of the Thames was 41·9°, or 6·4° higher than that of the air. The wind blew from the north-east till Friday, when it changed to south-west. Strong gales blew on several days at the beginning of the week, the pressure having increased on Sunday to 13 lbs. on the square foot. There was no rain.

BIRTHS Registered LAST WEEK, and in the FORTY-SIXTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1291	1226	1581	1526	1490	1561	1293	1640	1555	1750	1491·3	1633
Males . .	658	613	787	814	770	814	666	855	816	886	767·9	865
Females .	633	613	794	712	720	747	627	785	739	864	723·4	768

DEATHS Registered LAST WEEK, and in the FORTY-SIXTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1188	878	908	1022	922	1162	1309	975	1090	1382	1083·6	1487*
Males . .	611	427	435	529	487	606	671	527	531	714	553·8	771
Females .	577	451	473	493	435	556	638	448	559	668	529·8	716

* The deaths in Lewisham Village are not inserted above. An average of 3 is adopted, instead of the true number 8.

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTY-SIXTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 18 1848	Nov 17 1849	Nov 16 1850	Nov 15 1851	Nov 20 1852	Nov 19 1853	Nov 18 1854	Nov 17 1855	Nov 15 1856	Nov 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 20, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	42°·1	45°·2	46°·2	40°·2	49°·3	38°·5	40°·9	41°·4	38°·3	44°·2	42°·6	Mean Temp. 35°·5					
	ALL CAUSES	1188	878	908	1022	922	1162	1309	975	1090	1382	1083·6	1487†	819	178	237	196	54
	SPECIFIED CAUSES	1161	862	889	1011	916	1152	1276	958	1062	1364	1065·1	1470	808	178	236	194	54
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	408	216	218	255	196	343	343	238	232	274	272·3	356	301	24	17	13	1
II.	CONSTITUTIONAL "	192	205	199	226	209	228	250	212	229	252	220·2	253	75	87	76	11	4
III.	LOCAL "	420	336	351	393	381	419	496	379	483	661	431·9	695	341	57	132	141	24
IV.	DEVELOPMENTAL "	113	83	101	116	112	132	143	110	102	144	115·6	131	73	5	2	26	25
V.	VIOLENT DEATHS	28	22	20	21	18	30	44	19	16	33	25·1	35	18	5	9	3	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	386	205	204	239	184	326	331	221	213	256	256·5	327	283	18	14	11	1
	2. ENTHETIC "	5	1	2	8	3	6	3	7	3	3	4·1	8	2	4	1	1	..
	3. DIETIC "	14	7	6	8	5	9	6	8	12	15	9·0	18	13	2	2	1	..
	4. PARASITIC "	3	3	6	..	4	2	3	2	4	..	2·7	3	3	..	..	..	..
II.	1. DIATHETIC "	37	39	32	47	28	44	50	42	45	49	41·3	43	9	6	16	8	4
	2. TUBERCULAR "	155	166	167	179	181	184	200	170	184	203	178·9	210	66	81	60	3	..
III.	1. DISEASES OF NERVOUS SYSTEM	119	106	100	109	102	126	125	108	112	142	114·9	132	68	14	23	23	4
	2. " OF ORGANS OF CIRCULATION	30	33	35	45	42	44	54	39	48	53	42·3	66	10	7	23	22	4
	3. " OF RESPIRATORY ORGANS	185	134	148	168	167	180	240	171	258	390	204·1	413	245	25	58	72	13
	4. " OF DIGESTIVE ORGANS	63	41	47	48	50	47	57	34	42	48	47·7	62	17	6	20	16	3
	5. " OF URINARY ORGANS	12	7	11	10	9	9	12	12	14	17	11·3	15	..	3	5	7	..
	6. " OF ORGANS OF GENERATION	2	3	3	1	4	5	1	3	3	2	2·7	4	..	2	2	..	..
	7. " OF ORGANS OF LOCOMOTION	4	6	2	4	5	2	1	6	2	3	3·5	3	1	..	1	1	..
	8. " OF INTEGUMENTARY SYSTEM	5	6	5	8	2	6	6	6	4	6	5·4	..	..	..	..	..	..
IV.	1. DEV. DISEASES OF CHILDREN	32	31	39	47	39	51	52	39	28	45	40·3	43	43	..	..	..	..
	2. " OF ADULTS	6	3	5	4	6	7	7	4	8	4	5·4	6	..	5	1	..	..
	3. " OF OLD PEOPLE	49	28	38	47	43	42	36	37	38	57	41·5	43	..	..	..	18	25
	4. DISEASES OF NUTRITION	26	21	19	18	24	32	48	30	28	38	28·4	39	30	..	1	8	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											31	17	5	7	2	..
	* 3. HOMICIDE												1	1	..	..	..	..
	4. SUICIDE												3	..	..	2	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	28	22	20	21	18	30	44	19	16	33	25·1	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	16	14	12	3	3	1	11	13	11	10	9·4	10	7	..	1	2	..
	CAUSES NOT SPECIFIED	11	2	7	8	3	9	22	4	17	8	9·1	7†	4	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† See Note, page 374.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 18 1848	Nov 17 1849	Nov 16 1850	Nov 15 1851	Nov 20 1852	Nov 19 1853	Nov 18 1854	Nov 17 1855	Nov 15 1856	Nov 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 20, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	42°·1	45°·2	46°·2	40°·2	49°·3	38°·5	40°·9	41°·4	38°·3	44°·2	42°·6	Mean Temp. 35°·5					
I.	ORDER 1.																	
	1. Small-pox	28	6	13	23	4	4	29	14	3	1	12·5	10	8	2	..	..	..
	2. Measles	19	24	24	15	8	27	24	13	25	35	21·4	41	41	..	..	..	..
	3. Scarlatina	119	41	39	43	59	50	106	65	41	50	61·3	133	130	2	1	..	..
	4. Quinsy	1	1	..	4	1	..	1	3	1	..	1·2	1	..	..	..	1	..
	5. Croup	7	6	5	10	4	13	12	11	9	17	9·4	13	13	..	..	..	..
	6. Whooping-cough	26	22	27	22	17	44	34	21	40	53	30·6	49	49	..	..	..	..
	7. Typhus (and Infantile fever)	71	44	57	58	51	52	56	46	45	41	52·1	46	25	8	5	7	1
	8. Erysipelas	13	13	7	16	5	7	8	13	8	6	9·6	4	3	..	1	..	..
	9. Metria	6	6	5	5	6	1	2	7	2	2	4·2	3	..	3	..	..	..
	10. Carbuncle	1	3	..	1	1	1	1	..	4	5	1·7	..	..	..	..	..	..
	11. Influenza	..	5	1	2	3	2	4	..	..	9	2·6	2	1	..	1	..	..
	12. Dysentery	7	1	2	4	1	..	3	3	2	4	2·7	5	2	1	..	2	..
	13. Diarrhœa	26	21	20	26	16	36	31	19	25	24	24·4	9	9	..	..	..	..
	14. Cholera	54	8	..	..	2	72	12	..	..	1	14·9	..	..	..	..	..	..
	15. Ague	1	..	..	..	1	2	..	..	..	1	·5	..	..	..	..	..	..
	16. Remittent Fever	2	1	1	3	1	3	2	1	4	2	2·0	..	..	..	..	..	..
	17. Rheumatism	5	3	3	7	4	12	6	5	4	5	5·4	11	2	2	6	1	..
	ORDER 2.																	
	1. Syphilis	2	1	1	4	1	2	3	7	3	3	2·7	6	2	4	..	..	..
	2. Stricture of Urethra	3	..	1	4	2	4	..	..	..	..	1·4	2	..	..	1	1	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	2	..	1	..	..	1	..	..	..	..	·4	1	..	..	1	..	..
	2. Want of Breast-milk	5	4	2	3	1	5	5	2	10	5	4·2	13	13	..	..	..	..
	3. Purpura and Scurvy	2	1	1	2	1	1	1	4	..	1	1·4	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	4	2	..	1	2	..	..	1	1	8	1·9	3	..	2	1	..	..
	4. Alcoholism { *b* Intemperance	1	..	2	2	1	2	..	1	1	1	1·1	1	..	..	..	1	..
	ORDER 4.																	
	1. Thrush	3	3	6	..	4	2	3	2	4	..	2·7	3	3	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	..	2	3	..	..	2	1	1	2	1·1	..	..	..	..	..	..
	2. Dropsy	12	18	8	15	14	17	25	15	21	17	16·2	18	8	1	5	3	1
	3. Cancer	24	17	17	26	11	23	13	24	21	23	19·9	22	..	4	11	5	2
	4. Noma	..	..	..	..	..	..	..	1	..	2	·3	1	1	..	..	..	..
	5. Mortification	1	4	5	3	3	4	10	1	2	5	3·8	2	..	1	..	..	1
	ORDER 2.																	
	1. Scrofula	7	6	4	5	4	6	6	8	8	13	6·7	10	7	3	..	..	..
	2. Tabes Mesenterica	11	10	13	14	9	25	23	16	15	13	14·9	17	17	..	..	..	..
	3. Phthisis	110	128	125	123	146	133	141	123	141	159	132·9	166	26	77	60	3	..
	4. Hydrocephalus	27	22	25	37	22	20	30	23	20	18	24·4	17	16	1	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	10	8	11	8	6	18	15	11	7	11	10·5	12	10	2	..	..	..
	2. Apoplexy	18	22	34	27	15	14	28	21	23	33	23·5	29	5	3	9	11	1
	3. Paralysis	35	22	20	20	20	23	20	25	17	31	23·3	19	..	3	8	7	1
	4. Insanity	3	1	1	2	2	5	1	3	..	5	2·3	3	..	..	1	2	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	6. Epilepsy	12	8	6	5	5	7	3	5	8	4	6·3	8	..	4	3	..	1
	7. Convulsions	25	32	23	37	43	44	42	33	40	38	35·7	48	47	..	1	..	..
	8. *Brain Disease, &c.*	16	13	5	10	11	15	16	10	17	20	13·3	13	6	2	1	3	1
	ORDER 2.																	
	1. Pericarditis	..	1	2	3	1	..	2	2	..	5	1·6	7	4	2	1	..	..
	2. Aneurism	2	1	2	3	1	5	5	2	2	1	2·4	1	..	..	1	..	..
	3. *Heart Disease, &c.*	28	31	31	39	40	39	47	35	46	47	38·3	58	6	5	21	22	4
	ORDER 3.																	
	1. Laryngitis	4	4	1	3	5	6	4	3	10	9	4·9	6	6	..	..	..	..
	2. Bronchitis	69	62	70	66	74	68	99	81	113	227	92·9	211	102	14	37	46	12
	3. Pleurisy	4	3	1	4	2	1	2	3	2	7	2·9	1	..	1	..	..	..
	4. Pneumonia	85	56	56	68	72	92	110	69	114	127	84·9	166	135	3	14	13	1
	5. Asthma	17	5	12	18	10	5	15	7	12	16	11·7	20	..	4	5	11	..
	6. *Lung Disease, &c.*	6	4	8	9	4	8	10	8	7	4	6·8	9	2	3	2	2	..
	ORDER 4.																	
	1 Gastritis	1	1	3	2	2	1	1	1	..	..	1·2	1	..	..	..	1	..
	2. Enteritis	6	4	3	8	2	8	4	4	4	3	4·6	8	5	1	2	..	..
	3. Peritonitis	6	3	4	4	3	3	2	4	5	2	3·6	7	3	1	2	1	..
	4. Ascites	4	3	..	1	3	3	7	3	2	5	3·1	3	1	..	1	..	1
	5. Ulceration of Intestines	1	4	3	2	..	2	3	2	2	1	2·0	..	..	..	..	..	..
	6. Hernia	5	1	1	4	3	2	4	2	3	2	2·7	..	..	..	..	..	..
	7. Ileus	..	3	4	3	4	2	4	2	2	3	2·7	1	1	..	..	..	..
	8. Intussusception	3	..	2	..	1	..	..	..	..	..	·6	1	..	..	1	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FORTY-SIXTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 18 1848	Nov 17 1849	Nov 16 1850	Nov 15 1851	Nov 20 1852	Nov 19 1853	Nov 18 1854	Nov 17 1855	Nov 15 1856	Nov 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 20, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	42°·1	45°·2	46°·2	40°·2	49°·3	38°·5	40°·9	41°·4	38°·3	44°·2	42°·6	Mean Temp 35°·5					
	9. Stricture of Intestines	1	2	2	..	..	2	1	1	1	1	1·1	3	1	..	1	1	..
	10. Fistula	..	..	1	1	1	2	..	..	..	..	·5	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	6	3	4	7	4	4	5	6	6	9	5·4	6	2	..	..	3	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..
	13. Hepatitis	6	4	5	1	6	5	9	1	5	4	4·6	6	1	..	4	2	..
	14. Jaundice	5	2	3	4	4	..	4	..	2	4	2·8	4	2	..	1	1	..
	15. *Liver Disease, &c.*	19	11	12	11	17	13	12	8	9	14	12·6	20	2	2	8	7	1
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	1	..	1	..	·2	1	..	1	..	..	..
	ORDER 5.																	
	1. Nephritis	1	..	..	1	..	1	1	..	1	2	·7	1	..	1	..	..	..
	2. Ischuria	..	..	1	..	..	..	..	..	..	1	·2	..	..	..	..	..	..
	3. Nephria (Bright's disease)	5	4	2	5	1	4	3	4	5	4	3·7	6	..	..	4	2	..
	4. Diabetes	1	..	2	1	1	1	..	..	1	3	1·0	1	..	1	..	..	..
	5. Stone	..	..	..	1	3	1	1	3	..	1	1·0	..	..	..	..	..	..
	6. Cystitis	1	1	..	..	..	..	..	1	1	..	·4	1	..	..	..	1	..
	7. *Kidney Disease, &c.*	4	2	6	2	4	2	7	4	6	6	4·3	6	..	1	1	4	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	1	..	..	2	1	..	..	1	..	·5	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	2	2	3	1	2	4	1	3	2	2	2·2	4	..	2	2	..	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..
	2. *Joint Disease, &c.*	4	6	2	4	5	2	1	6	2	3	3·5	2	1	..	..	1	..
	ORDER 8.																	
	1. Phlegmon	4	4	1	5	1	4	3	5	2	3	3·2	..	..	..	..	..	..
	2. Ulcer	..	1	2	1	..	1	2	1	2	1	1·1	..	..	..	..	..	..
	3. *Skin Disease, &c.*	1	1	2	2	1	1	1	..	..	2	1·1	..	..	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	17	21	28	33	29	30	31	30	22	27	26·8	24	24	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											3	3	..	..	..	..
	3. Spina Bifida												2	2	..	..	..	..
	4. Other Malformations	6	2	4	3	5	3	7	3	2	6	4·1	..	..	..	..	..	..
	5. Teething	9	8	7	11	5	18	14	6	4	12	9·4	14	14	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	1	2	..	..	..	..	·3	1	..	..	1	..	..
	2. Childbirth (*see* Metria)	6	3	5	4	5	5	7	4	8	4	5·1	5	..	5	..	..	..
	ORDER 3.																	
	1. Old Age	49	28	38	47	43	42	36	37	38	57	41·5	43	..	..	..	18	25
	ORDER 4.																	
	1. Atrophy and Debility	26	21	19	18	24	32	48	30	28	38	28·4	39	30	..	1	8	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	17	5	4	6	2	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	6	6	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	4	4	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	2	2	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	1	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	2	..	..	1	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	28	22	20	21	18	30	44	19	16	33	25·1	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	16	14	12	3	3	1	11	13	11	10	9·4	10	7	..	1	2	..
	Causes not specified or ill-defined	11	2	7	8	3	9	22	4	17	8	9·1	7†	4	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† See Note, page 374.

DEATHS Registered in the FORTY-SIXTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Nov. 18 1848	Nov. 17 1849	Nov. 16 1850	Nov. 15 1851	Nov. 20 1852	Nov. 19 1853	Nov. 18 1854	Nov. 17 1855	Nov. 15 1856	Nov. 21 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Nov. 20 1858.
Mean Temperature . . .			42·1°	45·2°	46·2°	40·2°	49·3°	38·5°	40·9°	41·4°	38·3°	44·2°	42·6°	35·5°
LONDON	78029	2362236	1188	878	908	1022	922	1162	1309	975	1090	1382	1083·6	1487
1-6. WEST DISTRICTS .	10786	376427	174	112	135	145	133	168	214	154	167	234	163·6	232
7-11. NORTH DISTRICTS .	13533	490396	190	165	167	180	182	228	253	204	254	267	209·0	313
12-19. CENTRAL DISTRICTS	1938	393256	191	166	170	175	134	158	219	151	160	202	172·6	234
20-25. EAST DISTRICTS .	6230	485522	258	202	212	237	209	278	256	207	233	297	238·9	330
26-36. SOUTH DISTRICTS .	45542	616635	375	233	224	285	264	330	367	259	276	382	299·5	378
1. Kensington* HHHH .	7374	120004	57	42	29	45	26	46	68	50	54	69	48·6	96
2. Chelsea H*w* . . .	865	56538	18	19	29	17	21	35	51	17	36	44	28·7	42
3. St. George Hanover-sq. H	1161	73230	44	19	24	40	24	30	35	29	23	41	30·9	38
4. Westminster* HHHH .	917	65609	32	14	33	19	40	37	32	37	31	42	31·7	25
5. St. Martin-in-the-Fields H	305	24640	10	8	8	12	13	10	13	5	14	17	11·0	13
6. St. James Westminster .	164	36406	13	10	12	12	9	10	15	16	9	21	12·7	18
7. Marylebone HH . .	1509	157696	61	54	50	64	58	89	83	44	89	88	68·0	83
8. Hampstead	2252	11986	4	3	2	3	3	5	4	2	5	8	3·9	5
9. Pancras HH*w* . . .	2716	166956	85	63	78	55	68	62	91	79	82	92	75·5	130
10. Islington HHH . .	3127	95329	27	26	24	39	30	49	53	48	58	51	40·5	63
11. Hackney* H*w* . . .	3929	58429	13	19	13	19	23	23	22	31	20	28	21·1	32
12. St. Giles* H . . .	245	54214	22	23	27	19	21	26	30	11	37	28	24·4	33
13. Strand* H	172	44417	19	16	17	15	18	20	24	15	19	26	18·9	23
14. Holborn* H . . .	196	46621	20	20	17	20	8	25	18	17	19	21	18·5	35
15. Clerkenwell	380	64778	26	20	29	24	22	25	29	18	21	24	23·8	36
16. St. Luke HH . . .	220	54055	32	17	22	22	19	18	39	18	22	36	24·5	36
17. East London* . . .	153	44406	26	17	22	25	16	14	24	18	16	22	20·0	28
18. West London* H . .	138	28833	24	37	20	34	13	17	33	34	16	24	25·2	23
19. London City* . . .	434	55932	22	16	16	16	17	13	22	20	10	21	17·3	20
20. Shoreditch *w* . . .	646	109257	55	49	43	58	55	57	52	41	56	72	53·8	75
21. Bethnal Green H . .	760	90193	68	32	38	52	34	45	39	28	32	51	41·9	52
22. Whitechapel* HH . .	406	79759	39	33	41	53	39	46	40	44	42	59	43·6	62
23. St. George in the East .	243	48376	23	21	22	21	25	33	32	17	19	29	24·2	32
24*a*. Stepney*	576	54173	40	44	42	37	33	63	57	53	56	61	48·6	28
24*b*. Mile-end Old Town H*w*	681	56602												39
25. Poplar* H*w* . . .	2918	47162	33	23	26	16	23	34	36	24	28	25	26·8	42
26. St. Saviour Southwark* HH	250	35731	33	19	16	19	17	20	28	17	22	24	21·5	26
27. St. Olave Southwark* HH	169	19375	32	9	13	19	14	18	35	19	15	26	20·0	22
28. Bermondsey	688	48128	22	17	17	29	25	36	28	16	25	25	24·0	31
29. St. George Southwark .	282	51824	42	13	20	33	22	33	30	19	26	27	26·5	31
30. Newington	624	64816	39	34	29	33	29	36	26	16	28	45	31·5	44
31. Lambeth H	4015	139325	80	40	39	53	44	57	71	69	51	68	57·2	71
32. Wandsworth* . . .	11695	50764	12	20	21	21	23	31	19	11	17	26	20·1	24
33. Camberwell	4342	54667	33	19	18	18	17	25	25	21	21	38	23·5	29
34. Rotherhithe	886	17805	15	5	2	8	9	10	15	5	6	18	9·3	10
35. Greenwich* HHHHH .	5367	99365	62	48	46	43	52	49	69	54	52	70	54·5	69
36. Lewisham*	17224	34835	5	9	3	9	12	15	21	12	13	15	11·4	21†

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† See Note, page 374.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Nov. 13. Total.	Males.	Females.	In the Week ending Nov. 20. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	202	113	89	170	103	67
45 WORKHOUSES	104	54	50	93	50	43
14 PRISONS . . . . . ‡	–	–	–	2	2	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	3	3	–	9	9	–
15 GENERAL HOSPITALS	63	39	24	55	36	19
7 HOSPITALS FOR SPECIAL DISEASES	12	9	3	4	2	2
4 LYING-IN HOSPITALS . . . . Women .	1	–	1	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	1	–	1	1	1	–
7 MILITARY AND NAVAL HOSPITALS	6	6	–	–	–	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	2	2	–	–	–	–
19 LUNATIC ASYLUMS	10	4	6	6	3	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 20th November 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	10	41	133	49	9	46
No.*							
1–6 WEST DISTRICTS - -	376427	-	3	14	4	3	10
7–11 NORTH DISTRICTS - -	490396	1	12	39	11	2	4
12–19 CENTRAL DISTRICTS -	393256	4	12	13	10	1	7
20–25 EAST DISTRICTS - -	485522	2	2	27	10	2	13
26–36 SOUTH DISTRICTS - -	616635	3	12	40	14	1	12
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	1	2	-	2	-
2 St. John Paddington H -	29053	-	-	3	-	-	1
3 Kensington Town *W* L -	29183	-	-	1	-	-	3
4 Brompton HH - -	14870	-	-	-	-	-	1
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	-	-	1	1
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	1	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	1	-	1
3 Chelsea North-east L -	19819	-	-	1	-	-	-
3; 1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	2	1	-	-
4; 1 St. John Westmr. HHHP	34295	-	-	1	-	-	2
2 St. Margaret West. *W* HP	31314	-	-	3	1	-	-
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	1	-	1	-	1
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	1	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	2	-	-	1
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	1	-	-	1
4 St. Mary Marylebone H -	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	1	2	2	-	-
6 St. John Marylebone -	29826	-	-	1	-	-	-
8; 1 Hampstead *W* - -	11986	-	2	1	-	-	-
9; 1 Regent's Park Pancras -	31918	-	-	2	1	-	1
2 Tottenham-court *w*H -	28433	-	3	2	2	-	-
3 Gray's-inn-lane H -	26523	-	3	5	-	1	-
4 Somers-town - - -	35641	-	-	4	2	-	1
5 Camden-town *W* - -	21115	-	1	2	-	-	-
6 Kentish-town - - -	23326	-	1	1	-	-	-
10; 1 Islington West† *W* HHHPP	47881	1	1	4	1	-	-
2 Islington East - - -	47448	-	-	4	2	-	-
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	4	-	1	-
4 Hackney *W* H*w* - -	20850	-	-	1	1	-	-
5 South Hackney L - -	8458	-	-	3	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	-	-	-	-
2 St. Giles South *W* H -	19951	-	-	1	-	-	-
3 St. Giles North - -	17456	-	1	2	-	-	1
13; 1 St. Anne Soho - - -	17335	-	-	1	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15467	-	-	-	-	1	1
14; 1 St. George-the-Martyr H.	18813	1	1	2	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	2	2	1	-	-
3 Saffron-hill - - -	13837	-	-	-	1	-	1
15; 1 St. James Clerkenwell *W* P	21529	-	1	-	-	-	-
2 Amwell Clerkenwell P -	15720	-	1	-	-	-	-
3 Pentonville - - -	11904	-	-	-	1	-	-
4 Goswell-street - -	15625	2	1	-	-	-	1
16; 1 Old-street H - - -	10617	-	2	-	-	-	-
2 City-road HL - -	16840	1	-	2	1	-	-
3 Whitecross-street - -	13657	-	1	-	-	-	1
4 Finsbury - - - -	12941	-	-	-	1	-	-
17; 1 St. Botolph East London	23824	-	-	-	2	-	-
2 Cripplegate P - -	20582	-	1	-	-	-	-
18; 1 West London North *W* HP	12946	-	-	2	1	-	1
2 West London South P -	15887	-	1	-	1	-	-
19; 1 London City South-west -	9204	-	-	-	1	-	-
2 London City North-west -	11847	-	-	1	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	1
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	1	1	-	1
2 St. Leonard Shoreditch L	19449	-	-	-	-	-	-
3 Hoxton New Town *w* -	23505	1	-	1	1	-	1
4 Hoxton Old Town - -	17431	-	-	1	-	-	1
5 Haggerstone West *W* -	20276	-	-	1	-	-	-
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney Road - -	23910	-	1	-	-	-	1
2 Green, Bethnal Green *W* HL	23555	-	-	1	-	-	-
3 Church, Bethnal Green -	21787	-	-	-	-	-	-
4 Town, Bethnal Green -	20941	1	-	2	1	-	-
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	-	-	-
3 Mile End New Town *W* -	14543	-	-	-	2	-	4
4 Whitechapel North *W* -	12530	-	-	2	-	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	1	1
7 Aldgate H - - -	10694	-	-	-	1	-	1
23; 1 St. Mary St. Geo. East -	18067	-	-	2	1	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	2	-	1	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	-
3 Limehouse *W* - -	22782	-	1	2	2	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	-	1	-	2
2 Mile End Old T., East. *Ww*H	27020	-	-	2	-	-	1
25; 1 Bow *w*LH - - -	18778	-	-	3	-	-	-
2 Poplar *W* - - -	28384	-	-	6	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	1	-	-	-
2 St. Saviour Southwark HH	19709	-	1	1	1	-	1
27; 1 St. Olave Southwark HH	8015	-	-	1	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	4	2	-	-
2 St. Mary Magdalen *W* -	13934	-	-	2	-	-	2
3 Leather Market - -	15295	-	1	2	-	-	-
29; 1 Kent Road - - -	18126	-	-	1	-	-	-
2 Borough Road *W* P -	15862	-	1	-	1	-	-
3 London Road LP - -	17836	-	-	1	1	-	1
30; 1 Trinity Newington P -	20922	-	-	-	-	-	-
2 St. Peter Walworth *W* -	29861	-	1	4	1	1	-
3 St. Mary Newington -	14033	-	-	3	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	1	-	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	-	-	-
3 Lambeth Church 1st -	18409	1	2	2	1	-	-
4 Lambeth Church 2nd *W*	26784	-	-	1	-	-	-
5 Kennington 1st - -	24261	-	-	3	-	-	-
6 Kennington 2nd - -	18848	-	-	2	-	-	-
7 Brixton L - - -	14610	-	-	1	-	-	1
8 Norwood *W* - - -	3977	-	-	-	-	-	1
32; 1 Clapham L - - -	16290	-	-	-	-	-	1
2 Battersea *W* - - -	10560	-	-	-	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	1
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	1	-	-	-
3 Peckham - - - -	19444	1	1	3	1	-	1
4 St. George Camberwell -	15849	-	2	1	3	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	1	-	1
35; 1 St. Paul Deptford - -	24899	-	1	1	-	-	-
2 St. Nicholas Deptford -	7071	-	-	1	-	-	-
3 Greenwich West H -	18800	-	-	1	1	-	1
4 Greenwich East *W* H -	16228	-	-	1	-	-	-
5 Woolwich Dockyard HP	17140	-	2	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	1	-	1
36; 1 Plumstead - - -	13191	1	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	‡	-	-	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in		Chelsea North-west sub-district.
The Strand - -	,,	Tottenham-court sub-district.
East London -	,,	Hackney sub-district.
St. Luke Middlesex -	,,	Hoxton New Town sub-district.
London City - -	,,	Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ One death from scarlatina is returned.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 20th November 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
November.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	14	..	29·325	45·8	39·5	6·3	42·9	36·0	47·0	36·5	43·8	43·8	6·9	9·2	4·4	— 0·4	76	N.E.	E.N.E.	13·0	0·0	3·5	230	0·00
Monday. .	15	..	29·509	43·0	33·7	9·3	37·5	28·1	47·0	36·2	43·3	43·2	9·4	10·6	9·2	— 5·5	70	E.N.E.	E.	12·0	3·0	5·0	240	0·00
Tuesday .	16	In Equator.	29·285	39·3	32·0	7·3	35·9	30·8	40·0	28·8	42·3	42·3	5·1	6·2	5·0	— 6·7	81	E.	N.E.	9·0	0·0	2·5	85	0·00
Wednesday	17	..	29·466	42·4	32·4	10·0	36·2	30·1	48·9	34·0	42·1	42·1	6·1	8·9	3·3	— 6·2	81	N.E.	N.E.	3·0	0·0	0·3	35	0·00
Thursday.	18	..	29·522	41·6	29·0	12·6	35·4	30·4	43·0	24·0	41·8	41·8	5·0	10·6	1·3	— 6·8	79	N.E.	N.E.	3·0	0·0	0·2	40	0·00
Friday . .	19	..	29·733	33·5	26·5	7·0	29·1	27·5	33·5	22·3	40·3	40·3	1·6	3·6	0·0	—13·1	99	Calm	S.W.	0·0	0·0	0·0	0	0·00
Saturday.	20	..	29·903	37·0	24·6	12·4	31·7	30·6	45·0	19·8	39·8	39·8	1·1	3·0	0·7	—10·5	97	S.W.	Calm	0·0	0·0	0·0	0	0·00
Means . .		..	29·535	40·4	31·1	9·3	35·5	30·5	43·5	28·8	41·9	41·9	5·0	7·4	3·4	— 7·0	83	N.E.		..	..	..	Sum 630	Sum 0·00
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
November.			
Sunday . .	14	No electricity was shown throughout the week.	Cloudy throughout the day. A strong wind began to blow at 4h. A.M., increasing in strength to a gale by 10h. A.M., and continued during the remainder of the day.
Monday . .	15		Cloudy for the most part throughout the day. The gale of wind continued with a sustained pressure of 3 lbs., 4 lbs., and 5 lbs.
Tuesday . .	16		The gale of wind continued, but somewhat moderate in strength, till 6h. A.M.; a strong wind blew till 1h. P.M., and with pressures to 1 lb. till 7h. P.M. Overcast throughout the day. Thin rain fell during the evening.
Wednesday	17		With slight exceptions the sky was covered with cloud throughout the day.
Thursday .	18		Partially cloudy during the morning, clear at other times of the day.
Friday . .	19		Dense fog prevailed until the afternoon, during the remainder of the day thin fog prevailed. A painfully cold day.
Saturday .	20		The amount of cloud was small at all times. Fog prevailed during the morning and at night. A very cold day.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·31 in. at the beginning of the week to 29·27 in. by 10h. A.M. on the 14th; increased to 29·55 in. by 9h. A.M. on the 15th; decreased to 29·27 in. by 3h. P.M. on the 16th; and increased to 29·96 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

SURGEONS OF ENGLAND

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 47. 1858. Vol. XIX.] Week ending Saturday, November 27. [Price $1\frac{1}{2}d$.

General Register Office, Somerset House,
November 29th, 1858.

The unusually heavy mortality, which the returns of London for last week announce, will be seen with regret. In the first week of this month the deaths were 1217, in the two following weeks they were 1349 and 1487, and in the week ending last Saturday they rose to 1802. The mean temperature of the air in the first week of November was 43·3°; in the last three weeks it was successively 39·0°, 35·5°, and 37·4°. Without attempting at present an exact appreciation of recent meteorological conditions in relation to health, it is sufficient to state that the mortality of the month attained its highest point, which was far above the average, in a week in which the thermometer fell 12° below the freezing point of water, and frost was then suddenly exchanged for heat and moisture.

In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1150; but as the 1802 deaths now returned occurred in an increased population, they should be compared with the average when the latter has been raised in proportion to the increase, a correction which will make it 1265. Hence it appears that 537 persons died last week in excess of the number that would have died if only the average rate of mortality for the end of November had prevailed.

A comparison of the results of the last two weeks exhibits an increase, more or less important, in all the classes in which the causes of death are distributed. Deaths from zymotic diseases increased from 356 in the previous week to 413 last week; constitutional diseases from 253 to 288; local (which include those of the respiratory organs) from 695 to 859; developmental from 131 to 174, and violent deaths from 35 to 42. To take some special diseases: scarlatina increased in the two weeks from 133 to 163; phthisis from 166 to 190; bronchitis from 211 to 310; pneumonia from 166 to only 169; asthma from 20 to 28.

The deaths of three men and five women are recorded who had attained the age of 90 years or upwards. The two oldest were women, who died at the age of 97 years.

Last week the births of 840 boys and 921 girls, in all 1761 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1508.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·563 in. The barometrical readings varied from 28·84 in. to 30·06 in. The mean temperature of the week was 37·4°, which is 3·9° below the average of the same week in 43 years (as determined by Mr. Glaisher). On the first four days the mean daily temperature was *below*, on the last three *above* the average; the depression on Tuesday and Wednesday was equal to 15°; on Friday the excess was 11°. The *lowest* point attained by the thermometer was 20·5° on Wednesday; the *highest* 58° on Friday. The entire range of the week was therefore 37·5°; the mean daily range was 12·3°. The range on Saturday

was only 5·2°. Tuesday was the coldest day in November since November 23d, 1827; and the mean temperature of Tuesday and Wednesday was lower than that of any two consecutive days in November as far back as authentic records extend. The mean temperature of Friday was higher than that of Tuesday and Wednesday by 25°. The difference between the mean dew-point temperature and air temperature was 2·3°. The mean degree of humidity of the air was 92. The mean temperature of the water of the Thames was 38·9°. The wind blew from the east, afterwards from the south-east. Rain fell to the amount of 0·22 in.

KENSINGTON; *Town.*—At 6 North-row, on 10th November, a female domestic servant, aged 60 years, "disease of heart and lungs, effects of destitution." (*Inquest.*)

PANCRAS; *Kentish Town.*—At 20 Ferdinand-place, on 22d November, the wife of a harness maker, aged 63 years, "colica pictonum (5 days)."

HOLBORN; *St. George the Martyr.*—At 45 Theobalds-road, on 13th November, a bootmaker, aged 28 years, "lupus of the face."

BIRTHS Registered LAST WEEK, and in the FORTY-SEVENTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1366	1457	1381	1381	1671	1442	1593	1614	1578	1600	1508·3	1761
Males . .	696	778	708	723	855	777	819	828	811	803	779·8	840
Females . .	670	679	673	658	816	665	774	786	767	797	728·5	921

DEATHS Registered LAST WEEK, and in the FORTY-SEVENTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1207	892	1016	1132	947	1339	1262	1073	1261	1373	1150·2	1802*
Males . .	585	425	492	555	472	634	618	547	600	664	559·2	893
Females . .	622	467	524	577	475	705	644	526	661	709	591·0	909

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.
BIRTHS	1531	1537	1641	1657	1726	1521	1767	1695	1780	1806	1814	1633	1761
DEATHS	1039	1060	1046	955	1021	993	1149	1113	1133	1217	1349	1487	1802
DEATHS (except from Violence) . . .	1013	1027	1014	913	981	952	1120	1077	1103	1184	1321	1452	1760
Deaths (except from Violence) at 60 years and upwards . .	157	163	175	159	143	141	182	173	185	203	235	247	375
Small-pox	5	3	5	5	4	1	3	5	6	3	15	10	10
Measles	20	21	27	21	26	36	23	39	33	42	38	41	51
Scarlatina	110	115	118	125	134	145	160	156	156	138	145	133	163
Whooping-cough . .	42	29	26	26	26	28	29	31	31	38	42	49	46
Typhus	30	45	46	35	56	42	57	47	47	40	36	46	47
Diarrhœa	120	69	53	47	42	44	31	26	16	19	12	9	15
Mean Temperature .	59°·4	59°·4	63°·4	58°·6	57°·6	52°·1	53°·1	51°·1	47°·2	43°·3	39°·0	35°·5	37°·4

* The return of Deaths for the sub-district of Lee is not inserted above, but in lieu thereof an average of 3 is adopted, which is derived from the returns of six previous weeks.

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTY-SEVENTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 25 1848	Nov 24 1849	Nov 23 1850	Nov 22 1851	Nov 27 1852	Nov 26 1853	Nov 25 1854	Nov 24 1855	Nov 22 1856	Nov 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 27, 1858. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	45°·5	43°·3	46°·9	35°·1	45°·7	36°·7	36°·5	39°·4	42°·3	41°·6	41°·3	37°·4					
	ALL CAUSES	1207	892	1016	1132	947	1339	1262	1073	1261	1373	1150·2	1802†	925	230	259	323	62
	SPECIFIED CAUSES	1195	851	1001	1113	938	1323	1231	1054	1242	1359	1130·7	1776	916	227	255	316	62
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	406	185	222	261	223	328	352	265	261	248	275·1	413	337	33	18	22	3
II.	CONSTITUTIONAL "	213	190	196	212	204	259	208	207	254	238	218·1	288	72	112	76	28	..
III.	LOCAL "	440	376	437	499	389	572	526	430	566	656	489·1	859	402	68	153	209	27
IV.	DEVELOPMENTAL "	111	90	112	115	88	146	126	124	135	184	123·1	174	86	6	3	49	30
V.	VIOLENT DEATHS	25	10	34	26	34	18	19	28	26	33	25·3	42	19	8	5	8	2
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	385	176	204	242	205	310	333	250	238	237	258·0	383	316	30	15	19	3
	2. ENTHETIC "	4	2	5	5	8	2	9	2	5	1	4·3	8	4	1	1	2	..
	3. DIETIC "	10	5	10	14	8	14	7	10	18	10	10·6	17	13	2	2	..	..
	4. PARASITIC "	7	2	3	..	2	2	3	3	..	..	2·2	5	4	..	..	1	..
II.	1. DIATHETIC "	47	43	43	28	43	44	44	41	46	32	41·1	53	7	5	21	20	..
	2. TUBERCULAR "	166	147	153	184	161	215	164	166	208	206	177·0	235	65	107	55	8	..
III.	1. DISEASES OF NERVOUS SYSTEM	111	101	130	121	94	152	114	113	114	140	119·0	179	87	9	28	52	3
	2. " OF ORGANS OF CIRCULATION	42	40	38	57	30	59	45	53	53	49	46·6	78	8	13	21	31	5
	3. " OF RESPIRATORY ORGANS	222	170	201	256	172	297	292	205	328	390	253·3	524	290	33	78	106	17
	4. " OF DIGESTIVE ORGANS	51	45	40	42	71	39	45	41	50	47	47·1	44	11	5	17	10	1
	5. " OF URINARY ORGANS	6	9	16	7	12	12	9	7	10	16	10·4	16	..	5	4	7	..
	6. " OF ORGANS OF GENERATION	..	6	3	5	5	4	10	2	2	3	4·0	5	..	1	3	1	..
	7. " OF ORGANS OF LOCOMOTION	..	1	3	6	4	3	4	2	2	2	2·7	1	1	..	..	..	..
	8. " OF INTEGUMENTARY SYSTEM	8	4	6	5	1	6	7	7	7	9	6·0	12	5	2	2	2	1
IV.	1. DEV. DISEASES OF CHILDREN	38	27	40	40	34	57	38	38	38	58	40·8	41	41	..	..	..	..
	2. " OF ADULTS	6	2	6	3	2	4	6	5	3	7	4·4	7	..	6	1	..	..
	* 3. " OF OLD PEOPLE	52	35	48	53	32	50	40	44	54	75	48·3	65	..	..	..	35	30
	4. DISEASES OF NUTRITION	15	26	18	19	20	35	42	37	40	44	29·6	61	45	..	2	14	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											36	18	5	3	8	2
	* 3. HOMICIDE												1	1	..	..	..	..
	4. SUICIDE												5	..	3	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	25	10	34	26	34	18	19	28	26	32	25·3	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	8	13	13	5	4	7	18	10	13	12	10·3	17	7	3	3	4	..
	CAUSES NOT SPECIFIED	4	28	2	14	5	9	13	9	6	2	9·2	9†	2	..	1	3	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† An average of 3 is inserted for the sub-district of Lee.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 25 1848	Nov 24 1849	Nov 23 1850	Nov 22 1851	Nov 27 1852	Nov 26 1853	Nov 25 1854	Nov 24 1855	Nov 22 1856	Nov 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 27, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	45°·5	43°·3	46°·9	35°·1	45°·7	36°·7	36°·5	39°·4	42°·3	41°·6	41°·3	Mean Temp. 37°·4					
I.	ORDER 1.																	
	1. Small-pox	27	17	11	31	7	7	23	12	4	..	13·9	10	7	3	..	..	..
	2. Measles	19	30	26	19	15	21	33	20	35	38	25·6	51	51	..	..	..	..
	3. Scarlatina	118	35	41	45	72	59	118	73	42	43	64·6	163	160	3	..	..	..
	4. Quinsy	3	..	3	5	..	1	1	3	1	3	2·0	1	1	..	..	..	..
	5. Croup	1	5	3	7	8	8	5	11	13	7	6·8	11	11	..	..	..	..
	6. Whooping-cough	36	12	25	27	20	59	37	39	44	58	35·7	46	46	..	..	..	..
	7. Typhus (and Infantile fever)	71	35	48	62	37	51	48	54	57	39	50·2	47	20	13	4	9	1
	8. Erysipelas	13	6	7	12	10	12	14	6	6	6	9·2	10	5	1	2	2	..
	9. Metria	15	5	3	3	3	3	3	3	4	2	4·4	6	..	6	..	..	..
	10. Carbuncle	..	..	1	1	..	2	3	2	2	..	1·1	1	..	..	..	1	..
	11. Influenza	1	4	3	3	..	5	6	..	1	13	3·6	2	1	..	..	1	..
	12. Dysentery	6	1	2	1	2	..	3	3	3	5	2·6	2	..	..	..	2	..
	13. Diarrhœa	27	16	18	21	16	30	21	15	17	15	19·6	15	8	..	2	3	2
	14. Cholera	34	2	1	..	2	46	8	..	..	2	9·5	..	..	..	..	..	..
	15. Ague	1	2	1	..	1	..	1	..	3	1	1·0	1	..	1	..	..	..
	16. Remittent fever	2	1	4	1	3	1	1	2	..	..	1·5	3	3	..	..	..	..
	17. Rheumatism	11	5	7	4	9	5	8	7	6	5	6·7	14	3	3	7	1	..
	ORDER 2.																	
	1. Syphilis	3	2	3	4	7	2	7	2	5	1	3·6	5	4	..	1	..	..
	2. Stricture of Urethra	1	..	2	1	1	..	2	..	..	..	·7	3	..	1	..	2	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	1	..	1	..	1	1	..	1	2	·7	..	..	..	..	..	..
	2. Want of Breast-milk	2	3	3	8	5	8	1	5	12	6	5·3	12	12	..	..	..	..
	3. Purpura and Scurvy	2	1	2	3	..	2	1	1	1	1	1·4	1	1	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	6	..	4	2	2	3	3	3	3	..	2·6	2	..	2	..	..	..
	4. Alcoholism { *b* Intemperance	..	..	1	..	1	..	1	1	1	1	·6	2	..	..	2	..	..
	ORDER 4.																	
	1. Thrush	7	2	3	..	2	2	3	3	..	..	2·2	5	4	..	..	1	..
	2. Worms, &c.	*Deaths* in 1848–57 classed in this Table with *Dis. of Stomach*.											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	..	..	..	..	..	2	1	..	1	·4	1	..	..	..	1	..
	2. Dropsy	14	22	19	15	19	20	22	14	16	15	17·6	18	6	2	6	4	..
	3. Cancer	29	19	21	10	19	23	20	24	28	13	20·6	31	..	3	15	13	..
	4. Noma	..	..	..	..	1	1	..	..	..	..	·2	..	..	..	..	..	..
	5. Mortification	4	2	3	3	4	..	..	2	2	3	2·3	3	1	..	..	2	..
	ORDER 2.																	
	1. Scrofula	6	7	6	8	8	9	9	6	4	3	6·6	11	8	2	1	..	..
	2. Tabes Mesenterica	21	9	10	15	4	15	17	8	13	12	12·4	13	12	1	..	..	..
	3. Phthisis	103	104	111	135	130	166	111	131	169	171	133·1	190	25	103	54	8	..
	4. Hydrocephalus	36	27	26	26	19	25	27	21	22	20	24·9	21	20	1	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	6	8	10	7	9	15	8	5	9	16	9·3	14	12	..	..	2	..
	2. Apoplexy	23	16	28	34	23	35	26	24	28	28	26·5	35	4	2	10	18	1
	3. Paralysis	24	21	22	16	17	27	22	21	14	23	20·7	33	..	3	5	24	1
	4. Insanity	1	2	2	6	2	3	3	1	1	1	2·2	..	..	..	..	..	..
	5. Chorea	..	..	..	..	..	1	1	..	..	..	·2	..	..	..	..	..	..
	6. Epilepsy	5	6	8	11	2	7	5	12	7	7	7·0	12	2	2	6	2	..
	7. Convulsions	37	35	44	39	26	49	37	35	42	38	38·2	66	65	..	..	..	1
	8. *Brain Disease, &c.*	15	13	16	8	15	15	12	15	13	27	14·9	19	4	2	7	6	..
	ORDER 2.																	
	1. Pericarditis	6	2	3	4	2	3	4	1	1	..	2·6	2	1	..	1	..	..
	2. Aneurism	1	1	3	2	1	2	3	2	2	2	1·9	1	..	..	1	..	..
	3. *Heart Disease, &c.*	35	37	32	51	27	54	38	50	50	47	42·1	75	7	13	19	31	5
	ORDER 3.																	
	1. Laryngitis	7	6	3	4	5	6	8	3	9	8	5·9	3	2	1	..	..	..
	2. Bronchitis	81	60	77	103	67	134	144	101	173	217	115·7	310	142	16	52	85	15
	3. Pleurisy	3	2	..	5	5	2	..	2	6	1	2·6	1	..	1	..	..	..
	4. Pneumonia	97	82	94	105	73	124	121	80	110	143	102·9	169	141	8	8	11	1
	5. Asthma	21	12	15	27	13	25	14	10	23	15	17·5	28	..	3	16	8	1
	6. *Lung Disease, &c.*	13	8	12	12	9	6	5	9	7	6	8·7	13	5	4	2	2	..
	ORDER 4.																	
	1. Gastritis	1	3	1	1	5	..	1	3	1	3	1·9	1	..	..	1	..	..
	2. Enteritis	12	6	7	9	8	2	9	1	3	6	6·3	4	2	1	..	1	..
	3. Peritonitis	5	2	4	5	4	3	2	4	3	4	3·6	7	2	1	3	1	..
	4. Ascites	3	2	4	2	4	2	4	6	3	3	3·3	1	..	..	1	..	..
	5. Ulceration of Intestines	2	3	3	1	6	..	1	3	2	1	2·2	5	2	1	1	1	..
	6. Hernia	4	1	..	1	3	1	6	3	1	1	2·1	1	..	..	..	1	..
	7. Ileus	3	3	1	1	4	2	2	3	5	1	2·5	3	3	..	..	..	..
	8. Intussusception	..	3	1	..	1	..	..	..	3	1	·9	1	..	1	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FORTY-SEVENTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Nov 25 1848	Nov 24 1849	Nov 23 1850	Nov 22 1851	Nov 27 1852	Nov 26 1853	Nov 25 1854	Nov 24 1855	Nov 22 1856	Nov 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Nov. 27, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards
	Mean Temperature	45°·5	43°·3	46°·9	35°·1	45°·7	36°·7	36°·5	39°·4	42°·3	41°·6	41°·3	37°·4					
	9. Stricture of Intestines	1	..	2	2	1	..	1	..	..	1	·8	..	..	..	..	..	..
	10. Fistula	..	..	1	1	..	1	..	1	..	..	·4	1	1	..	..	..	..
	11. *Stomach Disease, &c.*	6	7	5	5	5	5	5	2	4	1	4·5	6	1	1	1	3	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	4	4	3	..	6	8	5	3	3	5	4·1	..	..	..	..	..	..
	14. Jaundice	1	3	2	1	5	2	1	1	2	3	2·1	2	..	..	2	..	..
	15. *Liver Disease, &c.*	9	8	6	13	18	13	8	11	20	16	12·2	12	..	..	8	3	1
	16. *Spleen Disease, &c.*	..	..	..	..	1	..	..	..	..	1	·2	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	2	..	1	..	1	1	..	..	·5	2	..	..	1	1	..
	2. Ischuria	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	2	2	4	1	1	1	1	2	5	5	2·4	8	..	3	2	3	..
	4. Diabetes	..	..	2	..	..	2	1	..	..	1	·6	..	..	..	..	..	..
	5. Stone	..	..	1	..	1	2	..	1	1	1	·7	1	..	..	..	1	..
	6. Cystitis	..	1	2	..	..	..	..	..	..	1	·4	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	4	6	5	6	8	7	6	3	4	8	5·7	5	..	2	1	2	..
	ORDER 6.																	
	1. Ovarian Dropsy	..	5	2	2	..	2	1	..	..	1	1·3	2	..	1	1	..	..
	2. *Uterus Disease, &c.*	..	1	1	3	5	2	9	2	2	2	2·7	3	..	..	2	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	1	1	..	..	1	..	·3	..	..	..	..	..	..
	2. *Joint Disease, &c.*	..	1	3	6	3	2	4	2	1	2	2·4	1	1	..	..	..	..
	ORDER 8.																	
	1. Phlegmon	6	3	4	2	..	4	2	4	3	9	3·7	8	4	1	2	..	1
	2. Ulcer	2	1	..	2	1	2	1	1	2	..	1·2	1	..	..	..	1	..
	3. *Skin Disease, &c.*	..	..	2	1	..	..	4	2	2	..	1·1	3	1	1	..	1	..
IV.	ORDER 1.																	
	1. Premature Birth	24	13	19	32	24	42	27	·26	27	40	27·4	25	25	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											4	4	..	..	..	..
	3. Spina Bifida												..	..	..	..	..	..
	4. Other Malformations	6	3	7	3	2	3	3	2	4	4	3·7	..	..	..	..	..	..
	5. Teething	8	11	14	5	8	12	8	10	7	14	9·7	12	12	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	1	..	1	..	..	..	1	3	·6	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	6	2	5	3	1	4	6	5	2	4	3·8	7	..	6	1	..	..
	ORDER 3.																	
	1. Old Age	52	35	48	53	32	50	40	44	54	75	48·3	65	..	..	..	35	30
	ORDER 4.																	
	1. Atrophy and Debility	15	26	18	19	20	35	42	37	40	44	29·6	61	45	..	2	14	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	12	2	3	3	3	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	2	..	..	..	2	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	14	11	1	..	1	1
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	2	1	..	..	1	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	4	4	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	1	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	2	..	1	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	..	2	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	25	10	34	26	34	18	19	28	26	33	25·3	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	8	13	13	5	4	7	18	10	13	12	10·3	17	7	3	3	4	..
	Causes not specified or ill-defined	4	28	2	14	5	9	13	9	6	2	9·2	9†	2	..	1	3	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† An average of 3 is inserted for the sub-district of Lee.

DEATHS Registered in the FORTY-SEVENTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Nov. 25 1848	Nov. 24 1849	Nov. 23 1850	Nov. 22 1851	Nov. 27 1852	Nov. 26 1853	Nov. 25 1854	Nov. 24 1855	Nov. 22 1856	Nov. 28 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday Nov. 27 1858.
Mean Temperature . . .			45·5°	43·3°	46·9°	35·1°	45·7°	36·7°	36·5°	39·4°	42·3°	41·6°	41·3°	37·4°
LONDON	78029	2362236	1207	892	1016	1132	947	1339	1262	1073	1261	1373	1150·2	1802
1–6. WEST DISTRICTS .	10786	376427	153	148	163	157	149	195	184	136	171	209	166·5	283
7–11. NORTH DISTRICTS .	13533	490396	231	137	176	187	178	220	261	255	256	292	219·3	358
12–19. CENTRAL DISTRICTS	1938	393256	170	130	148	210	156	199	211	164	194	220	180·2	289
20–25. EAST DISTRICTS .	6230	485522	318	229	239	250	191	315	291	230	290	292	264·5	388
26–36. SOUTH DISTRICTS .	45542	616635	335	248	290	328	273	410	315	288	350	360	319·7	484
1. Kensington* HHHH .	7374	120004	42	47	42	41	54	64	54	54	54	77	52·9	97
2. Chelsea H*w* . . .	865	56538	17	30	27	31	33	35	22	18	21	39	27·3	39
3. St. George Hanover-sq. H	1161	73230	28	33	30	26	21	32	26	22	33	27	27·8	50
4. Westminster* HHHH .	917	65609	37	20	44	30	28	46	48	23	38	36	35·0	57
5. St. Martin-in-the-Fields H	305	24640	10	7	7	8	7	7	15	6	12	13	9·2	22
6. St. James Westminster .	164	36406	19	11	13	21	6	11	19	13	13	17	14·3	18
7. Marylebone HH . .	1509	157696	76	49	48	72	52	65	69	74	65	100	67·0	94
8. Hampstead	2252	11986	4	..	4	3	3	2	..	4	3	5	2·8	4
9. Pancras HH*w* . . .	2716	166956	71	55	69	58	61	82	90	84	105	96	77·1	139
10. Islington HHH . .	3127	95329	51	19	35	41	42	57	70	62	58	56	49·1	79
11. Hackney* H*w* . . .	3929	58429	29	14	20	13	20	14	32	31	25	35	23·3	42
12. St. Giles* H . . .	245	54214	31	24	22	30	27	42	31	23	34	37	30·1	39
13. Strand* H	172	44417	12	8	16	19	15	24	10	20	13	18	16·0	25
14. Holborn* H . . .	196	46621	22	14	25	32	14	20	28	18	32	22	22·7	39
15. Clerkenwell	380	64778	23	20	25	31	26	21	29	26	25	33	25·9	46
16. St. Luke HH . . .	220	54055	14	23	20	27	24	31	29	22	21	38	24·9	40
17. East London* . . .	153	44406	27	21	16	25	22	21	35	22	21	28	23·8	38
18. West London* H . .	138	28833	22	7	14	20	18	30	26	19	21	28	20·5	30
19. London City*	434	55932	19	13	10	26	10	10	23	14	22	16	16·3	32
20. Shoreditch *w* . . .	646	109257	81	52	55	62	45	73	49	52	77	59	60·5	87
21. Bethnal Green H . .	760	90193	64	47	56	47	28	43	46	44	52	61	48·8	66
22. Whitechapel* HH . .	406	79759	67	49	39	39	41	55	47	42	41	38	45·8	62
23. St. George-in-the-East .	243	48376	26	20	31	23	23	33	37	20	36	36	28·5	27
24*a*. Stepney*	576	54173	53	44	41	56	36	79	77	44	59	66	55·5	47
24*b*. Mile-end Old Town H*w*	681	56602												42
25. Poplar* H*w*	2918	47162	27	17	17	23	18	32	35	28	25	32	25·4	57
26. St. Saviour Southwark* HH	250	35731	20	13	23	23	18	28	17	17	23	27	20·9	40
27. St. Olave Southwark* HH	169	19375	29	17	23	16	27	22	24	16	24	28	22·6	27
28. Bermondsey	688	48128	18	28	18	42	18	36	31	25	35	20	27·1	31
29. St. George Southwark .	282	51824	33	27	41	38	24	37	24	28	32	30	31·4	46
30. Newington	624	64816	36	33	35	35	23	43	31	18	35	43	33·2	48
31. Lambeth H	4015	139325	71	51	53	62	54	76	72	58	73	71	64·1	94
32. Wandsworth*	11695	50764	29	10	22	16	13	34	29	19	26	34	23·2	40
33. Camberwell	4342	54667	22	16	28	27	25	37	23	28	25	29	26·0	45
34. Rotherhithe	886	17805	13	5	12	7	1	16	5	7	9	6	8·1	14
35. Greenwich* HHHHH .	5367	99365	57	40	24	51	52	63	37	58	51	60	49·3	76
36. Lewisham*	17224	34835	7	8	11	11	18	18	22	14	17	12	13·8	23†

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† An average of 3 is inserted for Lee.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Nov. 20. Total.	Males.	Females.	In the Week ending Nov. 27. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	170	103	67	267	137	130
15 WORKHOUSES	93	50	43	164	75	89
14 PRISONS . . . . . ‡	2	2	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . §	9	9	–	6	6	–
15 GENERAL HOSPITALS	55	36	19	67	40	27
7 HOSPITALS FOR SPECIAL DISEASES	4	2	2	14	5	9
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	1	1	–	–	–	–
7 MILITARY AND NAVAL HOSPITALS	–	–	–	3	3	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	–	–	–
19 LUNATIC ASYLUMS	6	3	3	13	8	5

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 27th November 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	10	51	163	46	15	47
No.*							
1-6 WEST DISTRICTS - -	376427	1	3	15	8	2	7
7-11 NORTH DISTRICTS - -	490396	4	12	42	10	3	12
12-19 CENTRAL DISTRICTS -	393256	1	22	22	4	1	8
20-25 EAST DISTRICTS - -	485522	3	3	42	10	5	10
26-36 SOUTH DISTRICTS - -	616635	1	11	42	14	4	10
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	-	1	1	1
2 St. John Paddington H -	29053	-	-	-	-	-	-
3 Kensington Town *W* L -	29183	-	1	1	1	-	-
4 Brompton HH - -	14870	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	3	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	1	-	-
2; 1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	1
3 Chelsea North-east L -	19819	-	-	-	1	-	-
3; 1 Hanover Square - -	20216	-	-	1	1	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	1	-	-	3
4; 1 St. John Westmr. HHHP	34295	-	-	3	1	-	1
2 St. Margaret West. *W* HP	31314	1	-	3	1	-	1
5; 1 Charing Cross *W* H -	12587	-	2	1	-	-	-
2 Long Acre - - -	12053	-	-	-	1	-	-
6; 1 Berwick Street - -	10798	-	-	2	-	-	-
2 St. James's Square -	11469	-	-	-	-	1	-
3 Golden Square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	-	3	-	-	1
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	1	-	-	1
4 St. Mary Marylebone H	22814	-	-	-	-	-	-
5 Christchurch Marylebone	33895	-	-	5	2	-	-
6 St. John Marylebone -	29826	-	1	1	-	-	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	1
9; 1 Regent's Park Pancras -	31918	1	-	2	1	-	1
2 Tottenham-court *w*H -	28433	-	4	5	1	-	2
3 Gray's Inn Lane H -	26523	-	-	1	1	-	-
4 Somers Town - - -	35641	-	1	3	2	1	-
5 Camden Town *W* - -	21115	1	-	4	-	-	-
6 Kentish Town - -	23326	1	-	4	-	-	-
10; 1 Islington West† *W* HHHPP	47881	1	1	7	-	-	2
2 Islington East - -	47448	-	4	3	-	1	2
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford Hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	1	1	1	2
4 Hackney *W* H*w* - -	20850	-	-	1	1	-	-
5 South Hackney L - -	8458	-	1	1	1	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	2	-	-	-
2 St. Giles South *W* H -	19951	-	-	-	1	-	-
3 St. Giles North - -	17456	-	-	-	-	-	-
13; 1 St. Anne Soho - -	17335	-	-	1	-	-	-
2 St. Mary-le-Strand -	11615	-	1	1	-	-	-
3 St. Clement Danes H -	15467	-	1	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	2	-	-	-
2 St. Andrew, East. Holb. *W*	13971	-	-	1	-	-	-
3 Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	1	5	1	-	-	-
2 Amwell Clerkenwell P -	15720	-	3	-	-	-	-
3 Pentonville - - -	11904	-	-	-	-	-	-
4 Goswell-street - - -	15625	-	1	1	-	-	1
16; 1 Old-street H - - -	10617	-	2	-	2	-	-
2 City-road HL - -	16840	-	-	4	-	-	1
3 Whitecross-street - -	13657	-	3	1	-	-	-
4 Finsbury - - - -	12941	-	-	-	-	-	1
17; 1 St. Botolph East London	23824	-	-	1	-	-	-
2 Cripplegate P - -	20582	-	3	4	-	-	-
18; 1 West London North *W* HP	12946	-	3	2	-	1	3
2 West London South P -	15887	-	-	-	-	-	1
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South - -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	1
5 London City North-east -	12826	-	-	1	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
No.* EAST DISTRICTS.							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	-	1
2 St. Leonard Shoreditch L	19449	-	-	2	-	-	-
3 Hoxton New Town *w* -	23505	-	-	1	1	-	1
4 Hoxton Old Town - -	17431	-	2	1	-	-	2
5 Haggerstone West *W* -	20276	-	-	1	1	1	1
6 Haggerstone East - -	11351	-	-	1	-	-	-
21; 1 Hackney-road - - -	23910	-	-	1	-	-	1
2 Green, Bethnal Green *W* HL	23555	1	-	3	-	1	-
3 Church, Bethnal Green -	21787	-	-	2	-	-	-
4 Town, Bethnal Green -	20941	-	-	-	-	1	2
22; 1 Artillery Whitechapel -	6769	-	-	-	1	-	-
2 Spitalfields - - -	15336	-	-	1	-	-	-
3 Mile End New Town *W*	14543	-	-	3	-	-	-
4 Whitechapel North *W* -	12530	-	-	-	-	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	-
6 Goodman's Fields - -	12069	-	-	-	-	-	1
7 Aldgate H - - -	10694	-	-	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	1	-	-
2 St. Paul St. Geo. East -	20319	-	-	1	-	1	-
3 St. John St. Geo. East *W*	9990	-	-	1	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	-	-	-
2 Ratcliff *W* - - -	15212	-	-	2	-	-	-
3 Limehouse *W* - -	22782	-	-	4	4	-	-
24*b*; 1 Mile End Old Town, Westn.	29582	-	-	4	-	-	1
2 Mile End Old T., East. *Ww* H	27020	-	1	4	2	1	-
25; 1 Bow *w* LH - - -	18778	-	-	6	-	-	-
2 Poplar *W* - - -	28384	2	-	3	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	3	1	-
2 St. Saviour Southwark HH	19709	-	1	1	1	-	-
27; 1 St. Olave Southwark HH	8015	-	-	1	-	-	1
2 St. John Horsleydown *W*	11360	-	-	1	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	1	1	-	-
2 St. Mary Magdalen *W* -	13934	-	-	2	1	-	-
3 Leather Market - -	15295	-	-	1	-	-	-
29; 1 Kent-road - - -	18126	-	1	3	-	-	-
2 Borough-road *W* P -	15862	-	-	2	-	-	-
3 London-road LP - -	17836	-	1	1	-	-	1
30; 1 Trinity Newington P -	20922	-	-	1	-	1	-
2 St. Peter Walworth *W* -	29861	-	1	3	-	2	1
3 St. Mary Newington -	14033	-	-	-	1	-	-
31; 1 Waterloo-road 1st - -	14088	-	-	1	2	-	-
2 Waterloo-road 2nd H -	18348	-	-	-	-	-	1
3 Lambeth Church 1st -	18409	-	1	1	1	-	-
4 Lambeth Church 2nd *W*	26784	-	-	1	-	-	1
5 Kennington 1st - -	24261	-	-	1	-	-	1
6 Kennington 2nd - -	18848	-	-	1	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	1	2	-	-	-
2 Battersea *W* - - -	10560	-	-	7	-	-	-
3 Wandsworth PL - -	9611	-	-	-	-	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL - -	17742	-	-	2	-	-	1
3 Peckham - - - -	19444	1	-	1	1	-	-
4 St. George Camberwell -	15849	-	3	-	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	1	1	1	-	-
35; 1 St. Paul Deptford - -	24899	-	-	3	-	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	1	1	-	-	1
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	-	-	-	1
6 Woolwich Arsenal HPH	15227	-	-	-	1	-	-
36; 1 Plumstead - - -	13191	-	-	2	-	-	1
2 Eltham - - - -	2568	-	-	-	1	-	-
3 Lee - - - - -	8478	‡	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	1	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ Return not received.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 27TH NOVEMBER 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.	Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Greatest.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Greatest.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
		in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
NOVEMBER.																							
SUNDAY . 21	..	30·000	42·2	27·9	14·3	34·1	30·8	48·0	20·8	39·6	39·6	3·3	6·9	0·0	— 7·9	87	N.	Calm	0·0	0·0	0·0	0	0·00
MONDAY . 22	Perigee Greatest Dec. N.	30·051	43·5	26·0	17·5	32·9	28·7	49·3	23·2	39·8	39·8	4·2	12·3	0·0	— 8·8	82	E.	E.	2·0	0·0	0·0	10	0·00
TUESDAY . 23	..	29·919	34·0	21·0	13·0	26·4	25·0	37·0	14·0	37·8	37·8	1·4	6·2	1·1	—15·0	99	E.	E.	0·0	0·0	0·0	0	0·00
WEDNESDAY 24	..	29·675	30·5	20·5	10·0	26·5	24·3	31·0	13·0	37·6	37·6	2·2	5·6	1·4	—14·5	90	E.S.E.	S.E. & E.	0·0	0·0	0·0	20	0·00
THURSDAY . 25	..	29·241	49·5	33·5	16·0	42·5	41·6	50·0	26·0	38·6	38·6	0·9	5·3	0·0	+ 1·0	97	S.E.	S.E.	3·0	0·0	0·6	140	0·00
FRIDAY . 26	..	29·181	58·0	47·7	10·3	51·9	48·4	61·5	43·0	39·0	39·0	3·5	5·5	1·1	+11·0	89	S.E. & S.	S.	2·0	0·0	0·2	115	0·02
SATURDAY . 27	Last Quarter.	28·875	50·0	44·8	5·2	47·6	47·2	54·0	40·0	39·8	39·8	0·4	2·9	0·0	+ 6·5	99	S.E.	Calm	2·5	0·0	0·3	20	0·20
MEANS . .	..	29·563	43·9	31·6	12·3	37·4	35·1	47·2	25·7	38·9	38·9	2·3	6·4	0·5	— 3·9	92	E. & S.E.		..	..	..	Sum 305	Sum 0·22
No. of Columns	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
NOVEMBER.			
SUNDAY . .	21	A little electricity has been at times shown, but to small amounts only, and of short duration.	Generally clear during the afternoon; at other times of the day the sky was obscured by clouds and fog.
MONDAY. .	22		Partially cloudy during the afternoon; clear at other times of the day.
TUESDAY .	23		Thick fog prevailed till near noon; during the remainder of the day the sky was cloudless. The coldest day in November since 1827, Nov. 23.
WEDNESDAY	24		Overcast throughout the day; thick fog prevailed at night. The mean temperature of the day, and that of November 23, is lower than that of any two consecutive days in November as far back as authentic records extend.
THURSDAY .	25		Overcast throughout the day. Rain fell occasionally during the afternoon and evening.
FRIDAY . .	26		Generally cloudy till evening, clear afterwards. The mean temperature of this day was 25½° nearly higher than on the 23d and 24th days.
SATURDAY .	27		Cloudy throughout the day. Rain fell during the morning.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·96 in. at the beginning of the week to 30·06 in. by noon on the 22d; decreased to 28·84 in. by 3h. P.M. on the 27th; and was 28·87 in. at the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

GENERAL REGISTER OFFICE OF ENGLAND

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 48. 1858. Vol. XIX.] Week ending Saturday, December 4. [Price 1½*d.*

General Register Office, Somerset House,
December 6th, 1858.

The London returns still show an excessively high mortality as the effect of the recent severity of the weather. The weekly deaths rose in the latter part of November from 1487 to 1802; in the week ending last Saturday they were 1738. In the first of these three consecutive weeks the mean temperature was 35·5°; in the last it was 46·3°. A rate of mortality as high as that which has prevailed during the last fortnight would deprive the population of its natural increase; for in the two weeks taken together the deaths, which are usually much below the births, slightly exceeded them.

In the ten years 1848–57 the average number of deaths was 1175; but as the deaths now returned occurred in an increased population, they should be compared with the average after the latter is raised in proportion to the increase,—a correction which will make it 1293. The comparison shows that the deaths of last week exceeded by 445 the number that would have occurred according to the average rate of mortality.

The mortality of measles and scarlatina has been reduced, the deaths from the former having fallen from 51 to 39, those from the latter from 163 to 128. Whooping-cough, on the other hand, shows an increase from 46 to 69. Small-pox exhibits a disposition to increase; it was fatal last week in 13 cases. It is stated that in a house 29, Great Ormond-yard (in St. George the Martyr, Holborn,) three deaths from small-pox have occurred, and two children are now ill from the same disease. In the last three weeks the deaths from phthisis have been 166, 190, and 176; those from bronchitis 211, 310, and 298; those from pneumonia 166, 169, and 171; and from asthma 20, 28, and 30.

The deaths of three persons are recorded as having been caused by want of the necessaries of life; and those of an equal number by the intemperate use of spirits. Seven persons died who had reached the age of 90 years, or had passed that limit, of whom the most advanced was a man aged 99 years.

Last week the births of 898 boys and 865 girls, in all 1763 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1570.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·476 in. The barometrical readings varied from 28·87 in. to 30·03 in. The mean temperature of the week was 46·3°, which is 4·7° above the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was above the average throughout the week. On Sunday and Monday the thermometer attained its *highest* point in the shade, viz. 53·8°; it fell to its *lowest* point, 33·5°, on Friday. The extreme range was therefore 20·3°;

the mean daily range was 9·7°; the range on Saturday was only 5·8°. The difference between the mean dew-point temperature and air temperature was 2·8°. The mean degree of humidity of the air was 90. The mean temperature of the water of the Thames was 41·7°. The wind blew on every day from the south-west. More or less rain fell on every day except Friday, and the total amount was 0·39 in.

STRAND; *St. Mary-le-Strand.*—In the cell of Police Station, Bow-street, on 26th November, a man unknown, supposed a mendicant, aged about 56 years, "disease of heart, accelerated by privation; found in Covent-garden insensible, and died in about 17 hours." *Post mort.* (*Inquest.*)

EAST LONDON; *Cripplegate.*—At Whitecross-street, on 24th November, the widow of a licensed victualler, aged 78 years, "natural; old age and insufficient food." (*Inquest.*)

WHITECHAPEL; *Mile End New Town.*—At the Workhouse, on 12th November, a labourer, aged 68 years, "natural death from exhaustion, accelerated by exposure to cold, want, and privation." (*Inquest.*)

BIRTHS Registered LAST WEEK, and in the FORTY-EIGHTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1371	1291	1482	1541	1639	1677	1610	1615	1657	1812	1569·5	1763
Males . .	700	668	773	772	851	840	806	828	853	938	802·9	898
Females .	671	623	709	769	788	837	804	787	804	874	766·6	865

DEATHS Registered LAST WEEK, and in the FORTY-EIGHTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1167	931	861	1279	1042	1414	1350	1124	1158	1428	1175·4	1738
Males . .	597	489	453	626	537	718	688	547	564	682	590·1	862
Females .	570	442	408	653	505	696	662	577	594	746	585·3	876

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.
BIRTHS	1537	1641	1657	1726	1521	1767	1695	1780	1806	1814	1633	1761	1763
DEATHS	1060	1046	955	1021	993	1149	1113	1133	1217	1349	1487	1802	1738
DEATHS (except from Violence) . . .	1027	1014	913	981	952	1120	1077	1103	1184	1321	1452	1760	1702
Deaths (except from Violence) at 60 years and upwards . .	163	175	159	143	141	182	173	185	203	235	247	375	390
Small-pox	3	5	5	4	1	3	5	6	3	15	10	10	13
Measles	21	27	21	26	36	23	39	33	42	38	41	51	39
Scarlatina	115	118	125	134	145	160	156	156	138	145	133	163	128
Whooping-cough . .	29	26	26	26	28	29	31	31	38	42	49	46	69
Typhus	45	46	35	56	42	57	47	47	40	36	46	47	51
Diarrhœa	69	53	47	42	44	31	26	16	19	12	9	15	13
Mean Temperature .	59°·4	63°·4	58°·6	57°·6	52°·1	53°·1	51°·1	47°·2	43°·3	39°·0	35°·5	37°·4	46°·3

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTY-EIGHTH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 2 1848	Dec. 1 1849	Nov 30 1850	Nov 29 1851	Dec. 4 1852	Dec. 3 1853	Dec. 2 1854	Dec. 1 1855	Nov 29 1856	Dec. 5 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 4, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature . .	46°·7	34°·5	40°·5	35°·8	42°·4	40°·0	38°·4	39°·5	39°·3	46°·1	40°·3	46°·3					
	ALL CAUSES . . .	1167	931	861	1279	1042	1414	1350	1124	1158	1428	1175·4	1738	905	204	236	315	78
	SPECIFIED CAUSES .	1150	919	854	1262	1029	1398	1324	1101	1126	1413	1157·6	1717	897	200	231	311	78
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	388	183	213	273	222	317	317	227	253	282	267·5	390	322	32	18	16	2
II.	CONSTITUTIONAL „ .	219	206	174	276	216	256	242	238	214	256	229·7	260	70	92	73	22	3
III.	LOCAL „ .	421	406	360	559	428	657	589	492	526	692	513·0	850	386	65	134	231	34
IV.	DEVELOPMENTAL „ .	92	111	86	125	115	152	154	125	114	150	122·4	181	97	3	3	40	38
V.	VIOLENT DEATHS . .	30	13	21	29	48	16	22	19	19	33	25·0	36	22	8	3	2	1
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	374	177	197	254	209	300	305	212	234	256	251·8	369	311	30	12	14	2
	2. ENTHETIC „ . .	2	..	3	4	5	5	6	7	9	10	5·1	7	4	2	1	..	..
	3. DIETIC „ . .	10	2	9	11	6	9	5	8	9	16	8·5	12	5	..	5	2	..
	4. PARASITIC „ . .	2	4	4	4	2	3	1	..	1	..	2·1	2	2	..	..	..	..
II.	1. DIATHETIC „ . .	44	36	37	48	46	34	54	41	42	36	41·8	43	7	5	14	14	3
	2. TUBERCULAR „ . .	175	170	137	228	170	222	188	197	172	220	187·9	217	63	87	59	8	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	122	117	111	124	132	129	142	137	113	136	126·3	159	76	11	21	46	5
	2. „ OF ORGANS OF CIRCULATION .	38	34	35	63	46	59	41	53	47	56	47·2	81	13	15	20	27	6
	3. „ OF RESPIRATORY ORGANS . .	193	194	160	298	171	379	307	234	296	415	264·7	516	278	21	64	135	18
	4. „ OF DIGESTIVE ORGANS . . .	44	39	37	50	56	64	68	39	41	57	49·5	59	13	8	20	15	3
	5. „ OF URINARY ORGANS . . .	12	8	7	12	12	15	15	16	12	16	12·5	21	2	6	7	5	1
	6. „ OF ORGANS OF GENERATION .	3	6	5	6	3	4	2	5	4	4	4·2	4	..	1	2	1	..
	7. „ OF ORGANS OF LOCOMOTION .	4	3	3	3	5	3	4	3	3	3	3·4	4	2	2	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM .	5	5	2	3	3	4	10	5	10	5	5·2	6	2	1	..	2	1
IV.	1. DEV. DISEASES OF CHILDREN	25	36	41	37	48	54	52	40	40	45	41·8	47	47	..	..	..	..
	2. „ OF ADULTS .	2	6	7	8	9	4	7	7	3	5	5·8	6	..	3	3	..	..
	3. „ OF OLD PEOPLE	38	45	24	53	38	70	59	44	47	60	47·8	70	..	..	..	32	38
	4. DISEASES OF NUTRITION .	27	24	14	27	20	24	36	34	24	40	27·0	58	50	..	..	8	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											30	20	6	2	1	1
	*3. HOMICIDE												2	2	..	..	..	..
	4. SUICIDE												4	..	2	1	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	30	13	21	29	48	16	22	19	19	33	25·0	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	15	5	3	9	4	5	17	8	14	10	9·0	13	5	2	3	3	..
	CAUSES NOT SPECIFIED . .	2	7	4	8	9	11	9	15	18	5	8·8	8	3	2	2	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 2 1848	Dec. 1 1849	Nov 30 1850	Nov 29 1851	Dec. 4 1852	Dec. 3 1853	Dec. 2 1854	Dec. 1 1855	Nov 29 1856	Dec. 5 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 4, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	46°·7	34°·5	40°·5	35°·8	42°·4	40°·0	38°·4	39°·5	39°·3	46°·1	40°·3	46°·3					
I.	ORDER 1.																	
	1. Small-pox	21	5	14	37	4	3	19	10	6	2	12·1	13	12	1	..	..	..
	2. Measles	16	26	25	21	24	29	42	25	43	33	28·4	39	39	..	..	..	..
	3. Scarlatina	127	37	32	38	59	50	90	62	38	44	57·7	128	126	2	..	..	..
	4. Quinsy	1	3	1	4	1	..	3	1	2	2	1·8	1	1	..	..	..	..
	5. Croup	6	8	7	6	5	9	12	15	10	11	8·9	11	11	..	..	..	..
	6. Whooping-cough	47	23	33	34	24	59	34	29	41	58	38·2	69	69	..	..	..	..
	7. Typhus (and Infantile fever)	68	35	48	51	48	56	53	27	54	48	48·8	51	29	11	5	5	1
	8. Erysipelas	11	5	4	11	8	9	6	6	6	5	7·1	5	5	..	..	..	..
	9. Metria	14	8	3	7	3	5	5	8	4	4	6·1	11	..	11	..	..	..
	10. Carbuncle	..	..	..	..	1	1	3	3	..	1	·9	2	..	..	1	1	..
	11. Influenza	3	..	2	3	1	5	3	..	1	22	4·0	6	1	..	..	4	1
	12. Dysentery	3	3	1	3	1	4	2	3	..	2	2·2	2	1	1	..	..	..
	13. Diarrhœa	24	17	13	28	21	31	19	9	19	16	19·7	13	6	1	2	4	..
	14. Cholera	20	1	..	..	..	28	7	1	..	2	5·9	..	..	..	..	..	..
	15. Ague	2	..	..	1	..	..	..	..	..	..	·3	3	3	..	..	..	..
	16. Remittent Fever	4	1	1	2	..	2	1	1	3	2	1·7	4	4	..	..	..	..
	17. Rheumatism	7	5	13	8	9	9	6	12	7	4	8·0	11	4	3	4	..	..
	ORDER 2.																	
	1. Syphilis	2	..	3	1	5	3	2	5	7	8	3·6	6	4	1	1	..	..
	2. Stricture of Urethra	..	..	..	3	..	2	4	2	2	2	1·5	1	..	1	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	..	..	..	..	1	1	..	..	..	..	·2	3	..	..	1	2	..
	2. Want of Breast-milk	4	..	2	6	1	3	3	5	6	7	3·7	5	5	..	..	..	..
	3. Purpura and Scurvy	1	..	1	2	..	1	..	1	..	..	·6	..	..	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	4	1	5	1	2	2	2	2	3	5	2·7	1	..	..	1	..	..
	4. Alcoholism { *b* Intemperance	1	1	1	2	2	2	..	..	..	4	1·3	3	..	..	3	..	..
	ORDER 4.																	
	1. Thrush	2	4	4	4	2	3	1	..	1	..	2·1	2	2	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	..	6	..	1	1	2	..	..	..	1·2	..	..	..	..	..	..
	2. Dropsy	19	20	12	25	17	11	22	11	14	13	16·4	21	6	2	3	7	3
	3. Cancer	21	15	14	20	20	22	25	23	24	22	20·6	20	1	3	11	5	..
	4. Noma	..	..	1	..	2	..	..	..	..	..	·3	..	..	..	..	..	..
	5. Mortification	2	1	4	3	6	..	5	7	4	1	3·3	2	..	..	..	2	..
	ORDER 2.																	
	1. Scrofula	10	3	9	9	7	8	12	13	7	11	8·9	..	..	..	..	..	..
	2. Tabes Mesenterica	12	9	13	24	8	15	16	16	10	10	13·3	11	11	..	..	..	..
	3. Phthisis	123	134	96	161	137	175	129	139	136	168	139·8	176	22	87	59	8	..
	4. Hydrocephalus	30	24	19	34	18	24	31	29	19	31	25·9	30	30	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	13	14	12	11	6	8	11	9	10	5	9·9	6	5	..	1	..	..
	2. Apoplexy	24	30	21	33	30	27	31	35	25	35	29·1	30	4	3	7	14	2
	3. Paralysis	26	21	22	28	22	30	30	25	19	26	24·9	35	..	3	6	23	3
	4. Insanity	2	2	3	2	2	2	2	1	..	1	1·7	1	..	1	..	..	..
	5. Chorea	..	..	..	..	..	..	..	2	..	..	·2	1	1	..	..	..	..
	6. Epilepsy	4	4	4	6	11	8	7	9	6	9	6·8	6	1	1	1	3	..
	7. Convulsions	40	38	35	34	44	44	46	42	38	46	40·7	61	61	..	..	..	..
	8. *Brain Disease, &c.*	13	8	14	10	17	10	15	14	15	14	13·0	19	4	3	6	6	..
	ORDER 2.																	
	1. Pericarditis	3	2	4	2	4	3	5	5	1	3	3·2	7	6	..	..	1	..
	2. Aneurism	2	4	..	..	2	4	1	..	1	..	1·4	2	..	1	..	..	1
	3. *Heart Disease, &c.*	33	28	31	61	40	52	35	48	45	53	42·6	72	7	14	20	26	5
	ORDER 3.																	
	1. Laryngitis	3	6	4	6	5	6	8	4	5	9	5·6	6	5	1	..	..	..
	2. Bronchitis	80	60	64	134	75	178	140	123	154	242	125·0	298	126	8	40	108	16
	3. Pleurisy	6	4	2	4	3	5	3	1	5	8	4·1	1	..	..	..	1	..
	4. Pneumonia	85	94	67	123	69	143	119	84	108	129	102·1	171	146	8	8	8	1
	5. Asthma	14	21	20	26	15	35	24	14	18	20	20·7	30	1	3	12	13	1
	6. *Lung Disease, &c.*	5	9	3	5	4	12	13	8	6	7	7·2	10	..	1	4	5	..
	ORDER 4.																	
	1 Gastritis	2	..	2	1	1	2	2	..	4	2	1·6	2	..	1	..	1	..
	2. Enteritis	7	8	7	5	3	9	7	3	5	3	5·7	4	2	..	..	2	..
	3. Peritonitis	3	4	2	9	5	3	4	3	5	4	4·2	3	3	..	..	..	..
	4. Ascites	1	2	2	4	3	7	9	3	4	3	3·8	2	..	..	..	2	..
	5. Ulceration of Intestines	2	2	1	1	2	4	7	1	..	1	2·1	2	1	..	1	..	..
	6. Hernia	2	3	2	6	4	3	3	5	3	6	3·7	4	..	..	2	2	..
	7. Ileus	2	..	2	3	6	1	2	4	2	5	2·7	5	1	2	..	2	..
	8. Intussusception	..	1	1	1	..	2	1	..	..	..	·6	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FORTY-EIGHTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 2 1848	Dec. 1 1849	Nov 30 1850	Nov 29 1851	Dec. 4 1852	Dec. 3 1853	Dec. 2 1854	Dec. 1 1855	Nov 29 1856	Dec. 5 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 4, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	46°·7	34°·5	40°·5	35°·8	42°·4	40°·0	38°·4	39°·5	39°·3	46°·1	40°·3	46°·3					
	9. Stricture of Intestines	..	1	..	..	2	1	1	..	1	1	·7	..	..	..	..	..	..
	10. Fistula	..	..	..	1	1	2	2	1	..	1	·8	..	..	..	..	..	..
	11. *Stomach Disease, &c.*	6	4	2	4	6	8	6	7	3	12	5·8	9	2	1	2	2	2
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	4	1	1	2	8	3	2	1	6	2	3·0	3	..	1	2	..	..
	14. Jaundice	1	3	2	2	2	2	1	4	1	4	2·2	5	3	..	1	1	..
	15. *Liver Disease, &c.*	14	10	12	11	13	17	20	7	7	13	12·4	19	..	3	12	3	1
	16. *Spleen Disease, &c.*	..	..	1	..	..	..	1	..	..	..	·2	1	1	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	..	1	1	2	1	..	..	..	·5	1	..	..	..	1	..
	2. Ischuria	..	..	..	2	..	..	1	1	..	2	·6	..	..	..	..	..	..
	3. Nephria (Bright's disease)	1	2	1	2	2	7	3	6	5	8	3·7	11	1	5	3	2	..
	4. Diabetes	..	..	1	2	2	1	2	..	1	..	·9	1	..	..	1	..	..
	5. Stone	..	1	1	..	..	..	..	2	..	..	·4	..	..	..	..	..	..
	6. Cystitis	1	2	1	..	..	2	2	..	..	1	·9	1	..	..	1	..	..
	7. *Kidney Disease, &c.*	10	3	3	5	7	3	6	7	6	5	5·5	7	1	1	2	2	1
	ORDER 6.																	
	1. Ovarian Dropsy	1	..	2	3	1	2	..	1	..	..	1·0	2	..	..	2	..	..
	2. *Uterus Disease, &c.*	2	6	3	3	2	2	2	4	4	4	3·2	2	..	1	..	1	..
	ORDER 7.																	
	1. Arthritis	2	..	..	1	1	..	..	1	..	..	·5	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	3	3	2	4	3	4	2	3	3	2·9	4	2	2	..	..	..
	ORDER 8.																	
	1. Phlegmon	3	2	2	1	2	3	5	1	5	4	2·8	2	1	..	..	1	..
	2. Ulcer	1	3	..	1	..	1	3	2	2	1	1·4	3	..	1	..	1	1
	3. *Skin Disease, &c.*	1	..	..	1	1	..	2	2	3	..	1·0	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	13	20	27	25	31	42	29	25	35	34	28·1	24	24	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											4	4	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	5	8	3	7	5	3	5	5	2	3	4·6	3	3	..	..	..	..
	5. Teething	7	8	11	5	12	9	18	10	3	8	9·1	15	15	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	2	..	1	..	..	..	..	..	..	·3	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	2	4	7	7	9	4	7	7	3	5	5·5	6	..	3	3	..	..
	ORDER 3.																	
	1. Old Age	38	45	24	53	38	70	59	44	47	60	47·8	70	..	..	..	32	38
	ORDER 4.																	
	1. Atrophy and Debility	27	24	14	27	20	24	36	34	24	40	27·0	58	50	..	..	8	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	11	3	5	1	1	1
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	9	9	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	2	..	1	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	5	5	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	*In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											2	2	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	2	..	..	1	1	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	2	..	2	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	30	13	21	29	48	16	22	19	19	33	25·0	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	15	5	3	9	4	5	17	8	14	10	9·0	13	5	2	3	3	..
	Causes not specified or ill-defined	2	7	4	8	9	11	9	15	18	5	8·8	8	3	2	2	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the FORTY-EIGHTH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Dec. 2 1848	Dec. 1 1849	Nov. 30 1850	Nov. 29 1851	Dec. 4 1852	Dec. 3 1853	Dec. 2 1854	Dec. 1 1855	Nov. 29 1856	Dec. 5 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Dec. 4 1858.
Mean Temperature . . .			46·7°	34·5°	40·5°	35·8°	42·4°	40·0°	38·4°	39·5°	39·3°	46·1°	40·3°	46·3°
LONDON	78029	2362236	1167	931	861	1279	1042	1414	1350	1124	1158	1428	1175·4	1738
1-6. WEST DISTRICTS .	10786	376427	163	147	137	162	176	193	178	170	157	243	172·6	234
7-11. NORTH DISTRICTS .	13533	490396	215	162	179	225	201	306	245	233	270	304	234·0	432
12-19. CENTRAL DISTRICTS	1938	393256	188	151	138	250	165	221	201	190	167	219	189·0	275
20-25. EAST DISTRICTS .	6230	485522	265	218	189	293	226	319	327	222	236	281	257·6	355
26-36. SOUTH DISTRICTS .	45542	616635	336	253	218	349	274	375	399	309	328	381	322·2	442
1. Kensington* HHHH .	7374	120004	39	38	33	48	46	70	63	61	52	86	53·6	100
2. Chelsea H*w* . . .	865	56538	26	26	27	38	23	23	27	30	30	32	28·2	29
3. St. George Hanover-sq. H	1161	73230	33	27	22	29	51	13	33	29	22	50	30·9	45
4. Westminster* HHHH .	917	65609	29	24	37	24	37	56	24	27	24	45	32·7	37
5. St. Martin-in-the-Fields H	305	24640	16	12	7	10	9	13	17	15	23	16	13·8	8
6. St. James Westminster .	164	36406	20	20	11	13	10	18	14	8	6	14	13·4	15
7. Marylebone HH . .	1509	157696	65	57	70	81	65	105	74	82	92	82	77·3	124
8. Hampstead	2252	11986	5	3	4	3	..	5	2	4	4	7	3·7	6
9. Pancras HH*w* . . .	2716	166956	79	64	57	79	66	98	68	77	98	109	79·5	148
10. Islington HHH . .	3127	95329	44	27	34	41	45	59	72	42	47	64	47·5	106
11. Hackney* H*w* . . .	3929	58429	22	11	14	21	25	39	29	28	29	42	26·0	48
12. St. Giles* H . . .	245	54214	28	26	20	34	21	24	29	23	27	45	27·7	39
13. Strand* H	172	44417	17	23	11	27	23	24	22	28	21	14	21·0	38
14. Holborn* H . . .	196	46621	21	18	11	26	24	23	21	21	20	24	21·4	39
15. Clerkenwell	380	64778	28	18	24	47	23	34	29	30	26	29	28·8	34
16. St. Luke HH . . .	220	54055	29	15	24	32	25	28	32	29	21	38	27·3	47
17. East London* . . .	153	44406	16	15	12	21	21	23	25	22	17	22	19·4	31
18. West London* H . .	138	28833	26	21	16	35	15	32	20	22	18	26	23·1	27
19. London City* . . .	434	55932	23	15	20	28	13	23	23	15	17	21	20·3	20
20. Shoreditch *w* . . .	646	109257	68	52	47	61	49	57	70	43	41	67	55·5	86
21. Bethnal Green H . .	760	90193	39	41	33	51	50	55	54	32	41	55	45·1	76
22. Whitechapel* HH . .	406	79759	52	39	27	64	32	52	50	40	47	41	44·4	65
23. St. George in the East .	243	48376	29	18	19	22	26	38	33	22	24	25	25·6	33
24*a*. Stepney*	576	54173	59	45	45	67	42	73	85	59	56	61	59·2	25
24*b*. Mile-end Old Town H*w*	681	56602												35
25. Poplar* H*w* . . .	2918	47162	18	23	18	28	27	44	35	26	27	32	27·8	35
26. St. Saviour Southwark* HH	250	35731	23	14	17	29	16	28	32	14	23	18	21·4	23
27. St. Olave Southwark* HH	169	19375	28	23	18	22	23	19	19	32	16	33	23·3	24
28. Bermondsey	688	48128	22	20	13	23	24	32	34	20	36	27	25·1	35
29. St. George Southwark .	282	51824	21	30	24	43	20	41	28	16	25	27	27·5	40
30. Newington	624	64816	29	28	21	35	20	49	27	34	30	44	31·7	43
31. Lambeth H	4015	139325	76	56	43	78	60	90	83	63	64	84	69·7	95
32. Wandsworth* . . .	11695	50764	12	18	21	24	20	16	36	21	23	31	22·2	33
33. Camberwell	4342	54667	27	14	26	28	26	29	34	26	27	35	27·2	37
34. Rotherhithe	886	17805	12	5	5	12	9	9	9	11	16	12	10·0	13
35. Greenwich* HHHHH .	5367	99365	75	35	26	44	42	41	73	56	51	50	49·3	77
36. Lewisham*	17224	34835	11	10	4	11	14	21	24	16	17	20	14·8	22

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Nov. 27. Total.	Males.	Females.	In the Week ending Dec. 4. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	267	137	130	243	140	103
45 WORKHOUSES	164	75	89	125	62	63
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	6	6	–	12	12	–
15 GENERAL HOSPITALS	67	40	27	82	53	29
7 HOSPITALS FOR SPECIAL DISEASES	14	5	9	8	2	6
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	1	–	1
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	3	3	–
7 MILITARY AND NAVAL HOSPITALS	3	3	–	2	2	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	–	–	–	1	–	1
19 LUNATIC ASYLUMS	13	8	5	9	6	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 4th December 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	13	39	128	69	13	51
No.*							
1-6 WEST DISTRICTS - -	376427	-	3	16	5	2	6
7-11 NORTH DISTRICTS - -	490396	3	15	38	16	2	14
12-19 CENTRAL DISTRICTS -	393256	4	8	21	16	2	8
20-25 EAST DISTRICTS - -	485522	5	6	26	15	2	17
26-36 SOUTH DISTRICTS - -	616635	1	7	27	17	5	6
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	4	-	-	-
2 St. John Paddington H -	29053	-	-	2	-	-	-
3 Kensington Town *W* L -	29183	-	-	-	1	1	1
4 Brompton HH - -	14870	-	-	-	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	1	-	-	1
7 Fulham *W* LLLL - -	11886	-	-	-	1	-	1
2; 1 Chelsea South H - -	19050	-	1	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3 Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	1	2	1	1	1
4; 1 St. John Westmr. HHHP	34295	-	-	3	-	-	1
2 St. Margaret West. *W* HP	31314	-	1	2	-	-	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	1	1	-	-
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	1	-	-
3 Golden-square *W* - -	14139	-	-	1	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	-	2	-	1
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	2	-	-	2
4 St. Mary Marylebone H -	22814	-	-	1	-	-	-
5 Christchurch Marylebone	33895	-	1	4	2	-	2
6 St. John Marylebone -	29826	-	-	4	-	-	-
8; 1 Hampstead *W* - -	11986	-	1	-	-	-	1
9; 1 Regent's Park Pancras -	31918	-	-	2	-	-	-
2 Tottenham-court *w*H -	28433	-	2	3	1	-	1
3 Gray's-inn-lane H -	26523	-	2	-	-	-	2
4 Somers-town - - -	35641	-	1	4	1	-	-
5 Camden-town *W* - -	21115	-	4	-	-	1	-
6 Kentish-town - - -	23326	-	-	5	2	1	-
10; 1 Islington West† *W*HHHPP	47881	3	1	5	3	-	1
2 Islington East - - -	47448	-	2	2	4	-	2
11; 1 Stoke Newington L -	4840	-	-	-	-	-	-
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	-	-	-	-
4 Hackney *W* H*w* - -	20850	-	-	2	-	-	1
5 South Hackney L - -	8458	-	-	4	1	-	1
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	1	1	3	-	-
2 St. Giles South *W* H -	19951	-	-	2	2	-	1
3 St. Giles North - -	17456	-	-	2	-	-	1
13; 1 St. Anne Soho - - -	17335	-	-	1	-	-	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	1
3 St. Clement Danes H -	15467	-	-	-	2	-	1
14; 1 St. George-the-Martyr H.	18813	1	-	2	2	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron-hill - - -	13837	-	1	1	-	1	-
15; 1 St. James Clerkenwell *W* P	21529	-	1	-	1	-	1
2 Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3 Pentonville - - -	11904	-	1	-	1	-	-
4 Goswell-street - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	-	-	-	-	-
2 City-road HL - -	16840	-	2	3	1	-	-
3 Whitecross-street - -	13657	-	-	1	1	-	1
4 Finsbury - - - -	12941	2	-	1	1	-	-
17; 1 St. Botolph East London	23824	-	-	2	1	-	-
2 Cripplegate P - -	20582	1	1	1	-	-	-
18; 1 West London North *W*HP	12946	-	1	2	-	-	-
2 West London South P -	15887	-	-	1	-	-	2
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	-	-	1	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	-	-	-	-	-
5 London City North-east -	12826	-	-	1	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	-	-
2 St. Leonard Shoreditch L	19449	-	1	2	-	-	-
3 Hoxton New Town *w* -	23505	4	-	1	-	-	-
4 Hoxton Old Town - -	17431	-	1	-	1	-	1
5 Haggerstone West *W* -	20276	-	-	2	1	1	1
6 Haggerstone East - -	11351	-	-	-	-	-	-
21; 1 Hackney Road - -	23910	-	-	2	2	-	1
2 Green, Bethnal Green *W* HL	23555	-	-	4	-	-	2
3 Church, Bethnal Green -	21787	-	-	1	1	-	1
4 Town, Bethnal Green -	20941	-	1	3	1	-	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	2	2	-	2
3 Mile End New Town *W* -	14543	-	-	-	1	-	3
4 Whitechapel North *W* -	12530	-	-	1	1	-	1
5 Whitechapel Church H -	7818	-	-	-	-	-	1
6 Goodman's Fields - -	12069	-	-	-	2	-	-
7 Aldgate H - - -	10694	-	1	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	1	-	-	1
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	-	-	-	-
3 Limehouse *W* - -	22782	-	2	1	-	-	1
24*b*; 1 Mile End Old Town, West.	29582	-	-	2	1	1	-
2 Mile End Old T., East. *Ww*H	27020	-	-	2	2	-	1
25; 1 Bow *w*LH - - -	18778	-	-	2	-	-	-
2 Poplar *W* - - -	28384	1	-	-	-	-	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	2	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	-	-	-
27; 1 St. Olave Southwark HH	8015	-	-	-	1	-	-
2 St. John Horsleydown *W*	11360	-	1	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	1	1	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	1	-	-
3 Leather Market - -	15295	-	-	1	-	-	-
29; 1 Kent Road - - -	18126	-	-	2	-	-	-
2 Borough Road *W* P -	15862	-	-	-	1	1	1
3 London Road LP - -	17836	-	-	-	1	-	-
30; 1 Trinity Newington P -	20922	-	1	3	-	-	-
2 St. Peter Walworth *W* -	29861	-	1	1	-	-	-
3 St. Mary Newington -	14033	-	1	1	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	1	-	-
2 Waterloo Road 2nd H -	18348	-	-	-	2	-	-
3 Lambeth Church 1st -	18409	-	1	2	2	-	2
4 Lambeth Church 2nd *W*	26784	-	-	1	1	-	-
5 Kennington 1st - -	24261	-	-	3	1	1	-
6 Kennington 2nd - -	18848	-	-	1	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	-
8 Norwood *W* - - -	3977	-	-	-	1	-	-
32; 1 Clapham L - - -	16290	-	-	-	1	-	1
2 Battersea *W* - - -	10560	-	-	4	1	-	-
3 Wandsworth PL - -	9611	-	-	-	-	1	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	1	-	1	1
3 Peckham - - - -	19444	-	1	-	-	-	-
4 St. George Camberwell -	15849	-	-	-	1	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	1	-	-	1
35; 1 St. Paul Deptford - -	24899	1	-	1	-	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	-	-	-	-
4 Greenwich East *W* H -	16228	-	-	1	-	-	-
5 Woolwich Dockyard HP	17140	-	1	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	-	1	-
36; 1 Plumstead - - -	13191	-	-	-	1	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	1	-	-	-
5 Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 4th December 1858.

[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
November.																								
Sunday . .	28	..	29·051	53·8	44·5	9·3	47·8	46·4	54·4	39·0	40·8	40·4	1·4	3·2	0·0	+ 6·3	96	S.W. & S.	S.W.	0·0	0·0	0·0	130	0·15
Monday . .	29	In Equator.	29·062	53·8	45·0	8·8	49·0	47·0	55·6	39·8	41·7	41·7	2·0	3·6	0·8	+ 7·4	94	S.W. & S.	S.W.	3·0	0·0	0·3	135	0·02
Tuesday .	30	..	29·168	48·5	40·6	7·9	43·8	38·9	48·0	41·0	41·5	41·5	4·9	7·5	2·6	+ 2·2	83	S.W.	W.S.W.	7·0	0·0	1·5	205	0·01
December.																								
Wednesday	1	..	29·627	46·8	40·5	6·3	44·3	38·0	47·0	38·0	41·5	41·5	6·3	9·5	3·5	+ 2·6	77	N.W.	S.W.	6·0	0·0	1·8	155	0·12
Thursday.	2	..	29·614	51·0	39·6	11·4	46·2	43·6	51·3	39·8	42·8	42·8	2·6	5·7	1·9	+ 4·4	90	S. by W.	W. & S.W.	3·0	0·0	0·3	85	0·02
Friday . .	3	..	30·007	51·9	33·5	18·4	43·7	42·0	54·0	28·0	41·9	41·9	1·7	5·5	1·3	+ 2·0	91	S.W.	S.W.	3·0	0·0	0·2	135	0·00
Saturday.	4	..	29·801	52·0	46·2	5·8	49·4	49·0	53·0	42·5	41·5	41·5	0·4	1·5	0·0	+ 7·9	98	S.W.	S.W.	3·0	0·0	0·4	85	0·07
Means . .		..	29·476	51·1	41·4	9·7	46·3	43·5	51·9	38·3	41·7	41·6	2·8	5·2	1·4	+ 4·7	90	S.W.		..	..	..	Sum 930	Sum 0·39
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date		Electricity.	Sky and Atmosphere.
November.			
Sunday . .	28	None was shown during the week.	Cloudy till noon; during the remainder of the day the amount of cloud was variable. Rain fell early in the morning. Fog was prevalent between 8h. and 10h. A.M.
Monday . .	29		Overcast throughout the day. Rain fell occasionally.
Tuesday . .	30		Cloudy for the most part throughout the day. Rain fell occasionally during the morning.
December. Wednesday	1		Until evening the amount of cloud was small; overcast afterwards. Rain fell at night.
Thursday .	2		Cloudy for the most part till evening; clear afterwards. Rain fell during the morning.
Friday . .	3		The day was fine, and the amount of cloud was small at all times.
Saturday .	4		Clear for a short time between 6h. and 7h. P.M., at other times of the day the sky was overcast. Rain fell during the morning.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 28·87 in. at the beginning of the week to 29·69 in. by 9h. P.M. on December 1st; decreased to 29·53 in. by 9h. A.M. on the 2d; increased to 30·03 in. by 9h. A.M. on the 3d; and decreased to 29·78 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 49. 1858. Vol. XIX.] Week ending Saturday, December 11. [Price $1\frac{1}{2}d$.

General Register Office, Somerset House,
December 13th, 1858.

Though the mortality of London is still high, the returns are gradually resuming a more favourable aspect. In the week ending November 27th the deaths rose to 1802, in the following week they declined to 1738, and in the last week ending Saturday the 11th they were 1531. The mean temperature of these three weeks has been respectively 37·4°, 46·3°, and 36·5°.

In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1183; but as the deaths in the present return occurred in an increased population, they should be compared with the average when it is raised in proportion to the increase, a correction which will make it 1301. The comparison shows that 230 persons died last week in excess of the number whose deaths would have been recorded if the rate of mortality had not been higher than the average.

The deaths arising from diseases of the organs of respiration (exclusive of whooping-cough and phthisis) were last week 441, having been in the two preceding weeks 524 and 516. The corrected average for last week is 296. Bronchitis was fatal in 310, 298, and 250 cases in the last three weeks; phthisis in 190, 176, and 166; pneumonia decreased from 171 to 142. Measles was fatal in 46 cases last week, which is 16 above the average. The deaths referred to small-pox are 13; to scarlatina 137. Six occurred from the latter disease in Somers Town, 5 in St. Leonard, Shoreditch. At 5 Harding's-terrace, St. Mary, Newington, six children in a family have been attacked by scarlatina, and one has died.

The nonagenarians whose deaths are recorded are five, and are all widows; their respective ages are 90, 94, 95, 95, and 98 years. A labourer, aged 35 years, died on the 10th inst. at 54 Phœnix-street, Spitalfields, from destitution.

Last week the births of 955 boys and 850 girls, in all 1805 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1541.

Composition of the Metropolitan Waters in November 1858.

The analysis of the water supplied by the different companies has been made during November by Dr. Robert Dundas Thomson, F.R.S., of St. Thomas's Hospital. The amount of impurity in each water will be found to increase as the winter advances, depending on rain which brings down the soluble matters from the agricultural grounds into the river. For the sake of comparison the constitution of water about to be brought into Glasgow is given, and likewise that of one of the shallow wells of London, the use of which, impregnated as they are with sewage and surface drainage, should be avoided.

	Total Impurity per gallon.	Organic Impurity per gallon.
	grs. *or* °	grs. *or* °
Distilled Water - -	0·0	0·0
Loch Katrine Water, new supply to Glasgow -	2·14	0·8
Well, Newman-street, Oxford-street - -	126·32	12·96
THAMES COMPANIES.		
Lambeth - - - - - -	18·24	1·52
Grand Junction - - - - -	19·20	1·48
West Middlesex - - - - -	18·32	1·32
Southwark - - - - - -	18·28	1·36
Chelsea - - - - - -	17·72	1·72
OTHER COMPANIES.		
East London - - - - -	21·32	1·40
Kent - - - - - -	19·32	1·88
New River - - - - - -	19·16	1·32

The Table is read thus: Loch Katrine water contains in the gallon 2·14 degrees or grains of foreign matter in solution, of which ·8 degrees or grains are of vegetable or animal origin.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 30·115 in. The mean daily reading was above 30 in. on every day after Sunday. The barometrical readings varied from 29·78 in. to 30·20 in. The mean temperature of the week was 36·5°, which is 4·2° below the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was below the average on every day after Sunday. The thermometer attained its *highest* point in the shade, 49·2°, on Sunday; it fell to its *lowest* point, 30·3°, on Tuesday. The extreme range of the week was therefore 18·9°. During six days the sky was uniformly overcast, night and day; and the daily range of temperature was small. The mean daily range was 6·8°. The range on Thursday was only 4·5°. The difference between the mean dew-point temperature and air temperature was 2·4°. The mean degree of humidity of the air was 92. On Monday the humidity reached 100, which represents complete saturation. The mean temperature of the water of the Thames was 42·7°. The air was generally calm; at the end of the week the wind blew from the south. There was hardly any rain.

MARYLEBONE; *St. Mary.*—At 34 Homer-street, on 3d December, the wife of a coachmaker, aged 57 years, "hæmorrhage from the nose, debility."

WHITECHAPEL; *Spitalfields.*—At 54 Phœnix-street, on 10th December, a labourer, aged 35 years, "destitution and want."

LAMBETH; *Lambeth Church (first part).*—At 82 Hercules-buildings, on 7th December, the daughter of a surveyor, aged 20 years, "scorbutus."

GREENWICH; *West.*—At the Dreadnought Hospital Ship, on 3d December, an apprentice, merchant service, aged 19 years, "scurvy, prostration."

BIRTHS Registered LAST WEEK, and in the FORTY-NINTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1380	1338	1558	1528	1579	1628	1546	1531	1520	1812	1541·1	1805
Males . .	715	710	789	788	810	838	777	780	755	938	792·3	955
Females . .	665	628	769	740	769	790	769	751	765	874	748·8	850

DEATHS Registered LAST WEEK, and in the FORTY-NINTH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1146	1053	1004	1316	1012	1308	1331	1099	1318	1240	1182·7	1531
Males . .	572	539	494	624	522	654	677	554	649	623	590·8	792
Females . .	574	514	510	692	490	654	654	545	669	617	591·9	739

DEATHS in LONDON, from ALL CAUSES, Registered in the FORTY-NINTH Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 9 1848	Dec. 8 1849	Dec. 7 1850	Dec. 6 1851	Dec. 11 1852	Dec. 10 1853	Dec. 9 1854	Dec. 8 1855	Dec. 6 1856	Dec. 12 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 11, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	49·0°	42·2°	42·6°	38·8°	49·3°	39·8°	42·2°	36·1°	35·5°	45·0°	42·1°	Mean Temp. 36·5°					
	ALL CAUSES	1146	1053	1004	1316	1012	1308	1331	1099	1318	1240	1182·7	1531	826	187	219	252	47
	SPECIFIED CAUSES	1140	1036	988	1305	994	1280	1312	1086	1299	1213	1165·3	1519	818	187	217	250	47
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	383	217	243	266	220	301	355	257	277	277	279·6	380	319	29	20	12	..
II.	CONSTITUTIONAL "	209	223	178	269	212	252	234	220	241	201	223·9	257	79	89	58	31	..
III.	LOCAL "	407	451	436	596	414	580	561	480	613	558	509·6	725	336	52	129	178	30
IV.	DEVELOPMENTAL "	116	114	116	145	122	129	137	114	138	146	127·7	119	70	8	1	23	17
V.	VIOLENT DEATHS	25	31	15	29	26	18	25	15	30	31	24·5	38	14	9	9	6	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	368	206	232	247	204	276	337	242	248	253	261·3	347	295	24	17	11	..
	2. ENTHETIC "	2	2	2	4	5	8	3	3	10	6	4·5	10	9	1	..	..	..
	3. DIETIC "	8	7	8	13	8	13	13	9	17	15	11·1	21	13	4	3	1	..
	4. PARASITIC "	5	2	1	2	3	4	2	3	2	3	2·7	2	2	..	..	..	..
II.	1. DIATHETIC "	37	53	32	44	58	44	52	38	36	39	43·3	42	5	2	17	18	..
	2. TUBERCULAR "	172	170	146	225	154	208	182	182	205	162	180·6	215	74	87	41	13	..
III.	1. DISEASES OF NERVOUS SYSTEM	112	126	109	148	130	121	134	126	113	107	122·6	135	69	6	22	31	7
	2. " OF ORGANS OF CIRCULATION	42	50	44	49	43	52	50	52	58	46	48·6	55	7	2	20	25	1
	3. " OF RESPIRATORY ORGANS	188	203	208	333	171	343	303	242	368	336	269·5	441	236	25	58	104	18
	4. " OF DIGESTIVE ORGANS	46	50	54	51	46	45	48	38	52	53	48·3	60	16	9	21	11	3
	5. " OF URINARY ORGANS	12	11	8	5	8	9	12	10	13	8	9·6	19	2	6	6	4	1
	6. " OF ORGANS OF GENERATION	1	3	2	5	4	4	7	7	1	3	3·7	4	..	3	1	..	..
	7. " OF ORGANS OF LOCOMOTION	1	3	6	2	3	2	2	2	2	2	2·5	3	2	1	..	..	..
	8. " OF INTEGUMENTARY SYSTEM	5	5	5	3	9	4	5	3	6	3	4·8	8	4	..	1	3	..
IV.	1. DEV. DISEASES OF CHILDREN	45	33	47	37	50	35	55	49	53	47	45·1	35	35	..	..	..	..
	2. " OF ADULTS	5	9	3	5	1	8	5	4	2	5	4·7	9	..	8	1	..	..
	3. " OF OLD PEOPLE	43	54	47	76	45	56	43	35	52	58	50·9	34	..	..	..	17	17
	4. DISEASES OF NUTRITION	23	18	19	27	26	30	34	26	31	36	27·0	41	35	..	..	6	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											30	13	7	5	5	..
	3. HOMICIDE *												2	1	1	..	..	..
	4. SUICIDE												6	..	1	4	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	25	31	15	29	26	18	25	15	30	31	24·5	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	5	8	6	4	7	6	10	11	7	21	8·5	9	5	..	2	2	..
	CAUSES NOT SPECIFIED	1	9	10	7	11	22	9	2	12	6	8·9	3	3	..	..	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 9 1848	Dec. 8 1849	Dec. 7 1850	Dec. 6 1851	Dec. 11 1852	Dec. 10 1853	Dec. 9 1854	Dec. 8 1855	Dec. 6 1856	Dec. 12 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 11, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	49·0°	42·2°	42·6°	38·8°	49·3°	39·8°	42·2°	36·1°	35·5°	45·0°	42·1°	Mean Temp. 36·5°					
I.	ORDER 1.																	
	1. Small-pox	27	5	27	27	2	5	30	14	5	1	14·3	13	8	4	1	..	..
	2. Measles	27	29	23	17	13	25	40	27	42	36	27·9	46	46	..	..	..	..
	3. Scarlatina	117	32	35	44	62	45	100	53	45	55	58·8	137	133	3	1	..	..
	4. Quinsy	1	3	2	2	..	..	2	3	3	1	1·7	3	3	..	..	..	..
	5. Croup	5	8	7	6	..	6	8	18	14	13	8·5	11	11	..	..	..	..
	6. Whooping-cough	49	18	50	30	34	56	43	39	41	47	40·7	47	47	..	..	..	..
	7. Typhus (and Infantile fever)	66	52	46	63	56	64	50	46	49	38	53·0	45	25	8	6	6	..
	8. Erysipelas	9	14	7	7	3	6	12	10	7	7	8·2	14	6	..	4	4	..
	9. Metria	8	7	2	5	2	4	7	4	4	2	4·5	5	..	5	..	..	..
	10. Carbuncle	..	..	1	..	..	2	2	..	1	..	·6	..	..	..	..	..	..
	11. Influenza	3	9	3	7	5	4	1	..	2	19	5·3	3	2	..	..	1	..
	12. Dysentery	5	2	4	2	4	4	3	1	4	5	3·4	..	..	..	..	..	..
	13. Diarrhœa	20	17	21	26	15	34	19	17	20	20	20·9	11	9	1	1	..	..
	14. Cholera	21	..	..	1	..	13	5	..	..	1	4·1	..	..	..	..	..	..
	15. Ague	1	1	..	1	..	..	..	..	1	..	·4	1	1	..	..	..	..
	16. Remittent fever	4	1	..	2	2	2	3	4	1	4	2·3	1	1	..	..	..	..
	17. Rheumatism	5	8	4	7	6	6	12	6	9	4	6·7	10	3	3	4	..	..
	ORDER 2.																	
	1. Syphilis	1	2	..	3	5	5	1	2	6	5	3·0	10	9	1	..	..	..
	2. Stricture of Urethra	1	..	2	1	..	3	2	1	4	1	1·5	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	1	2	2	..	..	..	..	..	2	·8	1	..	1	..	..	..
	2. Want of Breast-milk	3	3	4	6	4	10	8	5	10	4	5·7	11	11	..	..	..	..
	3. Purpura and Scurvy	2	2	..	3	3	..	1	..	3	1	1·5	4	2	1	..	1	..
	4. Alcoholism { *a* Del. Tremens	1	..	1	1	1	2	2	2	3	5	1·8	3	..	1	2	..	..
	4. Alcoholism { *b* Intemperance	1	1	1	1	..	1	2	2	1	3	1·3	2	..	1	1	..	..
	ORDER 4.																	
	1. Thrush	5	2	1	2	3	4	2	3	2	3	2·7	2	2	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848-57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	2	1	1	1	1	..	2	..	1	·9	2	..	..	..	2	..
	2. Dropsy	16	25	16	19	30	13	15	12	11	12	16·9	12	4	..	2	6	..
	3. Cancer	20	24	11	20	23	25	25	21	23	22	21·4	25	..	2	14	9	..
	4. Noma	..	..	1	..	..	..	1	..	..	1	·3	..	..	..	..	..	..
	5. Mortification	1	2	3	4	4	5	11	3	2	3	3·8	3	1	..	1	1	..
	ORDER 2.																	
	1. Scrofula	6	4	4	2	2	6	4	4	8	6	4·6	10	5	3	2	..	..
	2. Tabes Mesenterica	15	9	11	13	14	13	22	12	13	16	13·8	19	19	..	..	..	..
	3. Phthisis	122	133	113	180	113	157	131	137	164	114	136·4	166	30	84	39	13	..
	4. Hydrocephalus	29	24	18	30	25	32	25	29	20	26	25·8	20	20	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	14	9	8	13	9	8	17	5	9	11	10·3	7	5	1	1	..	..
	2. Apoplexy	20	22	22	25	21	23	30	20	20	30	23·3	18	7	..	3	7	1
	3. Paralysis	12	25	30	30	20	36	26	26	28	11	24·4	29	2	3	5	14	5
	4. Insanity	5	2	2	2	2	3	4	3	2	..	2·5	3	..	..	..	3	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	6. Epilepsy	6	11	4	10	14	8	10	15	4	10	9·2	11	2	1	6	2	..
	7. Convulsions	42	40	32	51	47	32	31	38	33	32	37·8	47	47	..	..	..	..
	8. *Brain Disease, &c.*	13	17	11	17	17	11	16	19	17	13	15·1	20	6	1	7	5	1
	ORDER 2.																	
	1. Pericarditis	1	2	3	5	2	..	5	1	5	..	2·4	..	..	..	..	..	..
	2. Aneurism	2	2	..	3	1	1	1	1	2	..	1·3	2	..	1	..	1	..
	3. *Heart Disease, &c.*	39	46	41	41	40	51	44	50	51	46	44·9	53	7	1	20	24	1
	ORDER 3.																	
	1. Laryngitis	4	2	2	2	2	3	8	3	8	9	4·3	4	4	..	..	..	..
	2. Bronchitis	72	86	88	156	76	159	133	119	194	185	126·8	250	111	10	36	80	13
	3. Pleurisy	6	1	1	4	2	2	7	4	4	1	3·2	9	2	2	2	3	..
	4. Pneumonia	84	88	86	133	66	142	124	93	125	119	106·0	142	119	9	8	4	2
	5. Asthma	7	16	23	30	11	26	18	17	28	17	19·3	28	..	3	9	13	3
	6. *Lung Disease, &c.*	15	10	8	8	14	11	13	6	9	5	9·9	8	..	1	3	4	..
	ORDER 4.																	
	1. Gastritis	2	1	..	2	..	2	1	3	2	3	1·6	3	2	..	1	..	..
	2. Enteritis	6	5	8	8	4	5	2	4	5	5	5·2	10	5	1	2	1	1
	3. Peritonitis	6	4	3	3	2	5	4	6	6	3	4·2	7	2	1	1	3	..
	4. Ascites	3	3	2	3	5	3	2	..	4	3	2·8	4	..	..	3	1	..
	5. Ulceration of Intestines	3	5	1	3	2	2	3	1	3	2	2·5	1	1	..	..	..	..
	6. Hernia	4	1	3	2	3	1	3	3	1	2	2·3	4	1	..	2	1	..
	7. Ileus	1	3	4	..	1	3	3	3	3	1	2·2	2	..	..	1	..	1
	8. Intussusception	2	1	..	1	1	..	..	..	1	2	·8	3	2	..	..	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FORTY-NINTH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 9 1848	Dec. 8 1849	Dec. 7 1850	Dec. 6 1851	Dec. 11 1852	Dec. 10 1853	Dec. 9 1854	Dec. 8 1855	Dec. 6 1856	Dec. 12 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 11, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards
	Mean Temperature	49·0°	42·2°	42·6°	38·8°	49·3°	39·8°	42·2°	36·1°	35·5°	45·0°	42·1°	36·5°					
	9. Stricture of Intestines	..	..	1	1	3	1	..	..	..	1	·7	1	..	1	..	..	..
	10. Fistula	..	..	..	..	..	..	..	2	..	..	·2	1	..	..	1	..	..
	11. *Stomach Disease, &c.*	8	8	7	9	8	5	5	1	4	6	6·1	3	..	1	1	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	3	4	6	2	2	4	4	2	4	4	3·5	4	..	..	3	..	1
	14. Jaundice	1	1	3	5	5	2	4	6	4	4	3·5	2	1	1	..	..	..
	15. *Liver Disease, &c.*	7	13	16	12	9	12	17	6	15	16	12·3	14	1	4	6	3	..
	16. *Spleen Disease, &c.*	..	1	..	..	1	..	..	1	..	1	·4	1	1	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	1	..	..	1	1	..	..	..	1	·4	..	..	..	..	..	..
	2. Ischuria	..	1	..	1	..	1	..	..	..	..	·3	..	..	..	..	..	..
	3. Nephria	5	1	2	1	1	3	2	1	5	2	2·3	3	1	1	1	..	..
	4. Diabetes	3	2	1	1	..	1	2	..	1	2	1·3	1	..	1	..	..	..
	5. Stone	..	1	1	..	..	..	2	1	..	..	·5	1	..	1	..	..	..
	6. Cystitis	1	..	..	..	1	1	1	1	..	1	·6	1	..	..	..	1	..
	7. *Kidney Disease, &c.*	3	5	4	2	5	2	5	7	7	2	4·2	13	1	3	5	3	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	..	..	..	..	..	4	1	..	..	·5	2	..	2	..	..	..
	2. *Uterus Disease, &c.*	1	3	2	5	4	4	3	6	1	3	3·2	2	..	1	1	..	..
	ORDER 7.																	
	1. Arthritis	1	..	..	..	..	..	..	1	..	..	·2	1	1	..	..	..	..
	2. *Joint Disease, &c.*	..	3	6	2	3	2	2	1	2	2	2·3	2	1	1	..	..	..
	ORDER 8.																	
	1. Phlegmon	4	2	2	3	8	3	3	2	5	2	3·4	5	1	..	1	3	..
	2. Ulcer	1	1	2	..	1	1	1	1	..	..	·8	2	2	..	..	..	..
	3. *Skin Disease, &c.*	..	2	1	..	..	..	1	..	1	1	·6	1	1	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	29	25	35	25	35	26	43	29	38	34	31·9	18	18	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	3	..	3	3	6	5	1	5	2	4	3·2	3	3	..	..	..	..
	5. Teething	13	8	9	9	9	4	11	15	13	9	10·0	12	12	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	2	1	..	..	..	·3	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	5	9	3	5	1	6	4	4	2	5	4·4	9	..	8	1	..	..
	ORDER 3.																	
	1. Old Age	43	54	47	76	45	56	43	35	52	58	50·9	34	..	..	..	17	17
	ORDER 4.																	
	1. Atrophy and Debility	23	18	19	27	26	30	34	26	31	36	27·0	41	35	..	..	6	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	12	1	4	4	3	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	8	3	2	1	2	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	7	7	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											2	1	1	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	1	..	1	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	3	..	..	3	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	25	31	15	29	26	18	25	15	30	31	24·5	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	5	8	6	4	7	6	10	11	7	21	8·5	9	5	..	2	2	..
	Causes not specified or ill-defined	1	9	10	7	11	22	9	2	12	6	8·9	3	3	..	..	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

Deaths Registered in the Forty-ninth Week of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Dec. 9 1848	Dec. 8 1849	Dec. 7 1850	Dec. 6 1851	Dec. 11 1852	Dec. 10 1853	Dec. 9 1854	Dec. 8 1855	Dec. 6 1856	Dec. 12 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday Dec. 11 1858.
Mean Temperature . . .			49·0°	42·2°	42·6°	38·8°	49·3°	39·8°	42·2°	36·1°	35·5°	45·0°	42·1°	36·5°
LONDON	78029	2362236	1146	1053	1004	1316	1012	1308	1331	1099	1318	1240	1182·7	1531
1–6. West Districts .	10786	376427	160	147	151	217	160	196	174	169	210	176	176·0	228
7–11. North Districts .	13533	490396	246	202	191	236	195	237	294	204	250	288	234·3	353
12–19. Central Districts	1938	393256	200	180	179	200	184	210	198	180	192	173	189·6	217
20–25. East Districts .	6230	485522	248	224	201	260	231	304	324	263	292	276	262·3	358
26–36. South Districts .	45542	616635	292	300	282	403	242	361	341	283	374	327	320·5	375
1. Kensington* HHHH .	7374	120004	32	46	35	79	60	63	49	56	80	53	55·3	84
2. Chelsea H*w* . . .	865	56538	21	25	19	41	20	32	31	23	30	38	28·0	29
3. St. George Hanover-sq. H	1161	73230	37	31	34	27	27	38	35	24	30	39	32·2	45
4. Westminster* HHHH .	917	65609	41	24	31	39	26	39	31	34	35	22	32·2	41
5. St. Martin-in-the-Fields H	305	24640	12	9	12	18	12	12	13	18	15	12	13·3	13
6. St. James Westminster .	164	36406	17	12	20	13	15	12	15	14	20	12	15·0	16
7. Marylebone HH . .	1509	157696	74	69	64	84	68	66	81	72	68	98	74·4	113
8. Hampstead	2252	11986	8	..	5	5	1	7	8	3	10	5	5·2	1
9. Pancras HH*w* . . .	2716	166956	94	75	64	64	65	89	90	65	80	85	77·1	117
10. Islington HHH . .	3127	95329	42	37	44	61	38	48	90	32	69	73	53·4	76
11. Hackney* H*w* . . .	3929	58429	28	21	14	22	23	27	25	32	23	27	24·2	46
12. St. Giles* H . . .	245	54214	32	18	23	29	29	32	25	28	36	31	28·3	31
13. Strand* H	172	44417	21	13	15	26	20	20	22	16	17	23	19·3	22
14. Holborn* H . . .	196	46621	21	33	21	24	20	34	19	23	32	16	24·3	25
15. Clerkenwell	380	64778	33	22	31	29	39	29	24	23	28	27	28·5	33
16. St. Luke HH . . .	220	54055	33	27	27	23	26	24	22	26	18	23	24·9	36
17. East London* . . .	153	44406	20	22	28	25	18	24	28	28	21	15	22·9	27
18. West London* H . .	138	28833	26	30	15	27	22	26	36	18	22	28	25·0	23
19. London City*	434	55932	14	15	19	17	10	21	22	18	18	10	16·4	20
20. Shoreditch *w* . . .	646	109257	48	53	43	55	37	50	70	55	59	79	54·9	88
21. Bethnal Green H . .	760	90193	57	29	29	39	46	55	62	50	45	45	45·7	53
22. Whitechapel* HH . .	406	79759	48	38	48	43	49	60	41	40	57	41	46·5	74
23. St. George-in-the-East .	243	48376	26	27	14	29	31	44	49	31	38	22	31·1	28
24*a*. Stepney*	576	54173	45	60	41	65	56	61	67	63	67	61	58·6	38
24*b*. Mile-end Old Town H*w*	681	56602												30
25. Poplar* H*w* . . .	2918	47162	24	17	26	29	12	34	35	24	26	28	25·5	47
26. St. Saviour Southwark* HH	250	35731	22	27	13	32	14	25	29	11	14	11	19·8	16
27. St. Olave Southwark* HH	169	19375	18	20	9	35	13	14	27	16	26	16	19·4	15
28. Bermondsey	688	48128	22	25	27	30	18	26	39	24	33	28	27·2	32
29. St. George Southwark .	282	51824	28	33	33	44	19	40	29	26	31	25	30·8	25
30. Newington	624	64816	33	38	27	39	37	37	31	35	44	34	35·5	44
31. Lambeth H	4015	139325	64	52	71	86	55	81	66	57	75	70	67·7	85
32. Wandsworth*	11695	50764	14	18	18	26	19	19	31	27	31	30	23·3	39
33. Camberwell	4342	54667	23	24	26	23	16	33	25	24	30	26	25·0	35
34. Rotherhithe	886	17805	8	2	11	9	11	19	8	10	12	13	10·3	8
35. Greenwich* HHHHH .	5367	99365	49	52	41	68	34	45	43	39	64	58	49·3	54
36. Lewisham*	17224	34835	11	9	6	11	6	22	13	14	14	16	12·2	21

Note.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—Deaths registered in 117 Public Institutions.

	In the Week ending Dec. 4. Total.	Males.	Females.	In the Week ending Dec. 11. Total.	Males.	Females.
Total Deaths in 117 Public Institutions .	243	140	103	241	137	104
15 Workhouses	125	62	63	128	67	61
14 Prisons . . . . . ‡	–	–	–	2	2	–
4 Military and Naval Asylums . . . . §	12	12	–	3	3	–
15 General Hospitals	82	53	29	82	48	34
7 Hospitals for Special Diseases	8	2	6	7	4	3
4 Lying-in Hospitals . . . . Women .	1	–	1	–	–	–
4 Lying-in Hospitals . . . . Children .	3	3	–	2	–	2
7 Military and Naval Hospitals	2	2	–	6	6	–
2 Hospitals and Asylums for Foreigners . .	1	–	1	1	1	–
19 Lunatic Asylums	9	6	3	10	6	4

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 11th December 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	13	46	137	47	11	45
1-6	WEST DISTRICTS - -	376427	-	7	15	4	1	6
7-11	NORTH DISTRICTS - -	490396	6	10	29	10	3	8
12-19	CENTRAL DISTRICTS -	393256	1	13	17	8	1	4
20-25	EAST DISTRICTS - -	485522	3	5	37	13	3	16
26-36	SOUTH DISTRICTS - -	616635	3	11	39	12	3	11
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W* H	17252	-	-	2	-	-	-
2	St. John Paddington H -	29053	-	-	1	-	-	-
3	Kensington Town *W* L -	29183	-	1	3	-	-	2
4	Brompton HH - -	14870	-	-	-	-	-	-
5	St. Peter Hammersmith -	4467	-	-	-	-	-	-
6	St. Paul Hammersmith -	13293	-	1	-	-	-	-
7	Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1	Chelsea South H - -	19050	-	-	-	1	-	-
2	Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3	Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1	Hanover Square - -	20216	-	-	1	-	-	-
2	May Fair *W* - - -	12980	-	-	-	-	-	-
3	Belgrave H - - -	40034	-	1	3	2	-	2
4; 1	St. John Westmr. HHHP	34295	-	-	3	1	-	1
2	St. Margaret West. *W* HP	31314	-	3	-	-	-	-
5; 1	Charing Cross *W* H -	12587	-	-	-	-	1	-
2	Long Acre - - -	12053	-	1	1	-	-	-
6; 1	Berwick Street - -	10798	-	-	-	-	-	-
2	St. James's Square -	11469	-	-	1	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	-	1
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	-	1	-	-	-
2	Cavendish-square - -	14687	-	-	1	-	-	-
3	Rectory Marylebone *W* -	27633	-	-	3	1	-	-
4	St. Mary Marylebone H	22814	-	-	-	-	1	1
5	Christchurch Marylebone	33895	-	1	2	1	-	-
6	St. John Marylebone -	29826	-	-	-	-	-	-
8; 1	Hampstead *W* - - -	11986	-	1	-	-	-	-
9; 1	Regent's Park Pancras -	31918	1	-	2	-	-	-
2	Tottenham-court *w*H -	28433	-	-	2	1	1	-
3	Gray's Inn Lane H -	26523	1	-	-	1	-	-
4	Somers Town - - -	35641	-	3	6	-	-	-
5	Camden Town *W* - -	21115	-	2	-	-	-	-
6	Kentish Town - -	23326	-	-	4	-	-	1
10; 1	Islington West† *W*HHHPP	47881	4	2	2	2	-	6
2	Islington East - -	47448	-	1	2	2	1	-
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	-	2	2	-	-
4	Hackney *W* H*w* - -	20850	-	-	1	-	-	-
5	South Hackney L - -	8458	-	-	1	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	1	-	1	1	-	-
2	St. Giles South *W* H -	19951	-	-	-	-	-	-
3	St. Giles North - -	17456	-	-	1	2	-	-
13; 1	St. Anne Soho - -	17335	-	-	-	-	-	-
2	St. Mary-le-Strand -	11615	-	-	2	1	-	-
3	St. Clement Danes H -	15467	-	-	1	-	-	-
14; 1	St. George-the-Martyr H.	18813	-	-	1	-	-	-
2	St. Andrew, East. Holb. *W*	13971	-	1	1	-	-	-
3	Saffron Hill - - -	13837	-	-	-	-	-	-
15; 1	St. James Clerkenwell *W*P	21529	-	-	2	1	-	-
2	Amwell Clerkenwell P -	15720	-	-	-	-	-	1
3	Pentonville - - -	11904	-	3	-	1	-	-
4	Goswell-street - - -	15625	-	-	-	-	-	-
16; 1	Old-street H - - -	10617	-	2	-	-	-	-
2	City-road HL - -	16840	-	-	1	-	-	-
3	Whitecross-street - -	13657	-	-	-	-	-	1
4	Finsbury - - - -	12941	-	-	-	-	-	-
17; 1	St. Botolph East London	23824	-	3	-	1	-	-
2	Cripplegate P - -	20582	-	2	1	-	-	1
18; 1	West London North *W*HP	12946	-	1	4	-	-	1
2	West London South P -	15887	-	1	-	1	1	-
19; 1	London City South-west -	9204	-	-	1	-	-	-
2	London City North-west -	11847	-	-	-	-	-	-
3	London City South - -	11461	-	-	1	-	-	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	-	-	-	-

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	1	-	-	-
2	St. Leonard Shoreditch L	19449	1	1	5	-	-	1
3	Hoxton New Town *w* -	23505	1	1	2	2	-	2
4	Hoxton Old Town - -	17431	-	-	2	1	-	-
5	Haggerstone West *W* -	20276	-	1	2	1	1	1
6	Haggerstone East - -	11351	-	-	-	-	-	-
21; 1	Hackney-road - - -	23910	1	-	1	-	-	-
2	Green, Bethnal Green *W*HL	23555	-	1	4	-	-	1
3	Church, Bethnal Green -	21787	-	-	3	1	-	1
4	Town, Bethnal Green -	20941	-	-	1	-	-	-
22; 1	Artillery Whitechapel -	6769	-	-	-	-	-	-
2	Spitalfields - - -	15336	-	-	1	1	-	1
3	Mile End New Town *W*	14543	-	-	-	-	-	1
4	Whitechapel North *W* -	12530	-	-	-	1	-	-
5	Whitechapel Church H -	7818	-	-	-	-	-	-
6	Goodman's Fields - -	12069	-	-	1	2	-	1
7	Aldgate H - - -	10694	-	-	-	-	-	-
23; 1	St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2	St. Paul St. Geo. East -	20319	-	-	1	-	-	-
3	St. John St. Geo. East *W*	9990	-	-	1	-	-	1
24*a*; 1	Shadwell *W* - - -	16179	-	-	-	-	1	-
2	Ratcliff *W* - - -	15212	-	-	-	-	-	1
3	Limehouse *W* - -	22782	-	-	4	1	-	-
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	2	-	-	2
2	Mile End Old T., East. *Ww*H	27020	-	-	-	1	-	1
25; 1	Bow *w*LH - - -	18778	-	-	3	2	-	2
2	Poplar *W* - - -	28384	-	1	3	-	1	-
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	-	-	-	-
2	St. Saviour Southwark HH	19709	-	-	-	1	-	-
27; 1	St. Olave Southwark HH	8015	-	-	-	-	-	1
2	St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1	St. James Bermondsey -	18899	-	-	2	1	-	1
2	St. Mary Magdalen *W* -	13934	-	-	2	1	-	-
3	Leather Market - -	15295	-	-	2	-	1	1
29; 1	Kent-road - - -	18126	-	-	-	-	1	-
2	Borough-road *W*P -	15862	-	-	1	-	-	-
3	London-road LP - -	17836	-	1	-	-	-	-
30; 1	Trinity Newington P -	20922	-	-	2	-	1	-
2	St. Peter Walworth *W* -	29861	-	-	4	-	-	1
3	St. Mary Newington -	14033	-	-	3	-	-	-
31; 1	Waterloo-road 1st - -	14088	-	-	-	-	-	-
2	Waterloo-road 2nd H -	18348	-	1	-	-	-	-
3	Lambeth Church 1st -	18409	-	1	2	-	-	-
4	Lambeth Church 2nd *W*	26784	-	-	-	2	-	-
5	Kennington 1st - -	24261	-	-	3	-	-	-
6	Kennington 2nd - -	18848	-	-	2	-	-	-
7	Brixton L - - -	14610	-	-	1	-	-	-
8	Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1	Clapham L - - -	16290	-	4	1	-	-	-
2	Battersea *W* - - -	10560	-	-	1	-	-	-
3	Wandsworth PL - -	9611	-	-	2	-	-	-
4	Putney - - - -	5280	-	-	-	1	-	-
5	Streatham - - -	9023	-	-	1	-	-	1
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	1	-	1	-	-
3	Peckham - - - -	19444	2	1	1	-	-	-
4	St. George Camberwell -	15849	1	-	-	3	-	-
34; 1	Rotherhithe *W* - -	17805	-	-	-	1	-	-
35; 1	St. Paul Deptford - -	24899	-	-	4	-	-	2
2	St. Nicholas Deptford -	7071	-	-	-	-	-	-
3	Greenwich West H -	18800	-	1	-	-	-	1
4	Greenwich East *W*H -	16228	-	-	1	1	-	1
5	Woolwich Dockyard HP	17140	-	-	-	-	-	-
6	Woolwich Arsenal HPH	15227	-	-	1	-	-	-
36; 1	Plumstead - - -	13191	-	1	2	-	-	2
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	-	1	-	-	-
4	Lewisham Village *W* -	6097	-	-	-	-	-	-
5	Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - { ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 11TH DECEMBER 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. Highest.	Dry. Lowest.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Greatest.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
DECEMBER.																								
SUNDAY .	5	New	29·953	49·2	38·5	10·7	43·0	38·6	47·8	40·0	43·5	43·5	4·4	6·3	4·0	+ 1·6	83	W.	N.N.W.	2·0	0·0	0·2	60	0·00
MONDAY .	6	Greatest Dec. S.	30·159	37·0	30·5	6·5	33·5	33·3	37·0	25·0	43·0	43·0	0·2	0·3	0·0	— 7·6	100	N. & W.	W.	0·0	0·0	0·0	0	0·00
TUESDAY .	7	..	30·080	39·0	30·3	8·7	34·6	33·4	39·0	25·0	42·8	42·8	1·2	3·5	0·7	— 6·1	96	Calm	N.E.	0·0	0·0	0·0	0	0·00
WEDNESDAY	8	Apogee	30·111	39·5	34·7	4·8	36·7	35·1	39·5	32·0	42·4	42·4	1·6	5·8	1·0	— 3·9	95	E.S.E.	Calm	0·0	0·0	0·0	0	0·00
THURSDAY .	9	..	30·168	40·0	35·5	4·5	38·2	35·5	40·0	32·0	42·8	42·8	2·7	5·5	2·2	— 2·3	90	Calm	Calm	0·0	0·0	0·0	10	0·00
FRIDAY . .	10	..	30·171	39·8	33·1	6·7	35·3	31·4	39·8	31·0	42·3	42·3	3·9	4·4	3·3	— 5·1	87	S.E.	Calm	0·0	0·0	0·0	0	0·00
SATURDAY .	11	..	30·160	37·5	31·5	6·0	34·5	31·6	37·6	29·0	41·8	41·8	2·9	3·3	2·8	— 5·7	90	S.	S.	0·0	0·0	0·0	35	0·00
MEANS . .		..	30·115	40·3	33·5	6·8	36·5	34·1	40·1	30·6	42·7	42·7	2·4	4·2	2·0	— 4·2	92			..	..	..	Sum 105	Sum 0·00
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
DECEMBER.			
SUNDAY . .	5	No electricity was shown throughout the week.	During the early morning the magnets were disturbed. An aurora was present. During the afternoon clouds were prevalent; at other times of the day the sky was clear.
MONDAY . .	6		Dense fog prevailed throughout the day.
TUESDAY .	7		Fog was prevalent till noon, and at times was very dense; during the remainder of the day the sky was overcast.
WEDNESDAY	8		Overcast throughout the day. Thin rain fell occasionally, but to no measurable amount.
THURSDAY .	9		Overcast throughout the day.
FRIDAY . .	10		Overcast throughout the day.
SATURDAY .	11		Overcast throughout the day.

From Dec. 5th to the end of the week the sky has been uniformly overcast, night and day; and the range of daily temperature has been small.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer increased from 29·78 in. at the beginning of the week to 30·20 in. by 9h. P.M. on the 6th; decreased to 30·06 in. by 9h. P.M. on the 7th; increased to 30·18 in. by 9h. A.M. on the 9th; continued at this value, with very slight variations, till 3h. P.M. on the 11th; after which it turned to decrease, and was 30·14 in. at the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 50. 1858. Vol. XIX.] Week ending Saturday, December 18. [Price $1\frac{1}{2}d$.

General Register Office, Somerset House,
December 20th, 1858.

The deaths registered in London in the week ending last Saturday were 1442. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1186; but as the deaths in the present return occurred in a population which has increased, they should be compared with the average after it is raised in proportion to this increase, a correction which will make it 1305. The result of comparison is, that the deaths of last week exceeded by 137 the number which would have occurred if a rate of mortality the same as the average had prevailed. The deaths in the preceding week were 1531; and though those of last week are still numerous, it is satisfactory that the return shows a continued decrease in the mortality from the high point which it attained at the end of last month.

Sixty-three districts of England in which the mortality is least have been selected, and their average rate of mortality in the last quarter of the year has been ascertained. If the deaths in London last week had been according to "the healthy rate" thus obtained, they would have been 765; and the actual excess (amounting to 677) above this standard may be the result in part of the unfavourable nature of the weather, but it arises chiefly from acquired conditions of insalubrity that exist in towns.

The deaths caused last week by zymotic diseases in the aggregate were 322, the corrected average of ten corresponding weeks being 299. Though scarlatina appears to be declining, it is still by far the most fatal in this class. The deaths from it were 112, the average being 58. Eight deaths from scarlatina occurred in the Tottenham-court-road sub-district. Small-pox slowly increases, and it was fatal last week in 16 cases. From measles 42 children and an adult died; of which cases 3 occurred within four days in one house, 21 Kidd-street, Woolwich. Bronchitis carried off 264 persons, which is rather more than in the previous week, and exceeds the average by 131. The deaths of five nonagenarians, who were all widows, are recorded as having occurred at the following ages: 90, 94, 95, 98, and 99 years.

Last week the births of 890 boys and 880 girls, in all 1770 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1561.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·867 in. The barometrical readings varied from 29·39 in. to 30·14 in. The mean temperature of the week was 38·9°, which is 1·1° below the average of the same week in 43 years (as determined by Mr. Glaisher). The *lowest* point attained by the thermometer in the week was 33·5° on Wednesday; the *highest*

point was 51° on Saturday. The range of the week was therefore 17·5°. The mean daily range was 7·8°; on Sunday and Tuesday the range did not exceed 2·4° and 3°. The difference between the mean dew-point temperature and air temperature was 2·7°. The mean degree of humidity of the air was 91. The mean temperature of the water of the Thames was 41·1°. The wind blew generally from the south and south-east. The amount of rain measured by the gauge was 0·30 in., most of which fell on Saturday.

CHELSEA; *North-west.*—At 1 Keppel-street, on 5th November, the wife of a cab proprietor, aged 48 years, "poisoned by an over-dose of Dover's powder, taken by mistake; congestion of brain." *Post mort.* (*Inquest.*)

MARYLEBONE; *Rectory.*—At the Workhouse, on 12th December, the widow of a coachbuilder, aged 60 years, "elephantiasis."

STRAND; *St. Clement Danes.*—At 34 Holywell-street, on 11th December, the son of a news agent, aged 5 days, "accidentally poisoned by an over-dose of syrup of poppies (about 27 hours)." (*Inquest.*)

BIRTHS Registered LAST WEEK, and in the FIFTIETH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1397	1309	1434	1537	1662	1557	1599	1572	1711	1830	1560·8	1770
Males . .	718	662	728	802	878	771	782	781	890	936	794·3	890
Females .	679	647	706	735	784	786	817	791	821	894	766·0	880

DEATHS Registered LAST WEEK, and in the FIFTIETH Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
TOTAL . . .	1130	1002	1090	1194	1041	1358	1300	1271	1243	1234	1186·3	1442
Males . .	579	487	543	589	555	723	666	627	666	631	606·6	744
Females .	551	515	547	605	486	635	634	644	577	603	579·7	698

BIRTHS and DEATHS Registered in LONDON in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.
BIRTHS	1657	1726	1521	1767	1695	1780	1806	1814	1633	1761	1763	1805	1770
DEATHS	955	1021	993	1149	1113	1133	1217	1349	1487	1802	1738	1531	1442
DEATHS (except from Violence) . . .	913	981	952	1120	1077	1103	1184	1321	1452	1760	1702	1493	1394
Deaths (except from Violence) at 60 years and upwards . .	159	143	141	182	173	185	203	235	247	375	390	293	278
Small-pox	5	4	1	3	5	6	3	15	10	10	13	13	16
Measles	21	26	36	23	39	33	42	38	41	51	39	46	43
Scarlatina	125	134	145	160	156	156	138	145	133	163	128	137	112
Whooping-cough . .	26	26	28	29	31	31	38	42	49	46	69	47	41
Typhus	35	56	42	57	47	47	40	36	46	47	51	45	34
Diarrhœa	47	42	44	31	26	16	19	12	9	15	13	11	10
Mean Temperature .	58·6°	57·6°	52·1°	53·1°	51·1°	47·2°	43·3°	39·0°	35·5°	37·4°	46·3°	36·5°	38·9°

DEATHS in LONDON, from ALL CAUSES, Registered in the FIFTIETH WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 16 1848	Dec. 15 1849	Dec. 14 1850	Dec. 13 1851	Dec. 18 1852	Dec. 17 1853	Dec. 16 1854	Dec. 15 1855	Dec. 13 1856	Dec. 19 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 18, 1858. ALL AGES.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	50°·2	40°·0	40°·1	44°·8	48°·5	32°·7	42°·8	32°·7	51°·3	45°·6	42°·9	Mean Temp. 38°·9					
	ALL CAUSES	1130	1002	1090	1194	1041	1358	1300	1271	1243	1234	1186·3	1442	792	165	204	224	57
	SPECIFIED CAUSES	1102	973	1079	1178	1009	1322	1263	1218	1228	1209	1158·1	1422	782	163	200	221	56
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	375	208	216	259	224	289	348	263	261	273	271·6	322	274	24	8	14	2
II.	CONSTITUTIONAL "	186	199	204	222	224	242	241	235	211	241	220·5	221	76	74	51	19	1
III.	LOCAL "	405	433	518	529	376	599	508	539	530	529	496·6	690	326	54	127	159	24
IV.	DEVELOPMENTAL "	109	96	119	126	113	167	126	138	150	127	127·1	141	79	3	4	26	29
V.	VIOLENT DEATHS	27	37	22	42	72	25	40	43	76	39	42·3	48	27	8	10	3	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	357	191	204	240	215	267	328	245	248	254	254·9	306	263	22	8	12	1
	2. ENTHETIC "	4	3	3	5	1	4	6	5	4	6	4·1	6	5	..	..	1	..
	3. DIETIC "	10	12	8	14	7	12	13	11	7	9	10·3	6	3	2	..	1	..
	4. PARASITIC "	4	2	1	..	1	6	1	2	2	4	2·3	4	3	..	..	..	1
II.	1. DIATHETIC "	48	36	39	32	41	44	42	34	46	51	41·3	42	9	5	12	15	1
	2. TUBERCULAR "	138	163	165	190	183	198	199	201	165	190	179·2	179	67	69	39	4	..
III.	1. DISEASES OF NERVOUS SYSTEM	100	110	139	121	118	148	130	121	116	117	122·0	130	55	9	29	32	5
	2. " OF ORGANS OF CIRCULATION	41	39	46	41	43	47	40	54	50	45	44·6	43	4	8	18	11	2
	3. " OF RESPIRATORY ORGANS	185	219	271	284	161	319	261	267	287	298	255·2	438	245	22	58	98	15
	4. " OF DIGESTIVE ORGANS	53	40	39	56	32	52	50	61	54	45	48·2	48	14	11	13	9	1
	5. " OF URINARY ORGANS	12	12	10	15	10	22	13	19	15	14	14·2	15	2	3	5	5	..
	6. " OF ORGANS OF GENERATION	4	3	5	5	2	2	3	..	1	2	2·7	3	..	..	2	1	..
	7. " OF ORGANS OF LOCOMOTION	4	4	4	6	5	3	6	7	3	2	4·4	4	2	..	1	1	..
	8. " OF INTEGUMENTARY SYSTEM	6	6	4	1	5	6	5	10	4	6	5·3	9	4	1	1	2	1
IV.	1. DEV. DISEASES OF CHILDREN	39	31	44	54	47	64	47	38	45	54	46·3	40	40	..	..	..	..
	2. " OF ADULTS	8	4	7	3	7	4	6	8	7	3	5·7	5	1	3	1	..	..
	3. " OF OLD PEOPLE	37	46	45	51	44	70	38	54	62	42	48·9	46	..	..	..	17	29
	4. DISEASES OF NUTRITION	25	15	23	18	15	29	35	38	36	28	26·2	50	38	..	3	9	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											42	26	8	6	2	..
	* 3. HOMICIDE												1	1	..	..	..	..
	4. SUICIDE												5	..	..	4	1	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	27	37	22	42	72	25	40	43	76	39	42·3	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	23	23	7	7	9	12	12	31	12	15	15·1	16	9	2	3	1	1
	CAUSES NOT SPECIFIED	5	6	4	9	23	24	25	22	3	10	13·1	4	1	..	1	2	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 16 1848	Dec. 15 1849	Dec. 14 1850	Dec. 13 1851	Dec. 18 1852	Dec. 17 1853	Dec. 16 1854	Dec. 15 1855	Dec. 13 1856	Dec 19 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 18, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	50°·2	40°·0	40°·1	44°·8	48°·5	32°·7	42°·8	32°·7	51°·3	45°·6	42°·9	Mean Temp. 38°·9					
I.	ORDER 1.																	
	1. Small-pox	24	8	24	37	5	3	30	14	5	3	15·3	16	12	3	1	..	..
	2. Measles	20	46	20	16	12	39	49	37	31	45	31·5	43	42	1	..	..	..
	3. Scarlatina	113	19	29	34	60	33	95	48	46	48	52·5	112	109	2	..	1	..
	4. Quinsy	2	2	2	2	1	2	2	2	2	2	1·9	4	4	..	..	..	..
	5. Croup	5	3	12	5	7	10	12	18	12	14	9·8	8	8	..	..	..	..
	6. Whooping-cough	45	23	42	24	34	64	36	40	41	48	39·7	41	41	..	..	..	..
	7. Typhus (and Infantile fever)	69	34	39	64	50	58	52	45	58	39	50·8	34	22	6	1	5	..
	8. Erysipelas	10	11	3	11	9	1	10	10	11	7	8·3	7	5	..	..	1	1
	9. Metria	8	3	8	10	6	1	6	5	8	..	5·5	6	1	4	1	..	..
	10. Carbuncle	..	1	..	1	1	2	2	1	1	2	1·1	5	1	..	2	2	..
	11. Influenza	2	5	1	6	4	5	..	2	3	15	4·3	2	2	..	..	..	..
	12. Dysentery	1	5	3	1	4	3	1	3	3	4	2·8	4	2	1	1	..	..
	13. Diarrhœa	24	14	10	21	15	27	25	16	14	13	17·9	10	9	1	..	..	..
	14. Cholera	29	1	2	2	1	11	2	..	..	..	4·8	..	..	..	..	..	..
	15. Ague	..	1	..	..	..	..	1	..	3	..	·5	1	..	1	..	..	..
	16. Remittent Fever	2	..	1	3	..	..	2	..	1	3	1·2	1	..	1	..	..	..
	17. Rheumatism	3	15	8	3	6	8	3	4	9	11	7·0	12	5	2	2	3	..
	ORDER 2.																	
	1. Syphilis	4	1	1	5	..	4	3	4	2	3	2·7	5	5	..	..	..	..
	2. Stricture of Urethra	..	2	2	..	1	..	2	1	2	3	1·3	1	..	..	..	1	..
	3. Hydrophobia	..	..	..	..	..	..	1	..	..	..	·1	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	2	..	..	1	1	..	2	1	..	..	·7	..	..	..	..	..	..
	2. Want of Breast-milk	5	4	4	8	4	7	6	4	4	5	5·1	3	3	..	..	..	..
	3. Purpura and Scurvy	..	1	2	1	..	..	2	1	..	1	·8	1	..	1	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	4	1	4	..	3	3	4	2	1	2·4	..	..	..	..	..	..
	4. Alcoholism { *b* Intemperance	1	3	1	..	2	2	..	1	1	2	1·3	2	..	1	..	1	..
	ORDER 4.																	
	1. Thrush	4	2	1	..	1	6	1	2	2	4	2·3	4	3	..	..	..	1
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	1	..	..	..	..	1	..	1	..	·3	2	..	..	..	1	1
	2. Dropsy	23	13	17	12	21	17	15	13	16	17	16·4	20	6	2	4	8	..
	3. Cancer	20	18	20	13	11	22	19	15	26	28	19·2	15	..	3	8	4	..
	4. Noma	..	..	..	2	1	..	1	1	..	..	·5	1	1	..	..	..	..
	5. Mortification	5	4	2	5	8	5	6	5	3	6	4·9	4	2	..	..	2	..
	ORDER 2.																	
	1. Scrofula	6	12	4	4	6	11	13	13	4	4	7·7	4	3	1	..	..	..
	2. Tabes Mesenterica	11	14	14	9	13	19	14	14	14	10	13·2	11	11	..	..	..	..
	3. Phthisis	87	108	116	142	133	144	146	143	130	161	131·0	138	27	68	39	4	..
	4. Hydrocephalus	34	29	31	35	31	24	26	31	17	15	27·3	26	26	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	7	9	8	9	12	5	9	13	2	17	9·1	9	9	..	..	..	..
	2. Apoplexy	20	25	30	21	26	27	24	28	29	23	25·3	33	7	2	9	12	3
	3. Paralysis	14	23	29	30	18	34	26	22	27	24	24·7	33	..	2	15	15	1
	4. Insanity	1	2	4	1	1	2	..	2	..	2	1·5	1	..	..	..	1	..
	5. Chorea	..	..	1	..	..	..	2	..	..	..	·3	..	..	..	..	..	..
	6. Epilepsy	4	2	13	4	8	11	13	4	6	1	6·6	7	1	3	3	..	..
	7. Convulsions	44	38	40	46	38	54	50	35	35	35	41·5	31	31	..	..	..	..
	8. *Brain Disease, &c.*	10	11	14	10	15	15	6	17	17	15	13·0	16	7	2	2	4	1
	ORDER 2.																	
	1. Pericarditis	3	4	2	2	5	4	1	3	5	..	2·9	2	..	1	1	..	..
	2. Aneurism	1	3	1	1	1	..	1	2	2	1	1·3	1	..	1	..	..	..
	3. *Heart Disease, &c.*	37	32	43	38	37	43	38	49	43	44	40·4	40	4	6	17	11	2
	ORDER 3.																	
	1. Laryngitis	5	3	3	4	4	4	3	8	8	4	4·6	7	5	1	1	..	..
	2. Bronchitis	79	89	114	136	64	163	131	119	159	159	121·3	264	134	7	33	76	14
	3. Pleurisy	4	2	2	2	4	4	1	6	5	2	3·2	3	1	2	..	..	..
	4. Pneumonia	86	90	113	105	71	121	96	105	88	107	98·2	130	104	7	8	10	1
	5. Asthma	6	26	25	30	11	20	22	23	18	23	20·4	25	..	2	12	11	..
	6. *Lung Disease, &c.*	5	9	14	7	7	7	8	6	9	3	7·5	9	1	3	4	1	..
	ORDER 4.																	
	1 Gastritis	1	..	1	..	2	1	1	2	1	2	1·1	2	2	..	..	..	..
	2. Enteritis	10	7	3	9	4	6	2	10	4	5	6·0	10	4	2	3	1	..
	3. Peritonitis	4	3	2	7	2	8	11	4	7	3	5·1	4	1	3	..	..	..
	4. Ascites	1	..	2	2	2	1	3	3	2	1	1·7	2	1	..	..	1	..
	5. Ulceration of Intestines	2	3	2	3	2	2	1	5	1	3	2·4	3	..	1	1	1	..
	6. Hernia	2	3	4	3	1	2	4	6	3	2	3·0	1	..	..	1	..	..
	7. Ileus	2	1	3	5	5	2	3	1	6	4	3·2	3	1	..	..	2	..
	8. Intussusception	2	1	1	..	..	1	..	2	4	1	1·2	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FIFTIETH Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 16 1848	Dec. 15 1849	Dec. 14 1850	Dec. 13 1851	Dec. 18 1852	Dec. 17 1853	Dec. 16 1854	Dec. 15 1855	Dec. 13 1856	Dec. 19 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 18, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	50°·2	40°·0	40°·1	44°·8	48°·5	32°·7	42°·8	32°·7	51°·3	45°·6	42°·9	38°·9					
	9. Stricture of Intestines	1	1	..	1	..	1	1	2	..	1	·8	..	..	..	..	..	..
	10. Fistula	..	..	..	..	..	1	1	..	..	..	·2	2	..	..	1	1	..
	11. *Stomach Disease, &c.*	8	7	5	6	2	10	4	6	5	5	5·8	4	1	..	2	1	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	4	4	3	5	2	6	6	3	6	4	4·3	4	..	1	3	..	..
	14. Jaundice	3	1	3	1	2	2	3	2	4	2	2·3	3	2	..	..	1	..
	15. *Liver Disease, &c.*	13	7	9	12	7	9	10	15	11	12	10·5	10	2	4	2	1	1
	16. *Spleen Disease, &c.*	..	2	1	2	1	..	..	..	..	..	·6	..	..	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	3	2	1	1	..	4	..	..	1·1	..	..	..	..	..	..
	2. Ischuria	..	..	..	..	..	1	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria (Bright's disease)	2	4	2	2	3	5	4	5	6	..	3·3	5	1	3	1	..	..
	4. Diabetes	1	..	..	1	..	2	2	2	1	..	·9	1	..	..	1	..	..
	5. Stone	1	..	..	1	1	..	1	..	1	2	·7	..	..	..	..	..	..
	6. Cystitis	..	2	..	..	..	1	..	2	1	3	·9	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	8	6	5	9	5	12	6	6	6	9	7·2	9	1	..	3	5	..
	ORDER 6.																	
	1. Ovarian Dropsy	1	3	..	2	..	1	1	..	..	1	·9	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	3	..	5	3	2	1	2	..	1	1	1·8	3	..	..	2	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	2	1	1	..	..	..	..	·4	1	..	..	1	..	..
	2. *Joint Disease, &c.*	4	4	4	4	4	2	6	7	3	2	4·0	3	2	..	..	1	..
	ORDER 8.																	
	1. Phlegmon	2	3	1	1	3	4	3	8	3	3	3·1	7	3	1	1	1	1
	2. Ulcer	3	2	3	..	1	1	1	1	1	1	1·4	..	..	..	..	..	..
	3. *Skin Disease, &c.*	1	1	..	..	1	1	1	1	..	2	·8	2	1	..	..	1	..
IV.	ORDER 1.																	
	1. Premature Birth	26	19	30	41	30	51	22	27	33	37	31·6	20	20	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848–57 are not distinguished, but are placed in the next line following.											1	1	..	..	..	..
	3. Spina Bifida												1	1	..	..	..	..
	4. Other Malformations	6	3	7	5	4	1	5	4	4	3	4·2	3	3	..	..	..	..
	5. Teething	7	9	7	8	13	12	20	7	8	14	10·5	15	15	..	..	..	..
	ORDER 2.																	
	1. Paramenia	2	4	..	..	..	..	..	..	..	..	·6	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	6	..	7	3	7	4	6	8	7	3	5·1	5	1	3	1	..	..
	ORDER 3.																	
	1. Old Age	37	46	45	51	44	70	38	54	62	42	48·9	46	..	..	..	17	29
	ORDER 4.																	
	1. Atrophy and Debility	25	15	23	18	15	29	35	38	36	28	26·2	50	38	..	3	9	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	14	5	5	3	1	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	2	..	2	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	10	9	..	1	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	3	2	..	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	5	2	1	1	1	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	8	8	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848–57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											1	1	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds: Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	2	..	..	2	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	..	..	1	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	2	..	..	2	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	27	37	22	42	72	25	40	43	76	39	42·3	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	23	23	7	7	9	12	12	31	12	15	15·1	16	9	2	3	1	1
	Causes not specified or ill-defined	5	6	4	9	23	24	25	22	3	10	13·1	4	1	..	1	2	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the FIFTIETH WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Dec. 16 1848	Dec. 15 1849	Dec. 14 1850	Dec. 13 1851	Dec. 18 1852	Dec. 17 1853	Dec. 16 1854	Dec. 15 1855	Dec. 13 1856	Dec. 19 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Dec. 18 1858.
Mean Temperature . . .			50·2°	40·0°	40·1°	44·8°	48·5°	32·7°	42·8°	32·7°	51·3°	45·6°	42·9°	38·9°
LONDON	78029	2362236	1130	1002	1090	1194	1041	1358	1300	1271	1243	1234	1186·3	1442
1-6. WEST DISTRICTS .	10786	376427	196	164	177	157	146	202	159	164	192	176	173·3	222
7-11. NORTH DISTRICTS .	13533	490396	229	195	215	263	189	250	264	248	230	274	235·7	316
12-19. CENTRAL DISTRICTS	1938	393256	157	171	166	202	181	205	218	193	216	179	188·8	244
20-25. EAST DISTRICTS .	6230	485522	253	207	233	270	220	328	310	332	296	284	273·3	302
26-36. SOUTH DISTRICTS .	45542	616635	295	265	299	302	305	373	349	334	309	321	315·2	358
1. Kensington* HHHH .	7374	120004	51	49	42	48	43	77	45	59	66	53	53·3	81
2. Chelsea H*w* . . .	865	56538	34	31	38	19	21	44	27	22	29	23	28·8	38
3. St. George Hanover-sq. H	1161	73230	49	20	26	32	23	32	21	38	33	34	30·8	47
4. Westminster* HHHH .	917	65609	47	43	31	31	21	26	44	30	35	37	34·5	49
5. St. Martin-in-the-Fields H	305	24640	6	7	24	13	30	14	11	4	13	11	13·3	15
6. St. James Westminster .	164	36406	9	14	16	14	8	9	11	11	16	18	12·6	7
7. Marylebone HH . .	1509	157696	77	68	71	93	57	92	64	78	51	89	74·0	95
8. Hampstead	2252	11986	4	3	3	1	3	2	3	4	10	6	3·9	6
9. Pancras HH*w* . . .	2716	166956	92	59	84	95	68	81	89	84	91	95	83·8	107
10. Islington HHH . .	3127	95329	34	45	42	49	38	48	68	51	41	41	45·7	66
11. Hackney* H*w* . . .	3929	58429	22	20	15	25	23	27	40	31	37	43	28·3	42
12. St. Giles* H . . .	245	54214	21	24	32	24	32	36	32	29	38	29	29·7	43
13. Strand* H	172	44417	12	19	20	27	33	25	17	31	19	11	21·4	25
14. Holborn* H . . .	196	46621	19	16	18	34	19	25	28	23	27	17	22·6	39
15. Clerkenwell	380	64778	31	21	29	27	22	38	37	29	30	22	28·6	45
16. St. Luke HH . . .	220	54055	25	28	18	25	16	22	28	24	27	31	24·4	28
17. East London* . . .	153	44406	12	21	22	21	21	18	24	18	16	19	19·2	19
18. West London* H . .	138	28833	20	23	12	22	21	20	32	25	41	23	23·[illegible]	26
19. London City* . . .	434	55932	17	19	15	22	17	21	20	14	18	27	19·[illegible]	19
20. Shoreditch *w* . . .	646	109257	72	55	52	48	50	63	65	73	54	74	61·1	74
21. Bethnal Green H . .	760	90193	51	26	31	33	44	42	64	43	37	39	4[illegible]·0	39
22. Whitechapel* HH . .	406	79759	54	52	43	49	38	51	47	55	72	33	4[illegible]·4	51
23. St. George in the East .	243	48376	24	22	31	32	23	43	36	33	28	30	[illegible]·2	32
24*a*. Stepney*	576	54173	37	32	57	82	43	97	68	81	73	73	4·3	22
24*b*. Mile-end Old Town H*w*	681	56602												27
25. Poplar* H*w* . . .	2918	47162	15	20	19	26	22	27	30	47	32	35	27·3	47
26. St. Saviour Southwark* HH	250	35731	24	18	28	19	20	27	18	27	19	17	21·7	25
27. St. Olave Southwark* HH	169	19375	31	14	32	41	19	24	31	21	41	38	29·2	26
28. Bermondsey	688	48128	22	16	21	21	31	26	30	20	18	15	22·0	21
29. St. George Southwark .	282	51824	25	25	38	22	10	25	40	27	12	3[illegible]	25·5	25
30. Newington	624	64816	41	41	22	28	37	25	37	50	39	3[illegible]	35·5	40
31. Lambeth H	4015	139325	44	48	63	73	66	73	64	51	50	[illegible]	58·6	73
32. Wandsworth* . . .	11695	50764	16	13	24	11	30	34	22	21	28	[illegible]	22·1	35
33. Camberwell	4342	54667	16	25	15	26	22	46	30	27	22	5	24·4	30
34. Rotherhithe	886	17805	10	6	7	5	16	10	13	7	5	2	9·1	11
35. Greenwich* HHHHH .	5367	99365	57	46	34	40	44	70	49	69	53	57	51·9	48
36. Lewisham*	17224	34835	9	13	15	16	10	13	15	14	22	25	15·2	24

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 18-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes fr n which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions re, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and S iles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Dec. 11. Total.	Males.	Females.	The Week ending Dec. 18. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	241	137	104	190	109	81
45 WORKHOUSES	128	67	61	94	42	52
14 PRISONS . . . . . ‡	2	2	–	1	1	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	3	3	–	3	3	–
15 GENERAL HOSPITALS	82	48	34	76	51	25
7 HOSPITALS FOR SPECIAL DISEASES	7	4	3	4	3	1
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
Children .	2	–	2	–	–	–
7 MILITARY AND NAVAL HOSPITALS	6	6	–	5	5	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	1	1	–
19 LUNATIC ASYLUMS	10	6	4	6	3	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 18th December 1858.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	16	43	112	41	10	34
No.*							
1-6 WEST DISTRICTS - -	376427	2	4	16	3	-	4
7-11 NORTH DISTRICTS - -	490396	2	10	27	9	1	3
12-19 CENTRAL DISTRICTS -	393256	2	16	18	7	2	9
20-25 EAST DISTRICTS - -	485522	8	5	28	4	4	10
26-36 SOUTH DISTRICTS - -	616635	2	8	23	18	3	8
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	2	-	-	-
2 St. John Paddington H -	29053	-	-	-	-	-	-
3 Kensington Town *W* L -	29183	-	-	2	-	-	-
4 Brompton HH - -	14870	1	-	1	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	-	3	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	-	-	-	-
2; 1 Chelsea South H - -	19050	-	-	-	-	-	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3 Chelsea North-east L -	19819	-	-	1	-	-	2
3; 1 Hanover-square - -	20216	-	-	1	-	-	-
2 May Fair *W* - - -	12980	-	-	-	1	-	-
3 Belgrave H - - -	40034	-	2	2	2	-	1
4; 1 St. John Westmr. HHHP	34295	1	1	3	-	-	-
2 St. Margaret West. *W* HP	31314	-	1	1	-	-	1
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	-	-	-	-
6; 1 Berwick-street - -	10798	-	-	-	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	-	1	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	1	-	-	-	-
4 St. Mary Marylebone H -	22814	-	-	1	-	-	-
5 Christchurch Marylebone	33895	-	3	2	-	-	-
6 St. John Marylebone -	29826	-	-	1	-	-	-
8; 1 Hampstead *W* - -	11986	-	-	-	-	-	-
9; 1 Regent's Park Pancras -	31918	-	-	4	-	-	-
2 Tottenham-court *w*H -	28433	-	-	8	-	-	1
3 Gray's-inn-lane H -	26523	-	-	1	-	-	-
4 Somers-town - - -	35641	-	1	2	3	-	-
5 Camden-town *W* - -	21115	-	1	1	-	-	1
6 Kentish-town - - -	23326	1	-	4	1	-	-
10; 1 Islington West† *W* HHHPP	47881	1	1	1	2	1	-
2 Islington East - - -	47448	-	-	-	-	-	-
11; 1 Stoke Newington L -	4840	-	-	-	1	-	1
2 Stamford-hill - - -	5549	-	-	-	-	-	-
3 West Hackney L - -	18732	-	-	1	-	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	1	-	-
5 South Hackney L - -	8458	-	2	1	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	2	1	1	-	-
2 St. Giles South *W* H -	19951	-	1	-	-	-	2
3 St. Giles North - -	17456	1	-	3	1	1	-
13; 1 St. Anne Soho - - -	17335	-	-	-	-	1	-
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15467	-	1	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	-	2	-	-	-
2 St. Andrew East. Holb. *W*	13971	-	-	-	-	-	-
3 Saffron-hill - - -	13837	-	1	-	1	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	1	2	-	-	-
2 Amwell Clerkenwell P -	15720	-	1	-	1	-	1
3 Pentonville - - -	11904	-	-	-	1	-	-
4 Goswell-street - -	15625	-	-	-	-	-	-
16; 1 Old-street H - - -	10617	-	-	1	1	-	-
2 City-road HL - -	16840	-	1	2	-	-	-
3 Whitecross-street - -	13657	-	-	-	-	-	1
4 Finsbury - - - -	12941	-	-	-	-	-	1
17; 1 St. Botolph East London	23824	-	1	1	-	-	1
2 Cripplegate P - -	20582	1	2	2	-	-	1
18; 1 West London North *W* HP	12946	-	4	1	-	-	2
2 West London South P -	15887	-	-	1	-	-	-
19; 1 London City South-west -	9204	-	-	-	-	-	-
2 London City North-west -	11847	-	-	1	-	-	-
3 London City South -	11461	-	-	1	-	-	-
4 London City South-east -	10594	-	1	-	-	-	-
5 London City North-east -	12826	-	-	-	1	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	1	-	-	-
2 St. Leonard Shoreditch L	19449	1	1	1	-	-	1
3 Hoxton New Town *w* -	23505	-	1	-	-	-	1
4 Hoxton Old Town - -	17431	1	-	2	-	1	-
5 Haggerstone West *W* -	20276	1	-	1	-	1	-
6 Haggerstone East - -	11351	-	-	-	-	-	1
21; 1 Hackney Road - -	23910	-	-	2	-	-	-
2 Green, Bethnal Green *W* HL	23555	-	-	3	-	-	-
3 Church, Bethnal Green -	21787	-	-	-	-	-	1
4 Town, Bethnal Green -	20941	1	-	2	-	-	1
22; 1 Artillery Whitechapel -	6769	-	-	-	-	-	-
2 Spitalfields - - -	15336	-	-	-	-	-	-
3 Mile End New Town *W* -	14543	1	-	-	-	-	1
4 Whitechapel North *W* -	12530	-	-	1	-	-	-
5 Whitechapel Church H -	7818	-	-	-	-	-	1
6 Goodman's Fields - -	12069	-	-	-	2	-	-
7 Aldgate H - - -	10694	-	-	-	-	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	3	-	-	1
2 St. Paul St. Geo. East -	20319	-	-	1	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	1	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	1	-	1	-
2 Ratcliff *W* - - -	15212	-	-	1	-	-	1
3 Limehouse *W* - -	22782	-	1	2	1	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	-	-	-	-
2 Mile End Old T., East. *Ww*H	27020	-	2	-	-	-	1
25; 1 Bow *w*LH - - -	18778	1	-	4	1	-	-
2 Poplar *W* - - -	28384	2	-	2	-	1	-
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	-	-	-	-	-
2 St. Saviour Southwark HH	19709	-	-	-	2	-	2
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	3	2	-	-
2 St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3 Leather Market - -	15295	-	-	-	-	-	-
29; 1 Kent Road - - -	18126	-	-	-	-	-	-
2 Borough Road *W* P -	15862	-	-	-	1	-	-
3 London Road LP - -	17836	-	-	-	1	-	-
30; 1 Trinity Newington P -	20922	-	-	1	-	-	-
2 St. Peter Walworth *W* -	29861	1	1	3	1	-	1
3 St. Mary Newington -	14033	-	-	1	1	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	-	1	-	-
2 Waterloo Road 2nd H -	18348	-	-	1	2	-	-
3 Lambeth Church 1st -	18409	-	-	-	-	-	-
4 Lambeth Church 2nd *W*	26784	-	-	-	2	-	-
5 Kennington 1st - -	24261	-	-	5	1	-	-
6 Kennington 2nd - -	18848	-	-	-	-	2	-
7 Brixton L - - -	14610	-	-	1	-	-	-
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	2	1	-	-	-
2 Battersea *W* - - -	10560	-	-	1	-	-	1
3 Wandsworth PL - -	9611	-	-	2	1	-	-
4 Putney - - - -	5280	-	-	-	-	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	-	-	-	-
2 Camberwell *W* LL -	17742	-	-	1	-	-	-
3 Peckham - - - -	19444	1	-	1	1	-	-
4 St. George Camberwell -	15849	-	-	-	-	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	-	2	-	-
35; 1 St. Paul Deptford - -	24899	-	-	2	-	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	-
3 Greenwich West H -	18800	-	-	-	-	1	1
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	3	-	-	-	-
6 Woolwich Arsenal HPH	15227	-	-	-	-	-	1
36; 1 Plumstead - - -	13191	-	1	-	-	-	1
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	-	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	-	-	1
5 Sydenham - - -	4501	-	1	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:

St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 18th December 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-regis-tering Thermo-meter, read at 9h. p.m.	Lowest on grass, as shown by a self-regis-tering Thermo-meter, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Great-est.	Least.	Between mean tem-perature of the day and mean tem-perature of the same day on average of 43 years.	Degree of Hu-midity, complete Satura-tion being repre-sented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
December.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	12	..	29·928	37·7	35·3	2·4	36·2	30·4	38·0	34·0	41·5	41·5	5·8	6·0	4·5	— 3·8	82	S.	S.	1·5	0·0	0·0	55	0·00
Monday . .	13	First Quarter. In Equator.	29·774	46·0	34·8	11·2	41·9	40·5	46·4	33·0	41·5	41·5	1·4	2·9	0·7	+ 2·3	95	Variable	S.W. & W.	0·0	0·0	0·0	0	0·05
Tuesday .	14	..	30·049	40·0	37·0	3·0	38·2	36·4	42·0	33·4	41·5	41·5	1·8	3·6	0·0	— 1·5	95	Calm	Calm	0·0	0·0	0·0	0	0·00
Wednesday	15	..	30·069	43·0	33·5	9·5	38·1	36·1	45·0	30·7	41·2	41·2	2·0	4·8	0·0	— 1·9	93	NE. & N.	E. & S.E.	2·5	0·0	0·1	50	0·00
Thursday.	16	..	30·018	40·0	34·5	5·5	36·9	33·8	42·0	32·0	41·0	41·0	3·1	3·8	2·6	— 3·4	90	S.E. & S.	S.E.	2·5	0·0	0·1	30	0·00
Friday . .	17	..	29·804	41·2	34·5	6·7	37·4	34·3	41·2	32·2	40·5	40·5	3·1	4·1	2·6	— 2·7	90	S.E.	S.E. & S.	0·0	0·0	0·0	90	0·00
Saturday.	18	..	29·424	51·0	34·9	16·1	43·3	41·8	52·5	32·0	40·5	40·5	1·5	4·2	1·4	+ 3·4	93	S.	S. & S.W.	10·0	0·0	2·5	210	0·25
Means . .		..	29·867	42·7	34·9	7·8	38·9	36·2	43·9	32·5	41·1	41·1	2·7	4·2	1·7	— 1·1	91			..	..	..	Sum 435	Sum 0·30
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
December.			
Sunday . .	12	No electricity was shown throughout the week.	Overcast throughout the day. A breeze prevailed generally.
Monday . .	13		Overcast all the day; rain fell during the night, but to a small amount only.
Tuesday . .	14		The sky was covered throughout the day; fog was present till about noon; the clouds were lighter in the evening, and haze was prevalent.
Wednesday	15		During the early morning the sky was obscured by a thick fog, which cleared off about 10h. A.M.; a little rain fell occasionally, and the sun was seen at intervals; after 6h. P.M. the sky became overcast.
Thursday .	16		The sky was generally overcast throughout the day; a few drops of rain fell about noon.
Friday . .	17		The sky was covered throughout the day with cirrocumulus and cirrus.
Saturday .	18		The state of the sky was very variable throughout; till nearly noon it was mostly clear; from noon till about 8h. P.M. heavy showers of rain fell every now and then; cloudless afterwards.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 30·14 in. at the beginning of the week to 29·74 in. by 9h. A.M. on the 13th; increased to 30·14 in. by 9h. A.M. on the 15th; decreased to 29·39 in. by 3h. P.M. on the 18th; after which it turned to increase slowly, and was 29·40 in. at the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 51. 1858. Vol. XIX.] Week ending Saturday, December 25. [Price 1½*d*.

General Register Office, Somerset House,
December 27th, 1858.

The London Returns give satisfactory indications of an improved state of the public health. The deaths which in the week ending December 4th were 1738, and in the two following weeks were 1531 and 1442, have still further declined, and in the week ending last Saturday they were 1240. The mean temperature of the air last week was 44·5°, which is 9° higher than it was in the third week of November.

In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1142; but as the deaths in the present return occurred in an increased population, they should be compared with the average after the latter is raised proportionally to the increase, a correction which will make it 1256. It appears, therefore, that though the difference is small, the actual return for last week is less than the result obtained by calculation.

If the deaths in London last week had been according to "the healthy rate" of mortality derived from certain selected English districts in the last quarter of the year, they would have been 765; and the excess above this point which the true number exhibits is 475, and represents what may be termed the *unnatural* part of the mortality.

The deaths referred in the present return to zymotic diseases amount to 320, the corrected average being 280; those ascribed to pulmonary complaints (not including phthisis or whooping-cough) are 307, the corrected average being 264. The deaths that arose from phthisis (or consumption) are 126, whilst the average is 135. The mortality from scarlatina continues to decrease slowly; it numbered 106, which, however, is still double the average. Measles was fatal in 40 cases; it carried off five children in the sub-district of Whitecross-street. Sixteen fatal cases of scarlatina occurred in Pancras, many of these in Somers Town, where it appears to be very prevalent. Twelve deaths from the same complaint occurred in the Poplar district; and 6 in the sub-district of St. Peter, Walworth.

Last week the births of 703 boys and 709 girls, in all 1412 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1489.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·438 in. The barometrical readings varied from 29·09 in. to 29·68 in. The mean temperature of the week was 44·5°, which is 6·5° above the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was above the average throughout the week, and on three days, Tuesday, Wednesday, and Thursday, this excess was from 7° to 10°. The thermometer in the shade fell to its *lowest* point, 34·9°, on Monday, and rose to

its *highest*, 53·5°, on the following day. The extreme range was therefore 18·6°. The mean range of the week was 10·2°. The difference between the mean dew-point temperature and air temperature was 3·6°. The mean degree of humidity was 87. On two days the humidity of the air was 95, approximating to complete saturation. The mean temperature of the water of the Thames was 42·2°. The wind blew from the south-west. Thursday night was very wild and stormy. Rain fell to the amount of 0·79 in. in the week.

West London; *South.*—At 91 Fleet-street, St. Bride's, on 21st December, the son of a dentist, aged 15 days, "strophulus confertus (12 days), exhaustion from irritative fever."

Shoreditch; *Hoxton Old Town.*—At 56 Monday-street, on 4th November, a charwoman, aged 69 years, "found dead on the floor of the room, apparently from privation and exhaustion." (*Inquest.*)

St. George, Southwark; *Kent-road.*—At 1 George-street, on 11th December, a girl, aged 17 days, "inflammation of the lungs caused by exposure to cold." *Post mort.*

Camberwell; *Peckham.*—At 10 York-grove, Queen's-road, on 10th, 14th, and 18th December, two daughters and son of a merchant, aged respectively 2 years, 4 years, and 13 months, "whooping-cough (3 weeks), measles with bronchitis (2 weeks);" "measles with bronchitis (3 weeks);" "whooping-cough with measles (a month), malarial depression." The Registrar adds:—"Four children of this family have died between the 26th November and 18th December. The informant (father of the children) complains of an open ditch that runs along the bottom of his garden being at times exceedingly offensive."

Births Registered last Week, and in the Fifty-first Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1521	1353	1477	1455	1351	1545	1474	1522	1691	1499	1488·8	1412
Males . .	774	682	729	783	708	800	741	759	868	769	761·3	703
Females . .	747	671	748	672	643	745	733	763	823	730	727·5	709

Deaths Registered last Week, and in the Fifty-first Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1118	1043	1166	1206	871	1399	1291	1257	1060	1013	1142·4	1240
Males . .	567	530	564	603	445	742	639	634	533	491	575·3	615
Females . .	551	513	602	603	426	657	652	623	522	522	567·1	625

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.
Births	1726	1521	1767	1695	1780	1806	1814	1633	1761	1763	1805	1770	1412
Deaths	1021	993	1149	1113	1133	1217	1349	1487	1802	1738	1531	1442	1240
Deaths (except from Violence) . . .	981	952	1120	1077	1103	1184	1321	1452	1760	1702	1493	1394	1219
Deaths (except from Violence) at 60 years and upwards . .	143	141	182	173	185	203	235	247	375	390	293	278	248
Small-pox	4	1	3	5	6	3	15	10	10	13	13	16	10
Measles	26	36	23	39	33	42	38	41	51	39	46	43	40
Scarlatina	134	145	160	156	156	138	145	133	163	128	137	112	106
Whooping-cough . .	26	28	29	31	31	38	42	49	46	69	47	41	47
Typhus	56	42	57	47	47	40	36	46	47	51	45	34	32
Diarrhœa	42	44	31	26	16	19	12	9	15	13	11	10	13
Mean Temperature .	57°·6	52°·1	53°·1	51°·1	47°·2	43°·3	39°·0	35°·5	37°·4	46°·3	36°·5	38°·9	44°·5

DEATHS in LONDON, from ALL CAUSES, Registered in the FIFTY-FIRST Week of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 23 1848	Dec. 22 1849	Dec. 21 1850	Dec. 20 1851	Dec. 25 1852	Dec. 24 1853	Dec. 23 1854	Dec. 22 1855	Dec. 20 1856	Dec. 26 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 25, 1858. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	37°·5	42°·3	38°·6	41°·5	46°·8	33°·1	40°·5	28°·2	38°·8	47°·1	39°·4	Mean Temp. 44°·5					
	ALL CAUSES	1118	1043	1166	1206	871	1399	1291	1257	1060	1013	1142·4	1240	667	142	182	201	48
	SPECIFIED CAUSES	1099	1008	1145	1190	844	1309	1274	1226	1021	1000	1111·6	1216	655	139	176	200	46
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	349	213	247	274	182	241	336	286	212	208	254·8	320	268	19	10	19	4
II.	CONSTITUTIONAL „	202	189	200	252	177	249	223	207	191	183	207·6	194	57	63	52	21	1
III.	LOCAL „	387	453	522	507	364	578	534	540	461	480	482·6	565	248	50	110	136	21
IV.	DEVELOPMENTAL „	124	119	124	117	95	155	126	130	115	100	120·5	116	68	4	1	23	20
V.	VIOLENT DEATHS	37	34	52	40	26	86	55	63	42	26	46·1	21	14	3	3	1	..
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	334	200	226	252	168	228	312	264	191	193	236·8	301	253	18	9	17	4
	2. ENTHETIC „	2	3	6	2	1	3	6	5	3	5	3·6	5	5	..	..	..	..
	3. DIETIC „	9	9	12	15	12	6	15	16	16	9	11·9	12	8	1	1	2	..
	4. PARASITIC „	4	1	3	5	1	4	3	1	2	1	2·5	2	2	..	..	..	..
II.	1. DIATHETIC „	39	33	39	48	32	47	47	34	29	31	37·9	33	4	2	14	12	1
	2. TUBERCULAR „	163	156	161	204	145	202	176	173	162	155	169·7	161	53	61	38	9	..
III.	1. DISEASES OF NERVOUS SYSTEM	111	129	145	119	106	131	128	142	99	120	123·0	129	61	7	24	27	10
	2. „ OF ORGANS OF CIRCULATION	29	39	31	55	41	45	67	33	40	44	42·4	48	1	10	14	20	3
	3. „ OF RESPIRATORY ORGANS	177	227	274	252	130	316	259	293	230	246	240·4	307	170	18	43	71	5
	4. „ OF DIGESTIVE ORGANS	48	37	50	47	60	57	46	44	52	43	48·4	51	8	11	18	13	1
	5. „ OF URINARY ORGANS	13	9	11	14	13	13	16	9	18	19	13·5	12	2	1	4	4	1
	6. „ OF ORGANS OF GENERATION	4	2	3	6	6	6	5	6	4	1	4·3	5	..	..	4	1	..
	7. „ OF ORGANS OF LOCOMOTION	2	6	3	7	4	5	4	3	8	4	4·6	5	2	2	1	..	..
	8. „ OF INTEGUMENTARY SYSTEM	3	4	5	7	4	5	9	10	10	3	6·0	8	4	1	2	..	1
IV.	1. DEV. DISEASES OF CHILDREN	49	39	43	40	35	51	32	46	34	39	40·8	33	32	..	1	..	..
	2. „ OF ADULTS	7	2	8	6	8	5	6	7	3	3	5·5	4	..	4	..	..	..
	3. „ OF OLD PEOPLE	39	45	51	52	34	68	48	50	46	41	47·4	38	..	..	..	18	20
	4. DISEASES OF NUTRITION	29	33	22	19	18	31	40	27	32	17	26·8	41	36	..	..	5	..
V.	1. ACCIDENT OR NEGLIGENCE	In this part of the Table which comprises the Deaths in 1848-57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											29	14	3	2	1	..
	3. HOMICIDE *												..	..	..	..	..	..
	4. SUICIDE												1	..	..	1	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	37	34	52	40	26	86	55	63	42	26	46·1	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	12	31	17	6	10	21	10	25	17	4	15·3	18	9	1	5	1	2
	CAUSES NOT SPECIFIED	7	4	4	10	17	69	7	6	22	9	15·5	6	3	2	1	..	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 23 1848	Dec. 22 1849	Dec. 21 1850	Dec. 20 1851	Dec. 25 1852	Dec. 24 1853	Dec. 23 1854	Dec. 22 1855	Dec. 20 1856	Dec. 26 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 25, 1858. ALL AGES.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	37°·5	42°·3	38°·6	41°·5	46°·8	33°·1	40°·5	28°·2	38°·8	47°·1	39°·4	Mean Temp. 44°·5					
I.	ORDER 1.																	
	1. Small-pox	30	10	25	39	3	..	34	11	6	1	15·9	10	7	2	1	..	..
	2. Measles	14	46	21	22	11	28	39	35	23	41	28·0	40	39	1	..	..	..
	3. Scarlatina	110	29	30	41	50	34	79	45	42	30	49·0	106	104	1	1	..	..
	4. Quinsy	..	2	1	1	..	1	..	6	1	2	1·4	3	3	..	..	..	..
	5. Croup	7	8	10	17	5	10	11	14	10	9	10·1	17	17	..	..	..	..
	6. Whooping-cough	42	22	52	25	23	63	42	49	40	37	39·5	47	47	..	..	..	..
	7. Typhus (and Infantile fever)	46	36	43	52	40	43	48	65	38	30	44·1	32	16	5	4	6	1
	8. Erysipelas	12	2	11	7	3	7	12	4	5	3	6·6	10	4	2	2	1	1
	9. Metria	5	6	4	13	2	2	6	2	3	5	4·8	5	2	3	..	..	..
	10. Carbuncle	..	1	..	..	..	..	2	3	2	2	1·0	1	..	..	1	..	..
	11. Influenza	5	7	5	5	7	1	2	4	1	5	4·2	7	3	..	..	2	2
	12. Dysentery	3	6	2	2	..	4	6	3	..	4	3·0	2	..	..	..	2	..
	13. Diarrhœa	15	13	16	17	12	18	20	12	11	12	14·6	13	7	1	..	5	..
	14. Cholera	31	1	1	..	1	10	3	..	..	..	4·7	..	..	..	..	..	..
	15. Ague	..	1	..	1	..	..	..	2	1	..	·5	1	..	1	..	..	..
	16. Remittent fever	3	2	2	3	..	2	2	2	2	4	2·2	2	1	1	..	..	..
	17. Rheumatism	11	8	3	7	11	5	6	7	6	8	7·2	5	3	1	..	1	..
	ORDER 2.																	
	1. Syphilis	1	2	4	1	..	3	4	4	2	2	2·3	5	5	..	..	..	..
	2. Stricture of Urethra	1	1	2	1	1	..	2	1	1	3	1·3	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848-57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	1	..	..	1	..	..	1	1	..	1	·5	1	..	..	..	1	..
	2. Want of Breast-milk	4	4	6	8	7	3	6	6	12	4	6·0	7	7	..	..	..	..
	3. Purpura and Scurvy	..	..	..	..	..	1	1	2	..	2	·6	1	1	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	2	2	4	2	5	..	5	4	1	1	2·6	2	..	1	..	1	..
	4. Alcoholism { *b* Intemperance	2	3	2	4	..	2	2	3	3	1	2·2	1	..	..	1	..	..
	ORDER 4.																	
	1. Thrush	4	1	3	5	1	4	3	1	2	1	2·5	2	2	..	..	..	..
	2. Worms, &c.	*Deaths* in 1848-57 classed in this Table with *Dis. of Stomach.*											..	..	..	..	..	..
II.	ORDER 1.																	
	1. Gout	2	1	2	2	2	..	..	..	..	1	1·0	..	..	..	..	..	..
	2. Dropsy	18	12	14	27	14	18	17	18	10	10	15·8	13	3	..	3	7	..
	3. Cancer	14	17	17	17	15	24	27	15	16	18	18·0	18	1	2	11	4	..
	4. Noma	..	2	2	..	..	..	..	..	1	..	·5	..	..	..	..	..	..
	5. Mortification	5	1	4	2	1	5	3	1	2	2	2·6	2	..	..	..	1	1
	ORDER 2.																	
	1. Scrofula	5	5	8	8	6	15	9	13	9	7	8·5	2	1	1	..	..	..
	2. Tabes Mesenterica	12	10	16	13	9	20	16	12	13	14	13·5	15	15	..	..	..	..
	3. Phthisis	113	120	112	150	109	139	127	125	119	115	122·9	126	19	60	38	9	..
	4. Hydrocephalus	33	21	25	33	21	28	24	23	21	19	24·8	18	18	..	..	..	..
III.	ORDER 1.																	
	1. Cephalitis	8	9	7	7	7	6	12	12	8	8	8·4	5	5	..	..	..	..
	2. Apoplexy	36	41	34	20	30	28	31	38	25	31	34·4	29	4	2	9	10	4
	3. Paralysis	18	21	19	21	16	36	22	32	15	23	22·3	29	..	2	8	13	6
	4. Insanity	..	4	1	1	2	3	4	2	..	1	1·8	1	..	..	1	..	..
	5. Chorea	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..
	6. Epilepsy	6	6	8	5	9	12	7	4	7	9	7·3	4	1	..	2	1	..
	7. Convulsions	34	37	55	50	28	35	40	36	33	36	38·4	49	49	..	..	..	..
	8. *Brain Disease, &c.*	9	11	21	15	14	11	12	18	11	12	13·4	11	1	3	4	3	..
	ORDER 2.																	
	1. Pericarditis	..	4	1	3	1	2	2	2	1	..	1·6	2	1	1	..	..	..
	2. Aneurism	3	1	1	2	3	1	8	2	2	2	2·5	2	..	..	2	..	..
	3. *Heart Disease, &c.*	26	34	29	50	37	42	57	29	37	42	38·3	44	..	9	12	20	3
	ORDER 3.																	
	1. Laryngitis	..	4	6	5	4	3	10	6	3	6	4·7	8	6	1	1	..	..
	2. Bronchitis	68	110	102	105	61	158	119	161	110	140	113·4	183	88	8	23	59	5
	3. Pleurisy	1	2	4	5	1	5	5	5	2	3	3·3	4	1	..	2	1	..
	4. Pneumonia	83	81	117	110	46	110	103	80	93	83	90·6	91	75	6	7	3	..
	5. Asthma	12	19	34	18	13	25	16	27	15	10	18·9	14	..	1	5	8	..
	6. *Lung Disease, &c.*	13	11	11	9	5	15	6	14	7	4	9·5	7	..	2	5	..	..
	ORDER 4.																	
	1. Gastritis	3	3	..	2	..	3	3	3	2	3	2·2	2	..	..	2	..	..
	2. Enteritis	6	4	8	4	7	5	7	3	9	3	5·6	8	3	4	1	..	..
	3. Peritonitis	2	4	6	8	2	6	5	6	4	2	4·5	1	.	..	..	1	..
	4. Ascites	4	..	1	2	..	3	4	3	6	4	2·7	2	..	..	2	..	..
	5. Ulceration of Intestines	3	1	2	2	6	1	3	3	3	5	2·9	2	..	..	1	1	..
	6. Hernia	..	2	3	1	8	3	2	4	..	3	2·6	1	..	..	1	..	..
	7. Ileus	3	2	4	1	1	5	2	4	3	2	2·7	3	1	1	1	..	..
	8. Intussusception	..	3	..	1	2	..	1	..	3	..	1·0	1	..	..	..	1	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FIFTY-FIRST Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 23 1848	Dec. 22 1849	Dec. 21 1850	Dec. 20 1851	Dec. 25 1852	Dec. 24 1853	Dec. 23 1854	Dec. 22 1855	Dec. 20 1856	Dec. 26 1857	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Dec. 25, 1858. Deaths of Persons of the Ages: ALL AGES. Mean Temp. 44°·5	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards
	Mean Temperature	37°·5	42°·3	38°·6	41°·5	46°·8	33°·1	40°·5	28°·2	38°·8	47°·1	39°·4						
	9. Stricture of Intestines	1	1	..	1	..	..	1	2	2	..	·8	2	..	..	2	..	..
	10. Fistula	..	1	2	2	..	2	..	..	..	1	·8	1	..	..	1	..	..
	11. *Stomach Disease, &c.*	5	6	6	6	7	5	5	4	7	3	5·4	12	2	2	2	5	1
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	13. Hepatitis	3	1	3	2	5	5	1	2	1	2	2·5	2	..	..	1	1	..
	14. Jaundice	6	1	3	2	4	1	3	3	4	3	3·0	1	1	..	..	..	..
	15. *Liver Disease, &c.*	12	8	12	13	18	18	9	6	8	12	11·6	12	..	4	4	4	..
	16. *Spleen Disease, &c.*	..	..	..	..	..	..	..	1	..	..	·1	1	1	..	..	..	..
	ORDER 5.																	
	1. Nephritis	..	..	2	..	..	..	..	1	1	1	·5	1	..	..	..	1	..
	2. Ischuria	..	..	1	..	..	..	..	..	..	..	·1	..	..	..	..	..	..
	3. Nephria	7	2	2	6	2	4	5	1	6	5	4·0	4	..	1	2	1	..
	4. Diabetes	2	..	..	2	2	1	1	..	2	2	1·2	1	..	..	1	..	..
	5. Stone	..	..	1	..	1	1	2	..	2	..	·7	..	..	..	..	..	..
	6. Cystitis	2	3	2	..	..	..	..	1	1	1	1·0	..	..	..	..	..	..
	7. *Kidney Disease, &c.*	2	4	3	6	8	7	8	6	6	10	6·0	6	2	..	1	2	1
	ORDER 6.																	
	1. Ovarian Dropsy	..	1	2	1	..	2	1	..	2	1	1·0	..	..	..	..	..	..
	2. *Uterus Disease, &c.*	4	1	1	5	6	4	4	6	2	..	3·3	5	..	..	4	1	..
	ORDER 7.																	
	1. Arthritis	..	..	..	..	..	1	..	..	..	1	·2	..	..	..	..	..	..
	2. *Joint Disease, &c.*	2	6	3	7	4	4	4	3	8	3	4·4	5	2	2	1	..	..
	ORDER 8.																	
	1. Phlegmon	1	2	3	5	2	3	6	6	5	..	3·3	4	2	1	1	..	..
	2. Ulcer	1	1	2	1	..	2	2	2	2	2	1·5	2	..	..	1	..	1
	3. *Skin Disease, &c.*	1	1	..	1	2	..	1	2	3	1	1·2	2	2	..	..	..	..
IV.	ORDER 1.																	
	1. Premature Birth	38	25	30	33	25	36	22	28	23	27	28·7	12	12	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.											2	1	..	1	..	..
	3. Spina Bifida												2	2	..	..	..	..
	4. Other Malformations	2	2	3	2	1	4	2	8	3	3	3·0	2	2	..	..	..	..
	5. Teething	9	12	10	5	9	11	8	10	8	9	9·1	15	15	..	..	..	..
	ORDER 2.																	
	1. Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	2. Childbirth (*see* Metria)	7	2	8	6	8	5	6	7	3	3	5·5	4	..	4	..	..	..
	ORDER 3.																	
	1. Old Age	39	45	51	52	34	68	48	50	46	41	47·4	38	..	..	..	18	20
	ORDER 4.																	
	1. Atrophy and Debility	29	33	22	19	18	31	40	27	32	17	26·8	41	36	..	..	5	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*	7	3	1	2	1	..
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*	6	5	1	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*	2	1	1	..	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*	4	4	..	..	..	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*	1	1	..	..	..	..
	ORDER 3. (HOMICIDE.)																	
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.											..	..	..	..	..	..
	ORDER 4. (SUICIDE.)																	
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*	1	..	..	1	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	37	34	52	40	26	86	55	63	42	26	46·1	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	12	31	17	6	10	21	10	25	17	4	15·3	18	9	1	5	1	2
	Causes not specified or ill-defined	7	4	4	10	17	69	7	6	22	9	15·5	6	3	2	1	..	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS Registered in the FIFTY-FIRST WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Dec. 23 1848	Dec. 22 1849	Dec. 21 1850	Dec. 20 1851	Dec. 25 1852	Dec. 24 1853	Dec. 23 1854	Dec. 22 1855	Dec. 20 1856	Dec. 26 1857	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday Dec. 25 1858.
Mean Temperature . . .			37·5°	42·3°	38·6°	41·5°	46·8°	33·1°	40·6°	28·2°	38·8°	47·1°	39·4°	44·5°
LONDON	78029	2362236	1118	1043	1166	1206	871	1399	1291	1257	1060	1013	1142·4	1240
1–6. WEST DISTRICTS .	10786	376427	173	149	156	187	145	229	173	179	171	164	172·6	172
7–11. NORTH DISTRICTS .	13533	490396	245	206	219	250	174	221	283	243	198	229	226·8	301
12–19. CENTRAL DISTRICTS	1938	393256	159	164	231	210	147	249	229	223	165	122	189·9	172
20–25. EAST DISTRICTS .	6230	485522	253	223	247	257	196	306	264	292	259	228	252·5	266
26–36. SOUTH DISTRICTS .	45542	616635	288	301	313	302	209	394	342	320	267	270	300·6	329
1. Kensington* HHHH .	7374	120004	58	48	43	55	38	56	60	64	47	53	52·2	53
2. Chelsea H*w* . . .	865	56538	27	14	28	23	18	35	26	32	25	27	25·5	18
3. St. George Hanover-sq. H	1161	73230	37	32	45	29	30	57	22	25	40	26	34·3	38
4. Westminster* HHHH .	917	65609	24	28	22	43	26	52	40	41	30	34	34·0	37
5. St. Martin-in-the-Fields H	305	24640	10	13	8	17	8	9	8	7	15	13	10·8	11
6. St. James Westminster .	164	36406	17	14	10	20	25	20	17	10	14	11	15·8	15
7. Marylebone HH . .	1509	157696	92	72	98	92	49	80	96	72	64	66	78·1	80
8. Hampstead	2252	11986	4	5	6	7	7	4	5	5	6	4	5·3	6
9. Pancras HH*w* . . .	2716	166956	86	80	63	84	68	80	83	86	53	88	77·1	108
10. Islington HHH . .	3127	95329	39	26	36	44	33	37	70	51	43	50	42·9	68
11. Hackney* H*w* . . .	3929	58429	24	23	16	23	17	20	29	29	32	21	23·4	39
12. St. Giles* H . . .	245	54214	22	16	41	33	29	29	38	32	25	17	28·2	25
13. Strand* H	172	44417	14	12	18	18	16	53	45	21	13	12	22·2	14
14. Holborn* H . . .	196	46621	26	20	26	28	16	26	20	39	19	13	23·3	16
15. Clerkenwell	380	64778	20	25	23	35	17	33	32	22	27	17	25·1	31
16. St. Luke HH . . .	220	54055	21	22	35	26	21	32	27	25	27	24	26·0	32
17. East London* . . .	153	44406	19	17	33	16	9	25	18	31	18	11	19·7	23
18. West London* H . .	138	28833	22	25	29	30	22	27	34	41	19	12	26·1	12
19. London City*	434	55932	15	27	26	24	17	24	15	12	17	16	19·3	19
20. Shoreditch *w* . . .	646	109257	46	52	61	58	44	73	50	71	50	53	55·8	52
21. Bethnal Green H . .	760	90193	47	31	30	45	37	53	51	69	39	40	44·2	36
22. Whitechapel* HH . .	406	79759	45	50	34	40	34	55	46	40	43	36	42·3	38
23. St. George-in-the-East .	243	48376	20	25	34	31	24	32	17	30	32	29	27·4	26
24*a*. Stepney*	576	54173	67	40	55	61	44	59	71	50	65	49	56·1	29
24*b*. Mile-end Old Town H*w*	681	56602												30
25. Poplar* H*w* . . .	2918	47162	28	25	33	22	13	34	29	32	30	21	26·7	55
26. St. Saviour Southwark* HH	250	35731	19	19	19	16	14	16	25	24	19	13	18·4	28
27. St. Olave Southwark* HH	169	19375	11	22	21	17	18	45	32	33	17	15	23·1	24
28. Bermondsey	688	48128	27	38	20	27	15	28	19	23	29	27	25·3	18
29. St. George Southwark .	282	51824	28	31	27	31	17	29	25	22	18	11	23·9	15
30. Newington	624	64816	29	28	44	37	23	47	33	27	37	45	35·0	44
31. Lambeth H	4015	139325	56	52	76	71	39	87	78	76	49	48	63·2	65
32. Wandsworth*	11695	50764	13	26	26	22	20	27	24	13	26	21	21·8	29
33. Camberwell	4342	54667	25	29	27	17	16	29	31	28	23	11	23·6	31
34. Rotherhithe	886	17805	7	5	5	6	6	10	9	7	3	6	6·4	15
35. Greenwich* HHHHH .	5367	99365	61	35	41	46	33	64	48	55	37	52	47·2	48
36. Lewisham*	17224	34835	12	16	7	12	8	12	18	12	9	21	12·7	12

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1847-56 after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*), are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Dec. 18. Total.	Males.	Females.	In the Week ending Dec. 25. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	190	109	81	167	87	80
15 WORKHOUSES	94	42	52	101	47	54
14 PRISONS . . . . . ‡	1	1	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	3	3	–	4	4	–
15 GENERAL HOSPITALS	76	51	25	46	26	20
7 HOSPITALS FOR SPECIAL DISEASES	4	3	1	4	2	2
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	–	–	–
4 LYING-IN HOSPITALS . . . . Children .	–	–	–	1	–	1
7 MILITARY AND NAVAL HOSPITALS	5	5	–	1	1	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	1	1	–
19 LUNATIC ASYLUMS	6	3	3	9	6	3

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 25th December 1858.

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	10	40	106	47	13	32
1-6	WEST DISTRICTS - -	376427	-	5	11	3	3	3
7-11	NORTH DISTRICTS - -	490396	6	6	35	15	4	7
12-19	CENTRAL DISTRICTS -	393256	1	16	12	11	1	3
20-25	EAST DISTRICTS - -	485522	2	5	25	11	4	7
26-36	SOUTH DISTRICTS - -	616635	1	8	23	7	1	12
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *W*H	17252	-	-	1	-	-	-
2	St. John Paddington H -	29053	-	1		-	-	-
3	Kensington Town *W*L -	29183	-	1	2	-	-	-
4	Brompton HH - -	14870	-	-	-	-	-	-
5	St. Peter Hammersmith -	4467	-	-	-	-	-	-
6	St. Paul Hammersmith -	13293	-	-	-	-	-	-
7	Fulham *W*LLLL - -	11886	-	-	-	-	1	-
2; 1	Chelsea South H - -	19050	-	-	-	-	-	-
2	Chelsea North-west *Ww*	17669	-	-	1	-	-	-
3	Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1	Hanover Square - -	20216	-	-	-	1	-	-
2	May Fair *W* - - -	12980	-	-	-	-	-	-
3	Belgrave H - - -	40034	-	-	-	-	-	3
4; 1	St. John Westmr. HHHP	34295	-	-	5	2	-	-
2	St. Margaret West. *W*HP	31314	-	1	2	-	2	-
5; 1	Charing Cross *W*H -	12587	-	1	-	-	-	-
2	Long Acre - - -	12053	-	1	-	-	-	-
6; 1	Berwick Street - -	10798	-	-	-	-	-	-
2	St. James's Square -	11469	-	-	-	-	-	-
3	Golden Square *W* - -	14139	-	-	-	-	-	-
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	-	-	1	-	-	-
2	Cavendish-square - -	14687	-	-	-	-	-	1
3	Rectory Marylebone *W* -	27633	-	-	4	-	-	-
4	St. Mary Marylebone H	22814	-	-	1	-	-	-
5	Christchurch Marylebone	33895	-	2	2	-	-	2
6	St. John Marylebone -	29826	-	-	1	-	-	1
8; 1	Hampstead *W* - -	11986	-	-	1	-	-	-
9; 1	Regent's Park Pancras -	31918	-	-	2	-	-	-
2	Tottenham-court *w*H -	28433	-	-	3	3	-	-
3	Gray's Inn Lane H -	26523	1	1	3	-	-	1
4	Somers Town - - -	35641	-	-	6	1	1	-
5	Camden Town *W* - -	21115	-	1	1	-	-	1
6	Kentish Town - -	23326	-	1	1	1	-	-
10; 1	Islington West† *W*HHHPP	47881	4	1	4	2	-	1
2	Islington East - -	47448	1	-	3	3	-	-
11; 1	Stoke Newington L -	4840	-	-	-	-	-	-
2	Stamford Hill - - -	5549	-	-	-	-	-	-
3	West Hackney L - -	18732	-	-	-	2	1	-
4	Hackney *W*H*w* - -	20850	-	-	2	3	2	-
5	South Hackney L - -	8458	-	-	-	-	-	-
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	-	1	-	2	-	-
2	St. Giles South *W*H -	19951	-	-	2	3	-	-
3	St. Giles North - -	17456	-	-	-	-	-	-
13; 1	St. Anne Soho - -	17335	-	-	-	-	-	-
2	St. Mary-le-Strand -	11615	-	-	-	-	-	-
3	St. Clement Danes H -	15467	-	-	-	-	-	-
14; 1	St. George-the-Martyr H.	18813	-	-	-	-	-	-
2	St. Andrew, East. Holb. *W*	13971	-	1	-	-	-	-
3	Saffron Hill - - -	13837	-	-	-	1	1	-
15; 1	St. James Clerkenwell *W*P	21529	-	-	3	-	-	-
2	Amwell Clerkenwell P -	15720	-	-	-	-	-	-
3	Pentonville - - -	11904	-	2	-	-	-	-
4	Goswell-street - - -	15625	-	-	1	1	-	-
16; 1	Old-street H - - -	10617	-	1	1	1	-	-
2	City-road HL - -	16840	-	-	1	-	-	-
3	Whitecross-street - -	13657	-	5	1	-	-	-
4	Finsbury - - - -	12941	1	1	1	1	-	2
17; 1	St. Botolph East London	23824	-	-	1	-	-	-
2	Cripplegate P - -	20582	-	4	-	-	-	-
18; 1	West London North *W*HP	12946	-	1	-	-	-	-
2	West London South P -	15887	-	-	-	2	-	-
19; 1	London City South-west -	9204	-	-	-	-	-	-
2	London City North-west -	11847	-	-	-	-	-	-
3	London City South - -	11461	-	-	-	-	-	-
4	London City South-east -	10594	-	-	-	-	-	-
5	London City North-east -	12826	-	-	1	-	-	1

No.*	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	-	-	-	-	-
2	St. Leonard Shoreditch L	19449	1	-	1	1	-	-
3	Hoxton New Town *w* -	23505	1	-	-	-	-	-
4	Hoxton Old Town - -	17431	-	-	2	2	-	-
5	Haggerstone West *W* -	20276	-	1	1	-	-	-
6	Haggerstone East - -	11351	-	-	-	-	-	1
21; 1	Hackney-road - - -	23910	-	-	1	-	-	1
2	Green, Bethnal Green *W*HL	23555	-	-	1	1	-	-
3	Church, Bethnal Green -	21787	-	-	-	-	1	-
4	Town, Bethnal Green -	20941	-	1	1	-	1	1
22; 1	Artillery Whitechapel -	6769	-	-	-	-	-	-
2	Spitalfields - - -	15336	-	-	-	-	-	-
3	Mile End New Town *W*	14543	-	-	-	-	2	1
4	Whitechapel North *W* -	12530	-	1	-	1	-	-
5	Whitechapel Church H -	7818	-	-	-	-	-	-
6	Goodman's Fields - -	12069	-	-	-	-	-	-
7	Aldgate H - - -	10694	-	-	-	1	-	-
23; 1	St. Mary St. Geo. East -	18067	-	1	-	-	-	-
2	St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3	St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1	Shadwell *W* - - -	16179	-	-	1	-	-	1
2	Ratcliff *W* - - -	15212	-	-	2	-	-	-
3	Limehouse *W* - -	22782	-	-	2	4	-	-
24*b*; 1	Mile End Old Town, Westn.	29582	-	-	-	1	-	-
2	Mile End Old T., East. *Ww*H	27020	-	1	1	-	-	1
25; 1	Bow *w*LH - - -	18778	-	-	6	-	-	-
2	Poplar *W* - - -	28384	-	-	6	-	-	1
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	-	-	-	-	-
2	St. Saviour Southwark HH	19709	-	1	2	-	-	1
27; 1	St. Olave Southwark HH	8015	-	-	-	-	-	1
2	St. John Horsleydown *W*	11360	-	-	-	-	-	-
28; 1	St. James Bermondsey -	18899	-	-	2	-	-	1
2	St. Mary Magdalen *W* -	13934	-	-	-	-	-	-
3	Leather Market - -	15295	-	-	-	1	-	-
29; 1	Kent-road - - -	18126	-	-	-	-	-	-
2	Borough-road *W*P -	15862	-	-	-	-	-	-
3	London-road LP - -	17836	-	-	-	1	-	1
30; 1	Trinity Newington P -	20922	-	-	1	1	-	-
2	St. Peter Walworth *W* -	29861	1	2	6	-	1	-
3	St. Mary Newington -	14033	-	-	1	-	-	-
31; 1	Waterloo-road 1st - -	14088	-	1	-	-	-	-
2	Waterloo-road 2nd H -	18348	-	-	1	-	-	-
3	Lambeth Church 1st -	18409	-	-	1	-	-	-
4	Lambeth Church 2nd *W*	26784	-	-	-	1	-	1
5	Kennington 1st - -	24261	-	-	-	-	-	-
6	Kennington 2nd - -	18848	-	-	-	1	-	-
7	Brixton L - - -	14610	-	-	-	-	-	-
8	Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1	Clapham L - - -	16290	-	-	-	1	-	1
2	Battersea *W* - - -	10560	-	-	2	-	-	-
3	Wandsworth PL - -	9611	-	-	-	-	-	-
4	Putney - - - -	5280	-	-	-	-	-	-
5	Streatham - - -	9023	-	-	1	-	-	-
33; 1	Dulwich - - -	1632	-	-	-	-	-	-
2	Camberwell *W*LL - -	17742	-	-	-	-	-	-
3	Peckham - - - -	19444	-	3	-	-	-	-
4	St. George Camberwell -	15849	-	-	-	1	-	-
34; 1	Rotherhithe *W* - -	17805	-	-	-	-	-	1
35; 1	St. Paul Deptford - -	24899	-	-	4	-	-	2
2	St. Nicholas Deptford -	7071	-	-	-	-	-	-
3	Greenwich West H -	18800	-	-	-	-	-	1
4	Greenwich East *W*H -	16228	-	-	-	-	-	-
5	Woolwich Dockyard HP	17140	-	-	-	-	-	1
6	Woolwich Arsenal HPH	15227	-	1	1	-	-	1
36; 1	Plumstead - - -	13191	-	-	-	-	-	-
2	Eltham - - - -	2568	-	-	-	-	-	-
3	Lee - - - - -	8478	-	-	-	-	-	-
4	Lewisham Village *W* -	6097	-	-	1	-	-	-
5	Sydenham - - -	4501	-	-	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a Workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Lower sub-dis. and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.

METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 25TH DECEMBER 1858.
[Under the Superintendence of the Astronomer Royal.]

1858. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	In Water of Thames. Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Between Dew Point and Air Temperature. Great-est.	Between Dew Point and Air Temperature. Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on square foot. Great-est.	Osler's. Pressure on square foot. Least.	Osler's. Pressure on square foot. Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
SUNDAY .	19	..	29·379	48·5	42·0	6·5	45·2	41·6	51·8	24·0	42·0	42·0	3·6	5·7	2·6	+ 5·7	88	S.W.	S.W.	4·0	0·0	1·5	150	0·23
MONDAY .	20	Greatest Dec. N. Full	29·528	46·5	34·9	11·6	40·6	37·0	46·5	32·0	42·0	42·0	3·6	5·5	1·9	+ 1·6	87	S.W.	S.S.W.	0·0	0·0	0·0	110	0·00
TUESDAY .	21	Perigee	29·566	53·5	39·5	14·0	48·0	47·7	53·5	35·0	41·5	41·5	0·3	3·2	0·0	+ 9·6	95	S.	S.W.	7·0	0·0	3·0	230	0·04
WEDNESDAY	22	..	29·573	49·3	42·5	6·8	45·2	38·1	53·0	39·0	41·9	41·9	7·1	8·2	6·6	+ 7·3	77	S.W.	W.S.W.	12·0	0·5	4·0	215	0·05
THURSDAY .	23	..	29·234	52·2	40·5	11·7	47·3	44·0	53·0	39·0	42·6	42·6	3·3	6·5	1·1	+ 9·9	88	S.W. & S.	S.W.	16·0	0·5	4·5	255	0·12
FRIDAY .	24	..	29·402	48·0	39·5	8·5	43·1	36·6	53·0	34·5	42·4	42·4	6·5	8·0	4·1	+ 6·1	79	W.S.W.	S.W.	11·0	0·0	2·5	155	0·00
SATURDAY .	25	..	29·387	47·5	35·1	12·4	42·3	41·7	48·8	28·8	42·9	42·9	0·6	3·7	0·0	+ 5·6	95	Calm	S. & S.W.	4·0	0·0	0·5	175	0·35
MEANS . .		..	29·438	49·3	39·1	10·2	44·5	40·9	51·4	33·2	42·2	42·2	3·6	5·8	2·3	+ 6·5	87	S.W.		..	..	..	Sum 1290	Sum 0·79
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY.	SKY AND ATMOSPHERE.
DECEMBER.			
SUNDAY . .	19	No electricity was shown at any examination.	The sky was generally cloudless till after noon, from which time till after 7h. P.M. it was very variable, and occasionally rain fell; it was generally clear at night.
MONDAY. .	20	No electricity was shown.	The sky was, with little exception, clear until about 8h. P.M.; it was overcast afterwards.
TUESDAY .	21	No electricity was shown.	Overcast throughout the day. Rain fell now and then, and a very strong wind prevailed.
WEDNESDAY	22	Very strong positive electricity was shown at 22h. 45m.; none at any other examination.	The amount of cloud was constantly varying; more or less cirrocumulus was generally present.
THURSDAY .	23	No electricity was shown.	The sky was overcast throughout the day, and rain was frequent; the night was very wild and stormy.
FRIDAY . .	24	Weak positive electricity was shown at night; none at other times.	Generally cloudless throughout the day. The magnets were disturbed.
SATURDAY .	25	No electricity was shown throughout the day.	Generally overcast, with thin rain during the day; a very rough and stormy night.

NOTES.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R.S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 ft. below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·40 in. at the beginning of the week to 29·37 in. by 10h. A.M. on the 19th; and continued at this reading, with slight variations, till after 8h. P.M., when it turned to increase; it was 29·64 in. at 9h. A.M. on the 21st; decreased to 29·53 in. by 9h. P.M. on the same day; turned to increase after noon on the 22d; was 29·68 in. at 9h. P.M. on the same day; decreased quickly to 29·09 in. by 9h. P.M. on the 23d; increased to 29·52 in. by 9h. A.M. on the 25th; and decreased to 29·23 in. by the end of the week.

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

COLLEGE OF SURGEONS OF ENGLAND

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 52. 1858. Vol. XIX.] Week ending Saturday, January 1. [Price 1½d.

General Register Office, Somerset House,
January 3d, 1859.

The total number of deaths registered in the metropolitan districts in the last week of the year was 1494. In the ten years 1848–57 the average number of deaths in the weeks corresponding with last week was 1315; but as the deaths in the return for last week occurred in a population which had increased, they should be compared with the average after it is raised proportionally to the increase, a correction which will make it 1446. The comparison shows that the deaths of last week exceeded by 48 the number which the rate of mortality as derived from the fifty-second week of previous years would have produced.

If the deaths in London last week had been according to "the healthy rate" of mortality derived from certain selected English districts in the last quarter of the year, they would have been 765; and the excess above this point which the true number exhibits is 729, and represents what may be termed the *unnatural* part of the mortality.

Fatal cases of diseases of the zymotic class numbered last week 400; the corrected average for corresponding weeks being only 298. Measles, scarlatina, whooping-cough, and typhus all exhibit an increase on some previous weeks. Scarlatina was fatal in 135 cases. Five of these occurred in the Kensington Town sub-district, 6 in that of Christchurch, Marylebone, 5 in Kentish Town, 7 in Poplar. This disease continued very fatal in the Pancras district. Measles carried off 53 children; it prevails chiefly in the North and Central districts. Whooping-cough carried off 61 children; 8 of these in the East sub-district of Islington. Of the 52 deaths from typhus, one occurred in Butcher-row, Deptford, in a family consisting of ten persons, of whom seven have been attacked by the disease. The premises are described as being in a filthy condition. Last week the deaths from bronchitis were 167, the average being 134; and those from pneumonia (inflammation of the lungs) were 122, the average being 106.

Nineteen women died last week from diseases incidental to childbearing. Three persons died from intemperance. The deaths of one man and three women (widows) occurred at the age of 90 years and upwards; their respective ages as registered being 90, 93, 95, and 100 years. But the Registrar believes that there is good ground for questioning the alleged age of the centenarian.

Last week the births of 981 boys and 1013 girls, in all 1994 children, were registered in London. In the ten corresponding weeks of the years 1848–57 the average number was 1541.

At the Royal Observatory, Greenwich, the mean height of the barometer in the week was 29·744 in. On the last two days the mean reading was above 30 in. The barometrical readings varied from 29·15 in. to 30·15 in. The mean temperature of the week was 41·4°, which is 4·4° above the average of the same week in 43 years (as determined by Mr. Glaisher). The mean daily temperature was above the average throughout the week. The *highest* temperature was 49·8°, and occurred on Sunday the 26th ult. The *lowest* was 31·9°, and occurred on Thursday. The range of the week was therefore 17·9°. The mean daily range was 8°. The range of temperature on Friday was only 4·5°. The difference

between the mean dew-point temperature and air temperature was 3°. The mean degree of humidity of the air was 88; on Thursday and Friday the humidity was 98, almost the point of complete saturation. The mean temperature of the water of the Thames was 41·8°. The wind blew generally from the south-west. On Sunday evening lightning was seen; and on that day rain fell to the amount of 0·16 in. The total amount in the week was 0·22 in.

St. Martin-in-the-Fields; *Charing Cross.*—At 6 York-buildings, on 25th December, a shopman in a lead warehouse, aged 46 years, "phthisis from absorption of salts of lead."

Greenwich; *Woolwich Arsenal.*—At Edward-street, on 18th December, the son of a broker, aged 9 months, "from the effects of an overdose of syrup of poppies given in ignorance of its effects by the nurse." (*Inquest.*)

Pancras; *Camden Town.*—At 2 Flemings-place, Bayham-street, on 25th December, the son of a watchmaker, aged 9 months, "administration of colchicum wine instead of antimonial wine." *Post mort.* (*Inquest.*)

In the same sub-district, at the Workhouse, on 24th December, the widow of a general labourer, aged 100 years, "natural decay." The Registrar says:—"There is reason to believe, from information I have gained, that the age of this female was at least 10 years less than is here represented."

Wandsworth; *Streatham.*—Adjoining Bridge Farm, on 27th December, an almsman, formerly a carpenter, aged 77 years, "elephantiasis (8 years), bronchitis (6 days)."

Greenwich; *St. Nicholas, Deptford.*—At Butcher-row, on 28th December, the son of a gatekeeper, aged 15 years, "febris typhoid (three weeks)." The medical attendant adds this note:—"In this family of 10 persons 7 have been seriously attacked, 3 of whom had a narrow escape. There is an open privy on the premises emitting offensive effluvia."

Births Registered last Week, and in the Fifty-second Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1458	1226	1370	1275	1911	1566	1639	1563	1472	1933	1541·3	1994*
Males . .	733	618	658	660	987	791	820	805	749	1041	786·2	981
Females .	725	608	712	615	924	775	819	758	723	892	755·1	1013

Deaths Registered last Week, and in the Fifty-second Week of Ten previous Years.

	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	Average of 10 Weeks.	1858
Total . . .	1403	1053	1196	1040	1308	1656	1508	1485	1069	1431	1314·9	1494*
Males . .	709	540	577	526	715	861	789	743	553	755	676·8	760
Females .	694	513	619	514	593	795	719	742	516	676	638·1	734

Births and Deaths Registered in London in the last Thirteen Weeks, with the *Mean Temperature* for the same periods.

	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.
Births	1521	1767	1695	1780	1806	1814	1633	1761	1763	1805	1770	1412	1994
Deaths	993	1149	1113	1133	1217	1349	1487	1802	1738	1531	1442	1240	1494
Deaths (except from Violence) . . .	952	1120	1077	1103	1184	1321	1452	1760	1702	1493	1394	1219	1440
Deaths (except from Violence) at 60 years and upwards . .	141	182	173	185	203	235	247	375	390	293	278	248	258
Small-pox	1	3	5	6	3	15	10	10	13	13	16	10	13
Measles	36	23	39	33	42	38	41	51	39	46	43	40	53
Scarlatina	145	160	156	156	138	145	133	163	128	137	112	106	135
Whooping-cough . .	28	29	31	31	38	42	49	46	69	47	41	47	61
Typhus	42	57	47	47	40	36	46	47	51	45	34	32	52
Diarrhœa	44	31	26	16	19	12	9	15	13	11	10	13	15
Mean Temperature .	52°·1	53°·1	51°·1	47°·2	43°·3	39°·0	35°·5	37°·4	46°·3	36°·5	38°·9	44°·5	41°·4

* The Births for Lee are not inserted, but an average of 2 is inserted instead thereof. The Deaths for Eltham and Lee are not inserted above, but averages of 2 for the former and 3 for the latter are substituted for the true numbers. It has been ascertained that the true number for Eltham is also 2.

DEATHS in LONDON, from ALL CAUSES, Registered in the FIFTY-SECOND WEEK of each of the following Years.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 30 1848	Dec. 29 1849	Dec. 28 1850	Dec. 27 1851	Jan. 1 1853	Dec. 31 1853	Dec. 30 1854	Dec. 29 1855	Dec. 27 1856	Jan. 2 1858	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 1, 1859. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature .	41°·2	33°·1	38°·3	38°·7	47°·5	29°·0	39°·8	44°·8	35°·7	39°·1	38°·7	Mean Temp. 41°·4					
	ALL CAUSES . . .	1403	1053	1196	1040	1308	1656	1508	1485	1069	1431	1314·9	1494†	811	202	211	213	52
	SPECIFIED CAUSES .	1357	996	1135	1006	1253	1560	1405	1400	1020	1384	1251·6	1467	800	200	206	209	52
	(CLASSES.)																	
I.	ZYMOTIC DISEASES .	388	193	264	216	250	321	307	290	216	264	270·9	400	333	31	20	11	5
II.	CONSTITUTIONAL „ .	247	199	210	183	248	256	220	221	198	239	222·1	240	82	82	54	21	1
III.	LOCAL „ .	516	422	487	440	491	663	560	628	470	604	528·1	619	281	65	118	135	20
IV.	DEVELOPMENTAL „ .	124	117	120	110	119	180	156	145	107	162	134·0	154	76	14	3	37	24
V.	VIOLENT DEATHS . .	82	65	54	57	145	140	162	116	29	115	96·5	54	28	8	11	5	2
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES . .	368	176	238	202	235	291	287	274	203	231	250·5	376	316	26	18	11	5
	2. ENTHETIC „ . .	1	2	2	3	3	5	3	1	4	5	2·9	8	4	3	1	..	..
	3. DIETIC „ . .	15	14	20	10	11	22	16	11	7	25	15·1	9	6	2	1	..	..
	4. PARASITIC „ . .	4	1	4	1	1	3	1	4	2	3	2·4	7	7	..	..	..	..
II.	1. DIATHETIC „ . .	48	47	37	43	59	54	49	45	33	38	45·3	45	9	6	15	14	1
	2. TUBERCULAR „ . .	199	152	173	140	189	202	171	176	165	201	176·8	195	73	76	39	7	..
III.	1. DISEASES OF NERVOUS SYSTEM . .	161	133	94	114	169	184	149	133	110	153	140·0	167	72	20	32	39	4
	2. „ OF ORGANS OF CIRCULATION .	47	40	56	37	65	63	53	64	51	67	54·3	52	2	10	21	18	1
	3. „ OF RESPIRATORY ORGANS . .	223	185	264	219	191	347	268	348	233	297	257·5	318	191	21	41	54	11
	4. „ OF DIGESTIVE ORGANS . . .	61	38	49	48	42	44	61	54	49	48	49·4	47	8	6	17	15	1
	5. „ OF URINARY ORGANS . . .	13	14	14	9	16	13	13	15	21	18	14·6	22	2	5	4	8	3
	6. „ OF ORGANS OF GENERATION .	4	6	3	5	2	2	4	5	1	4	3·6	5	1	2	2	..	..
	7. „ OF ORGANS OF LOCOMOTION .	1	1	4	4	2	5	2	1	..	5	2·5	1	1	..	..	..	..
	8. „ OF INTEGUMENTARY SYSTEM .	6	5	3	4	4	5	10	8	5	12	6·2	7	4	1	1	1	..
IV.	1. DEV. DISEASES OF CHILDREN	30	34	50	40	48	53	50	44	38	59	44·6	26	26	..	..	..	..
	2. „ OF ADULTS .	11	11	7	1	4	5	4	4	3	6	5·6	12	..	12	..	..	..
	3. „ OF OLD PEOPLE	59	51	45	39	46	77	60	64	40	54	53·5	50	..	..	..	26	24
	4. DISEASES OF NUTRITION .	24	21	18	30	21	45	42	33	26	43	30·3	66	50	2	3	11	..
V.	1. ACCIDENT OR NEGLIGENCE .	In this part of the Table which comprises the Deaths in 1848–57 the Violent Deaths are not classed according to ORDERS, but they are placed indiscriminately in the next line following.											47	28	4	9	4	2
	* 3. HOMICIDE												2	..	1	..	1	..
	4. SUICIDE												5	..	3	2	..	..
	5. EXECUTION												..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	82	65	54	57	145	140	162	116	29	115	96·5	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	37	45	25	14	43	54	61	31	13	35	35·8	17	9	1	4	3	..
	CAUSES NOT SPECIFIED . .	9	12	36	20	12	42	42	54	36	12	27·5	10†	2	1	1	1	..

* Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

† See Note, page 422.

DEATHS in LONDON, from ALL CAUSES, Registered

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 30 1848	Dec. 29 1849	Dec. 28 1850	Dec. 27 1851	Jan. 1 1853	Dec. 31 1853	Dec. 30 1854	Dec. 29 1855	Dec. 27 1856	Jan. 2 1858	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 1, 1859. Deaths of Persons of the Ages: ALL AGES.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	41·2°	33·1°	38·3°	38·7°	47·5°	29·0°	39·8°	44·8°	35·7°	39·1°	38·7°	Mean Temp. 41·4°					
I.	ORDER 1.																	
	1. Small-pox	35	7	30	29	5	7	33	17	5	..	16·8	13	12	1	..	..	..
	2. Measles	17	42	20	10	16	39	30	37	32	45	28·8	53	53	..	..	..	..
	3. Scarlatina	94	25	22	36	67	40	82	50	26	25	46·7	135	128	3	2	1	1
	4. Quinsy	1	1	3	3	3	2	..	3	1	3	2·0	4	4	..	..	..	..
	5. Croup	7	11	7	5	5	15	12	10	9	13	9·4	8	8	..	..	..	..
	6. Whooping-cough	55	24	61	31	35	65	41	66	55	57	49·0	61	61	..	..	..	..
	7. Typhus (and Infantile fever)	71	32	32	43	53	58	43	51	38	43	46·4	52	26	8	11	5	2
	8. Erysipelas	8	9	8	9	8	6	9	9	10	8	8·4	6	2	1	2	1	..
	9. Metria	4	3	4	7	4	4	2	3	2	3	3·6	7	..	7	..	..	..
	10. Carbuncle	..	..	..	1	2	..	1	2	1	4	1·1	2	..	..	2	..	..
	11. Influenza	3	8	5	2	5	3	3	..	3	6	3·8	3	2	..	..	..	1
	12. Dysentery	2	2	1	2	..	5	2	4	5	1	2·4	..	..	..	..	..	..
	13. Diarrhœa	30	9	31	19	18	29	16	14	12	12	19·0	15	9	2	..	3	1
	14. Cholera	30	..	..	..	3	10	2	..	..	1	4·6	..	..	..	..	..	..
	15. Ague	1	..	1	..	..	..	..	..	1	1	·4	..	..	..	..	..	..
	16. Remittent Fever	2	..	4	1	2	3	1	..	1	1	1·5	6	6	..	..	..	..
	17. Rheumatism	8	3	9	4	9	5	10	8	2	8	6·6	11	5	4	1	1	..
	ORDER 2.																	
	1. Syphilis	1	1	2	2	3	5	2	1	4	2	2·3	8	4	3	1	..	..
	2. Stricture of Urethra	..	1	..	1	..	..	1	..	..	3	·6	..	..	..	..	..	..
	3. Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	4. Glanders	Deaths in 1848–57 classed in this Table with *Erysipelas*.											..	..	..	..	..	..
	ORDER 3.																	
	1. Privation	3	3	3	1	2	2	2	..	1	4	2·1	..	..	..	..	..	..
	2. Want of Breast-milk	3	4	11	7	4	8	8	3	2	11	6·1	5	5	..	..	..	..
	3. Purpura and Scurvy	2	..	..	1	..	1	..	1	1	1	·7	1	1	..	..	..	..
	4. Alcoholism { *a* Del. Tremens	4	2	4	..	1	2	3	3	2	1	2·2	..	..	..	..	..	..
	4. Alcoholism { *b* Intemperance	3	5	2	1	4	9	3	4	1	8	4·0	3	..	2	1	..	..
	ORDER 4.																	
	1. Thrush	4	1	4	1	1	3	1	4	2	3	2·4	6	6	..	..	..	..
	2. Worms, &c.	Deaths in 1848–57 classed in this Table with *Dis. of Stomach*.											1	1	..	..	..	..
II.	ORDER 1.																	
	1. Gout	..	2	1	..	2	..	2	1	3	..	1·1	1	..	..	1	..	..
	2. Dropsy	20	19	11	18	22	20	19	15	12	9	16·5	16	9	2	4	1	..
	3. Cancer	22	23	21	18	31	31	20	22	12	22	22·2	25	..	4	9	11	1
	4. Noma	..	..	..	5	1	1	..	..	3	1	1·1	..	..	..	..	..	..
	5. Mortification	6	3	4	2	3	2	8	7	3	6	4·4	3	..	..	1	2	..
	ORDER 2.																	
	1. Scrofula	10	6	6	6	5	5	6	8	4	8	6·4	7	6	1	..	..	..
	2. Tabes Mesenterica	15	7	14	10	11	21	9	7	7	11	11·2	11	11	..	..	..	..
	3. Phthisis	144	115	124	98	153	151	136	138	128	148	133·5	148	28	75	38	7	..
	4. Hydrocephalus	30	24	29	26	20	25	20	23	26	34	25·7	29	28	..	1	..	..
III.	ORDER 1.																	
	1. Cephalitis	9	5	11	8	12	11	8	16	10	10	10·0	12	5	5	1	1	..
	2. Apoplexy	46	44	23	22	43	45	32	38	22	40	35·5	39	7	5	14	11	2
	3. Paralysis	24	21	13	18	30	38	33	23	18	22	24·0	37	1	3	10	22	1
	4. Insanity	1	2	1	1	2	5	2	2	1	3	2·0	4	..	1	1	2	..
	5. Chorea	..	..	..	..	1	..	..	..	..	..	·1	..	..	..	..	..	..
	6. Epilepsy	4	5	4	4	11	11	5	5	4	8	6·1	8	1	2	2	2	1
	7. Convulsions	61	42	26	46	57	50	56	35	38	47	45·8	48	48	..	..	..	..
	8. *Brain Disease, &c.*	16	14	16	15	13	24	13	14	17	23	16·5	19	10	4	4	1	..
	ORDER 2.																	
	1. Pericarditis	5	4	7	2	7	..	6	3	..	2	3·6	2	1	1	..	..	..
	2. Aneurism	..	..	1	1	..	2	4	2	..	3	1·3	2	..	..	1	1	..
	3. *Heart Disease, &c.*	42	36	48	34	58	61	43	59	51	62	49·4	48	1	9	20	17	1
	ORDER 3.																	
	1. Laryngitis	2	1	2	1	4	5	20	6	8	6	5·5	6	4	..	1	1	..
	2. Bronchitis	80	78	120	90	79	171	122	204	118	158	122·0	167	76	12	29	41	9
	3. Pleurisy	4	..	3	7	6	5	3	1	5	2	3·6	4	1	..	1	2	..
	4. Pneumonia	120	69	90	96	84	118	99	107	67	116	96·6	122	108	4	5	3	2
	5. Asthma	9	29	33	17	11	31	13	22	23	11	19·9	13	1	3	3	6	..
	6. *Lung Disease, &c.*	8	8	16	8	7	17	11	8	12	4	9·9	6	1	2	2	1	..
	ORDER 4.																	
	1 Gastritis	4	2	5	1	..	..	3	3	2	3	2·3	1	..	..	1	..	..
	2. Enteritis	6	3	8	8	4	5	9	5	6	6	6·0	7	1	1	1	4	..
	3. Peritonitis	7	3	6	8	4	3	7	4	4	4	5·0	2	1	1	..	..	..
	4. Ascites	2	2	2	3	4	..	3	3	4	3	2·6	2	..	..	1	..	1
	5. Ulceration of Intestines	4	1	..	1	..	5	2	5	1	5	2·4	2	..	..	1	1	..
	6. Hernia	3	4	4	3	4	4	3	2	4	3	3·4	2	1	1	..	..	..
	7. Ileus	2	2	4	4	2	4	6	6	7	3	4·0	4	2	..	1	1	..
	8. Intussusception	..	2	1	..	..	..	1	1	..	1	·6	..	..	..	..	..	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers, under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess"

in the FIFTY-SECOND Week of each of the following Years—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Week ending Saturday, Dec. 30 1848	Dec. 29 1849	Dec. 28 1850	Dec. 27 1851	Jan. 1 1853	Dec. 31 1853	Dec. 30 1854	Dec. 29 1855	Dec. 27 1856	Jan. 2 1858	Averages of Temperature and of Deaths in 10 Weeks.	In the Week ending Saturday, Jan. 1, 1859. ALL AGES.	Mean Temp	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	41°·2	33°·1	38°·3	38°·7	47°·5	29°·0	39°·8	44°·8	35°·7	39°·1	38°·7		41°·4					
	9. Stricture of Intestines	..	..	..	..	1	..	1	..	..	1	·3		1	..	1	..	..	..
	10. Fistula	..	1	..	..	..	..	2	..	..	1	·4		1	..	..	1	..	..
	11. *Stomach Disease, &c.*	8	6	6	7	7	5	4	8	4	8	6·3		4	1	..	..	3	..
	12. *Pancreas Disease, &c.*	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..
	13. Hepatitis	1	1	2	..	3	2	2	3	2	2	1·8		7	1	1	2	3	..
	14. Jaundice	2	1	2	1	3	6	1	2	3	1	2·2		2	..	..	1	1	..
	15. *Liver Disease, &c.*	21	10	9	12	10	10	16	11	12	7	11·8		11	1	1	7	2	..
	16. *Spleen Disease, &c.*	1	..	..	..	..	..	1	1	..	..	·3		1	..	..	1	..	..
	ORDER 5.																		
	1. Nephritis	..	1	..	..	1	1	1	..	1	..	·5		1	..	..	..	1	..
	2. Ischuria	..	..	..	..	..	..	..	..	1	..	·1		..	..	..	..	..	..
	3. Nephria (Bright's disease)	3	3	4	4	5	5	5	2	11	8	5·0		7	1	3	..	3	..
	4. Diabetes	2	2	3	..	1	1	..	..	2	1	1·2		1	..	1	..	..	..
	5. Stone	1	2	..	1	2	..	1	1	2	..	1·0		2	..	..	2	..	..
	6. Cystitis	..	1	..	1	1	..	2	1	1	..	·7		4	..	..	..	1	3
	7. *Kidney Disease, &c.*	7	5	7	3	6	6	4	11	3	9	6·1		7	1	1	2	3	..
	ORDER 6.																		
	1. Ovarian Dropsy	..	..	..	2	..	..	..	1	..	1	·4		1	..	..	1	..	..
	2. *Uterus Disease, &c.*	4	6	3	3	2	2	4	4	1	3	3·2		4	1	2	1	..	..
	ORDER 7.																		
	1. Arthritis	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..
	2. *Joint Disease, &c.*	1	1	4	4	2	5	2	1	..	5	2·5		1	1	..	..	..	..
	ORDER 8.																		
	1. Phlegmon	3	2	..	3	3	4	5	5	3	8	3·6		3	1	1	1	..	..
	2. Ulcer	3	1	1	..	1	1	4	1	2	2	1·6		1	1	..	..	..	..
	3. *Skin Disease, &c.*	..	2	2	1	..	..	1	2	..	2	1·0		3	2	..	..	1	..
IV.	ORDER 1.																		
	1. Premature Birth	20	25	32	26	31	35	31	31	28	43	30·2		11	11	..	..	..	..
	2. Cyanosis	In this Table the *Malformations* in 1848-57 are not distinguished, but are placed in the next line following.												2	2	..	..	..	..
	3. Spina Bifida													..	..	..	..	..	..
	4. Other Malformations	1	4	6	4	4	6	3	2	2	6	3·8		2	2	..	..	..	..
	5. Teething	9	5	12	10	13	12	16	11	8	10	10·6		11	11	..	..	..	..
	ORDER 2.																		
	1. Paramenia	1	..	1	..	..	..	..	..	..	..	·2		..	..	..	..	..	..
	2. Childbirth (*see* Metria)	10	11	6	1	4	5	4	4	3	6	5·4		12	..	12	..	..	..
	ORDER 3.																		
	1. Old Age	59	51	45	39	46	77	60	64	40	54	53·5		50	..	..	..	26	24
	ORDER 4.																		
	1. Atrophy and Debility	24	21	18	30	21	45	42	33	26	43	30·3		66	50	2	3	11	..
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																		
	1. Fractures and Contusions	*	*	*	*	*	*	*	*	*	*	*		19	4	3	7	3	2
	2. Wounds	*	*	*	*	*	*	*	*	*	*	*		..	..	..	..	..	..
	3. Burns and Scalds	*	*	*	*	*	*	*	*	*	*	*		12	12	..	..	..	..
	4. Poison	*	*	*	*	*	*	*	*	*	*	*		4	3	..	1	..	..
	5. Drowning	*	*	*	*	*	*	*	*	*	*	*		2	..	1	1	..	..
	6. Suffocation	*	*	*	*	*	*	*	*	*	*	*		10	9	..	..	1	..
	7. Otherwise	*	*	*	*	*	*	*	*	*	*	*		..	..	..	..	..	..
	ORDER 3. (HOMICIDE.)																		
	1. Murder and Manslaughter	* In this part of the Table which comprises Deaths in 1848-57 the Violent Deaths are not distinguished according to ORDERS, but are placed indiscriminately in the next line following.												2	..	1	..	1	..
	ORDER 4. (SUICIDE.)																		
	1. Wounds — Gunshot	*	*	*	*	*	*	*	*	*	*	*		..	..	..	..	..	..
	1. Wounds — Cut, Stab	*	*	*	*	*	*	*	*	*	*	*		1	..	..	1	..	..
	2. Poison	*	*	*	*	*	*	*	*	*	*	*		3	..	3	..	..	..
	3. Drowning	*	*	*	*	*	*	*	*	*	*	*		..	..	..	..	..	..
	4. Hanging	*	*	*	*	*	*	*	*	*	*	*		1	..	..	1	..	..
	5. Otherwise	*	*	*	*	*	*	*	*	*	*	*		..	..	..	..	..	..
	ORDER 5. (EXECUTION.)																		
	1. Hanging	*	*	*	*	*	*	*	*	*	*	*		..	..	..	..	..	..
	Violent Deaths (not classed)	82	65	54	57	145	140	162	116	29	115	96·5		..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	37	45	25	14	43	54	61	31	13	35	35·8		17	9	1	4	3	..
	Causes not specified or ill-defined	9	12	36	20	12	42	42	54	36	12	27·5		10†	2	1	1	1	..

with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.) As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

† See Note, page 422.

DEATHS Registered in the FIFTY-SECOND WEEK of each of the following Years, with the Mean Temperature for the same periods.

SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	POPULATION in 1851.	Deaths in Districts, &c. in the Week ending Saturday, Dec. 30 1848	Dec. 29 1849	Dec. 28 1850	Dec. 27 1851	Jan. 1 1853	Dec. 31 1853	Dec. 30 1854	Dec. 29 1855	Dec. 27 1856	Jan. 2 1858	Averages of Temperature and of Deaths in 10 Weeks.	Week ending Saturday, Jan. 1 1859.
Mean Temperature . . .			° 41·2	° 33·1	° 38 3	° 38·7	° 47·5	° 29·0	° 39·8	° 44·8	° 35·7	° 39·1	° 38·7	° 41·4
LONDON	78029	2362236	1403	1053	1196	1040	1308	1656	1508	1485	1069	1431	1314·9	1494
1-6. WEST DISTRICTS .	10786	376427	200	155	178	133	171	229	221	220	185	193	188·5	191
7-11. NORTH DISTRICTS .	13533	490396	250	186	233	188	240	318	281	309	242	326	257·8	324
12-19. CENTRAL DISTRICTS	1938	393256	229	206	206	147	220	266	211	215	159	267	212·6	208
20-25. EAST DISTRICTS .	6230	485522	311	239	263	303	335	420	367	333	219	287	307·7	334
26-36. SOUTH DISTRICTS .	45542	616635	413	267	311	269	342	423	428	408	264	358	348·3	437
1. Kensington* HHHH .	7374	120004	49	37	53	29	51	76	61	85	76	60	57·7	71
2. Chelsea H*w* . . .	865	56538	27	21	30	23	23	32	30	36	18	34	27·4	37
3. St. George Hanover-sq. H	1161	73230	46	23	31	23	38	33	44	32	34	42	34·6	21
4. Westminster* HHHH .	917	65609	44	32	43	40	30	33	40	48	27	31	37·3	37
5. St. Martin-in-the-Fields H	305	24640	21	23	11	7	10	30	35	7	15	8	16·7	10
6. St. James Westminster .	164	36406	13	19	10	11	19	20	11	12	15	18	14·8	15
7. Marylebone HH . .	1509	157696	82	66	101	65	107	100	77	95	72	103	86·8	88
8. Hampstead	2252	11986	1	4	5	5	2	5	8	7	5	7	4·9	8
9. Pancras HH*w* . . .	2716	166956	90	70	61	57	71	128	113	116	90	112	90·8	122
10. Islington HHH . .	3127	95329	54	27	45	38	40	59	60	59	53	69	50·4	66
11. Hackney* H*w* . . .	3929	58429	23	19	26	23	20	26	23	32	22	35	24·9	40
12. St. Giles* H . . .	245	54214	30	36	20	24	43	53	31	47	17	54	35·5	23
13. Strand* H	172	44417	22	13	21	17	25	21	11	24	23	21	19·8	21
14. Holborn* H . . .	196	46621	16	21	36	19	24	37	39	29	28	38	28·7	31
15. Clerkenwell	380	64778	38	27	38	18	27	29	29	29	17	38	29·0	38
16. St. Luke HH . . .	220	54055	28	36	20	19	22	30	37	28	27	36	28·3	30
17. East London* . . .	153	44406	35	30	21	19	24	36	23	16	15	26	24·5	18
18. West London* H . .	138	28833	33	19	24	18	36	30	22	22	20	32	25·6	32
19. London City* . . .	434	55932	27	24	26	13	19	30	19	20	12	22	21·2	15
20. Shoreditch *w* . . .	646	109257	63	56	69	64	63	71	69	69	52	48	62·4	98
21. Bethnal Green H . .	760	90193	56	42	27	27	51	60	44	32	34	45	41·8	47
22. Whitechapel* HH . .	406	79759	80	39	45	86	92	100	106	108	44	62	76·2	63
23. St. George in the East .	243	48376	24	23	26	37	24	39	41	40	21	33	30·8	10
24*a*. Stepney*	576	54173	68	52	64	65	72	104	83	45	49	70	67·2	32
24*b*. Mile-end Old Town H*w*	681	56602												40
25. Poplar* H*w* . . .	2918	47162	20	27	32	24	33	46	24	39	19	29	29·3	44
26. St. Saviour Southwark* HH	250	35731	26	17	26	22	21	22	27	17	17	21	21·6	27
27. St. Olave Southwark* HH	169	19375	48	23	26	16	26	27	26	21	20	22	25·5	18
28. Bermondsey	688	48128	37	26	26	28	18	18	35	31	24	31	27·4	41
29. St. George Southwark .	282	51824	40	26	32	23	35	39	37	43	18	31	32·4	35
30. Newington	624	64816	38	23	41	26	17	44	34	37	29	38	32·7	45
31. Lambeth H	4015	139325	70	54	64	66	65	100	69	86	52	64	69·0	98
32. Wandsworth* . . .	11695	50764	27	18	19	19	39	25	25	27	25	19	24·3	33
33. Camberwell	4342	54667	35	24	33	18	17	36	26	23	24	30	26·6	44
34. Rotherhithe	886	17805	8	11	4	3	7	8	20	17	8	15	10·1	10
35. Greenwich* HHHHH .	5367	99365	67	33	34	36	76	85	103	81	36	61	61·2	67
36. Lewisham*	17224	34835	17	12	6	12	21	19	26	25	11	26	17·5	19†

NOTE.—The deaths of last week may be compared with the average of deaths in corresponding weeks of 1848-57, after raising the average by a tenth part. This correction is made for increase of population.

* The Superintendent Registrars' Districts distinguished thus (*) are *not* co-extensive with the parishes from which most of them are named, but generally correspond with the respective *Poor Law Unions* of the same names; the exceptions are, Kensington (No. 1.) consisting of the Parishes of Kensington and Paddington with the Fulham Union; Westminster (No. 4.) and St. Giles (No. 12.), consisting respectively of combined parishes in which the relief of the Poor is administered under Local Acts.

† Averages of 2 and 3 are inserted for Eltham and Lee.

LONDON.—DEATHS registered in 117 PUBLIC INSTITUTIONS.

	In the Week ending Dec. 25. Total.	Males.	Females.	In the Week ending Jan. 1. Total.	Males.	Females.
TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS .	167	87	80	240	142	98
45 WORKHOUSES	101	47	54	147	76	71
14 PRISONS . . . . . ‡	–	–	–	–	–	–
4 MILITARY AND NAVAL ASYLUMS . . . . §	4	4	–	7	7	–
15 GENERAL HOSPITALS	46	26	20	60	39	21
7 HOSPITALS FOR SPECIAL DISEASES	4	2	2	6	4	2
4 LYING-IN HOSPITALS . . . . Women .	–	–	–	1	1	–
4 LYING-IN HOSPITALS . . . . Children .	1	–	1	–	–	–
7 MILITARY AND NAVAL HOSPITALS	1	1	–	6	6	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS . .	1	1	–	–	–	–
19 LUNATIC ASYLUMS	9	6	3	13	9	4

‡ The infant children of female prisoners are not included.

§ The *out-pensioners* of Greenwich and Chelsea Hospitals are not classed under this head.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the Week ending Saturday, 1st January 1859.

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
LONDON - -	2362236	13	53	135	61	15	52
No.*							
1-6 WEST DISTRICTS - -	376427	-	2	18	2	1	5
7-11 NORTH DISTRICTS - -	490396	4	16	35	14	3	9
12-19 CENTRAL DISTRICTS -	393256	1	18	17	10	1	3
20-25 EAST DISTRICTS - -	485522	6	9	26	18	6	20
26-36 SOUTH DISTRICTS - -	616635	2	8	39	17	4	15
WEST DISTRICTS.							
1; 1 St. Mary Paddington *W* H	17252	-	-	1	-	-	1
2 St. John Paddington H -	29053	-	-	-	-	-	2
3 Kensington Town *W* L -	29183	-	-	5	-	-	1
4 Brompton HH -	14870	-	-	1	-	-	-
5 St. Peter Hammersmith -	4467	-	-	-	-	-	-
6 St. Paul Hammersmith -	13293	-	1	1	-	-	-
7 Fulham *W* LLLL - -	11886	-	-	2	-	-	-
2; 1 Chelsea South H - -	19050	-	1	1	-	1	-
2 Chelsea North-west *Ww*	17669	-	-	-	-	-	-
3 Chelsea North-east L -	19819	-	-	-	-	-	-
3; 1 Hanover-square - -	20216	-	-	-	-	-	-
2 May Fair *W* - - -	12980	-	-	-	-	-	-
3 Belgrave H - - -	40034	-	-	-	1	-	-
4; 1 St. John Westmr. HHHP	34295	-	-	4	-	-	1
2 St. Margaret West. *W* HP	31314	-	-	-	1	-	-
5; 1 Charing Cross *W* H -	12587	-	-	-	-	-	-
2 Long Acre - - -	12053	-	-	1	-	-	-
6; 1 Berwick-street - -	10798	-	-	2	-	-	-
2 St. James's-square - -	11469	-	-	-	-	-	-
3 Golden-square *W* - -	14139	-	-	-	-	-	-
NORTH DISTRICTS.							
7; 1 All Souls Marylebone H -	28841	-	1	4	1	-	-
2 Cavendish-square - -	14687	-	-	-	-	-	-
3 Rectory Marylebone *W* -	27633	-	-	2	-	1	1
4 St. Mary Marylebone H -	22814	-	1	-	-	-	1
5 Christchurch Marylebone	33895	-	-	6	1	-	2
6 St. John Marylebone -	29826	-	1	-	-	-	-
8; 1 Hampstead *W* - -	11986	-	1	2	-	-	-
9; 1 Regent's Park Pancras -	31918	3	-	3	-	-	2
2 Tottenham-court *w*H -	28433	-	1	3	2	-	-
3 Gray's-inn-lane H -	26523	-	1	2	-	-	-
4 Somers-town - - -	35641	-	-	2	1	-	-
5 Camden-town *W* - -	21115	-	3	1	-	-	-
6 Kentish-town - - -	23326	-	1	5	-	2	-
10; 1 Islington West† *W* HHHPP	47881	1	3	-	1	-	2
2 Islington East - - -	47448	-	2	1	8	-	1
11; 1 Stoke Newington L -	4840	-	-	1	-	-	-
2 Stamford-hill - - -	5549	-	-	1	-	-	-
3 West Hackney L - -	18732	-	-	-	-	-	-
4 Hackney *W* H*w* - -	20850	-	-	-	-	-	-
5 South Hackney L - -	8458	-	1	2	-	-	-
CENTRAL DISTRICTS.							
12; 1 St. George Bloomsbury -	16807	-	-	2	1	-	-
2 St. Giles South *W* H -	19951	-	1	1	-	-	-
3 St. Giles North - -	17456	-	-	2	-	-	-
13; 1 St. Anne Soho - - -	17335	-	-	2	-	-	1
2 St. Mary-le-Strand - -	11615	-	-	-	-	-	-
3 St. Clement Danes H -	15467	-	-	-	-	-	-
14; 1 St. George-the-Martyr H.	18813	-	1	2	2	-	1
2 St. Andrew East. Holb. *W*	13971	-	1	-	1	-	-
3 Saffron-hill - - -	13837	-	2	1	-	-	-
15; 1 St. James Clerkenwell *W* P	21529	-	-	-	-	-	-
2 Amwell Clerkenwell P -	15720	-	1	-	-	-	-
3 Pentonville - - -	11904	-	-	2	-	-	1
4 Goswell-street - -	15625	-	2	1	-	-	-
16; 1 Old-street H - - -	10617	-	1	-	-	-	-
2 City-road HL - -	16840	-	2	-	-	-	-
3 Whitecross-street - -	13657	-	1	-	1	-	-
4 Finsbury - - - -	12941	-	1	1	-	-	-
17; 1 St. Botolph East London	23824	-	-	1	-	-	-
2 Cripplegate P - -	20582	1	-	-	-	-	-
18; 1 West London North *W* HP	12946	-	2	2	2	1	-
2 West London South P -	15887	-	1	-	2	-	-
19; 1 London City South-west -	9204	-	1	-	1	-	-
2 London City North-west -	11847	-	-	-	-	-	-
3 London City South -	11461	-	-	-	-	-	-
4 London City South-east -	10594	-	1	-	-	-	-
5 London City North-east -	12826	-	-	-	-	-	-

REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
EAST DISTRICTS.							
No.*							
20; 1 Holywell Shoreditch -	17245	-	-	-	-	1	2
2 St. Leonard Shoreditch L	19449	-	2	1	3	-	-
3 Hoxton New Town *w* -	23505	1	1	1	2	-	3
4 Hoxton Old Town - -	17431	-	-	2	-	-	-
5 Haggerstone West *W* -	20276	1	1	1	-	-	2
6 Haggerstone East - -	11351	1	1	-	-	1	1
21; 1 Hackney Road - -	23910	2	1	1	-	1	1
2 Green, Bethnal Green *W* HL	23555	-	-	2	1	-	-
3 Church, Bethnal Green -	21787	-	-	-	-	-	2
4 Town, Bethnal Green -	20941	-	-	-	1	-	-
22; 1 Artillery Whitechapel -	6769	-	-	1	-	-	1
2 Spitalfields - - -	15336	-	-	-	1	-	-
3 Mile End New Town *W* -	14543	-	-	-	-	1	2
4 Whitechapel North *W* -	12530	-	-	-	-	-	-
5 Whitechapel Church H -	7818	-	-	1	-	-	-
6 Goodman's Fields - -	12069	-	-	-	2	-	-
7 Aldgate H - - -	10694	-	-	-	2	-	-
23; 1 St. Mary St. Geo. East -	18067	-	-	-	-	-	-
2 St. Paul St. Geo. East -	20319	-	-	-	-	-	-
3 St. John St. Geo. East *W*	9990	-	-	-	-	-	-
24*a*; 1 Shadwell *W* - - -	16179	-	-	-	-	-	-
2 Ratcliff *W* - - -	15212	-	-	2	1	-	1
3 Limehouse *W* - -	22782	-	-	4	1	-	-
24*b*; 1 Mile End Old Town, West.	29582	-	-	1	2	-	-
2 Mile End Old T., East. *Ww*ll	27020	-	2	1	1	1	2
25; 1 Bow *w*LH - - -	18778	-	-	1	1	1	2
2 Poplar *W* - - -	28384	1	1	7	-	-	1
SOUTH DISTRICTS.							
26; 1 Christchurch Southwark *W*	16022	-	1	-	-	-	1
2 St. Saviour Southwark HH	19709	-	-	1	1	1	1
27; 1 St. Olave Southwark HH	8015	-	-	-	-	-	-
2 St. John Horsleydown *W*	11360	-	-	1	-	-	-
28; 1 St. James Bermondsey -	18899	-	-	1	3	-	-
2 St. Mary Magdalen *W* -	13934	1	-	-	2	-	-
3 Leather Market - -	15295	-	-	1	-	-	-
29; 1 Kent Road - - -	18126	1	-	3	-	-	-
2 Borough Road *W* P -	15862	-	-	1	-	-	-
3 London Road LP - -	17836	-	-	2	-	-	1
30; 1 Trinity Newington P -	20922	-	-	2	-	1	-
2 St. Peter Walworth *W* -	29861	-	2	-	-	-	-
3 St. Mary Newington -	14033	-	-	-	-	-	-
31; 1 Waterloo Road 1st - -	14088	-	-	1	-	-	1
2 Waterloo Road 2nd H -	18348	-	-	1	2	-	1
3 Lambeth Church 1st -	18409	-	1	1	2	-	1
4 Lambeth Church 2nd *W*	26784	-	-	2	-	-	2
5 Kennington 1st - -	24261	-	-	1	-	-	-
6 Kennington 2nd - -	18848	-	-	3	-	-	-
7 Brixton L - - -	14610	-	-	-	-	-	1
8 Norwood *W* - - -	3977	-	-	-	-	-	-
32; 1 Clapham L - - -	16290	-	1	1	-	-	-
2 Battersea *W* - - -	10560	-	-	3	1	-	1
3 Wandsworth PL - -	9611	-	-	1	-	-	-
4 Putney - - - -	5280	-	-	-	1	-	-
5 Streatham - - -	9023	-	-	-	-	-	-
33; 1 Dulwich - - -	1632	-	-	1	-	-	-
2 Camberwell *W* LL -	17742	-	-	2	-	1	-
3 Peckham - - - -	19444	-	2	3	-	-	3
4 St. George Camberwell -	15849	-	-	2	1	-	-
34; 1 Rotherhithe *W* - -	17805	-	-	-	2	-	-
35; 1 St. Paul Deptford - -	24899	-	-	3	-	-	-
2 St. Nicholas Deptford -	7071	-	-	-	-	-	1
3 Greenwich West H -	18800	-	-	-	1	1	-
4 Greenwich East *W* H -	16228	-	-	-	-	-	-
5 Woolwich Dockyard HP	17140	-	-	1	-	-	1
6 Woolwich Arsenal HPH	15227	-	-	1	-	-	-
36; 1 Plumstead - - -	13191	-	-	-	-	-	-
2 Eltham - - - -	2568	-	-	-	-	-	-
3 Lee - - - - -	8478	‡	-	-	-	-	-
4 Lewisham Village *W* -	6097	-	-	-	1	-	-
5 Sydenham - - -	4501	-	1	-	-	-	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—a workhouse not belonging to the district in which it is situated. The following are—

OUTLYING WORKHOUSES:
St. George Hanover Square in Chelsea North-west sub-district.
The Strand - - ,, Tottenham-court sub-district.
East London - ,, Hackney sub-district.
St. Luke Middlesex - ,, Hoxton New Town sub-district.
London City - - ,, Mile End Old Town Eastern sub-district and Bow sub-district.

* The numbers on the left of the semicolons refer to the Districts in the preceding page.
† Islington West contains the Small-pox and Fever Hospitals.
‡ Return not received.

Meteorological Observations taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 1st January 1859.
[Under the Superintendence of the Astronomer Royal.]

1858 & 1859. Month and Day.		Moon. Phases of Moon.	Barometer. Mean daily reading (corrected and reduced to 32 degrees Fahrenheit).	Thermometers. Dry. High-est.	Dry. Low-est.	Dry. Range in day.	Dry. Mean daily value.	Dew Point. Mean daily value.	Highest in sun, as shown by a self-registering Thermometer, read at 9h. p.m.	Lowest on grass, as shown by a self-registering Thermometer, read at 9h. a.m.	In Water of Thames at Greenwich, by self-registering Thermometers, read at 9 o'clock next morning. Highest.	Lowest.	Differences. Between Dew Point Temperature and Air Temperature. Mean daily value.	Greatest.	Least.	Between mean temperature of the day and mean temperature of the same day on average of 43 years.	Degree of Humidity, complete Saturation being represented by 100.	Wind. As deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on square foot. Great-est.	Least.	Mean of 24 Obs.	Whewell's. Amount of Horizontal Movement of Air each day.	Rain. In inches, read at 9h. p.m.
Dec. and Jan.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°				lbs.	lbs.	lbs.	Miles.	
Sunday . .	26	In Equator.	29·156	49·8	39·5	10·3	43·7	39·1	55·0	33·0	42·4	42·4	4·6	7·6	0·9	+ 7·3	84	S.W.	W.S.W.	14·0	0·0	3·2	245	0·16
Monday. .	27	Last Quarter.	29·288	44·0	38·4	5·6	41·5	36·1	45·2	34·0	42·4	42·4	5·4	6·2	3·0	+ 5·0	82	W.S.W.	W.	8·0	0·0	1·0	130	0·00
Tuesday .	28	..	29·589	45·0	36·5	8·5	41·1	36·7	45·7	34·0	42·1	42·1	4·4	6·6	1·4	+ 4·1	84	N.W.	S.W.	4·0	0·0	0·5	55	0·02
Wednesday	29	..	29·820	45·0	35·2	9·8	39·2	34·4	41·8	29·0	41·5	41·5	4·8	6·8	2·5	+ 1·9	78	N.W.	N.W.	3·0	0·0	0·4	85	0·00
Thursday.	30	..	29·963	43·8	31·9	11·9	39·2	39·2	43·4	24·0	41·5	41·5	0·0	2·5	0·0	+ 1·8	98	Calm	S.W.	0·0	0·0	0·0	10	0·02
Friday . .	31	..	30·101	44·0	39·5	4·5	41·8	41·1	44·3	35·3	41·2	41·2	0·7	1·8	0·0	+ 4·2	98	Calm	S.	0·0	0·0	0·0	35	0·01
January. Saturday.	1	..	30·289	46·0	40·7	5·3	43·1	42·1	46·2	40·0	41·5	41·5	1·0	3·1	0·0	+ 6·6	94	S. & S.W.	Calm	0·0	0·0	0·0	5	0·01
Means . .		..	29·744	45·4	37·4	8·0	41·4	38·4	45·9	32·8	41·8	41·8	3·0	4·9	1·1	+ 4·4	88	S.W.		..	..	..	Sum 565	Sum 0·22
No. of Columns		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date.		Electricity.	Sky and Atmosphere.
December.			
Sunday . .	26	No electricity was shown.	Cloudy till noon; during the remainder of the day the sky was generally clear. Rain fell heavily early in the morning. Lightning was seen at night.
Monday . .	27	Weak positive during the afternoon.	Partially cloudy till evening, clear afterwards.
Tuesday . .	28	Weak positive at night.	Generally cloudy till noon; during the remainder of the day the amount of cloud was variable. Thin rain fell at night.
Wednesday	29	Weak positive during the morning.	One half of the sky was for the most part covered till noon; clear generally during the remainder of the day.
Thursday .	30	Moderate positive during the afternoon and evening.	Overcast throughout the day. Rain fell frequently, and fog prevailed at night.
Friday . .	31	No electricity was shown.	Overcast throughout the day. Rain fell frequently.
January. Saturday .	1	No electricity was shown.	Overcast throughout the day. Misty rain fell frequently.

Notes.

Cistern of bar. 159 ft. above mean level of sea. Readings coincident with those of R. S.'s flint-glass standard bar. Obs. taken at 9h. A.M.; noon; 3h. P.M.; 9h. P.M. The means of readings in Cols. 4, 8, 9, observed at these times, stand as corrected by Mr. Glaisher from obs. of 5 yrs. ending Dec. 31, 1845 (*Phil. Trans., Pt.* 1, 1848). From values thus obtained, Cols. 14 and 18 are derived. Col. 8 includes results deduced from max. and min. (self-registering) thermom. with corrections. Readings in Cols. 10, 11, 12, 13 are placed opposite the day which precedes that on which the thermometers are read. The numbers in Cols. 15 and 16 are determined by the use of maximum and minimum thermometers with wettened bulbs. Col. 17 is determined by Mr. Glaisher from all the thermometrical observations made at the Royal Observatory, Greenwich, in the 43 years ending 1856. In Col. 17, + means *higher*, — *lower* than average. Whewell's anemometer (Col. 24.) is read at 10h. A.M. The result is for 24 hours previous, and is placed opposite the day preceding that on which the reading is taken.

The temperature of the water of the Thames is ascertained by the use of self-registering thermometers, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of these instruments are registered under the superintendence of the medical officers of the ship.

The reading of the barometer decreased from 29·24 in. at the beginning of the week to 29·15 in. by 1h. P.M. on the 26th; increased to 30·03 in. by 9h. A.M. on the 30th; decreased to 29·93 in. by 3h. P.M. on the same day; and increased to 30·15 in. by the end of the week.

London: Printed by George E. Eyre and William Spottiswoode, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office.

QUARTERLY SUPPLEMENT

TO THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS IN LONDON.

Health of London during the Quarter.

In the thirteen weeks that ended January 1st the mortality in London was high. The deaths registered in that period rose to 17,688, whereas in the four corresponding autumnal periods of 1854–7 they ranged from 13,840 to 17,238, the latter number having been in part the result of cholera and scarlatina in 1854. The excess of mortality in the quarter that has just passed arose from two causes: scarlatina (including diphtheria) which has been extremely prevalent throughout the period, and in the earlier part of it carried off about 160 persons in a week; and bronchial complaints which became unusually fatal towards the end of November, the air at that time having been remarkably cold for the season. Though the mean temperature for the quarter, 44°, was high, the early severity of the weather and its quick transitions proved fatal to young and infirm constitutions. Pulmonary diseases, which include chiefly bronchitis and pneumonia, carried off 4,075 persons; in the four corresponding quarters the numbers ranged from 2,510 to 3,732. Scarlatina was fatal in 1,814 cases, 70 of which occurred in Westminster, 141 in Marylebone (59 of these in the sub-district of Christchurch), 206 in Pancras, 84 in Islington, 88 in Poplar, 110 in Lambeth. These are some of the parts in which it was rife.

Of 471 *violent* deaths, 396 were by accident or negligence, 12 by murder or manslaughter, 63 by suicide.

DEATHS in LONDON from ALL CAUSES *Registered in the Thirteen Weeks forming the Fourth for the same Thirteen*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, Dec. 30 1854	Dec. 29 1855	Dec. 27 1856	Jan. 2 1858	In the Quarter ending Saturday, Jan. 1, 1859. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	43°·7	42°·7	44°·2	47°·9	44°·0					
	ALL CAUSES	17238	13840	14118	16546‡	17688§	9659	2209	2513	2684	588
	SPECIFIED CAUSES	16803	13480	13810	16284	17449	9550	2184	2479	2651	585
	(CLASSES.)										
I.	ZYMOTIC DISEASES	5392	3291	3164	3613	4686	3931	336	208	187	24
II.	CONSTITUTIONAL „	2960	2739	2815	3155	3086	968	1040	757	296	25
III.	LOCAL „	6235	5466	5879	7103	7531	3482	655	1394	1757	243
IV.	DEVELOPMENTAL „	1729	1535	1538	1856	1675	946	64	25	358	282
V.	VIOLENT DEATHS	487	449	414	557	471	223	89	95	53	11
	(ORDERS.)										
I.	1. MIASMATIC DISEASES	5155	3087	2898	3314	4394	3738	293	169	171	23
	2. ENTHETIC „	61	47	70	75	88	55	19	6	8	..
	3. DIETIC „	140	128	170	196	158	94	24	33	7	..
	4. PARASITIC „	36	29	26	28	46	44	..	..	1	1
II.	1. DIATHETIC „	558	506	509	587	574	94	50	186	219	25
	2. TUBERCULAR „	2402	2233	2306	2568	2512	874	990	571	77	..
III.	1. DISEASES OF NERVOUS SYSTEM	1535	1485	1351	1671	1721	823	141	296	408	53
	2. „ OF ORGANS OF CIRCULATION	611	579	594	640	700	84	108	229	251	28
	3. „ OF RESPIRATORY ORGANS	3050	2510	3000	3732	4075	2345	232	540	835	123
	4. „ OF DIGESTIVE ORGANS	698	566	581	688	642	148	93	214	164	23
	5. „ OF URINARY ORGANS	158	156	207	200	219	21	49	68	71	10
	6. „ OF ORGANS OF GENERATION	60	48	37	49	51	5	13	26	6	1
	7. „ OF ORGANS OF LOCOMOTION	47	47	37	35	40	19	8	7	6	..
	8. „ OF INTEGUMENTARY SYSTEM	76	75	72	88	83	37	11	14	16	5
IV.	1. DEV. DISEASES OF CHILDREN	579	516	514	652	435	434	..	1	..	..
	2. „ OF ADULTS	75	75	56	68	71	1	59	11	..	..
	3. „ OF OLD PEOPLE	553	537	538	653	545	..	..	..	266	279
	4. DISEASES OF NUTRITION	522	407	430	483	624	511	5	13	92	3
V.	1. ACCIDENT OR NEGLIGENCE	*	*	*	*	396	213	68	62	42	11
	†										
	3. HOMICIDE	*	*	*	*	12	9	2	..	1	..
	4. SUICIDE	*	*	*	*	63	1	19	33	10	..
	5. EXECUTION	*	*	*	*	..	..	..	..	..	..
	VIOLENT DEATHS NOT CLASSED	487	449	414	557	..	..	..	..	..	..
	SUDDEN DEATHS, CAUSE UNASCERTAINED	173	163	137	155	139	71	16	26	23	3
	CAUSES NOT SPECIFIED	262	197	171	107	100	38	9	8	10	..

NOTE.—Where a person is "found drowned" the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever" are classed with those of typhoid, relapsing, and other continued fevers,

† Order 2., comprising Violent Deaths IN BATTLE, is omitted, as inapplicable to the civil population.

‡ The Weekly Returns of Births and Deaths in London for 1857 extend over a period of 53 weeks. The last 14 weeks in that year constitute the December quarter in the above Table. The additional week is necessary for the better adjustment of the returns to the calendar year.

Quarter of each of the Five Years 1854 *to* 1858; *and also the Deaths in Five Periods of Life Weeks of* 1858.

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, Dec. 30 1854	Dec. 29 1855	Dec. 27 1856	Jan. 2 1858	In the Quarter ending Saturday, Jan. 1, 1859. Deaths of Persons of the Ages: ALL AGES. Mean Temp.	Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	43°·7	42°·7	44°·2	47°·9	44°·0					
I.	ORDER 1.										
	1. Small-pox	289	177	74	26	118	88	25	4	1	..
	2. Measles	369	256	372	408	524	522	2	..	..	..
	3. Scarlatina	1297	774	556	644	1814	1771	33	7	2	1
	4. Quinsy	21	29	24	27	33	29	2	1	1	..
	5. Croup	132	166	129	148	153	153	..	..	..	..
	6. Whooping-cough	419	441	466	583	559	558	1	..	..	..
	7. Typhus (and Infantile fever)	719	614	616	663	576	301	117	76	72	10
	8. Erysipelas	128	99	105	75	98	44	11	21	18	4
	9. Metria	45	46	49	40	61	4	54	3	..	..
	10. Carbuncle	22	14	21	21	18	1	1	8	8	..
	11. Influenza	31	9	18	100	29	15	..	1	9	4
	12. Dysentery	39	33	29	54	36	18	6	2	10	..
	13. Diarrhœa	543	316	316	390	234	169	9	12	40	4
	14. Cholera	982	19	2	25	5	4	..	..	1	..
	15. Ague	3	5	16	7	9	5	4	..	..	..
	16. Remittent fever	30	16	27	27	26	20	4	1	1	..
	17. Rheumatism	86	73	78	76	101	36	24	33	8	..
	ORDER 2.										
	1. Syphilis	40	41	55	56	75	55	17	3	..	..
	2. Stricture of Urethra	20	5	15	18	13	..	2	3	8	..
	3. Hydrophobia	1	1	..	1	..	..	..	..	..	..
	4. Glanders	*	*	*	*	..	..	..	..	..	..
	ORDER 3.										
	1. Privation	9	5	4	10	10	..	3	4	3	..
	2. Want of Breast-milk	74	60	110	97	86	86	..	..	..	..
	3. Purpura and Scurvy	10	13	10	13	14	8	3	2	1	..
	4. Alcoholism { *a* Del. Tremens	35	32	27	42	20	..	12	7	1	..
	4. Alcoholism { *b* Intemperance	12	18	19	34	28	..	6	20	2	..
	ORDER 4.										
	1. Thrush	36	29	26	28	45	43	..	..	1	1
	2. Worms, &c.	*	*	*	*	1	1	..	..	..	..
II.	ORDER 1.										
	1. Gout	14	9	12	11	13	..	..	4	8	1
	2. Dropsy	227	176	175	212	224	79	17	39	82	7
	3. Cancer	252	271	277	310	294	4	32	138	109	11
	4. Noma	7	4	7	7	5	5	..	..	..	..
	5. Mortification	58	46	38	47	38	6	1	5	20	6
	ORDER 2.										
	1. Scrofula	117	112	79	91	90	62	20	6	2	..
	2. Tabes Mesenterica	245	183	165	196	202	198	3	1	..	..
	3. Phthisis	1707	1627	1785	1964	1914	313	964	562	75	..
	4. Hydrocephalus	333	311	277	317	306	301	3	2	..	..
III.	ORDER 1.										
	1. Cephalitis	137	124	94	146	130	98	15	9	8	..
	2. Apoplexy	335	344	298	392	369	60	30	99	156	24
	3. Paralysis	290	286	266	288	322	3	32	89	176	22
	4. Insanity	29	18	12	27	25	..	6	5	13	1
	5. Chorea	5	2	..	1	2	2	..	..	..	..
	6. Epilepsy	83	81	63	97	94	17	26	36	13	2
	7. Convulsions	515	458	442	515	576	572	1	2	..	1
	8. *Brain Disease, &c.*	141	172	176	205	203	71	31	56	42	3
	ORDER 2.										
	1. Pericarditis	38	29	22	29	44	23	8	9	4	..
	2. Aneurism	30	18	13	17	23	..	8	8	6	1
	3. *Heart Disease, &c.*	543	532	559	594	633	61	92	212	241	27
	ORDER 3.										
	1. Laryngitis	92	55	75	87	77	66	5	5	1	..
	2. Bronchitis	1358	1245	1432	1950	2240	1053	100	337	642	108
	3. Pleurisy	38	34	47	38	39	8	8	10	12	1
	4. Pneumonia	1298	929	1179	1406	1433	1199	71	83	72	8
	5. Asthma	170	156	174	187	191	2	21	75	87	6
	6. *Lung Disease, &c.*	94	91	93	64	95	17	27	30	21	..
	ORDER 4.										
	1. Gastritis	22	31	18	26	16	7	2	5	2	..
	2. Enteritis	78	65	62	73	79	38	14	14	11	2
	3. Peritonitis	60	58	52	49	59	21	15	13	10	..
	4. Ascites	60	37	39	37	32	4	2	13	11	2
	5. Ulceration of Intestines	36	33	34	36	31	4	7	11	8	1
	6. Hernia	41	32	29	31	26	2	2	12	9	1
	7. Ileus	35	39	38	40	32	11	4	5	10	2
	8. Intussusception	8	10	15	12	12	7	1	1	3	..

under one name "typhus." Cases of "rheumatic fever" are classed with "rheumatism;" of "hæmorrhage" and "abscess" with the diseases of the organs affected. Cases of "neglect" and "cold," except when the result of "privation" (Class I.; 3; 1), are placed (with notes) under deaths by "accident or negligence" (V.; 1; 7.). As "stricture of the urethra" is almost invariably the result of gonorrhœa, it is classed as I.; 2; 2.

DEATHS in LONDON, from ALL CAUSES, *Registered in the Thirteen Weeks forming the Fourth Quarter of each of the Five Years* 1854 *to* 1858; *and also the Deaths in Five Periods of Life for the same Thirteen Weeks of* 1858—*continued.*

Class.	CAUSES OF DEATH.	Deaths from all Causes in the Quarter ending Saturday, Dec. 30 1854	Dec. 29 1855	Dec. 27 1856	Jan. 2 1858	In the Quarter ending Saturday, Jan. 1, 1859. ALL AGES. Mean Temp.	Deaths of Persons of the Ages: Under 20 Years.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
	Mean Temperature	43°·7	42°·7	44°·2	47°·9	44°·0					
	9. Stricture of Intestines	16	11	12	12	13	2	2	5	4	..
	10. Fistula	5	5	3	7	10	1	..	7	2	..
	11. *Stomach Disease, &c.*	62	58	61	75	81	17	13	16	29	6
	12. *Pancreas Disease, &c.*	..	..	..	..	1	..	1	..	..	..
	13. Hepatitis	59	26	38	55	42	2	3	25	10	2
	14. Jaundice	33	42	35	45	41	19	1	8	13	..
	15. *Liver Disease, &c.*	178	112	141	186	162	10	25	78	42	7
	16. *Spleen Disease, &c.*	5	7	4	4	5	3	1	1	..	..
	ORDER 5.										
	1. Nephritis	5	9	5	7	8	1	1	1	5	..
	2. Ischuria	3	1	2	4	1	..	..	1	..	..
	3. Nephria	46	48	79	64	75	5	25	28	17	..
	4. Diabetes	15	7	17	14	13	2	4	4	3	..
	5. Stone	7	10	11	7	6	..	1	2	3	..
	6. Cystitis	7	13	9	11	16	1	..	1	9	5
	7. *Kidney Disease, &c.*	75	68	84	93	100	12	18	31	34	5
	ORDER 6.										
	1. Ovarian Dropsy	17	11	10	11	12	..	4	8	..	..
	2. *Uterus Disease, &c.*	43	37	27	38	39	5	9	18	6	1
	ORDER 7.										
	1. Arthritis	3	3	1	2	3	1	..	2	..	..
	2. *Joint Disease, &c.*	44	44	36	33	37	18	8	5	6	..
	ORDER 8.										
	1. Phlegmon	39	47	39	50	50	20	8	11	8	3
	2. Ulcer	21	13	17	17	15	4	2	3	4	2
	3. *Skin Disease, &c.*	16	15	16	21	18	13	1	..	4	..
IV.	ORDER 1.										
	1. Premature Birth	375	357	369	463	213	213	..	..	..	..
	2. Cyanosis	*	*	*	*	27	26	..	1	..	..
	3. Spina Bifida	*	*	*	*	16	16	..	..	..	..
	4. Other Malformations	46	45	37	46	20	20	..	..	..	..
	5. Teething	158	114	108	143	159	159	..	..	..	..
	ORDER 2.										
	1. Paramenia	2	1	1	3	1	..	..	1	..	..
	2. Childbirth (*see* Metria)	73	74	55	65	70	1	59	10	..	..
	ORDER 3.										
	1. Old Age	553	537	538	653	545	..	..	..	266	279
	ORDER 4.										
	1. Atrophy and Debility	522	407	430	483	624	511	5	13	92	3
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)										
	1. Fractures and Contusions	*	*	*	*	167	44	38	51	25	9
	2. Wounds	*	*	*	*	11	2	4	2	3	..
	3. Burns and Scalds	*	*	*	*	98	85	5	3	3	2
	4. Poison	*	*	*	*	15	9	1	2	3	..
	5. Drowning	*	*	*	*	37	12	19	3	3	..
	6. Suffocation	*	*	*	*	60	57	..	1	2	..
	7. Otherwise	*	*	*	*	8	4	1	..	3	..
	ORDER 3. (HOMICIDE.)										
	1. Murder and Manslaughter	*	*	*	*	12	9	2	..	1	..
	ORDER 4. (SUICIDE.)										
	1. Wounds: Gunshot	*	*	*	*	..	..	..	..	..	..
	1. Wounds: Cut, Stab	*	*	*	*	20	..	3	13	4	..
	2. Poison	*	*	*	*	15	..	9	4	2	..
	3. Drowning	*	*	*	*	16	1	5	8	2	..
	4. Hanging	*	*	*	*	10	..	1	7	2	..
	5. Otherwise	*	*	*	*	2	..	1	1	..	..
	ORDER 5. (EXECUTION.)										
	1. Hanging	*	*	*	*	..	..	..	..	..	..
	Violent Deaths (not classed)	487	449	414	557	..	..	..	..	..	..
	Sudden Deaths (Cause unascertained)	173	163	137	155	139	71	16	26	23	3
	Causes not specified or ill-defined	262	197	171	107	100†	38	9	8	10	..

† 35 to be added for averages.

LONDON.—DEATHS from SMALL-POX, MEASLES, SCARLATINA, WHOOPING-COUGH, DIARRHŒA, and TYPHUS registered in each SUB-DISTRICT during the 13 Weeks ending Saturday, 1st January 1859.

No.	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	LONDON - -	2362236	118	524	1814	559	234	576
1-6	WEST DISTRICTS - -	376427	3	41	196	40	30	75
7-11	NORTH DISTRICTS -	490396	39	132	485	138	41	105
12-19	CENTRAL DISTRICTS -	393256	22	167	228	106	29	96
20-25	EAST DISTRICTS - -	485522	35	66	426	125	60	172
26-36	SOUTH DISTRICTS -	616635	19	118	479	150	74	128
	WEST DISTRICTS.							
1; 1	St. Mary Paddington *WH*	17252	-	1	18	1	4	2
2	St. John Paddington H -	29053	-	2	13	-	1	8
3	Kensington Town *WL* -	29183	-	7	20	4	3	8
4	Brompton HH - -	14870	1	-	4	-	-	4
5	St. Peter Hammersmith -	4467	-	-	1	-	-	-
6	St. Paul Hammersmith -	13293	-	2	13	-	4	2
7	Fulham *WLLLL* - -	11886	-	1	3	3	1	2
2; 1	Chelsea South H - -	19050	-	5	4	1	2	4
2	Chelsea North-west *Ww*	17669	-	1	3	2	1	6
3	Chelsea North-east L -	19819	-	1	3	1	2	2
3; 1	Hanover-square - -	20216	-	-	7	2	-	2
2	May Fair *W* - - -	12980	-	-	1	1	-	-
3	Belgrave H - - -	40034	-	4	18	11	2	14
4; 1	St. John Westmr. HHHP	34295	1	2	35	5	3	8
2	St. Margaret West. *WHP*	31314	1	9	35	3	2	6
5; 1	Charing Cross *WH* -	12587	-	3	4	-	1	1
2	Long Acre - - -	12053	-	3	4	3	2	3
6; 1	Berwick-street - -	10798	-	-	6	-	1	-
2	St. James's-square - -	11469	-	-	3	2	1	1
3	Golden-square *W* - -	14139	-	-	1	1	-	2
	NORTH DISTRICTS.							
7; 1	All Souls Marylebone H -	28841	1	5	29	5	1	7
2	Cavendish-square - -	14687	1	-	3	-	-	2
3	Rectory Marylebone *W* -	27633	-	2	19	4	2	8
4	St. Mary Marylebone H -	22814	-	1	7	2	3	4
5	Christchurch Marylebone	33895	-	13	59	19	-	7
6	St. John Marylebone -	29826	-	3	24	2	4	3
8; 1	Hampstead *W* - -	11986	-	13	8	1	-	3
9; 1	Regent's Park Pancras -	31918	5	1	25	3	1	9
2	Tottenham-court *w*H -	28433	-	17	44	14	3	6
3	Gray's-inn-lane H -	26523	2	12	30	6	1	3
4	Somers-town - - -	35641	-	10	46	13	5	2
5	Camden-town *W* - -	21115	1	18	23	1	3	3
6	Kentish-town - - -	23326	2	8	38	8	5	5
10; 1	Islington West *WHHHPP**	47881	26	15	44	17	1	22
2	Islington East *W* - -	47448	1	9	40	23	5	12
11; 1	Stoke Newington L -	4840	-	-	4	1	-	1
2	Stamford-hill - - -	5549	-	-	2	-	-	-
3	West Hackney L - -	18732	-	-	12	10	4	4
4	Hackney *WHw* - -	20850	-	-	11	7	2	2
5	South Hackney L - -	8458	-	5	17	2	1	2
	CENTRAL DISTRICTS.							
12; 1	St. George Bloomsbury -	16807	1	7	9	9	-	1
2	St. Giles South *WH* -	19951	-	4	10	10	1	4
3	St. Giles North - -	17456	1	2	12	4	2	4
13; 1	St. Anne Soho - - -	17335	-	-	6	-	1	1
2	St. Mary-le-Strand - -	11615	-	1	6	1	1	1
3	St. Clement Danes H -	15467	-	2	5	3	2	6
14; 1	St. George-the-Martyr H	18813	3	5	25	6	1	3
2	St. Andrew East., Holb. *W*	13971	-	8	8	4	-	1
3	Saffron-hill - - -	13837	-	4	4	5	2	2
15; 1	St. James Clerkenwell *WP*	21529	1	11	14	5	4	1
2	Amwell Clerkenwell P -	15720	-	13	2	3	4	4
3	Pentonville - - -	11904	-	8	10	6	1	1
4	Goswell-street - - -	15625	2	5	11	1	2	6
16; 1	Old-street H - - -	10617	-	8	4	6	-	-
2	City-road HL - -	16840	2	5	19	5	1	5
3	Whitecross-street - -	13657	2	15	4	3	-	7
4	Finsbury - - - -	12941	4	6	5	5	-	9
17; 1	St. Botolph, East London	23824	-	5	10	6	-	4
2	Cripplegate P - -	20582	5	19	16	5	-	8
18; 1	West London North *WHP*	12946	-	21	24	4	2	16
2	West London South P -	15887	-	5	11	7	3	5
19; 1	London City South-west -	9204	1	4	4	2	1	1
2	London City North-west -	11847	-	-	2	1	1	-
3	London City South -	11461	-	1	2	-	-	1
4	London City South-east -	10594	-	2	1	-	-	2
5	London City North-east -	12826	-	6	4	5	-	3

No.	REGISTRARS' SUB-DISTRICTS.	Population, 1851.	Epidemics. Small-pox.	Measles.	Scarlatina.	Whooping-cough.	Diarrhœa.	Typhus.
	EAST DISTRICTS.							
20; 1	Holywell Shoreditch -	17245	-	2	5	5	1	5
2	St. Leonard Shoreditch L	19449	4	9	18	4	2	4
3	Hoxton New Town *w* -	23505	8	5	17	8	2	14
4	Hoxton Old Town - -	17431	2	6	16	6	2	7
5	Haggerstone West *W* -	20276	2	4	19	4	4	13
6	Haggerstone East - -	11351	1	1	6	4	2	6
21; 1	Hackney Road - -	23910	4	5	12	7	3	9
2	Green, Bethnal Green *WHL*	23555	1	3	33	4	2	7
3	Church, Bethnal Green -	21787	-	2	17	5	3	11
4	Town, Bethnal Green -	20941	2	2	12	6	5	8
22; 1	Artillery Whitechapel -	6769	-	-	2	1	1	1
2	Spitalfields - - -	15336	1	-	13	6	-	4
3	Mile End New Town *W* -	14543	1	-	13	3	4	16
4	Whitechapel North -	12530	-	1	9	5	1	3
5	Whitechapel Church H -	7818	-	-	4	-	-	3
6	Goodman's Fields - -	12069	-	-	4	12	2	4
7	Aldgate H - - -	10694	-	1	-	6	2	1
23; 1	St. Mary, St. Geo. East -	18067	-	3	11	4	-	6
2	St. Paul, St. Geo. East -	20319	-	-	10	1	1	-
3	St. John, St. Geo. East *W*	9990	-	1	12	-	2	1
24*a*; 1	Shadwell *W* - - -	16179	-	-	11	1	3	2
2	Ratcliff *W* - - -	15212	-	-	15	1	-	6
3	Limehouse *W* - -	22782	-	8	40	16	5	6
24*b*; 1	Mile End Old Town, West -	29582	-	2	21	5	3	9
2	Mile End Old T., East *WwH*	27020	-	7	18	7	3	12
25; 1	Bow *w*LH - - -	18778	3	-	45	4	4	6
2	Poplar *W* - - -	28384	6	4	43	-	3	8
	SOUTH DISTRICTS.							
26; 1	Christchurch Southwark *W*	16022	-	5	7	3	1	1
2	St. Saviour Southwark HH	19709	-	3	10	11	1	9
27; 1	St. Olave Southwark HH	8015	-	1	8	1	3	5
2	St. John Horsleydown *W*	11360	-	1	2	-	1	-
28; 1	St. James Bermondsey -	18899	1	7	21	14	-	2
2	St. Mary Magdalen *W* -	13934	1	-	10	5	1	4
3	Leather Market - -	15295	2	5	11	2	1	1
29; 1	Kent Road - - -	18126	1	4	22	1	4	1
2	Borough Road *WP* -	15862	-	1	9	6	7	2
3	London Road LP - -	17836	-	7	13	5	2	6
30; 1	Trinity Newington P -	20922	-	2	16	4	4	-
2	St. Peter Walworth *W* -	29861	2	11	39	6	5	4
3	St. Mary Newington -	14033	1	1	14	2	-	-
31; 1	Waterloo Road 1st - -	14088	-	1	7	4	1	1
2	Waterloo Road 2nd H -	18348	-	4	4	10	2	2
3	Lambeth Church 1st -	18409	1	13	13	9	2	4
4	Lambeth Church 2nd *W*	26784	-	3	12	15	3	8
5	Kennington 1st - -	24261	-	1	35	2	4	2
6	Kennington 2nd - -	18848	-	-	23	1	5	-
7	Brixton L - - -	14610	-	1	14	-	2	2
8	Norwood *W* - - -	3977	-	-	2	2	3	3
32; 1	Clapham L - - -	16290	-	9	8	2	1	4
2	Battersea *W* - - -	10560	-	-	32	2	1	2
3	Wandsworth PL - -	9611	-	-	7	2	1	2
4	Putney - - - -	5280	-	-	3	2	-	-
5	Streatham - - -	9023	-	-	3	-	-	1
33; 1	Dulwich - - - -	1632	-	-	1	-	-	-
2	Camberwell *WLL* -	17742	-	3	13	2	2	2
3	Peckham - - -	19444	6	8	14	4	-	6
4	St. George Camberwell -	15849	1	7	15	13	1	2
34; 1	Rotherhithe *W* - -	17805	-	2	7	7	1	4
35; 1	St. Paul Deptford - -	24899	2	2	29	1	2	12
2	St. Nicholas Deptford -	7071	-	-	2	-	-	2
3	Greenwich West H -	18800	-	4	10	4	7	12
4	Greenwich East *WH* -	16228	-	-	5	1	1	5
5	Woolwich Dockyard HP	17140	-	6	5	1	3	4
6	Woolwich Arsenal HPH	15227	-	1	10	3	1	6
36; 1	Plumstead - - -	13191	1	3	8	1	-	5
2	Eltham - - - -	2568	-	-	-	1	-	-
3	Lee - - - -	8478	-	-	4	-	-	-
4	Lewisham Village *W* -	6097	-	-	9	1	-	2
5	Sydenham - - -	4501	-	2	2	-	1	-

NOTE.—The letters placed against the names of the sub-districts denote public institutions situated therein, namely,
W—Workhouse;
H—Hospital;
L—Lunatic asylum;
P—Prison;
w—Workhouse not belonging to the district in which it is situated. The following are--

OUTLYING WORKHOUSES:
St. George Han. Sq. in 2; 2. Chelsea North-west sub-district.
The Strand - - 9; 2. Tottenham-court sub-district.
East London - - 11; 4. Hackney sub-district.
St. Luke, Middlesex - 20; 3. Hoxton New Town sub-district.
London City - { 24*b*; 2. Mile End Old Town Eastern sub-district. 25; 1. Bow sub-district.

* Islington West contains the Small-pox and Fever Hospitals.

LONDON.—DEATHS in 116 PUBLIC INSTITUTIONS, registered in the 13 Weeks ending Saturday 1st January 1859.

—	DEATHS. Total.	Males.	Females.
TOTAL DEATHS IN 116 PUBLIC INSTITUTIONS	2515	1439	1076
44 WORKHOUSES	1352	659	693
14 PRISONS	9	9	–
4 MILITARY AND NAVAL ASYLUMS	68	68	–
15 GENERAL HOSPITALS	825	528	297
7 HOSPITALS FOR SPECIAL DISEASES	91	51	40
4 LYING-IN HOSPITALS – Women	3	–	3
4 LYING-IN HOSPITALS – Children	11	7	4
7 MILITARY AND NAVAL HOSPITALS	42	42	–
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS	9	8	1
19 LUNATIC ASYLUMS	105	67	38

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
WORKHOUSES.				
	No.			
Paddington	1; 1. St. Mary Paddington	14	6	8
Kensington	1; 3. Kensington Town	18	8	10
Fulham	1; 7. Fulham	14	7	7
Chelsea	2; 2. Chelsea North-west	25	6	19
St. George Hanover Square	2; 2. *Chelsea North-west*	11	1	10
St. George Hanover Square	3; 2. May Fair	14	12	2
Westminster	4; 2. St. Margaret Westminster	33	18	15
St. Martin-in-the-Fields	5; 1. Charing Cross	13	9	4
St. James Westminster	6; 3. Golden Square	37	25	12
Marylebone	7; 3. Rectory, Marylebone	86	34	52
Hampstead	8; 1. Hampstead	7	6	1
Strand	9; 2. *Tottenham Court*	40	21	19
Pancras	9; 5. Camden Town	115	58	57
Islington	10; 1. Islington West	31	15	16
Islington (*for children*)	10; 2. Islington East	–	–	–
Hackney	11; 4. Hackney	28	20	8
East London	11; 4. *Hackney*	18	11	7
St. Giles	12; 2. St. Giles South	63	30	33
Holborn	14; 2. St. Andrew Eastern	38	17	21
Clerkenwell	15; 1. St. James Clerkenwell	35	19	16
West London	18; 1. West London North	24	8	16
Shoreditch	20; 5. Haggerstone West	68	39	29
St. Luke	20; 3. *Hoxton New Town*	52	24	28
Bethnal Green	21; 2. The Green	35	17	18
Whitechapel	22; 3. Mile End New Town	65	26	39
St. George-in-the-East	23; 3. St. John	38	15	23
Stepney	24*a*; 1. Shadwell	26	1	25
Stepney	24*a*; 2. Ratcliff	8	8	–
Stepney	24*a*; 3. Limehouse	6	1	5
Mile End Old Town	24*b*; 2. Eastern	16	10	6
London City	24*b*; 2. *Mile End Old Town Eastern*	6	–	6
London City	25; 1. *Bow*	27	13	14
Poplar	25; 2. Poplar	31	12	19
St. Saviour	26; 1. Christchurch	27	15	12
St. Olave	27; 2. St. John Horsleydn.	13	3	10
Bermondsey	28; 2. St. Mary Magdalen	29	16	13
St. George Southwark	29; 2. Borough Road	34	20	14
Newington	30; 2. St. Peter Walworth	34	21	13
Lambeth	31; 4. Lambeth Church 2d	75	35	40
Lambeth (*for children*)	31; 8. Norwood	2	2	–
Wandsworth	32; 2. Battersea	22	11	11
Camberwell	33; 2. Camberwell	20	13	7
Rotherhithe	34; 1. Rotherhithe	3	3	–
Greenwich	35; 4. East Greenwich	42	16	26
Lewisham	36; 4. Lewisham Village	9	7	2
PRISONS.*				
Westminster House of Correction, Tothill-fields.	4; 2. St. Margaret Westminster	–	–	–
Millbank Prison	4; 1. St. John Westmr.	1	1	–
Pentonville Prison	10; 1. Islington West	–	–	–
City Prison, Holloway	10; 1. Islington West	–	–	–
Middlesex House of Detention.	15; 1. St. James Clerkenwell	–	–	–
Middlesex House of Correction, Coldbath-fields.	15; 2. Amwell Clerkenwell	8	8	–
Whitecross Street Prison	17; 2. Cripplegate	–	–	–
Newgate	18; 1. West London North	–	–	–
Bridewell	18; 2. West London South	–	–	–
Queen's Bench Prison	29; 2. Borough Road	–	–	–
House of Occupations	29; 3. London Road	–	–	–
Surrey County Gaol, Horsemonger-lane.	30; 1. Trinity Newington	–	–	–
Surrey House of Correction	32; 3. Wandsworth	–	–	–
Convict Hulks / Hospital Ship, Unité	35; 5 & 6. Woolwich Dockyard; & Arsenal	–	–	–

PUBLIC INSTITUTIONS.	SUB-DISTRICT in which the Public Institution is situated.	Total.	Males.	Females.
HOSPITALS, &c.				
Military and Naval Asylums. †	No.			
Royal Hospital Greenwich, *In-Pensioners.*	35; 4. East Greenwich	49	49	–
Naval School, Royal Hospital, Greenwich, *Boys.*	35; 4. East Greenwich	–	–	–
Royal Hospital Chelsea, *In-Pensioners.*	2; 1. Chelsea South	19	19	–
Royal Military Asylum, Chelsea, *Boys.*	2; 1. Chelsea South	–	–	–
General Hospitals.				
St. Mary's	1; 2. St. John Paddington	42	25	17
St. George's	3; 3. Belgrave	70	44	26
Westminster	4; 2. St. Margaret Westminster	45	30	15
Charing Cross	5; 1. Charing Cross	16	10	6
Middlesex	7; 1. All Souls Marylebone	58	32	26
University College	9; 2. Tottenham Court	48	31	17
Royal Free Hospital	9; 3. Gray's-inn Lane	32	20	12
Great Northern	10; 1. Islington West	1	1	–
King's College	13; 3. St. Clement Danes	43	29	14
Hospital for Sick Children	14; 1. St. George the Martyr Holborn	21	9	12
St. Bartholomew's	18; 1. West London, North	130	78	52
London	22; 5. Whitechapel Church	96	69	27
Poplar	25; 1. Bow	4	4	–
Guy's	26; 2 St. Saviour	9	5	4
Guy's	27; 1 St. Olave	106	68	38
St. Thomas's	26; 2 St. Saviour	26	2	24
St. Thomas's	27; 1 St. Olave	78	71	7
Hospitals for Special Diseases.				
Cancer	1; 4. Brompton	3	–	3
Small-pox	10; 1. Islington West	21	15	6
London Fever	10; 1. Islington West	26	13	13
St. Mark's	16; 1. Old Street	–	–	–
Lock	1; 1. St. Mary Paddington	1	1	–
Consumption	1; 4. Brompton	34	19	15
City of London, for Diseases of Chest.	21; 2. The Green, Bethnal Green	6	3	3
Lying-in Hospitals.				
Queen Charlotte's	7; 4. St. Mary Marylebone Women	3	–	3
Queen Charlotte's	7; 4. St. Mary Marylebone Children	3	2	1
British	12; 2. St. Giles South Women	–	–	–
British	12; 2. St. Giles South Children	1	1	–
City of London	16; 2. City Road Women	–	–	–
City of London	16; 2. City Road Children	3	1	2
Hospital, York Road	31; 2. Waterloo, 2d Part Women	–	–	–
Hospital, York Road	31; 2. Waterloo, 2d Part Children	4	3	1
Military and Naval Hospitals.				
Grenadier Guards Hospital.	4; 1. St. John Westminster	1	1	–
Coldstream Guards Hospital.	4; 1. St. John Westminster	1	1	–
Scots Fusileer Guards Hospital.	4; 1. St. John Westminster	–	–	–
Tower	22; 7. Aldgate	–	–	–
Royal Marine Infirmary	35; 5. Woolwich Dockyard	3	3	–
Royal Artillery Hospital	35; 6. Woolwich Arsenal	16	16	–
Dreadnought Ship for Seamen.	35; 3. Greenwich West	21	21	–
Hospitals and Asylums for Foreigners.				
German Hospital	11; 4. Hackney	9	8	1
Portuguese Jews Hospital	24*b*; 2. Mile End Old Town Eastern	–	–	–
Lunatic Asylums.				
Kensington House	1; 3. Kensington Town	2	1	1
Normand House	1; 7. Fulham	–	–	–
Munster House	1; 7. Fulham	–	–	–
Otto House	1; 7. Fulham	–	–	–
Sussex and Brandenburgh House.	1; 7. Fulham	1	1	–
Blacklands House	2; 3. Chelsea North-east	–	–	–
Northumberland House	11; 1. Stoke Newington	1	1	–
Whitmore House	11; 3. West Hackney	–	–	–
Pembroke House	11; 5. South Hackney	1	1	–
St. Luke	16; 2. City Road	–	–	–
Hoxton House ‡	20; 2. St. Leonard	15	8	7
Bethnal House ‡	21; 2. Bethnal Green	18	10	8
Grove Hall ‡	25; 1. Bow	13	9	4
Bethlehem	29; 3. London Road	4	4	–
Effra Hall	31; 7. Brixton	–	–	–
Retreat	32; 1. Clapham	–	–	–
Surrey County ‡	32; 3. Wandsworth	20	15	5
Peckham House ‡	33; 2. Camberwell	18	10	8
Camberwell House ‡	33; 2. Camberwell	12	7	5

* The deaths of infant children of prisoners are not included.
† The deaths of *out-pensioners* of Greenwich and Chelsea Hospitals are not included. ‡ Asylums in which paupers are received.

LONDON:
Printed by George E. Eyre and William Spottiswoode,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.